Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9




Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9


~~Nat. Gesch. 6,50.~~
KW
454 J 9

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Completus est hicce Liber
Den J. W. C. D. Wind

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9




Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

# HORTI ACADEMICI LUGDUNO-BATAVI CATALOGUS

exhibens

Plantarum omnium Nomina, quibus ab anno MDCLXXXI ad annum MDCLXXXVI Hortus fuit inſtructus

ut &

Plurimarum in eodem cultarum & à nemine hucuſque editarum

DESCRIPTIONES

&

ICONES

*Auctore*

PAULO HERMANNO

*Medicinæ & Botanices Profeſſore.*




*LUGDUNI BATAVORUM,*
Apud CORNELIUM BOUTESTEYN.
M DC LXXXVII.

Koninklijke Bibliotheek te 's Hage.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Illuſtribus & Magnificis*

Academiæ Lugduno-Batavæ

# CURATORIBUS

D DANIELI VAN WYNGAERDEN Baroni de Wyngaerden, Benthuyſen, Ruybroeck &c. Toparchæ de Werckendam, Moermondt, Reneſſe, Zuydlant, Noordtwelle &c. Equeſtris Hollandiæ Ordinis nomine ad Conſeſſum Celſiſſimorum Fœderati Belgii Ordinum Generalium Deputato, Aggerum Urbis Woerdanæ & Aquæductuum totiuſque Territorii Præfecto & Satrapæ, in ſupremâ Aggerum Delflandiæ Curiâ Aſſeſſori, ad Sereniſſimum Daniæ Regem Exlegato.

D. HIERONYMO DE BEVERNING, JC. Theilingæ Toparchæ, Reipublicæ Goudanæ Viro Conſulari, multis pro Fœderato Belgio Legationibus Illuſtri, ac rerum geſtarum Gloriâ Claro.

D. CONRADO VAN BEUNINGEN, JC. Reipublicæ Amſtelodamenſis Viro Conſulari, Legationum pro Patriæ ſalute ad Potentiſſimos Reges Inclyto.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Eorumque Collegis

*Nobiliſsimis & Ampliſsimis*

Reipublicæ Lugduno-Batavæ

# CONSULIBUS

D. JACOBO VANDER MAES
In ſupremâ Aggerum Rhenolandiæ Curiâ Aſſeſſori, Ærarii Academiæ Lugd. Batav. Præfecto & p. t. Coſſ. Præſidi.

D. JOHANNI VAN VESANEVELT, JC.

D. JOHANNI VAN BANCHEM,

D. CORNELIO PAATS, JC.

ut &

*Ampliſſimo Conſultiſſimoque Viro.*

D. PETRO BURGERSDICIO, JC.
Reipublicæ Lugduno-Batavæ Syndico & Illuſtribus D. D. Curatoribus à Secretis.

DE-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

# DEDICATIO.

EA eſt Nominis Veſtri Auctoritas atque Gloria, ut quâ latè patet orbis religioſa Veneratione ſuſpiciatur. Hic verò cultus *Illuſtriſſimi Proceres* Jure quodam Vobis debetur. Sive enim Veſtra in Bono pubilco moderando reſpiciatur Prudentia, ſive Veſtra in liberales artes & doctrinas perpendantur merita, nemo gentium eſt, quin Vobis ſit poſtponendus. Hoc inter innumera illa Virtutum Veſtrarum facta atque miracula vel Academia noſtra teſtatur, divino prorſus con-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ſilio veſtriſque fauſtis auſpiciis ad illud maturitatis faſtigium evecta, ut, quod olim propria laus fuit Romæ & Athenis, Divinarum Humanarumque rerum Patria & Proma conda plenâ omnium concione celebretur. Fulgent in hac ubivis ampliſſima veſtra monumenta & clariſſima decora, quibus omnium Artium Diſciplinas magnificè exornaſtis, & exornatas indies novis auctibus amplificatis. Ut ſilentio prætercam publicum veſtrum νοσοδοχεῖον, ſumptuoſam Bibliothecam, ampliſſima Theatra, Anatomica, Chemica, Phyſica, Aſtronomica coeteroſque apparatus, ad

ad uſum decorem & commoda Docentium Diſcentiumque inſtructa. Satis ſit, ſi ad Hortum Veſtrum provocem, Academiæ & Urbis Veſtræ præfulgentiſſimum jubar, cui, tàm quoad loci dignitatem & amoenitatem, quàm Stirpium ubertatem & perelegantem ſeriem, nullibi unquam Sol aſpexit parem. Non Hortum, ſed cultiſſimum Paradiſum quiſpiam dixerit, in quo, quicquid eximii habet vel hic vel alter orbis, uno quaſi intuitu contemplari licet. Hujus ſplendorem & admirationem augent auguſtæ in eo exſtructiones, Ambulacra, Aquagia, vitrea Hypocauſta,



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Foculorum ſubterraneorum vaporaria, aliique magnifici ad plantarum cultum & ornatum compoſiti apparatus, quorum interventu cœli noſtri rigidior intemperies ad votum noſtrum temperatur, & ſtirpes delicatâ ſuperbiâ contumaces nullas nec hyemis nec æſtatis ſentiunt viciſſitudines, ſed in perpetuò virente fertilitate cuſtodiuntur, & ad ſummam maturitatem perducuntur. O quàm jucundum oculis & intellectui capiunt pabulum, O quàm ſaluberrimam frugem reportant, qui hâc famâ perciti, Horti veſtri miracula ſpectatum hûc appellunt! Nihil porrò amplius ſupereſ-

ſe

ſe rectè exiſtimaſtis, *Illuſtriſſimi Moecenates*, quàm ut Floreæ veſtræ opes in ſeram poſteritatis memoriam & perpetuum veſtrum monumentum tabulis inſcriberentur cartaceis, & per omnes orbis incolas, quibus vel Corinthum Veſtram propiùs adire non contingit, diſtraherentur & diſſeminarentur. Quod munus cùm ex prudenti veſtro decreto mihi ſit commisſum, pro eâ quâ debui erga Vos obſervantiâ & quâ potui ingenii ſolertiâ conficere, & *Veſtro Illuſtriſſimo Nomini* conſecrare & debui & volui. Hoc meum ſtudium, ſi Vobis vel mediocriter probari ſen-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ſenſero , ingens beneficium agnoſcam, quod omni cultu, pleno obſequio & jugi labore demereri conabor. Cœterùm Venerabor, Optimum Maximum, ut Academiæ Urbiſque Veſtræ Majeſtas

*Creſcat occulto velut arbos ævo*

& Gloria Veſtra ampliſsimis Virtutibus aucta, per omnem ſeculorum ſeriem feliciter deducatur. In his deſinit votis

*Illuſtris & Magnifici Nominis veſtri,*

Lugduni Batavorum
ipſis Kal. Decemb.
M DC LXXXVI.

Cultor humillimus.

PAULUS HERMANNUS.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

# ADMONITIO
## AD
# REI HERBARIÆ
## STUDIOSOS.

*Antequam cartaceum hunc ingrediaris Hortum, paucis Te moneri cupio, quid in ſtudiorum tuorum gratiam præcipuè præſtiterim vel ſaltem præſtare voluerim: Stirpes omnes, quibus Hortus Lugduno-Batavus ab integro ſexennio, quo ejuſdem curam ſuſtinui, inſtructus fuit, ſerie Alphabeticâ recenſui, & ſingulas, in quantùm ordinis ratio permiſit, ſuis legitimis generibus aptavi, argumento deſumpto à fructificatione, hoc eſt ſeminum eorumque capſularum diſpoſitione, ceu parte plantarum præcipuâ & conſtantiſſimâ.*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tiſſimâ. Hoc vero illico Tibi apparebit ex literarum varietate & linearum intercapedine. In Nomenclaturis ſequutus ſum ductum præcipuorum noſtri ævi Botanographorum (CASPARI & JOHANNIS BAUHINI ut & ROBERTI MORISONII, aliorumque apud quos plantas, â laudatis auctoribus omiſſas, invenire licuit. Quas verò â nemine hucuſque evulgatas, in Horto colui, aptis nominibus (pauciſſimis fortè exceptis) adornavi, plurimam partem deſcripſi, & delineavi, ſimul ac nonnullos autorum defectus, â Botanophylis hactenus deſideratos, ſupplevi. Singulis Titulis ſeu Periodis utplurimum illud nomen præmiſi, quod jure naturalis Characteris magis videbatur appoſitum; Cætera verò tanquam Sy-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Synonyma poſtpoſui, factâ tamen ubivis mentione auctoris libri & paginæ. Inſpecturus itaque Plantæ cujuſdam nomen, illico agnoſces ejus genus, & ex cujusnam auctoris libro & paginâ Plantæ facies, Synonymia, Virtutes aliaque ad plenariam Plantæ cognitionem ſpectantia ſint petenda: Videlicet Moriſonius Te docebit imprimis Plantæ Characterem, Caſparus Bauhinus in Pinace Synonymiam, Johannes Bauhinus in tribus ſuis Voluminibus Hiſtoriam naturalem & medicam. Quid ex aliorum & noſtris deſcriptiunculis capere poſſis emolumenti, ipſe videbis. Optaſſem equidem (maxime enim è re tuâ fuiſſet) ut Hiſtoriam Plantarum naturali methodo digeſtam* JOHANNIS RAJI *huc conferre, ejuſque placita*



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*noſtris accommodare potuiſſem, ſed quoniam deſideratiſſimus ille liber nimis ſerò, poſtquam hic Catalogus typis ferme exceſſiſſet, ad manus noſtras pervenit, votum meum explere non licuit. Quod demum cxpleri poſſe confido, ſi Hortum rarioribus ſtirpibus auctum & mendis, quæ irrepſere, purgatum, de novo prælo commiſero. Cæterùm, quas plantas in Belgico noſtro ſolo ſponte naſcentes ipſe reperi, & in Hortum tranſtuli, iis Aſteriſcum * præfixi, Annuis verò notulam* ANN. *ſubjeci. Reliqua à me præſtita ex attentâ lectione facilè apparebunt. Vale, & laboribus noſtris fave.*

Præ-

# Præcipuorum nominum abbreviatorum dilucidationes.

*Act. Haffn. Barth.* Thomæ Bartholini Acta Medica & Philoſophica Hafnienſia.

*Aldin. Hort. Farn.* Exactiſſima deſcriptio rariorum quarundam Plantarum Horti Farneſiani Tobiæ Aldini.

*Alpin. Exot.* De Plantis exoticis libri duo Proſperi Alpini.

*Alpin. Pl. Ægypt.* De Plantis Ægypti liber ejuſdem.

*Ambroſ. Phyt.* Hyacinthi Ambroſini Phytologiæ partis primæ tomus primus.

*Amm. Char.* Character Plantarum naturalis Pauli Ammanni.

*Boccon. Ic. & Deſcr.* Pauli Bocconis Icones & Deſcriptiones rariorum Plantarum Siciliæ.

*Boccon. Epiſt.* Epiſtola 21. en Recherches è Obſervations Ejuſdem.

*Bod. à Stap.* Theophraſti Ereſii de Hiſtoria Plantarum libri decem Johannis Bodæi à Stapel.

*Bont. Hiſt.* Jacobi Bontii Hiſtoria naturalis & Medica Indiæ Orientalis cum commentario Piſonis.

*Breyn. Cent.* Jacobi Breynii Exoticarum Plantarum Centuria prima.

*Breyn. Prod.* Prodromus faſciculi rariorum ejuſdem.

*Boym. Fl. Sin.* Boymii Flora Sinica.

* *



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*C. B. Matth.* Andreæ Matthioli Opera, Caſpari Bauhani.
*C. B. Phyt.* Phytopinax Caſpari Bauhini.
*C. B. P.* Pinax ejuſdem.
*C. B. Prod.* Prodromus Theatri Botanici ejuſdem.
*Cat. Hort. Reg. Par.* Hortus Regius, Pariſiis.
*Cat. Hort. Oxon.* Catalogus Horti Oxonienſis Philippi Stephani & Guilielmi Brounei.
*Cluſ. cur. poſt.* Caroli Cluſii Curæ poſteriores.
*Column. Exphr.* Fabii Columnæ minus cognitarum Plantarum Ecphraſis.
*Column. Not.* Ejuſdem in Nardi Antonii Rechi volumen annotationes.
*Column. Phytob.* Phytobaſanus ejuſdem.
*Comel.* Johannis Commelini Catalogus Plantarum indigenarum Hollandiæ.
*Corn.* Jacobi Cornuti Canadenſium Plantarum aliarumque nondum editarum Hiſtoria.
*Dod. Mem.* Memoires pour ſervir a l'Hiſtoire des plantes Dodart.
*Ferrar. Flor. Cult.* Johannis Baptiſtæ Ferrarii Flora ſeu Florum cultura.
*Ferr. Heſp.* Ejuſdem Heſperides.
*Frid. Cæſ. Tab.* Phytoſophicarum Tabularum Principis Friderici Cæſii Lyncei pars prima.
*Gerhard.* Herball Hiſtori of Plantes Johannis Gerhardi Thomæ Johnſon.
*Hern. Hiſt. Mex.* Nova Plantarum Animalium & Mineralium Mexicanarum Hiſtoria Franciſci Hernandez.
*Hofman. Flor.* Floræ Altdorffinæ deliciæ horten-

tenſes Mauritii Hofmanni.

*Hort. Eyſt.* Hortus Eyſtettenſis Baſilii Beſleri.

*Hort. Malab.* Horti Indici Malabarici Henrici van Rheede à Drackenſtein pars 1.2.3.4.5.6

*J. B. t. l.* Hiſtoriæ Plantarum univerſalis Johannis Bauhini tomus 1. 2. 3.

*Jonqu. Hort.* Dionyſii Jonquet Hortus.

*Jonſt. de Arb. it Mantiſſ.* Hiſtoria Naturalis de Arboribus, Libri ſex Johannis Jonſtonii.

*Lugdun.* Hiſtoria generalis Plantarũ. Lugduni.

*Magnol. Bot.* Botanicum Monſpelienſe Petri Magnoli.

*Marckgr. Hiſt.* Georgii Marckgravii Hiſtoria rerum naturalium.

*Mentz. Ind. it. Pugil.* Index nominum Plantarum Multilinguis Chriſtiani Mentzelii cum Pugillo rariorum Plantarum ejuſdem.

*Merret. Pin.* Pinax rerum naturalium Britanicarum Chriſtophori Merret.

*Moriſ. Hiſt.* Plantarum Hiſtoriæ univerſalis Oxonienſis pars ſecunda Roberti Moriſon.

*Moriſ. Hort. Bleſ.* Hortus Regius Bleſenſis auctus ejuſdem.

*Moriſ. Umbel.* Plantarum umbelliferarum diſtributio nova ejuſdem.

*Munt. Prax.* Waare Oeffening der Planten Abrahami Munting.

*Munt. Brit.* Vera herba Britanica ejuſdem.

*Munt. Al.* Aloidarium ejuſdem.

*Muſ. Zeyl.* Muſæum Zeylanicum continens Plantarum Animalium & Mineralium, quæ Zeylona Inſula ſuppetit, Hiſtoriam, in quâ



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

adornandâ ſubciſivis horis deſudat Autor.

*Park. Theatr.* Theatrum Botanicum Johannis Parkinſonii.

*Piſon. Hiſt.* Guilielmi Piſonis de Indiæ utriuſque re naturali & medicâ.

*Piſon. Mantiſſ.* Ejuſdem Mantiſſa aromatica.

*Raj. Catal.* Catalogus Plantarum Angliæ Johannis Raji.

*Raj. Hiſt.* Hiſtoria Plantarum ejuſdem.

*Sim. Paul. Quadr. Bot.* Quadripartitum Botanicum Simonis Pauli.

*Sterbeeck citr. cult.* Franciſci Sterbeeck Citri cultura.

*Sterb. Theatr. Fung.* Theatrum Fungorum ejuſdem.

*Sutherl. Hort. Edinb.* Hortus Medicus Edinburgenſis James Sutherland.

*Swert. Flor.* Florilegium Emanuelis Swertii.

*Tab.* Jacobi Theodori Tabernæmontani Krauterbuch.

*Triumf. Obſerv.* Obſervationes de Ortu ac Vegetatione Plantarum Johannis Baptiſtæ Triumfetti.

*Tur. Hiſt. Pl.* Hiſtoria Plantarum Georgii Turre.

*Veſling. Obſ.* Johannis Veſlingii de plantis Ægyptiis Obſervationes.

*Zanon. Hiſt. Bot.* Hiſtoria Botanica Jacobi Zanoni.

* Plantas in Belgio ſponte provenientes denotat.

Ann. Annuas indicat.

HOR-

# HORTUS ACADEMICUS LUGDUNO-BATAVUS.

## A.

A*belmoſch. V.* Althæa.

Abies conis ſurſum ſpectantibus, ſive Mas *C.B.P.* 505. Taxi foliis.

Abies alba, ſive Fœmina *C. B. P.* 505. Abies Fœmina, ſive ἐλάτη θήλεια *I. B. tom.* 1. *l.* 9. 231.

Abies rubra, ſive Picea major prima *C. B. P.* 493. Picea Latinorum, ſive ἐλάτη ἄῤῥεν Abies Mas Theophraſti *I. B. tom.* 1. *l.* 9. 238.

Abrotanum Mas anguſtifolium majus *C. B. P.* 136. Abrotonum vulgare *I B. tom.* 3. *l.* 26. 192. Cauliculis viridantibus.

Idem cauliculis rubentibus.

Abrotanum Mas anguſtifolium maximum *C. B.*



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*P*. 136. Abrotanum camphoratum *vulgò*.

Abrotanum Mas anguſtifolium minus *C. B. P*. 136. Abrotonum cum pulchris corymbis *I. B. tom*. 3. *l*. 26. 194.

Abrotanum campeſtre *C. B. P*. 136. Artemiſia tenuifolia, ſive leptophyllos, aliis Abrotonum ſylveſtre *I. B. tom*. 3. *l*. 26. 194. Inodorum, cauliculis ex viridi albicantibus.

Idem cauliculis rubentibus *C. B. P. Var*. 136.

Abrotanum campeſtri ſimile Tingitanum.

Formâ & creſcendi modo priori conſimile videtur, odoris & ſaporis aromatici non omnino expers; ubi verò adoleverit, acquirit virgulta magis lignoſa & fruticoſa. Folia ſunt tenuiora, hilari virore nitentia, inferiora ut plurimùm trilobata, ſuperiora integra; Semina exigua, cinereo-ſpadicea more congenerum. Habemus ex Anglia, ubi ſeminibus Tingide miſſis prodiit.

ABROTANUM Fœmina foliis teretibus *C. B. P*. 136. Chamæcypariſſus *I. B. tom*. 3. *l*. 26. 133. Santolina *vulgò*.

Abrotanum Fœmina flore majori, foliis villoſis & incanis *C. B. P*. 137.

Abrotanum Fœmina viride *C. B. P*. 137.

Abrotanum Fœmina foliis Roriſmarini majus *C. B. P*. 137.

Abrotanum Fœmina caneſcens foliis Stœchadis citrinæ *Breyn. Pr*. 1.

*Abrus Alpin*. *v*. Phaſeolus.

AB-

ABROTANUM CAMPESTRI SIMILE TINGITANUM.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ABSINTHIUM arboreſcens Lobelii *I. B. tom.* 3. *l.* 26. 173. Abrotanum latifolium arboreſcens C. B. P. 136.

* Abſinthium ponticum, ſeu Romanum Officinarum, ſeu Dioſcoridis C. B. P. 138. Abſinthium vulgare majus I. B. *tom.* 3. *l.* 26. 168. Foliis latioribus.

Idem foliis anguſtioribus.

Abſinthium inſipidum, Abſinthio vulgari ſimile C. B. P. 139. Abſinthium inſipidum I. B. *tom.* 3. *l.* 26. 138.

Abſinthium ponticum Creticum grati odoris C. B. P. 138. Abſinthium ponticum & Romanum quibusdam, aliis Seriphium I. B. *tom.* 3. *l.* 26. 167.

Abſinthium ponticum tenuifolium incanum C. B. P. 138. Abſinthium ponticum vulgare, folio inferiùs albo I. B. *tom.* 3. *l.* 26. 175.

Idem planè incanum C. B. P. 139. Foliis anguſtioribus.

Idem odoratiſſimum.

Hoc ab Abſinthio planè incano differt ſolo odore.

Abſinthium ponticum tenuifolium Auſtriacum C. B. P. Abſinthium Auſtriacum tenuifolium I. B. *tom.* 3. *l.* 26. 179.

Abſinthium maritimum Lavendulę folio *C. B. P.* 149. Abſinthium maritimum latifolium ſive Matthioli I. B. *tom.* 3. *l.* 26. 174.

* Abſinthium Seriphium Belgicum C. B. P. 189.

I. B.

*I. B. tom.* 3. *l.* 26. 178.

Abſinthium Seriphium Gallicum C. B. P. 139. Abſinthium Seriphium tenuifolium marinum Narbonenſe I. B. *tom.* 3. *l.* 26. 177.

*Abſinthium Alpinum umbelliferum latifolium* C. B. P. *v.* Ptarmica.

*Abſinthium albis floribus, capitulis ſquaroſis* I. B. *V.* Ptarmica.

*Abſus* I. B. *v.* Senna.

*Abutilon ejuſque ſpecies I. B. v.* Althæa.

A CACIA Ægyptiaca foliis Scorpioides leguminoſæ ſiliquis albis compreſſis, iſthmo interceptis, floribus luteis. Acacia foliis Scorpioides leguminoſę C. B. P. 392. Acacia vera I. B. *tom.* 2. *l.* 12. 429. Acacia. Sant Akakia *Alpin. de Plant. Ægypt.* 9. Acacia *Veſling. Obſerv.* 6. Acacia Ægyptia *Colum. in Rech.* 866.

Eadem floribus albis *Alpin. de Plant. Ægypt.* 10. *Deſcr.*

Acacia Indica foliis Scorpioides leguminoſæ ſiliquis fuſcis teretibus reſinoſis. Acacia Indica Farneſiana *Aldin. Hort. Farneſ.* 2.

A CACIA Americana foliis Coluteæ Monococcos ſiliquis echinatis. Acacia Americana Robini. *Cornut.* 272.

*Acacia trifolia* C. B. P. *v.* Cytiſus.

*Acacia Germanica vulgò. v.* Prunus Sylveſtris.

*Acajou Piſon. v.* Anacardium.

*Acanthium vulgò. v.* Carduus.

*Acanthium Illiricum.* I. B. *v.* Carduus.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ACANTHUS ſativus vel mollis Vergilii *C. B. P.* 383. Carduus Acanthus, ſive Branca urſina *I. B. tom.* 3. *l.* 25. 75.

Acanthus aculeatus *C. P. B.* 383. Carduus Acanthus, ſive Branca urſina ſpinoſa *I. B. tom.* 3. *l.* 25. 77.

*Acarna flore luteo patulo C. P. B. v.* Carlina.

*Acarna major caule folioſo C. B. P. v.* Carduus.

*Acarna Theophraſti vulgò v.* Carduus.

*Acarnæ ſimilis flore purpureo I. B. v.* Carduus.

* ACER montanum candidum *C. B. P.* 430. Acer majus multis falsò Platanus *I. B. tom.* 1. *l.* 8. 868.

Acer montanum flavum, ſive criſpum *C. B. P.* 431

* Acer campeſtre & minus *C. B. P.* 431. Acer vulgare minori folio *I. B. tom.* 3. *l.* 8. 166.

Acer trifolia *C. B. P.* 431. Acer Monſpeſſulanum *I. B. tom.* 1. *l.* 8. 167.

* ACETOSA pratenſis *C. B. P.* 114. *Moris. Hiſt.* 2. 582. Oxalis vulgaris *I. B. tom.* 2. *l.* 23. 989.

* Acetoſa criſpa *Moris. Hiſt.* 2. 582. Oxalis criſpa *I. B. tom.* 2. *l.* 13. 900.

Acetoſa montana radice rectâ pedali aut ſeſquipedali, Lapathi inſtar, abſque fibris *Moriſ. Hiſt.* 2. 583.

Acetoſa tuberosâ radice *C. B. P.* 114. Oxalis tuberosâ radice *I. B. tom.* 2. *l.* 23. 991. Acetoſa Raguſina radice tuberoſa *Moriſ. Hiſt.* 2. 583. *Zanon. Hiſt. Bot.* 12.

Ace

Acetoſa Americana foliis longiſſimis pediculis donatis C. B. P. 114. *Moriſ. Hiſt.* 2. 583. An Oxalis Africana I. B. *tom.* 2. *l.* 23. 992. ANN.

Acetoſa veſicaria Tingitana perennis repens, foliis longis ſinuatis *Moriſ. Hiſt.* 2. 583. Acetoſa dentata perennis Tingitana *Zanon. Hiſt. Bot.* 14.

Acetoſa rotundifolia hortenſis C. B. P. 114. *Moriſ. Hiſt.* 2. 583. Oxalis folio rotundiore repens I. B. *tom.* 2. *l.* 23. 991.

Acetoſa rotundifolia repens Eboracenſis folio in medio deliquium patiente *Moriſ. Hiſt.* 2. 583.

* Acetoſa arvenſis lanceolata C. B. P. 114. *Moriſ. Hiſt.* 2. 584. Oxalis parva auriculata repens I. B. *tom. l.* 23. 992.

* Acetoſa lanceolata anguſtifolia repens C. B. P. 114.

Acetoſa Cretica ſemine aculeato C. B. P. 114. *Moriſ. Hiſt.* 2. 584. Oxalis minor aculeata Candiæ I. B. *tom.* 2. *l.* 23. 993. ANN.

*Acetoſella vulgò.* *v.* Oxis.

*Achillea millefolia odorata* I. B. *v.* Millefolium.

*Acinos multis* I. B. *v.* Clinopodium.

ACONITUM Lycoctonon luteum C. B. P. 183.

Aconitum folio Platani, flore luteo palleſcente I. B. *tom.* 3. *l.* 34. 652.

Idem ampliore caule & foliis C. B. P. *Var.* 183.

Idem humiliore caule & minoribus foliis C. B. P. *Var.* 283.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Aconitum lycoctonon luteum, foliis in acumen luteum deſinentibus.

Aconitum ſalutiferum, ſeu Anthora C. B. P. 184. Antithora flore luteo Aconiti I. B. *tom.* 3. *l.* 34. 669.

Aconitum cæruleum, ſeu Napellus I. C. B. P. 183. Aconitum magnum purpureo flore, vulgò Napellus I. B. *tom.* 3. *l.* 34. 555.

Aconitum cœruleum Napelli flore C. B. P. 183. Aconitum lycoctonon autumnale, Napello ſimile I. B. *tom.* 3. *l.* 34. 656.

Idem flore cœruleo & albo variegatum C. B. P. *Var.* 183.

Aconitum violaceum, ſeu Napellus ſecundùs C. B. P. 183. Aconitum Napello ſimile, ſed minus cœruleum præcocius I. B. *tom.* 3. 34. 656.

Aconitum purpureum, ſeu Napellus tertius C. B. P. 183: Aconitum Lycoctonon, ſeu Napello ſimile Neubergenſe, foliis latioribus, flore purpureo I. B. *tom.* 3. *l.* 34. 657.

Aconitum cœruleum minus, ſeu Napellus minor C. B. P. 183. Aconitum lycoctonon, flore cœruleo, galeâ elatiori, radice bulboſâ I. B. *tom.* 3. *l.* 34. 659.

Aconitum cœruleum hirſutum, flore Conſolidæ regalis C. B. P. 183. Aconitum lycoctonon cœruleum, calcari magno I. B. *tom.* 3. *l.* 34. 657.

*Aconitum unifolium luteum bulboſum* C. B. P. *V.* Helleborus.

*Aconitum racemoſum* C. B. P. V. Chriſtophoriana.

*Aco-*

*Aconitum baccis niveis Corn.* v. Chriſtophor.
*Aconitum Pardalianches* C. B. P. v. Ranunculus.

* ACORUS verus, ſive Calamus aromaticus Officinarum C. B. P. 34. Calamus aromaticus vulgaris, multis Acorum I. B. *tom.* 2. *l.* 19. Europæus radice craſſiori.

Idem Aſiaticus radice tenuiore. Calamus aromaticus *Garziæ ab Horto Aramat. H.* 1. *l.* 1. *c.* 22

Acorus hic omnibus partibus convenit cum Europæo, exceptâ ſolâ radice, quæ tenuior eſt & compactior, ſuperficie crebrius geniculatâ, odore & ſapore gratiori. Sponte ſuâ luxuriat in Malabarâ & Inſulâ Zeylan, unde à me anno M. DC. LXXV. ad Clariſſimum Dominum Arnoldum Syen Medicinæ & Botanices, dum viveret, in hâc Academiâ Profeſſorem digniſsimum transmiſſus, & in hortum plantatus, in hunc uſque diem lætiſſimè viret. Incolis Vazabu & Vazumbo audit. Ejus virtutes videantur apud *Garziam ab Horto. l. c.*

*Acorus adulterinus* C. B. P. v. Iris.
*Actæa Plinio* C. B. P. v. Chriſtophoriana.
*Adami Poma* I. B. v. Malus Limonia.

ADIANTHUM foliis Coriandri C. B. P. 355. Adianthum, ſive Capillus Veneris I. B. *tom.* 2. *l.* 37. 751.

Adianthum foliis longioribus pulverulentis pediculo nigro C. B. P. 355. Adianthum nigrum officinarum I. B. *tom.* 3. *l.* 37. 742.

*Adian-

*Adianthum album murarium. Ruta muraria. C. B. P. 356. I. B. *tom*. 3. *l*. 37. 753.
* Adianthum album Filicis folio I. B. *tom*. 3. 471. Filicula fontana major C. B. P. 358.
* Idem minus. Filicula fontana minor C. B. P. 358.
*Adianthum aureum vulgò*. *v*. Muſcus.

ADONIS hortenſis flore minore atrorubente C. P. B. 178. ANN.
* Adonis ſylveſtris flore phœniceo, ejuſque foliis longioribus C. B. P. 178 Flos Adonis vulgò, aliis Eranthemum I. B. *tom*. 3. *l*. 26. 125. ANN.
Eadem flore luteo C. B. P. *Var*. 178. ANN.
Adonis Hellebori radice Buphthalmi flore. Helleborus niger tenuifolius Buphthalmi flore C. B. P. 187. Buphthalmum Dodonęi, aliis Conſiligo tenuifolia I. B. *tom*. 3. *l*. 34. 637.
Eadem caule geniculato, flore magno inſtar Tulipę. Helleborus niger Ferulaceus, ſive Pſeudo-helleborus caule geniculato flore inſtar Tulipę *Menz*. *Pugil*.
*Adrachne Theophraſti* I. B. *v*. Arbutus.
*Ægylops ejusque ſpecies* I. B. *v*. Feſtuca.
*Ægylops Aſpris Theophraſti* I. B. *v*. Quercus.
*Æſchinomene mitis Americana foliis Acaciæ anguſtioribus, ſiliquis longis anguſtis, ſemine quadrangulari Breyn*. *v*. Herba mimoſa.
*Æthiopis folio ſinuoſo* C. B. P. *v*. Horminum.
*Agem Lilac Perſarum Corn*. *v*. Syringa.

AGE-

AGERATUM foliis ſerratis C.B.P. 221. Ageratum pleriſque, Herba julia quibusdam I.B. *tom.* 3. *l.* 26. 142.

Idem corymbis longioribus & magis compactis C.B.P. *Var.*221.

AGNUS CASTUS Vitex foliis anguſtioribus Cannabis modo diſpoſitis C.B.P. 475. Agnus folio non ſerrato I.B. *tom.* I. *l.* 8. 205. Floribus purpureis.

Idem floribus albidis *Cat.Hort. Reg.Pariſ.*186.

Idem floribus cœruleis.

*Agrifolium vulgò* I.B. *v.* Aquifolium.

AGRIMONIA inodora, ſeu minus odora *Moriſ. Hiſt.* 2. 614. Eupatorium Veterum, ſeu Agrimonia *C. B. P.* 321.

Eadem maximè odorata. Eupatorium maximè odoratum *Moriſ. Hiſt.* 2. 615. Eupatorium odoratum *C.B.P.* 321.

Agrimoniæ ſimilis *C.B.P. Moriſ. Hiſt.* 2. 615. Agrimonioides *Columun. Ecphr. part.* I. 145.

*Algul* I.B. *v.* Geniſta.

*Aizoon vulgò.* *v.* Sedum.

*Aizoon paluſtre I.B.* *v.* Stratiotes.

ALATERNUS latifolia, Celaſtrus dicta. Celaſtrus Theophraſti *Cluſ. Cur. Poſt.* 2.

Alaternus, ſeu Phylica elatior *C.B.P.* 476. Spina Burgi Monſpelienſium *I.B. tom.* I. *l.* I. 542.

Alaternus, ſeu Phylica humilior *C.B.P.* 477.

Ala

Alaternus, ſeu Phylica foliis anguſtioribus & profundius ſerratis.

Alaternus, ſeu Phylica aurea, ſive foliis ex luteo variegatis *Cat. Hort. Reg. Par.* 6. *Moriſ. Hort. Bles.* 227.

Eadem argentea, ſeu foliis ex albo variis *Cat. Hort. Reg. Par.* 6. *Moriſ. Hort. Bleſ.* 227.

*Alcanna vulgò.* *v.* Phillyrea.

ALCEA frutеſcens folio rotundiori incano *Moriſ. Hiſt.* 2. 526. Althæa fruteſcens folio rotundiori incano *C. B. P.* 316. Althæa arboreſcens. *I. B. tom.* 2. *l.* 23. 956.

Alcea vulgaris major *C. B. P.* 316. *Moriſ. Hiſt.* 2. 527. Alcea vulgaris *I. B. tom.* 2. *l.* 23. 953. Flore purpureo.

Eadem flore albo, vel candidiore *C. B. P. Var.* 316.

Alcea Cannabina *C. B. P.* 316. *Moriſ. Hiſt.* 2. 527. Alcea Pentaphylli folio, vel Cannabino *I. B. tom.* 2. *l.* 23. 958.

Alcea hirſuta, ſeu villoſa *C. B. P.* 317. *Moriſ. Hiſt.* 2. 528. *I. B. tom.* 2. *app.* 1067.

Alcea Pernambuccana Carpini folio, floſculis minimis luteis, ſemine ſimplici roſtro donato *Moriſ. Hiſt.* 2. 528. Althæa peregrina ſemine roſtrato flore luteo minimo *Moris. Hort. Bles.* 229. *Bocc. de Plant. Sic.* 11. *Zanon. Hiſt. Botan.* 132. ANN.

Eadem Zeylanica folio latiori cordiformi.

Hujus folia ſummis marginibus cordis figuram

ram referunt; Caules rubent; Radix perennat, Cætera cum priori conveniunt.

Alcea Virginiana Carpini folio floſculis minimis luteis, ſemine duplici roſtro ſeu aculeo prædito *Hiſt. Moriſ.* 2. 528. Ann.

Eadem Zeylanica floſculis faſciculatim congeſtis Ann.

Sunt huic flores admodum exigui faſciculatim ſeu in racemo denſiſſimè diſpoſiti; cæteræ verò partes præcedenti omnino ſimiles.

*Alcea veſicaria C. B. P. v.* Althæa.

*Alcea Indica magno flore C. B. P. v.* Althæa.

*Alcea Indica parvo flore C. B. P. v.* Althæa.

*Alcea Ægyptia villoſa C. B. P. v.* Althæa.

*Alcea arboreſcens Syriaca C. B. P. v.* Althæa.

* Alchimilla vulgaris *C. B. P.* 319. Alchimilla perennis viridis major foliis ex luteo vireſcentibus *Moriſ. Hiſt.* 2. 195. Pes Leonis, ſive Alchimilla *I. B. tom.* 2. *l.* 17. 598.

Alchimilla perennis incana argentea ſeu ſericea ſatinum provocans *Moriſ. Hiſt.* 2. 195. Tormentilla Alpina folio ſericeo *C. B. P.* 326. Pentaphyllum ſive potius heptaphyllum argenteum, flore muſcoſo *I. B. tom.* 2. *l.* 17. 398.

* Alchimilla annua minima hirſuta foliis infernè albicantibus *Moriſ. Hiſt.* 2. 195. Chœrophyllo non nihil ſimilis *C. B. P.* 152. Alchimilla montana minima *Columm. Ecphr.* 145. Perchepier Anglorum quibuſdam I. *B. tom.* 3. *l.* 27. 74. Ann.

Al-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Alchimilla rotundifolia aurea hirſuta. Saxifraga rotundifolia aurea *C. B. P.*309. Saxifragia aurea Dod. *I. B. tom.* 3. *l.* 37. 707.
*Albara Piſ. v.* Canna Indica.
*Alhagi I. B. v.* Geniſta.
*Aliſma C. B. Phyt. v.* Gentiana.
*Alkekengi vulgò. v.* Solanum.
*Alliaria C. B. P. v.* Heſperis.

ALLIUM ſylveſtre bicorne flore obſoleto *C. B. P.* 74. *Moriſ. Hiſt.* 2. 385.
Allium montanum bicorne flore exalbido *C. B. P.* 75. *Moriſ. Hiſt.* 2. 385.
Allium montanum capite rotundo *C. B. P.* 75. *Moriſ. Hiſt.* 2. 386.
Alium montanum bicorne anguſtifolium flore purpureo *C. B. P.* 74. *Moriſ. Hiſt.* 2. 386. Allium ſylveſtre bicorne purpureum proliferum *I. B. tom.* 2. *l.* 19. 561.
Allium ſphoerocæphalum bifolium Italicum *Moriſ.* 2. 386. *I. B. tam.* 2. *l.* 13. 565.
* Allium campeſtre juncifolium capitatum purpuraſcens majus *C. B. P.* 74. Allium ſpoerocæphalum purpureum ſylveſtre *I. B. tom.* 19. 562.
Allium ſativum *C. B. P.* 73. *Moriſ. Hiſt.* 2. 387. Allium vulgare & ſativum *I. B. tom.* 2. *l.* 19. 554.
Allium ſativum alterum: ſive Alliopraſum caulis ſummo circumvoluto *C. B. P.* 73. *Moriſ. Hiſt.* 2. 787. Allii genus, Ophioſcorodon dictum

ctum quibuſdam *I. B. tom.* 2. *l.* 19. 559.
Allium ſativum radice ſimplici C. B. P. 74. *Moriſ. Hiſt.* 2. 387. Allium vulgare & ſativum *I. B. tom.* 2. *l.* 19. 554.
Allium maximum multis Porraceis foliis latioribus ſphærico capite ex floribus albis conflato *Moriſ. Hiſt.* 2. 387. Allium ſphoericeo capite folio latiore ſive Scorodopraſum alterum C. B. P. 74. Scorodopraſſum dictum *I. B. tom.* 2. *l.* 19. 558.
Allium montanum foliis Narciſſi majus C. B. P. 75. *Moriſ. Hiſt.* 2. 388. Allium umbelliferum pratenſe *I. B. tom.* 2. *l.* 19. 564.
Allium montanum Narciſſinis foliis minus C. B. P. 75. *Moriſ. Hiſt.* 2. 388.
* Allium latifolium paluſtre *Moriſ. Hiſt.* 2. 388. Allium ſylveſtre latifolium C. B. P. 74. Allium urſinum bifolium vernum ſylvaticum *I. B. tom.* 2. *l.* 19. 569.
Allium latifolium montanum maculatum C. B. P. 74. *Moriſ. Hiſt.* 2. 388. Allium Alpinum *I. B. tom.* 2. *l.* 19. 566. Victorialis Mas *Tab.*

ALNUS rotundifolia glutinoſa viridis C. B. P. Alnus vulgaris *I. B. tom.* 1. *l.* 8. 151.
Alnus folio oblongo viridi C. B. P. 428.
*Alni effigie lanato folio major* C. B. P. *v.* Meſpilus.
*Alni effigie lanato folio minor* C. B. P. *v.* Meſpilus.
*Alnus nigra baccifera* C. B. P. *v.* Frangula.

ALOE

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ALOE vulgaris *C. B. P.* 286. *Moriſ. Hiſt.* 2. 414. Aloe *I. B. tom.* 3. *l.* 35. 696.

Aloe folio in oblongum aculeum abeunte *C. B. P.* 286. *Moriſ. Hiſt.* 2. 415. Aloe Americana muricata *I. B. tom.* 3. *l.* 35. 701.

Aloe Americana minor foliis per margines frequentiſſimis & molliuſculis ſpinis armatis. Aloe vera minor *Munt. Aloedar.* 2.

Aloe Americana ſobolifera.

Ex craſſâ fibrosâ palleſcente radice prodeunt folia, facie vulgaris Aloes Americanæ junioris, carnoſa, ſucculenta, modò plana & humi procumbentia, modò canaliculata & arcuatim ſurſum vergentia, lætè viridia, in mucronem minus pungentem abeuntia, & in ambitu crebrioribus, exiguis, fuſcis, rigidiuſculis ſpinulis armata. Ex horum medio, quinto aut ſexto à ſatione anno, aſſurgit caulis, ſex ſeptemve pedum altitudine, ſtriatus, compreſſus, ſolidus, durus, herbaceus, raris aliquot foliis, inferioribus longè anguſtioribus & tenuioribus, caulem firmiter amplectentibus, veſtitus, ſpargens circa faſtigium ſex ſeptemvè plures vel pauciores ramos, palmares, ſuſtinentes ex brevibus craſſis petiolis capitula oblonga, ſtriata, trigona, capſularum ſeminalium rudimenta; E quorum cimis eriguntur flores oblongi, ſex luteo viridantibus craſſis obtuſis petalis conſtructi, prominente me-

ALOE AMERICANA SOBOLIFERA.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

medio ſtylo flaveſcente, cum ſex breviori- bus concoloribus ſtaminibus, longis tranſ- verſis apicibus donatis. His emarcidis, per- ficiuntur ſubjectæ capſulæ, includentes ſe- mina parva, anguloſa, fuſca; duplici ſerie in tribus loculamentis diſpoſita. Ad ſingula- rum capſularum exortus, aliquando etiam ad ramorum & foliorum in caule ſinus pro- germinant novæ ſoboles, quæ avulſæ & in terram depactæ, nullo negotio excreſcunt. Hanc Aloem ex America advectam poſſide- mus ex liberalitate Domini Philippi de Fli- nes, in cujus prædio, quod Harlemi eſt, ſu- periori anno floruit.

• Aloe Africana, folio triangulo longiſſimo & anguſtiſſimo, floribus luteis fœtidis. Iris Uvaria Promont. Bon. Sp. *Stapel in not. ad Theophr.* 336.

* *Aloe paluſtris C. B. P.* *v.* Stratiotes.

* ALSINE altiſſima nemorum *C. B. P.* 251. *Mo- riſ. Hiſt.* 2. 550.

* Alſine major *C. B. P.* 250. *Moriſ. Hiſt.* 2. 450. Al- ſine marina Dodonæi *I. B. tom.* 3. *l.* 29. 364.

* Alſine media *C. B. P.* 250. *Moriſ. Hiſt.* 2. 550. Alſine vulgaris ſive Morſus Gallinæ *I. B. tom.* 3. *l.* 29. 363. ANN.

* Alſine minor multicaulis *C. B. P.* 250. *Moriſ. Hiſt.* 2. 550. Alſine minima *I. B. tom.* 3. *l.* 29. 364. ANN.

*Al-

* Alſine minor foliis rotundis *C.B.P.* 251. ANN.

Alſine minor Lini capitulis *C. B. P.* 251. *Moriſ. Hiſt.* 2. 550. ANN.

* Alſine aquatica major *C. B. P.* 251. *Moriſ. Hiſt.* 2. 550.

* Alſine aquatica media *C. B. P. Moriſ. Hiſt.* 2. 550. Alſine longifolia uliginoſis proveniens locis I. B. *tom.* 3. *l.* 29. 365.

* Alſine aquatica minor & fluitans *C. B. P.* 251.

* Alſine paluſtris exigua, floſculis albis foliis lanceolatis plantaginellæ aquaticæ inſtar *Mentz. pugill.* ANN.

* Alſine hirſuta major foliis ſubrotundis dilutè virentibus *Moriſ. Hiſt.* 2. 551. Alſine hirſuta magno flore *C.B. P.* 251. ANN.

* Alſine hirſuta altera viſcoſa foliis longis ſaturatiùs virentibus *Moriſ. Hiſt.* 2. 551. Alſine hirſuta altera viſcoſa *C. B. P.* ANN.

* Alſine tenuifolia *C. B. P.* 251. *Moriſ. Hiſt.* 2. 251. *I. B. tom.* 3. *l.* 29. 365. ANN.

* Alſine Spergula dicta major *C.B.P.* 251. *Moriſ. Hiſt.* 2. 251. Spergula *I. B. tom.* 3. *l.* 36. 722. ANN.

Alſine Spergulæ facie marina perennis flore violaceo *Moriſ. Hiſt.* 2. 551. Alſine Spergulæ facie media *C.B.P.* 251. Spergula marina *I.B. tom.* 3. *l.* 36. 723.

* Alſine Spergulæ facie minima *I. Commelin. Catal.* 6. ANN.

Alſine procumbens Gallii facie Africana. ANN.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Etiamſi hæc planta primâ facie Gallium videatur, nemo tamen ambiget Alſinæ ſpeciem eſſe, qui capſulam & ſemina ceu partes plantarum principes & conſtantiores, inſpexerit. Spargit per terram ex tenui capillari radice cauliculos graciles, rotundos, glabros, geniculatos, ramoſos; Folia ad genicula ſex ſeptemve ſtellatim, Gallii modo, expanſa; Intra hæc exeunt aliquot pedicelli teuuiſſimi, ſuſtinentes flores nudos, ſtellatos, exiguos, pentapetalos, foris vireſcentes, intus pallidos, ſubſequentibus ſeminibus fulvis in capſulis Alſinæ proximis. Annua eſt, ex Africâ advecta, florens Auguſto, propullulans quotannis ex ſeminibus deciduis. Sapor apparuit muricatus & ingratus.

* Alſine maritima flore rubente *C. B. P.* 251. ANN.

* Alſine tridactylites tectorum. Sedum tridactylites tectorum *C. B. P.* 285. Tradactylites tectorum flore albo *I. B. tom.* 3. *l.* 37. 762. ANN.

*Alſine Hederulæ folio* C. B. P. *v.* Veronica.

*Alſine Veronicæ foliis floſculis cauliculis adhærentibus* C. B. P. *v.* Veronica.

*Alſine Chamædrifolia floſculis oblongis cauliculis inſidentibus* C. B. P. *v.* Veronica.

*Alſine triphyllos cærulea* C. B. P. *v.* Veronica.

*Alſine ſcandens baccifera* CB. P. *v.* Solanum.

*Al-*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ALSINE PROCUMBENS GALLII FACIE AFRICANA.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Alſine affinis Androſace* C. B.P. *v.* Auriculæ urſi Affinis.

*Alſine littoralis Portulacæ foliis* C. B. P. *v.* Rubiæ Affinis.

ALTHÆA arboreſcens glabra, Ketmia Syrorum dicta *Moriſ. Hiſt.* 2. 530. Alcea arboreſcens Syriaca C. B. P. 316. Alcea arboreſcens glabra, Ketmia dicta *I. B. tom.* 2. *l.* 23. 956.

Eadem flore candido C. B. P. *Var.* 316.

Eadem flore purpureo violaceo *Cat. Hort. Reg. Paris.* 6.

Eadem floribus ex rubro & albo variis *ibid.*

Eadem flore flavo.

Althæa arborea Roſea Sinenſis flore multiplici. Althæa arborea Sinenſis *Moris. Hiſt.* 2. 530, Roſa Sinenſis Ferrar. Flor. cult. 479.

• Althæa arborea Roſea Sinenſis flore ſimplici.

Hæc præcedenti conſimilis eſt, niſi quod flores ſint ſimplices, ex quinque tantùm petalis conſtructi.

• Althæa arborea Indica Populi folio flore ephemero. Bupariti *Hort. Malab. tom.* 1. 51. Surighaghas vel Arbor Solis *Zeylonenſium.*

• Althæa Ricini folio Virginiana.

Enata eſt ſeminibus ex Virginiâ delatis Planta humanam altitudinem multùm excedens, ex cujus radice Ibisco ſimili, pallidâ, longè latèquè repente, perenni, guſtus viſcoſi, aſſurgunt coliculi glabri, viridantes,

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ALTHÆA RICINI FOLIO VIRGINIANA



Sida nigrea

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tes, frequentibus alis ſubindè diviſi. His adſtant folia longis ſuffulta petiolis. Ricino æmula, ternis quinisvè mucronatis & circa marginem crenatis lobis diſſecta. Ad horum exortus ab imo caulis ad ſummum uſque prodeunt ſimul pediculi longiores & graciliores, in aliquot pedicellos tenuiſſimos divaricati, quorum ſinguli ſuſtinent ex caliculo viridante quinquefariam crenato, florem parvum candidum quinquè carinatis petalis in baſi junctis conſtructum, medium occupante columellâ racemoſâ innumeris violaceis apiculis exornatâ. Flore diſcuſſo ſequitur capitulum, quinquè exiguis, membranaceis, anguloſis, arctè invicem conjunctis, & in acuminatum apicem coëuntibus thecis efformatum, quibus ſingulis includitur ſemen unicum parvum ſpadiceum reniforme. Radicis virtutes eædem ſunt, quæ Radici Ibiſci.

Althæa Theophraſti flore luteo C. B. P. 316. *Moris. Hiſt.* 2. 531. Althæa Theophraſti flore lutéo quibusdam Abutilon *I. B. tom.* 2. *l.* 23. 958. ANN.

Althæa Theophraſti ſimilis C. B. P. 316. *Moris. Hiſt.* 2. 531. Abutilon Indicum *I. B. tom.* 3. *l.* 23. 959. ANN.

Eadem flore luteo minori. Abutilon Indicum flore luteo *Breyn. Prodr.* 1. ANN.

Priori

Priori humilior eſt,& partibus omnibus minor.

Althæa Roſea peregrina, forte Roſa Moſcheutos Plinii, *Corn.* 144. *Moriſ. Hiſt.* 2. 532.

Althæa Indica magno flore petalis latis & obtuſis *Moriſ. Hiſt.* 2. 532. Alcea Indica magno flore *C. B. P.* 317. Bammiæ aliquatenus affinis, Sabdariffa *I. B. tom.* 2. *l.* 23. 960. Cattu Gaſturi *Hort. Mal. tom.* 2. 71. ANN.

Althæa Indica flore parvo petalis anguſtis & obtuſis *Moriſ. Hiſt.* 2. 532. Alcea Indica parvo flore *C. B. P.* 317. Bammia *I. B. tom.* 2. *l.* 23. 959. ANN.

Althæa Ægyptia villoſa *Moriſ. Hiſt.* 2. 533. Alcea Ægyptia villoſa *C. B. P.* 533. Belmoſcus Ægyptia Honorio Bellio *I. B. tom.* 2. *l.* 23. 962. Abel Moſch *vulgò*. ANN.

Althæa Indica Goſſipii folio Acetoſæ ſapore Alcea acetoſa trifido folio Indiæ Orientalis *Breyn. Prodr.* 1. ANN.

Radicem habet fibroſam, albicantem, ſingulis annis pereuntem; Caulem tripedalem, viridem, glabrum aliquando anguloſum, ramoſum, in fila ductilem; Folia trilobata, lætè viridia, formâ & magnitudine ad Goſſipii folia accedentia, longis innixa petiolis; Ad horum ſinus prodeunt flores ex breviſſimis petiolis ampli, roſei, incarnati, ex quinquè petalis in baſi arctè, junctis &

intermedio piſtillo, racemoſo, concolori extructi. His ſubjicitur caliculus quinque foliatus, ex quo poſt florum exantheſin prodit capſula membranacea, oblongo-rotunda, pentagona, quinis intus loculamentis donata, in quibus ſemina compreſſa ex ruffo ſpadicea congenerum more. Folia ſubacidum & leviter viſcoſum præbent ſaporem & vel ſola vel cum cæteris oleribus cocta ab Indis comeduntur. Caules, non minus quàm apud nos Cannabini, in fila ducuntur, & ad funes texendos uſurpantur; Hinc in agris & hortis Indorum quotannis ſeruntur. Hujus & alia datur ſpecies foliis Cannabinis, à *Garzia ab Horto* BANGUE dicta, cujus integra hiſtoria tractabitur in Muſæo Zeylanico, quod in lucem aliquando prodibit.

Althæa Indica Vitis folio, flore amplo flavo pendente. Althæa Indica non ſpinoſa flore amplo pendulo flavo. *Breyn. Prod.* 2.

Ex ſeminibus, in Inſulâ Zeylonâ collectis, germinavit nobis hæc elegantiſſima planta, quæ ex radice albâ, lignosâ protrudit caules, modò unicum, modò plures, bicubitales, lignoſos, rectos, glabros, aliquando ſubhirſutos, imâ parte rubentes, ſummâ viridantes, in multos ramos brachiatos; Cum his ſimul exurgunt folia longis inſidentia pe-

petiolis, tribus quiniſve ſegmentis diviſa, foliis Vitis haud abſimilia, ſed rigidiora, craſſiora, aliquot venis ac inſignibus nervis donata; Ad alarum ſummitates prodeunt breves tenuiſſimi pedicelli, quibus nolarum inſtar appendent flores ampli Roſæ minoris magnitudine, ad ſolem aperti, cæteroquin clauſi, quinquè petalis flaveſcentibus, unguibus violaceis holoſericis, in fundo junctis, conflati, prominente è medio piſtillo, copioſis apiculis puniceis eleganter paniculato; Floris baſin tegit caliculus parvus inquinquè profundas acuminatas viridantes crenas, quaſi totidem foliola, diſſectus; Huic verò incumbunt quina aut ſeptena anguſtiſſima ſetacea foliola ſtellatim decuſſata. Floribus emarcidis ſuccedunt vaſcula membranacea, duriuſcula, ſubhirſuta, ex quinque ſulcis vel alis, totidemquè loculamentis conſtantia, in quibus continentur ſemina compreſſa, fuſca, reniformia, congenerum more. Viribus convenit cum Alcea noſtra vulgari. Iiſdem in locis, ubi hæc provenit, invenitur & alia ſpecies foliis aſperis profundè laciniatis, foliorum Cannabis inſtar, ſaporis acidi; Caulibus, aduncis hamis undique armatis, ceteris verò partibus ſuperiori ſimillimis. Videatur *Bontius l.* 6. 113. qui hanc alteram ſpeciem videtur deſcripſiſſe.

Al-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ALTHÆA INDICA FOLIO VITIS, FLORE AMPLO FLAVO PENDENTE.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Althæa veſicaria Veneta *Moriſ. Hiſt.* 2. 533. Alcea Veſicaria *C. P. B.* 317. Alcea ſoliſequa, multis Veneta *I. B. tom.* 2. *l.* 21. *app.* 1068. ANN.

Althæa veſicaria Capitis Bonę Spei *Moriſ. Hiſt.* 2. 533. ANN.

*Althæa Dioſc. & Plinii C. B. P.* v. Malva.

*Althæa fruteſcens folio rotundiori incano C. B. P.* v. Alcea.

*Althæa fruteſcens folio acuto parvo flore C. B. P.* v. Malva.

*Althæa peregrina ſemine roſtrato flore luteo minimo Bocc.* v. Alcea.

*Alyſſon ſiliquâ latâ aſperâ I. B.* v. Leucojum.

*Alyſſum verticillatum foliis profundè inciſis C. B. P.* v. Marrubium.

*Amara dulcis I. B.* v. Solanum.

AMARANTHUS foliis variegatis, ſeu tricoloribus, ſeu variè coloratis Pſittaci plumas referentibus *Moriſ. Hiſt.* 2. 602. Amaranthus folio variegato *C. B. P.* 121. Symphonia Dalechampio, ſive Amaranthus tricolor *I. B. tom.* 2. *l.* 23. 970. folio colore hilariori extremo flavo, medio puniceo, reliquo viridi *C. B. P. var.* 121. ANN.

Idem folio colore obſcuriori *C. B. P. Var.* 121. Serotinus *Cat. Hort. Reg. Parſ.* 11. ANN.

Amaranthus paniculis propendentibus, ſemine rubro, flore ſerotino elegantis coccinei coloris *Moriſ. Hiſt.* 2. 602. ANN.

Ama-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Amaranthus maximus *C. B. P.* 120. paniculus erectis ſemine albo. Blitum maximum ſive Amaranthus major, ſemine albo *I. B. tom.* 2. *l.* 23. 968. ANN.

Idem Semine rubello: qui granis rubris Petri Cicræ *C. B. P. Var.* 121. ANN.

Idem Semine fuſco. ANN.

Idem paniculis viridantibus ſeu herbaceis. ANN.

Amaranthus major paniculis ſurrectis rubris *Moriſ. Hiſt.* 2. 602. Amaranthus ſimplici paniculâ *C. B. P.* 121. Amaranthus purpureus *I. B. tom.* 2. *l.* 23. 968. ANN.

Idem paniculis coccineis ſeu phœniceis *Moriſ. Hiſt.* 2. 602. ANN.

Idem paniculis viridibus *Moriſ. Hiſt.* 2. 502. ANN.

Idem paniculis flaveſcentibus. ANN.

Amaranthus ſpicatus ſericus, flore luteo vireſcente *Cat. Hort. Reg. Par.* 16. ANN.

Amaranthus ſpicis carneis interfusâ flavedine micantibus. *ibid.* ANN.

Amaranthus ſingularibus paniculis flammeo colore lucentibus. *ibid.* ANN.

Amaranthus paniculis obſoletè violaceis. ANN.

Amaranthus paniculis ex fuſco purpuraſcentibus. ANN.

Amaranthus minor paniculis ſurrectis, aut ſtramineis ſpicis criſtatis *Moriſ. Hiſt.* 2. 603.

Ama-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Amaranthus paniculâ incurvâ *C. B. P.* 121. Paniculis purpureis. ANN.

Idem paniculis luteis. ANN.

Idem paniculis coccineis. ANN.

Idem paniculis luteo pallidis. ANN.

Amaranthus criſtatus rubicundiſſimo flore *Cat. Hort. Reg. Pariſ.* 10. purpureus paniculâ ſpecioſâ criſtatâ *I. B. tom.* 2. *l.* 23. 969. ANN.

Amaranthus reticulatus ſeu corniculatus ſerotinus minor *Cat. Hort. Reg. Pariſ.* 10. ANN.

Amaranthus paniculâ conglomeratâ majori puniceo colore ſplendidâ *Cat. Hort. Reg. Pariſ.* ANN.

Amaranthus Indicus ſpinoſus ſpicâ herbaceâ Blitum monoſpermum Indicum aculeatum *Breyn. Prodr.* 18. Kathutampala *Zeylonenſibus.* ANN.

Satis amplâ pro plantæ ratione nititur radice, albente lignoſâ & parùm fibroſâ, ex cujus capite oriuntur caules quàmplures, duorum triumvè pedum longitudine, ſucculenti, lucidi, rotundi, leviter ſtriati, viridantes, parte quâ ſolem reſpiciunt ruffeſcentes, frequentibus inæqualibus ramis & foliis intra binos herbaceos breves pungentes aculeos prodeuntibus, veſtiti. Folia longis adhærentia pediculis Bliti foliis ſunt longiora & anguſtiora, ob-

tusè

tusè mucronata, ſinuata, rugoſa, circa margines ſæpe, undulatâ, parte infernâ ex viridi candicantia, supernâ verò atro-viridia, in ſinu aliquandò obſcuris maculis affecta. Flores tùm è ſummo caulis tùm è foliorum alis emicant in ſpicas vel ſimplices vel multiplices quaſique paniculatas denſiſſimè congeſti, exiguis quinque anguſtiſſimis & tenuiſſimis petalis herbacei coloris conflati, quibus ſubjicitur capſula rotunda parva, in quâ ſemen nigrum lucidum compreſſum more affinium. Annua hæc planta provenit paſſim in India, locis cultis & incultis ſeſe propagans ex ſeminibus deciduis. In hortis noſtris perficitur autumno. Hujus folia una cum reliquorum Amaranthorum in India naſcentium foliis cocta comeduntur. Zeylonenſibus audit Kathutampala, hoc eſt, Pala ſive Amaranthus ſpinoſus.

*Amarantho adfinis Breyn.* *v.* Gnaphalium.
*Ambervalis flos vulgò.* *v.* Polygala.
*Ambrette vulgò.* *v.* Cyanus.

AMBROSIA maritima *C. B. P.* 138. Ambroſia quibusdam *I. B. tom.* 3. *l.* 26. 190. Foliis Abſinthii odoratis humilior ANN.

Eadem foliis Artemiſiæ inodoris elatior. ANN.

Hujus virgultis trium quatuorve pedum altitudine aſſurgentibus adhærent folia

priori

AMARANTHUS INDICUS, SPINOSUS, SPICA HERBACEA.



Amaranthus Spinosus.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

priori ampliora, Artemiſiæ foliis proxima, profundius laciniata, ſupernè viridia, infernè palleſcentia, odoris nullius evidentis. Flores in ſummis ſpicis apparent minores, foris viridantes, intus nigricantes, quos ſingulos excipit ſemen unicum, muricatum, vulgari ſimillimum. Prodiit nobis ex ſeminibus à Nobiliſſimo Domino Johanne Baptiſta Ciaſſi Venetiis húc tranſmiſſis.

*Ambroſia campeſtris repens C. B. P.* *v.* Naſturtium.

AMMI majus C. B. P. 159. Ammi annuum *Moriſ. Umbellif.* 21. Ammi vulgare majus latioribus foliis, ſemine minus odorato *I. B. tom.* 3. *l.* 27. 27. ANN.

Ammi perenne *Moriſ. Umbellif.* 22. Eryngium arvenſe, foliis ſerræ ſimilibus C. B. P. 386. Crithmum quartum Matthioli umbelliferum *I. B. tom.* 3. *l.* 27. 195.

Ammi ſemine tenuiſſimo & odoratiſſimo *I. B. tom.* 3. *l.* 27. 25. Ammi alterum ſemine Apii *C. B. P.* 159. ANN.

*Amomum Plinii vulgò.* *v.* Solanum.

AMYGDALUS ſativa *C. B. P.* 441. putamine duro *C. B. P. var.* 442. Amygdalus dulcis *I. B. tom.* 1. *l.* 2. 174.

Amygdalus dulcis putamine molliore *C. B. P. var.* 442.

Amygda-

# AMBROSIA MARITIMA ARTEMISIÆ FOLIIS INODORIS ELATIOR.





Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Amygdalus amara *C. B. P. Var.* 441. *I. B. tom.* 1. *l.* 2. 174.

Amygdalus Indica nana. *Cat. Hort. Reg. Pariſ.* 11.

Arbuſcula eſt fruticoſa, radice tenui, albâ, reptatrice; Caudice digitum craſſo, trium quatuorve pedum altitudine, Ramis crebris, gracilibus, quos pallidè flaveſcens tegit cortex; Foliis, Floribus, & Fructibus ab Amygdalo ſativa, non niſi parvitate, differentibus. Frequens occurrit in Belgarum hortis, Flores Vere, Fructus autumno perficiens, veluti cæteræ hujus ſortis ſpecies.

*Amygdalus Africana flore ſimplici plenove vulgò.* v. Perſica malus.

*Anacamſeros I. B. ejuſque ſpecies.* v. Telephium.

ANACARDIUM occidentale Cajous dictum oſſiculo reni leporis figurâ. Anacardii alia ſpecies *C. B. P.* 512. Cajous *I. B. tom.* 1. *l.* 3. 336. Kapa-Mava *Hort. Mal. tom.* 3. 65. Arbor Acajou, vulgò Cajou. *Piſ. Mantiſ. arom.* 193.

* ANAGALLIS flore phoeniceo *C. B. P.* 252, *Moriſ. Hiſt.* 2. 568. Anagallis phoenicea mas *I. B. tom.* 3. *l.* 29. 369. ANN.

* Anagallis flore purpuraſcente *C. B. P. var.* 252. ANN

Ana-

* Anagallis flore cœruleo *C. B. P.* 252. *Moriſ. Hiſt.* 2. 569. Anagallis cœrulea Fœmina *I. B. tom.* 3. *l.* 369. Ann.

Anagallis flore carneo *Park. Theatr.* 558. Ann

Anagallis cœrulea, foliis binis terniſve ex adverſo naſcentibus *C. B. P.* 252. *Moriſ. Hiſt.* 2. 569. Ann.

Eadem foliis quaternis ex adverſo naſcentibus, flore ampliore. Ann.

Anagallis lutea nemorum *C. B. P.* 252. *Moriſ. Hiſt.* 2. 569. Anagallis lutea Nummulariæ ſimilis *I. B. tom.* 3. *l.* 29. 370.

*Anagallis aquatica major ejuſquè ſpecies C. B. P. v.* Veronica.

*Anagallis aquatica minor ejuſquè ſpecies C. B. P. v.* Veronica.

Anagyris fœtida *C. B. P.* 391. Anagyris vera fœtida *I. B. tom.* 2. *l.* 11. 364.

Anagyris non fœtida major vel Alpina *C. B. P.* 391. Laburnum arbor trifolia, Anagyridi ſimilis *I. B. tom.* 1. *l.* 11. 361.

Eadem folio variegato.

Anagyris non fœtens minor *C. B. P.* 391.

Ananas Acoſtæ & Linſcotti *I. B. tom.* 3. *l.* 25. 95. Ananas fructus *Bonti l.* 6. 145. Ananas *Piſon. l.* 4. 195. Matzatli ſeu Pinea Indica *Hernand.* 311. Carduus Braſilianus foliis Aloes *C. B. P.* 384.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ANCHUSA prima Matthioli *C. B. Matth.* 703.

Eadem Cretica perennis foliis aſperis bullatis verrucoſis. Borrago ſylveſtris perennis Candiæ, flore puniceo *Zanon. Hiſt. Bot.* 49.

Anchuſa lanuginoſa incana, pullo flore. Echium ſylveſtre lanuginoſum *C. B. P.* 254. Echium pullo flore *I. B. tom.* 3. *l.* 33. 588. ANN.

* Anchuſa anguſtifolia procumbens, Lithoſpermi flore albo. Lithoſpermum arvenſe, radice rubrâ *C. B. P.* 258. Lithoſpermum nigrum quibusdam, flore albo, ſemine Echii *I. B. tom.* 3. *l.* 33. *c.* 8. 592. ANN.

* Eadem latifolia, flore purpureo. Lithoſpermum minus repens latifolium *C. B. P.* 258. Lithoſpermum majus Dodonæi, flore purpureo, ſemine Anchuſæ *I. B. tom.* 3. *l.* 33. 592.

* Anchuſa Scorpioides hirſuta arvenſis. Echium Scorpioides arvenſe *C. B. P.* 254. Echium Scorpioides Soliſequum, flore minore *I. B. tom.* 3. *l.* 33. 589. ANN.

* Eadem glabra paluſtris. Echium Scorpioides paluſtre *C. B. P.* 254. Echium Scorpioides ſoliſequum, flore majore *I. B. tom.* 3. *l.* 33. 589.

*Androſace Matthioli altera I. B.* v. Auriculæ urſi adfinis.

*Androſæmum ejuſque ſpecies. v.* Hypericum.

ANEMONE ſylveſtris alba major *C.B.P.* 176. *Moriſ. Hiſt.* 2. 425. Anemone magna alba, plurimâ parte anni florens *I. B. tom.* 3. *l.* 30. 411.

Anemone Geranii rotundo folio, purpuraſcens *C.B.P.* 173. *Moriſ. Hiſt.* 2. 425. Anemone Italica latiuſculis ſpinoſis foliis, 3. Cluſii *I. B. tom.* 3. *l.* 30. 402.

Eadem dilutè purpuraſcens *C. B. P.* 173. Anemone latifolia ex purpurâ dilutiore albicante flore, 4. Cluſii *I. B. tom.* 3. *l.* 30. 402.

Eadem dilutè rubens *C. B. P.* 173. Anemone latifolia flore ad carneum colorem tendente, albicantibus unguibus 5. Cluſii *I. B. tom.* 3. *l.* 30. 402.

Anemone làtifolia ſimplici carneo flore *C. B. P.* 173. *Moriſ. Hiſt.* 2. 425. Anemone latifolia purpurei ferè coloris, unguibus albicantibus, Byzantina, 6. Cluſii *I. B. tom.* 3. *l.* 30. 403.

Eadem flore purpureo ſaturo *C.B.P.* 173. Anemone latifolia, flore coloris purpurei ſaturi, magnis unguibus, albis, infimâ parte purpureis, 8. Cluſii *I. B. tom.* 3. *l.* 30. 403

Eadem flore purpureo violaceo *C. B. P.* 173. Anemone latifolia violacea, unguibus argenteis, 12. Cluſii *I. B. tom.* 3. *l.* 30. 403.

Eadem flore carneo *C. B. P.* 173. Anemone

latifolia flore veluti carneo, unguibus albis, 14. Cluſii *I. B. tom.* 3. *l.* 30. 403.

Eadem flore variegato *C. B. P.* 173. Anemone colore ſaturatiùs ex purpureo rubens, oris coccineis, unguibus albis magnis, Byzantina, 7. Cluſii *I. B. tom.* 3. *l.* 30. 403.

Eadem flore coccineo *C. B. P.* 174. Anemone latifolia flore coccineo, itemquè unguibus, 16. Cluſii *I. B. tom.* 3. l. 30. 404.

Ejuſdem variæ ſpecies, floris colore invicem diſcrepantes.

Anemone tenuifolia, flore multifido dilutè purpuraſcente *C. B. P.* 174. Anemone tenuifolia, flore pluribus foliis conſtante, carnei quaſi coloris, 9. Cluſii *I. B. tom.* 3. *l.* 30. 406.

Eadem Oenanthes foliis, flore violaceo hexaphyllo *C. B. P.* 174. *Moriſ. Hiſt.* 525. Anemone tenuifolia purpurea, foliis, oris in acutum deſinentibus, 2. Cluſii *I. B. tom.* 3. *l.* 30. 400.

Eadem coccineo flore hexaphyllo *C. B. P.* 174. Anemone tenuifolia coccinea, unguibus ex pallido fuſco & albo coloribus mixtis, 3. Cluſii *I. B. tom.* 3. *l.* 30. 400.

Ejuſdem varietates aliæ, mirâ colorum in floribus elegantiâ ſeſe commendantes.

Anemone latifolia maxima verſicolor *C. B. P.* 176. Anemone hortenſis pleno flore verſicolor *Moriſ. Hiſt.* 2. 426. Anemone latifo-

lia, flore pleno variegato *I. B. tom.* 3. *l.* 30. 404.

Eadem flore coccineo *C. B. P.* 176. *Moriſ. Hiſt.* 2. 426. Anemone latifolia, pleno flore coccineo, ſive Pavo major. 2. Cluſii *I. B. tom.* 3. *l.* 30. 405.

Ejuſdem ſpecies variæ, coloris in flore diverſitate invicem diſcretæ.

Anemone tenuifolia multiplex rubra *C. B. P.* 167. Anemone tenuifolia, flore coccineo pleno. Eyſt. *Moriſ. Hiſt.* 2. 426.

Eadem flore cœruleo *C. B. P. Var.* 176.

Eadem flore albo *C. B. P. Var.* 176.

Eadem flore purpureo, ſeu multiplex purpurea *C. B. P.* 176.

Eadem flore ex atro purpuraſcente, ſeu multiplex atro purpuraſcens *C. B. P.* 176.

Eadem Byzantina, flore carneo vivaciſſimo *Moris. Hiſt.* 2. 426.

Ejuſdem varietates plurimę, petalorum numero, magnitudine, colore & formâ, pro vario laſcivientis naturæ luſu inter ſe certantes.

Anemonæ affinis Æthiopica, fibroſâ radice, flore Aſteris, Taraxaci foliis ſubincanis. Chryſanthemum, Stoebes foliis latioribus. *Breyn. Prod.* 23. Aſter Jacobææ foliis latioribus vulgò. ANN.

Eadem foliis anguſtioribus. Chryſanthemum Africanum, Stoebes foliis anguſtioribus *Breyn. Prod.* 23. ANN.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

# ANEMONÆ AFFINIS ÆTHIOPICA, FIBROSA RADICE, FLORE ASTERIS, TARAXACI FOLIIS SUB INCANIS.



Prior ſpargit per terram folia digito longiora, formâ inter Taraxacum & Stoebem mediâ, pronâ parte pallidè virentia, ſupinâ incana & ſubhirſuta, in aliquot lacinias, ſitu modò oppoſito, modò alterno, intercedentibus longioribus intervallis, diſſecta; Inter hæc prodeunt cauliculi terni, quaterni, pluresve, dodrontales, molleculi, ſucco aquoſo pleni, anguloſi, viridantes, atro puniceis latiuſculis, per longitudinem excurrentibus, ſtriis inſcripti, quæ caules eâ potiſſimùm parte, quâ humi procumbunt, penitus videntur obliterare; ita ut nihil aut parùm viriditatis in iis appareat. E medio caulis eriguntur aliquot alæ, digito longiores, ſuſtinentes è capitulo rotundo ſquamato florem amœnum, amplum, radiatum, diſcoideum, facie Aſteris, radiis interiùs omninò aureis, exteriùs pallidè punicantibus ſtriis inſcriptis; medio verò diſco expuniceo nigricante, qui cœlo ſereno croceum ſpirat odorem. Poſt hujus exantheſin ſequuntur capitula facie Anemonum rotunda, nuda, tomentoſa, pallida, quibus involvuntur ſemina parva, ſpadicea, dura, quæ autumno ſata, ſubſequente vere progerminant, Radice fibroſâ albâ tenui quotannis pereunte. Naſcitur aridis, montoſis, apricis, ad Promontorium Bonæ Spei, undè ſemina ad nos ſunt delata.

Po-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Poſterior iiſdem locis reperitur; Foliis priori anguſtioribus; cætera, verò ſimillimis. De utriuſque viribus nihil certi conſtat. Turgent ſucco aquoſo, nullo evidenti prędito ſapore.

*Anemone trifolia Dodonæi Moriſ. I.B.* v. Ranunculus.

*Anemone nemoroſa flore majori C.P.B.* v. Ranunculus.

*Anemone nemoroſa flore carneo C.B.P.* v. Ranunculus.

*Anemone nemoroſa flore pleno albo C.B.P.* v. Ranunculus.

*Anemone nemoroſa flore pleno purpureo C.B.P.* v. Ranunculus.

*Anemone nemoroſa flore pleno roſeo C.B.P.* v. Ranunculus.

*Anemone nemoroſæ adfinis peregrina, 2. Cluſii herbacei coloris C.B.P.* v. Ranunculus.

ANETHUM hortenſe *C.B.P.* 147. Anethum *Moriſ. Umbellif.* 36. *I.B. tom.* 3. *l.* 27. 6. ANN.

Anethum Pernambuccenſe. ANN.

Convenit cum præcedenti, niſi quod ſemina ſint minora, ſapore & odore gratiora.

ANGELICA ſativa *C.B.P.* 155. *I.B. tom.* 3. *l.* 27. 140. Angelica ſativa, ſeu Officinarum *Moriſ. Umbell.* 9. ANN.

* An-

*Angelica ſylveſtris major, & Angelica aquatica *C. B. P.* 155. Angelica ſylveſtris magna vulgatior *I. B. tom.* 3. *lib.* 27. 144. Angelica ſylveſtris *Moriſ. Umbell.* 9. ANN.

Angelica ſylveſtris montana *C. B. P.* 156. *Moris. Umbell.* 9. Archangelica *I. B. tom.* 3. *l.* 27. 143. ANN.

Angelica Acadienſis flore luteo *Dodart. Mem.* 55.

*Angelica ſylveſtris minor ſive erratica *C. B. P.* 155. Angelica Podagraria dicta *Moris. Umbell.* 9. Angelica ſylveſtris repens *I. B. tom.* 3. *l.* 27. 145.

Angelica lucida Canadenſis *Cornuti* 97. *Moriſ. Umbell.* 9. ANN.

*Angelica baccifera Canadenſis Park. v.* Chriſtophoriana.

ANGURIA Citrullus dicta *C. B. P.* 312. *Moris. Hiſt.* 2. 28. Citrullus folio Colocynthidis ſecto, ſemine nigro, quibuſdam Anguria *I. B. tom.* 3. *l.* 16. 235. ANN.

Eadem Indica maxima. ANN.

*Anil, ſeu Anir. v.* Colutea.

ANISUM herbariis 159. C. B. P. *Moriſ. Umbell.* 25. I. B. *tom.* 3. *l.* 27. 92. ANN.

Aniſum dulce Melitenſe *Moriſ. Umbell.* 75. Cuminum ſemine rotundiore & minore, dulce Melitenſibus C. B. P. 146.

*ANO-

* ANONIS purpurea vulgaris ſpinoſa, flore purpurpureo, ſiliquis erectis, lentiformibus *Moriſ. Hiſt.* 2. 169. Anonis ſpinoſa flore purpureo C. B. P. 389. Anonis ſive Reſta bovis vulgaris, purpurea, ſpinoſa I. B. *tom.* 2. *l.* 17. 391.

* Eadem albido flore C. B. P. *Var.* 389. Anonis ſive Reſta bovis vulgaris, alba, ſpinoſa *I. B. tom.* 2. *l.* 17. 391.

Anonis non ſpinoſa, cauliculis procumbentibus. An Anonis non ſpinoſa repens *Moriſ. Hiſt.* 2. 169.

* Anonis purpurea, ſpicata, erecta, perennis, longifolia, ſiliquis erectis lentiformibus *Moriſ. Hiſt.* 2. 169. Anonis ſpinis carens purpurea C. B. P. 389. Anonis non ſpinoſa, purpureo flore I. B. *tom.* 2. *l.* 2. 17. 393.

Anonis purpurea procumbens verna ſeu præcox, fruticoſa, annua, viſcoſa, ſiliquis craſſioribus, lentiformibus, rariùs diſpoſitis *Moris. Hiſt.* 2. 169. ANN.

Anonis lutea ſylveſtris minima, ſiliculis lentiformibus, erectis, bivalvibus *Moris. Hiſt.* 2. 170. Anonis ſpinoſa lutea minor C. B. P. 389.

Anonis purpurea perennis, foliis latioribus, rotundioribus, profundè ſerratis *Moriſ. Hiſt.* 2. 170. Cicer ſylveſtre latiſolium tryphyllum C. B. P. 34. Cicer ſylveſtre trifolium *I. B. tom.* 2. *l.* 17. 295.

Om-

Omnibus partibus major & elatior eſt priori.

Anonis purpurea verna ſeu præcox perennis, frutescens, flore rubro amplo *Moriſ. Hiſt.* 2. 170. Cicer Arboreum Indicum perenne. *Zanon.* 66. Annonis purpurea fruteſcens, non ſpinoſa. *Dodart. Mem.* 57.

Anonis lutea, annua, recta, hirſuta, viſcoſa, ſiliquis hirſutis brevioribus *Moriſ. Hiſt.* 2. 171. Trifoliis adfinis Anonis minima, hirſuta Cherleri *I. B. tom.* 2. *l.* 17. 394. ANN.

Anonis lutea annua ſiliquâ glabrâ longiore & craſſiore *Moriſ. Hiſt.* 2. 171. Anonis viſcoſa, ſpinis carens, lutea minor, flore pendulo *C. B. P.* 389. Trifoliis adfinis Anonis puſilla, glabra, fruticans Cherleri *I. B. tom.* 2. *l.* 17. 394. ANN.

*Anſerina vulgò.* *v.* Pentaphylloides.

*Anthora C. B. P.* *v.* Aconitum.

ANTIRRHINUM majus rotundiori folio *C. B. P.* 21. ANN.

Antirrhinum majus longiore folio *Moriſ. Hiſt.* 2. 505. Antirrhinum majus alterum, folio longiore *C. B. P.* 211. Antirrhinum vulgare *I. B. tom.* 30. *l.* 30. 462. flore roſeo. ANN.

Idem flore rubente *C. B. P.* *Var.* 211. ANN.

Idem ex candido dilutè purpuraſcente *C. B. P.* *Var.* 211. ANN.

Idem flore albo, oris rubris *C. B. P.* *Var.* 211. ANN.

Idem

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Idem oris rubentibus *C. B. P. Var.* 211. ANN.
Idem oris luteis *C. B. P. Var.* 211. ANN.
Antirrhinum longifolium majus Italicum flore amplo, niveo, lacteſcente *Cat. Hort. Reg. Pariſ.* 21. ANN.
Antirrhinum anguſtifolium, flore rubro. Antirrhinum arvenſe majus *C. B. P.* 212. Antirrhinum arvenſe minus *Moriſ. Hiſt.* 2. 505. Antirrhinum anguſtifolium ſylveſtre *I. B. tom.* 3. *l.* 30. 464. ANN.
Idem flore albo. *Cat. Hort. Reg. Pariſ.* 22. ANN.
*Antirrhinum arvenſe minus* C. B. P. *v.* Linaria.

ANTHYLLIS leguminoſa Loto affinis, Vulneraria pratenſis *Moriſ. Hiſt.* 2. 182. Loto affinis Vulneraria pratenſis C. B. P. 332. Vulneraria ruſtica *I. B. tom.* 2. *l.* 17. 362.
Eadem, hirſuta herba, flore ſuavè rubente *Moriſ. Hiſt.* 2. 181. Loto affinis hirſuta flore ſubrubente C. B. P. 333.
Anthyllis leguminoſa Loto affinis major veſicaria, Hiſpanica *Hiſt. Moriſ.* 2. 181. Lotus pentaphyllos veſicaria C. B. P. 332. Trifolium Halicacabum, ſive veſicarium *I. B. tom.* 2. *l.* 17. 361. ANN.
*Anthyllis nivea* I. B. *v.* Polygonum.
*Anthyllis maritima Alſine foliis* C. B. P. *v.* Polygonum.

*An-*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Anthyllis Chamæpithyides fruteſcens* C. B. P. *v.* Kali.

*Anthyllis maritima Lentifolia* C. B. P. *v.* Tithymalus.

* APARINE vulgaris *C. B. P.* 334. *I. B. tom.* 3. *l.* 36. 713.

Aparine ſemine levi *Cat. Hort. Reg. Pariſ.* 21. Aparine levis *Park. Theat.* 567. ANN.

*Aphaca vulgò. v.* Lathyrus.

*Aphyllantes Monſpelienſibus I. B. v.* Caryophyllus.

*Apios Americana Corn. v.* Aſtragalus.

APIUM hortenſe maximum C. B. P. 153. ANN.

Apium hortenſe, ſeu Petroſelinum vulgò C. B. P. 153. Apium ſativum, ſeu hortenſe vulgatius, latifolium planum *Moriſ. Umbell.* 23. Apium hortenſe, vulgò Petroſelinum planum I. B. *tom.* 3. *l.* 27. 97. ANN.

Apium, vel Petroſelinum criſpum C. B. P. 153. *Moriſ. Umbell.* 23. Apium hortenſe vulgò Petroſelinum criſpum I. B. *tom.* 3. *l.* 27. 97. ANN.

Apium montanum, folio tenuiori C. B. P. 153. Apium ſativum hortenſe anguſtifolium *Moriſ. Umbell.* 23. ANN.

Apium hortenſe latifolium C. B. P. 153. Apium latifolium, ſeu hortenſe maximum *Moriſ.*

*Umbell.* 21. Apium hortenſe magnum, vulgari hortenſi ſeu Petroſelino vocato, ſapore idem, ſive Anglicanum quibuſdam I. B. *tom.* 3. *l.* 27. 99. ANN.

* Apium paluſtre & Apium Officinarum C. B. P. 154. Apium paluſtre, Paludapium dictum *Moriſ. Umbell.* 21. & 23. Apium vulgare ingratius *I. B. tom.* 3. *l.* 27. 100. ANN.

* Apium paluſtre minus cauliculis procumbentibus, ad alas floridum. ANN.

Hoc præcedenti eſt conforme; aſt omnibus partibus minus & gracilius, cauliculis humi procumbentibus, alis quàm plurimis donatis, ad quarum ſinus oriuntur parvæ florum albicantium umbellæ, quos excipiunt ſemina exigua, ſtriata. Facultatibus nihil aut parum differt à vulgari. Luxuriat locis undoſis, & aquoſis Belgiæ.

Apium dulce Celeri Italorum *Hort. Reg. Pariſ.* 22. Apium paluſtre Seleri dictum *Moriſ.* 21. Apium Italicum Seleri dictum. *ibid.* 22. ANN.

Apium Macedonicum C. B. P. 154. Apium ſemine villoſo ſeu incano Macedonicum *Moriſ. Umb.* 21. Apium, ſive Petroſelinum Macedonicum *I. B.*

Apium peregrinum foliis ſubrotundis C. B. P. 153. Apium ſemine villoſo, ſeu incano pe-

peregrinum 1. *Cluſii. Moriſ. Umbell*. 21. Ann.

*Apium montanum, folio ampliore C. B. P. v.* Oreoſelinum.

*Apium ſylveſtre, lacteo ſucco turgens C. B. P. v.* Thyſſelinum.

*Apium peregrinum, Cicutæ folio C. B. P. v.* Oreoſelinum.

Apocynum folio ſubrotundo *C. B. P.* 302. Apocynum folio rotundiore, flore ex albo palleſcente *I. B. tom.* 2. l. 15. 134.

Apocynum folio oblongo *C. B. P.* 303. Apocynum, ſive Periplocca ſcandens, folio longo, flore purpurante *I. B. tom.* 2. *l.* 15. 133.

Apocynum Scammoniæ facie Monſpeliacum, foliis rotundioribus. Scammonia Monſpeliaca, foliis rotundioribus *C. B. P.* 294. Scammonea Monſpeliaca, flore parvo *I. B. tom.* 2. *l.* 15. 136.

Apocynum Scammoniæ facie, Monſpeliaco affine, foliis acutioribus. Scammoniæ Monſpeliacæ affinis, foliis acutioribus *C. B. P.* 294. Apocynum latifolium, amplexicaule *I. B. tom.* 2. *l.* 15. 135.

Apocynum Aſclepiadis folio, flore nigro. Aſclepias nigro flore *C. B. P.* 303. Aſclepias flore nigro quorundam *I. B. tom.* 2. *l* 15. 140.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Apocynum rectum latifolium Americanum majus *Park. Theatr.* 385.

Apocynum latifolium Ægyptiacum, incanum, erectum, floribus ſpicatis maximis pallidè violaceis, ſiliquis folliculatis rugoſis. Apocynum Ægyptiacum lacteſcens, ſiliquâ Aſclepiadis *C. B. P.* 303. Beidelſar Alpini, ſive Apocynum Syriacum *I. B. tom.* 2. *l.* 15. 136. *Beideloſſar. Alpin. de Plant. Ægypt.* 85. Ericu *Hort. Malab. tom.* 2. 53.

Apocynum latifolium Syriacum incanum erectum, floribus umbellatis minoribus, obſoletè purpuraſcentibus, ſiliquis folliculatis rugoſis. Apocynum majus Syriacum rectum *Corn.* 91. *Beideloſſar. Obſerv. Veſlin. in Alpin.* 28.

Apocynum anguſtifolium Canadenſe viride erectum, floribus umbellatis minoribus rubicundis. Apocynum minus rectum Canadenſe *Corn.* 93.

Idem humilius folio anguſtiſſimo.

• Apocynum Americanum, foliis Androſæmi majoris, floris Lilii convallium ſuave rubentis, *Cat. Hort. Reg. Pariſ.* 22. *Boccon de Pl. Sic.* 32. Dodart. Mem. 59.

• Apocynum humile Aizoides ſiliquis erectis Africanum. Fritillaria craſſa Promontorii Bonæ Spei Stapel. in not. ad Theophr. 335.

Hujus

*APOCYNUM HUMILE AIZOIDES, SILIQUIS ERECTIS, AFRICANUM.*



Hujus Plantæ iconem inepto nomine Fritillariæ craſſæ â Juſto Heurnio in Belgiam tranſmiſſam, exhibet Bodæus à Stapel in notis ad Theophraſtum; Quoniam verò ico & eidem ſubnexa deſcriptio imperfecta & mendoſa eſt, placuit, accuratiorem plantæ hiſtoriam hîc proponere. Locis montoſis, ſaxoſis, præruptis, aridis ad Promontorium Bonæ ſpei luxuriant è radice albâ exili fibroſâ, cauliculi, modo humi proſtrati, modo obliquè aſcendentes, ſpithamum & amplius longi, valdè ramoſi, digitum craſſi, aphylli, læte viridantes, ingruente verò tempeſtate rigidiori, ex livore ad purpureum vergentes, propemodum trigoni, denticulati, & circumquaque brevibus, craſſis, obtuſis quaſi aculeis, ſeu prominentibus dentibus, angulorum pręruptorum rupium inſtar, ſtipati, ſucco viſcido acri amaricante, viroſo & nauſeoſo turgentes. Ad dentium ſinus prodit pediculus digito brevior, tenuis, pallidè vireſcens, vel ex livido purpuraſcens, communiter in tres, raro in quinque foliaceos cuſpides abiens, ſuſtinens florem amplum, planum, monopetalum, craſſum, quinquè acuminatis laciniis expanſum; foris glabrum viridantem, quinque purpuraſcentibus per longirudinem ſtriis inſcriptum; intus tenacem, coriaceum, rugoſum, flaveſcentem, punicantibus maculis ele-

eleganter conſperſum, odoris foetidi, viperini; ex hoc protuberat umbilicus orbicularis, ejuſdem cum flore conſiſtentiæ & coloris, occupans ferme mediam floris partem, cujus centrum concavum tegit ſtella quinque radiis compreſſis puniceis in extremo bifidis lividiſque conſtructa, huic inſidet breuiſſima craſſiuſcula columella, emittens in imo radios quinque, teretes rigidos, pallide punicantes, in ſummo totidem alios breviſſimos concolores. Florem deciduum ſequuntur, ſiliquæ gemellæ erectæ virides ſpithamum longæ, digiti craſſitie, includentes Apocynorum more ſemina orbiculata, compreſſa, tenuia, marginibus craſſiuſculis, caſtanei coloris, imbricatim invicem incumbentia, quibus ſingulis inſident flocci ſericei candidi, ad ſolem aureis micis fulgentes. Culturam exigit quam Opuntia ſpinoſa; Solem auramquè calidiorem amat, Septentrionalem verò &, hyemale frigus in tantùm reformidat, ut illicò liveſcat, areſcat & pereat. Propagatur tàm ſemine, quàm avulſis ramulis, in terram depactis. Virtutem poſſidere cum Apocynis communem, indicant acris, amarus, nauſeoſus ſapor & viroſus odor.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

AQUIFOLIUM baccis rubris. Ilex aculeata baccifera, folio ſinuato *C. B. P.* 425. Aquifolium, ſive Agrifolium vulgò *I. B. tom.* 1. *l.* 7. 114.

Idem foliis ex luteo variegatis, *Cat. Hort. Reg. Pariſ.* 22.

Idem foliis ex albo variegatis.

Idem foliis oblongis, ſpinis & limbis argenteis.

Idem foliis ſubrotundis, ſpinis & limbis argenteis.

Idem foliis oblongis, ſpinis & limbis aureis.

Idem foliis ſubrotundis, ſpinis & limbis aureis.

Aquifolium baccis luteis.

Hoc à vulgari differt baccis luteis, & foliis ex viridi nigricantibus. Luxuriat in Angliâ cum cæteris ſuæ ſortis.

*AQUILEGIA ſylveſtris *C. B. P.* 144. Aquilegia flore ſimplici *I. B. tom.* 3. *l.* 30. 484.

Aquilegia hortenſis ſimplex C. B. P. 144. *I. B. tom.* 3. *l.* 30. 484.

Aquilegia flore albo ſimplici C. B. P. 144. *I. B. tom.* 3. *l.* 30. 484. *Deſcr.*

Eadem caſtanei coloris C. B. P. 144.

Aquilegia montana magno flore C. B. P. 144. *I. B. tom.* 3. *l.* 30. 484.

Aquilegia hortenſis multiplex, flore magno C. B. P. 144. Aquilegia flore pleno, ſive multi-

ti-

tiplici *I. B. tom.* 3. *l.* 30. 485. flore coeruleo pleno C. B. P. *Var.* 145.

Eadem flore pleno albo C. B. P. *Var.* 145.

Eadem flore pleno incarnato *C. B. P. Var.* 145.

Eadem flore purpureo *C. B. P. Var.* 145.

Eadem flore rubro *C. B. P. Var.* 145.

Eadem flore pleno, caſtanei coloris *Cat. Hort. Reg. Paris.* 23.

Eadem variegata *C. B. P. Var.* 145. flore variè mixto, maculato *ibid.* 144.

Aquilegia hortenſis multiplex, flore ſparvo *C. B. P.* 145.

Aquilegia hortenſis, multiplici flore inverſo *C. B. P.* 145. Aquilegia flore pleno inverſo *I. B. tom.* 3. *l.* 30. 485.

Aquilegia flore roſeo multiplici *C. B. P.* 245. Stellata, flore purpureo *C. B. P. Var.* 245. Aquilegia flore ſimplici & pleno, non corniculato *I. B. tom.* 3. *l.* 30. 485.

Eadem ſtellata, rubeſcens *C. B. P. Var.* 245

Eadem ſtellata, flore violaceo C. B. P. *Var.* 245.

Eadem ſtellata, flore albo, minutiſſimis nigris punctis ornata *C. B. P. Var.* 245.

Eadem ſtellata, flore cinereo, punctis purpureis aſperſo, *Cat. Hort. Reg. Paris.* 23.

Eadem ſtellata, flore carneo *C. B. P. Var.* 145.

Aquilegia degener, vireſcens *C. B. P.* 245. Aquilegia degener *I. B. tom.* 3. *l.* 30. 485.

*Archidna vulgò.* *v.* Lathyrus.

*Aracus, ſive Arachus vulgò* *v.* Vicia.

*Arantia vulgò.* *v.* Malus Arantia.
*Arbor Fraxini folio* C. B. P. *v.* Azadarach.
*Arbor Judæ vulgò.* *v.* Siliqua ſylveſtris.
*Arbor lanigera Bontii* *v.* Goſſampinus.
*Arbor Platani folio, fructu Peponum magnitudine* C. B. P. *v.* Pepo arboreſcens.
*Arbor Solis.* *v.* Althea.

ARBUTUS folio ſerrato *C. B. P.* 560. Arbutus: Comarus Theophraſti I. B. *tom.* 1. *l.* 1. 83. Unedo Plinii vulgò.
Arbutus folio non ſerrato C. B. P. 460. Adrachne Theophr. *I. B. tom.* 1. *l.* 1. 87.
*Arbutus non Arbutus Virginiana vulgò.* *v.* Sorbus.
*Archangelica I. B.* *v.* Archangelica.
*Arenaria I. B.* *v.* Alſine.
*Argemone vulgò ejuſque ſpecies.* *v.* Papaver.
*Argentina I. B.* *v.* Pentaphylloides.
*Aria Theophraſti vulgò.* *v.* Meſpilus.
*Ariſarum latifolium & anguſtifolium* C. B. P. *v.* Arum.

ARISTOLOCHIA rotunda, flore ex purpura nigro C. B. P. 307. Ariſtolochia rotunda I. B. *tom.* 3. *l.* 32. 559.
Ariſtolochia longa vera C. B. P. 307. Ariſtolochia longa I. B. *tom.* 3. *l.* 32. 560.
* Ariſtolochia Clematitis recta C. B. P. 307. Ariſto-

ſtolochia Clematitis vulgaris I. B. *tom.* 3. *l.* 32. 560.

Ariſtolochia Piſtolochia dicta C. B. P. 307. Ariſtolochia polyrrhizos I. B. *tom.* 3. *l.* 32. 561.

Ariſtolochia Piſtolochia dicta Cretica, Smilacis folio, ſemper virens. Piſtolochia Cretica C. B. P. 307. Ariſtolochia Piſtolochia altera *I. B. tom.* 3. *l.* 32. 563.

ARMENIACA malus, fructu majori ex luteo rubeſcente. Mala Armeniaca majora C. B. P. 442. *I. B. tom.* 1. l. 2. 167.

Eadem fructu minori. Malus Armeniaca minor *C. B. P.* 442. Armeniaca mala minora *I. B. tom.* 1. *l.* 2. 167.

Armeniaca Malus, fructu majori albeſcente, nucleo dulci. Mala Armeniaca majora, nucleo dulci *C. B. P.* 442.

*Armoracia multis I. B. v.* Rhaphanus ruſticanus.

* ARTEMISIA vulgaris major C. B. P. 137. Artemiſia vulgaris *I. B. tom.* 3. *l.* 26. 184. Caule ex viridi albicante C. B. P. *var.* 137.

Eadem caule ſubpurpuraſcente C. B. P. *Var.* 137.

Artemiſia foliis ex luteo variegatis, *Cat. Hort. Reg. Pariſ.* 24.

*Artemiſia tenuifolia, ſive leptophyllos* I. B. *v.* Abrotanum.

ARUM

ARUM maximum Ægyptiacum, quod vulgò Colocaſia *C. P. B.* 195. Colocaſia *I. B. tom.* 2. l. 19. 790. Culcas Veſling. in Alp. 38.

Idem cauliculis nigricantibus Zeylanicum.

Arum Æthiopicum, flore albo odorato, moſchum redolente.

Arum venis albis *C. B. P.* 195.

* Arum maculatum, maculis candidis *C. B. P.* 195

* Arum maculatum, maculis nigris *C. B. P.* 195. Arum *I. B. tom.* 2. *l.* 19. 783.

* Arum vulgare non maculatum *C. B. P.* 195.

Arum humile Ariſarum dictum, latifolium, piſtillo brevi, incurvo, obfuſo. Ariſarum latifolium *C. B. P.* 196. *I. B. tom.* 2. *l.* 19. 786.

Idem anguſtifolium, piſtilo longiſſimo, tenui, inflexo, mucronato. Ariſarum anguſtifolium Dioſcoriis fortè *C. B. P.* 196. *I. B. tom.* 2. *l.* 19. 787.

Arum polyphyllum, Dracunculus & Serpentaria dictum, caule maculato, majus & elatius. Dracunculs polyphyllus *C. B. P.* 195. Dracunculus major vulgaris *I. B. tom.* 2. *l.* 19. 789. Erva de Sancta Maria Piſon. *l.* 4. *c.* 57.

Arum polyphyllum, Dracunculus & Serpentaria dictum, caule non maculato, minus & humilius.

Arum triphyllum, Dracunculus & Serpentaria dictum, Indicum. Dracunculus, ſive Serpentaria triphylla, Braſiliana *C.B.P.* 135. Dodart. Mem. 81.

Arum paluſtre, radice Arundinaceâ. Dracunculus paluſtris, ſive radice Arundinaceâ *C. B. P.* 195. Dracunculus aquaticus *I. B. tom.* 2. *l.* 19. 789.

ARUNDO vulgaris, ſive Φραγμίτης Dioſc. C. B. P. 17. Arundo vulgaris paluſtris *I. B. tom.* 2. *l.* 18. 485.

Arundo ſativa, quæ δόναξ Dioſc. & Theophr. C. B. P. 17. Arundo maxima & hortenſis *I. B. tom.* 2. *l.* 18. 486.

Arundo Indica variegata, ſeu Laconica *Theophraſti Corn.* 55. Arundo Laconica à Petro Mullerio Stapel. 440.

Arundo Sacharifera *C. B. P.* 18. Arundo Saccharina *I. B. tom.* 2. *l.* 18. 531.

*Arundo Indica latifolia ejuſque ſpecies* C. B. P. *& I. B. v.* Canna Indica.

ASARUM *C. B. P.* 197. *I. B. tom.* 3. *l.* 32. 548.

Aſarum Canadenſe *Corn.* 24. Aſarum Americanum majus *Cat. Hort. Reg. Pariſ.* 25.

*Aſcyrum* C. B. P. *ejuſque ſpecies. v.* Hypericum.

ASCLE-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ASCLEPIAS flore albo *C.B.P.* 303. Aſclepias ſive Vincetoxicum, cum multis floribus albicantibus *I. B. tom.* 2. *l.* 15. 138.

Aſclepias anguſtifolia, flore flaveſcente *Cat. Hort. Reg. Pariſ.* 25.

*Aſclepias nigro flore* C. B. P. *v.* Apocynum.

*ASPARAGUS ſativa *C. B. P.* 489. Aſparagus domeſticus *Moriſ. Hiſt.* 2. 3. Aſparagus hortenſis *I. B. tom.* 3. *l.* 36. 725.

Aſparagus ſylveſtris, tenuiſſimo folio *C. B. P.* 490. Aſparagus pratenſis *I. B. tom.* 3. *l.* 36. 725.

Aſparagus maritimus, craſſiore folio *C. B. P.* 490. Aſparagus marinus *I. B. tom.* 3. *l.* 36. 726.

Aſparagus foliis acutis *C. B. P.* 490. *Moriſ. Hiſt.* 2. 3. Corruda *I. B. tom.* 3. *l.* 36. 726.

Aſparagus aculeatus, maximus, ſarmentoſus, Zeylanicus.

Huic ſubſunt radices longæ, fuſiformes, plures ex uno capite propendentes, albicantes, carnoſæ, pollicem craſſæ, ſapore ſubdulci, grato, ad Scorzoneram noſtram accedente. Ex hâc pullulant aliquot ſarmenta longiſſima, in multas alas diviſa, brevibus pungentibus aculeis, modò ſurſum modò deorſum ſpectantibus, armata, vicinas arbores ſcandentia eaſque amplectentia. His adhærent folia reliquis hujus familiæ ſpeciebus

*ASPARAGUS ACULEATUS MAXIMUS, SARMENTOSUS ZEYLANICUS.*



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

bus omnibus latiora, longiora & robuſtiora; Ad quorum ſinus prodeunt ex caliculis exiguis flores parvi, pallidi, hexapetali, fulciti brevibus tenuiſſimis pedicellis. Hos excipiunt baccæ rubentes, in quibus continentur ut plurimum terni anguloſi nigricantes acini, velut in ſpeciebus conſimilibus. Sponte naſcitur in ſylvis Inſulę zeylonæ, Indigenis Hatawarija; Europæis verò ibidem degentibus, Scorzonera dicta. Radices vel cum lacte aut brodio carnium coctæ, vel ſale, aceto & pipere conditæ, ab incolis habentur in delitiis.

Aſparagus aculeatus Africanus.

A Corrudâ vulgari nihil diſcrepat, niſi radicibus craſſioribus, rotundioribus, bulbillorum inſtar, ex uno ceſpite dependentibus, ſapore cum Aſparago Zeylanico conſimili. Attuli in Hortum ex Capite Bonæ Spei, ubi ad rivulorum margines luxuriantem offendi.

*Aſperula I. B.* v. Rubia.

*Aſphalatus ſecunda trifolia I. B.* v. Cytiſus.

*Aſpalatus ſecunda Monſpelienſium I. B.* v. Geniſta.

ASPHODELUS albus ramoſus *Moriſ. Hiſt.* 2. 330. Aſphodelus albus ramoſus mas *C. B. P.* 28. Aſphodelus major, flore albo ramoſus *I. B. tom.* 2. *l.* 19. 626.

Idem

Idem non ramoſus *Moriſ. Hiſt.* 2. 330. *C. B. P.* 28. Aſphodelus major, flore albo non ramoſus *I. B. tom.* 2. *l.* 19. 625.

Aſphodelus folio fiſtuloſo ſtriato, non ramoſus, luteus & flore & radice *Moriſ. Hiſt.* 2. 331. Aſphodelus luteus & flore & radice *C. B. P.* 28. Aſphodelus luteus *I. B. tom.* 2. *l.* 19. 632.

Aſphodelus Allobrogicus, magno flore Lilii. Phalangium magno flore *C. B. P.* 29. Phalangium Allobrogicum, magno flore Lilii *Moriſ. Hiſt.* 2. 333. Phalangium Lilii flore *I. B t.* 2. *l.* 19. 636.

Aſphodelus minimus luteus paluſtris, Acori folio *Moriſ. Hiſt.* 2. 332. Pſeudo Aſphodelus paluſtris Scoticus *C. B. P.* 29. Aſphodelus luteus, Acori foliis, paluſtris, Anglicus Lobelii *I. B. tom.* 2. *l.* 19. 633.

*Aſphodelus bulboſus Dodonæi* *I. B.* *v.* Ornithogalum.

*Aſphodelus foliis fiſtuloſis* *C. B. P. I. B. Moriſ.* *v.* Phalangium.

*Aſplenum* *I. B.* *v.* Ceterach.

ASTER Novæ Belgiæ latifolius paniculatus, floribus ſaturatè violaceis.

Elegantiſſimus hic Aſter humanam altitudinem longè ſuperans, fundit radicem albam, lignoſam, perennantem, innumeris tenuiſſimis fibris capillatam, ex quâ aſ-

ſurgunt virgulta quàm plurima, glabra, purpuraſcentia, calami craſſitie, infirma, circa faſtigia in frequentes ſurculos, quaſi in ſpecioſam paniculam collectos, ſubdiviſa. His ſtrictè adhęrent folia abſque petiolis, digitum longa, duoſque tranſverſos lata, plana, craſſiuſcula, mucronata, alterâ parte glabra, lætè viridia; alterâ ex viridi palleſcentia, numeroſis exiguis venulis, è mediâ coſtâ oriundis, inſcripta, ad extimos limbos purpuraſcentia, & aliquando leviſſimis vix conſpicuis crenulis exaſperata; quæ verò immediatè ex radice prodeunt, ſuperioribus ampliora ſunt, fulta petiolis digitalibus alatis, ex viridi ruffeſcentibus. Juxta ſurculorum faſtigia eminent capitula parva brevibus anguſtiſſimis foliolis, ſquamatim diſpoſitis, veſtita, quibus ſingulis inſidet flos ſtellatus Aſteris Attici facie, inodorus, radiatus, diſcoideus, radiis purpureo violaceis, diſco parvo flaveſcente, abeunte in ſemina papposa cinerea, more congenerum.

Aſter Novæ Belgiæ latifolius, umbellatus floribus dilutè violaceis.

Formâ & creſcendi modo cum ſuperiori congruit, ferens radicem longè latè que repentem, albam parùm fibroſam, ex quâ prodeunt folia, præcedenti haud abſimilia,

*ASTER NOVÆ BELGIÆ LATIFOLIUS, PANICULATUS, FLORIBUS SATURATE VIOLACEIS.*



Aster mutabilis

at paulò anguſtiora, rigidiora, minus glabra, & quadantenus ſinuata; intrà hæc eriguntur caules bicubitales, viridantes, ad radicem nihil aut parùm rubentes, ſtriati ſuperioribus rigidiores, duriores, & robuſtiores, circa ſumma faſtigia in frequentes folioſas alas magis expanſas, umbellam mentientes, diviſi, ſuſtinentes in capitulis parvis, ex longioribus foliolis ſquamatim diſpoſitis, flores priori paulò majores, ex dilutâ purpurâ violaceos, petalis duplici ſerie ſibi invicem incumbentibus, diſco luteo, fatiſcente in ſemina cinerea pappoſa priori ſimillima. Utriuſque Aſteris ſpecies anno ſuperiori in Horto excrevêre, ſeminibus ex Novâ Belgiâ tranſmiſſis à Dn. D. Johanne Kerſpyl Medicinæ Practicæ feliciſſimo.

Aſter autumnalis Americanus, foliis latis crenatis, parvo purpuraſcente flore. Aſteriſcus latifolius autumnalis *Corn* 4

Aſter Virginianus ſerotinus, parvo albente flore *Park. Theatr.* 132.

Aſter Æthiopicus, Stoechadis foliis flore aureo.

In montoſis aridis ad Caput Bonæ Spei perrara & ſpecioſa hujus Aſteris ſpecies reperitur. Conſtat radice parvâ, lignoſâ, fibroſâ, fuſcâ; Caule itidem lignoſo, dodrontali, modò ſimplici, modò multiplici,

can-

### ASTER NOVÆ BELGIÆ LATIFOLIUS, UMBELLATUS, FLORIBUS DILUTE VIOLACEIS.



Aster novi Belgii.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

candicante, in ramulos divaricato, undiquè foliis ſetaceis tenuiſſimis incanis, Stoechadi citrinæ æmulis, veſtito. Horum ſummitatibus inſidet é capitulo oblongo ſquamato, flos luteus, ſtellæ inſtar, cujus medium umbonem, pallidè flaveſcentem, cingunt foliola, radiorum inſtar, aureo colore fulgentia. His ſeneſcentibus, ſuccedunt ſemina pappoſa, velut in congeneribus. Viget & floret per totum annum, dummodo ab aëris frigidioris injuriis vindicatur.

Aſter maritimus, folio tereti craſſo, in ſummo tricuſpidato. Crithmum maritimum, flore Aſteris Attici *C. B. P.* 288. Chrithmum marinum tertium Matthiolo, flore luteo Buphthalmi *I. B. tom.* 3. *l.* 26. 106.

Idem folio in ſummo obtuſo.

Aſter Atticus luteus montanus villoſus, magno flore *C. B. P.* 267. Aſter montanus, flore luteo magno, hirſutus, quibuſdam Oculus Chriſti *I. B. tom.* 2. *l.* 24. 1046.

Aſter luteus, hirſuto Salicis folio *C. B. P.* 266. Aſter tertius Pannonicus Cluſii luteus, folio hirſuto Salicis *I. B. tom.* 2. *l.* 24. 1047.

Aſter montanus luteus, Salicis glabro folio *C. B. P.* 266. Conyza media Monſpelienſis, quibuſdam Aſteris Attici genus, folio glabro rigido *I. B. tom.* 2. *l.* 24. 1049.

Aſter

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*ASTER ÆTHIOPICUS, STOECHADIS FOLIIS, FLORE AUREO.*



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Aſter Atticus cœruleus vulgaris *C. B. P.* 267.
Aſter Atticus, purpureo flore *I. B. tom.* 2. *l.* 24. 1044.

Aſter Pyrenæus præcox, flore cœruleo majore Dodart. Mem. 63.

*Aſter jacobææ folio vulgò.* v. Anemonæ affinis.

*Aſter luteus, foliis ad florem rigidis* C. B. P. v. Chryſanthemum.

*Aſter Atticus, foliis circa florem mollibus* C. B. P. v. Chryſanthemum.

*Aſter luteus major, foliis Succiſæ* C. B. P. v. Chryſanthemum.

*Aſter luteus ſupinus* C. B. P. v. Chryſanthemum.

*Aſter ſupinus Conyzoides, Africanus Park.* v. Chryſanthemum.

*Aſteri montano hirſuto magno ſimilis* I. B. v. Conyza.

*Aſter Canadenſis annuus, flore papposo Hort. Pariſ.* v. Conyza.

*Aſter luteus alatus Cornut.* v. Chryſanthemum.

*Aſter latifolius, Tripolii flore Dodart.* v. Tripolium.

*Aſter Aizoides Prom. Bon. Sp. Zan.* 35. v. Ficoides.

*Aſteriſcus latifolius autumnalis Corn.* v. Aſter.

ASTRAGALUS perennis ſpicatus Americanus ſcandens caulibus, radice tuberosâ donatus

natus *Moriſ. Hiſt.* 2. 102. Apios Americana Cornuti 201.

Aſtragalus purpureus annuus peregrinus, ſiliquis utrinquè ſerræ ſimilibus *Moriſ. Hiſt.* 2. 107. Securidaca, ſiliquis planis utrinquè dentatis C. B. P. 349. Lunaria radiata Robini I. B. *tom.* 2. *l.* 17. 348.

Aſtragalus luteus perennis, procumbens vulgaris ſylveſtris *Moriſ. Hiſt.* 2. 107. Glyzyrrhiza ſylveſtris, floribus luteo palleſcentibus C. B. P. 352. Fœnum græcum ſylveſtre, ſive Glyzyrrhiza ſylveſtris quibuſdam *I. B. tom.* 2. *l.* 17. 365.

Aſtragalus luteus perennis, ſiliquâ gemellâ rotundâ, veſicam referente *Moriſ. Hiſt.* 2. 108. Cicer ſylveſtre, foliis oblongis hiſpidis majus C. B. P. 347. Cicer ſylveſtre, folliculis rotundis C. B. P. *Matth.* 336. Cicer ſylveſtre multifolium I. B. *tom.* 2. *l.* 1. 7. 294

Aſtragalus luteus annuus Boëticus maritimus rectus *Moriſ. Hiſt.* 2. 108. Vicia Seſamacea Apula *Columm. Ecphr. p.* 1. 301. Securi daca Sicula, ſiliquis foliaceis *Bocc. ic. & deſcr.* 7. Ann.

Aſtragalus perennis ſpicatus, floribus pallidis, nigris radiis notatis *Moriſ. Hiſt.* 2. 107. Onobrychis ſpicata, floribus pallidis nigris radiis notatis C. B. P. 350

Aſtragalus Canadenſis flore viridi flaveſcente. *Dod. Mem.* 65. Ann

• Aſtragalus Africanus luteus odoratus *Magnol. Botan.* 285.


Aſtragalus humilis Buxifolius. Chamæbuxus, flore Coluteæ *C. B. P.* 471. Chamæbuxus, ſive Chamæbixos *I. B. tom.* 1. *l.* 5. 24.

Aſtragalus Hiſpanicus, ſiliquâ epiglottidi ſimili, flore purpureo major, Turnefortii. Ann.

Ex parvâ fibroſâ albente radice, ſpargit per terram cauliculos non nihil hirſutos, ex viridi rubentes, dodrantis longitudine, in quibus ſunt folia Lenti ſimilia, ſubhirſuta, conjujatim ex oppoſito ſita, unico in ſummo impari; Ad horum ſinus exit petiolus tenuis, ſuſtinens, ex caliculis parvis villoſis quinquifidis, floſculos purpuraſcentes, quinos pluresve in capitulum congeſtos, ritu Trifolii pratenſis, quos ſingulos ſequuntur ſiliculę gemellæ, incanæ, depreſſæ, in duos lobos diviſæ, formam complicatæ epiglottidis, in oblongum apicem producтæ, referentes, quorum valva ſuperior & externa eſt coriacea, craſſa, hirta, villoſa; inferior verò & interna, tenuis & glabra. Lobis, ſingulis includuntur ſemina, rarius bina, frequentius unicum, Lenticulæ magnitudine, depreſſum, orbiculatum, profundiori in ambitu ſinu inſcriptum.

Aſtra

*TRAGALUS HISPANICUS, SILIQUA EPIGLOTTIDI SIMILI, FLORE PURPUREO MAIOR, TURNEFORTII.*



Astragallus pentaglottis

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Aſtragalus Hiſpanicus ſiliquâ epiglottidi ſimili, flore albo minor Turnefortii. ANN.

Hujus exigua candicans radicula emittit coliculum digitalem, erectum, ſubincanum, in aliquot tenellos ramulos diviſum; Folià ſuperiori minora, non nihil incana & ſubhirſuta, novena aliquando ſeptena uni coſtæ ex adverſo hærentia; Flores pallidos exiguos papilionaceos, ſex ſeptemve in perbrevi racemulo junctos. Hos excipiunt ſiliculæ depreſſæ, rigidæ, hirtæ, incanæ, mucrone brevi, ſiliculis ſuperioris Aſtragali triplo minores, epiglottidem perfectius exprimentes, ex maturitate in duos loculos dehiſcentes, qui condunt ſemen, ſolâ exilitate à ſuperiori diſtinctum. Utrumquè Aſtragalum nomine Epiglottidis leguminoſæ vel Aſtragali ſiliquâ epiglottidi ſimili, inter alia curioſiſſima ex Galliis ad nos transmiſit Clariſſimus Dominus Joſephus Tournefortius.

*Aſtragalus Boëticus lanuginoſus, radice ampliſſimâ* C. B. P. *v.* Orobus.

*Aſtragalus Romanus* I. B. *v.* Onobrychis.

ASTRANTIA major *Moriſ. Umbell.* 7. *&* 10. Helleborus niger, Saniculæ folio major C. B. P. 186. Sanicula Fœmina quibuſdam, aliis Elleborus niger *I. B. tom.* 3. *l.* 34. 638.

Ea-

*ASTRAGALUS HISPANICUS SILIQUA EPIGLOTTIDI SIMILI, FLORE ALBO MINOR TURNEFORTII.*



Astragallus epiglottis

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Eadem minor *Moriſ. Umbell.* 7. & 10. Helleborine Saniculæ folio minor C. B. P. 186.

*Atragene quibuſdam I. B.* v. Clematitis.

* ATRIPLEX ſylveſtris latifolia C. B. P. 119. *Moriſ. Hiſt.* 2. 604. Atriplex dicta Pes Anſerinus *I. B. tom.* 2. *l.* 23. 975. ANN.

* Atriplex ſylveſtris latifolia, acutiori folio *C. B. P.* 119. *Moriſ. Hiſt.* 2. 604. Atriplex, dicta Pes Anſerinus, altera ſive ramoſior *I. B. tom.* 2. *l.* 23. 976.

* Atriplex ſylveſtris, folio ſinuato candicante C. B. P. 119. *Moriſ. Hiſt.* 2. 604. ANN

* Atriplex ſylveſtris, folio ſinuato ſaturatè virente, ſpicâ rubrâ *Moriſ. Hiſt.* 2. 604. Atriplex ſylveſtris altera C. B. P. 119. Atriplex ſylveſtris *I. B. tom.* 2. *l.* 23. 972. ANN.

Atriplex procumbens, folio ſinuato lucido craſſo *Moriſ. Hiſt.* 2. 605. ANN.

Atriplex fœtida *C. B. P.* 119. *Moriſ. Hiſt.* 2. 605. *I. B. tom.* 2. *l.* 23. 974. ANN.

Atriplex odora, ſive ſuaveolens *Moriſ. Hiſt.* 2. 605. Botrys Ambroſioides vulgaris *C. B. P.* 138. ANN.

Atriplex odorata ſuaveolens Americana Mexicanave *Moriſ. Hiſt.* 2. 605. Botrys Ambroſioides Mexiocana *C. B. P.* 138. Epazotl. Atriplex odorata Mexicana. *Rech. Hiſt. Mexic. p.* 159. ANN.

Atriplex Mori fructu major, ſeu fragifera major

jor *Moriſ. Hiſt.* 2. 606. Spinachia fragifera *Horti Farneſiani Aldin.* 85. ANN.

Atriplex Morifructu minor, ſeu fragifera minor, *Moriſ. Hiſt.* 2. 604. Atriplex ſylveſtris, Mori fructu C. B. P. 119. ANN.

Atriplex, Mori fructu, minima *Moriſ. Hiſt.* 2. 607ᶜ Atriplex ſylveſtris, lappulas ferens C. B. P. 119. ANN.

Atriplex hortenſis alba, ſeu pallidè virens *C. B. P.* 119. *Moriſ. Hiſt.* 2. 606. Atriplex. alba *I. B. tom.* 2. *l.* 23. 670. ANN.

Eadem nigricans C. B. P. *Var.* 119. *Moriſ. Hiſt.* 606. ANN.

Atriplex ſylveſtris annua, folio deltoide triangulari ſinuato & mucronato, haſtæ cuſpidi ſimili *Moriſ. Hiſt.* 2. 607. ANN.

Atriplex, anguſto oblongo folio *C. B. P.* 119 *Moriſ. Hiſt.* 2. 607. Atriplex vulgaris anguſtifolia, cum folliculis *I. B. tom.* 2. *l.* 23. 973. ANN.

Eadem anguſtiſſimo & longiſſimo folio. ANN.

Atriplex anguſti folia laciniata minor *I. B. tom.* 2. *l.* 23. 972. *Moriſ. Hiſt.* 2. 607. Atriplex ſylveſtris, folio oblongo glauco aut coeſio *Moriſ. ib.* 604. ANN.

Atriplex maritima laciniata *C. B. P.* 120. *Moriſ. Hiſt.* 2. 607. Atriplex maritima *I. B. tom.* 2. *l.* 23. 974. ANN.

Atriplex maritima, folio integro anguſtiſſimo. Atriplex minima, anguſtifolia maritima.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tima. *Bocc. de Pl. ſic. 29. Moriſ. Hiſt. 2.* 607. ANN.

Atriplex latifolia, ſeu Halimus fruticoſus latifolius, *Moriſ. Hiſt.* 2. 607. Halimus latifolius, ſive fruticoſus *C. B. P.* 120. Halimus Cluſii *I. B. tom.* 1. *l.* 8. 227.

Atriplex maritima anguſtifolia procumbens *Moriſ.* 2. 608. Halimus anguſtifolius procumbens *C. B. P.* 120. Portulaca marina fruticoſa, quæ Halimus 2. *Cluſii I. B. tom.* 1. *l.* 8. 228.

*Atriplex maritima, anguſtiſſimo folio *Moriſ. Hiſt.* 2. 608. Halimus, ſeu Portulaca marina *C. B. P.* 120.

ATRIPLICI affinis Linariæ foliis, Belvidere dicta. Linaria ſcoparia *C. B. P.* 212. Linaria Belvidere dicta *I. B. tom.* 3. *l.* 30. 462. ANN.

*Attractylis lutea C. B. P. v.* Cnicus.

*Attractylis I. B. v.* Cnicus.

*Atzoyatl. Rech. v.* Mirabilis Peruviana.

*Avellana vulgò ejuſque ſpecies. v.* Corylus.

AVENA vulgaris, ſeu alba *C. B. P.* 23. Avena alba *I. B. tom.* 2. *l.* 18. 432. ANN.

Avena nigra *C. B. P.* 23. *I. B. tom.* 2. *l.* 18. 432. ANN.

*Avena nuda *C. B. P.* 23. *I. B. tom.* 2. *l.* 18. 433. ANN.

*Avena*

*Avena piloſa I. B.* v. Feſtuca.
*Avicularia Sylvii quibuſdam I. B.* v. Campanula.
*Aurantia poma.* v. Malum Aurantium.
*Auricula leporis I. B. ejuſque ſpecies.* v. Bupleurum.
*Auricula muris, pulchro flore albo I. B.* v. Lychnis.

AURICULA urſi lutea. Sanicula Alpina lutea *C. B. P.* 242. *Moriſ. Hiſt.* 2. 557. Auricula urſi flore luteo *I. B. tom.* 3. *l.* 30. 499. flore ſimplici.

Auricularum plurimæ varietates; Folio vel viridi, vel quaſi farinâ aſperſo, eoque vel ſerrato, vel non ſerrato; Flore vel parvo, vel magno; Ejuſque umbone vel anguſto, vel amplo, vel plano vel ſtellato; Petalis vel marginibus integris, cordiformibus, vel undulatis, modò ſimplicibus, modò multiplicibus, vel unicoloribus vel multicoloribus, variis elegantiſſimis, interquas formâ maximè excellentes in horto ſunt ſequentes:

Auricula urſi, flore magno atropurpureo holoſerico ſimplici, umbone candido ampliſſimo.

Eadem flore magno undulato obſoletè incarnato, umbone pallido ampliſſimo.

Eadem flore magno undulato colore vario, umbone ampliſſimo flaveſcente.

Eadem umbone triplici vario.
Eadem umbone ampliſſimo radiato aureo.
Eadem umbone ampliſſimo ſtellato aureo.
Auricula urſi flore magno pleno flavo.
Eadem flore magno pleno albo.
Eadem flore magno pleno purpureo.
Eadem flore magno pleno atropuniceo holoſerico.
Eadem flore magno pleno coccineo.
Eadem flore magno pleno, ex aureo albo & puniceo variegato.
Eadem flore magno pleno, ex flavo & coccineo variegato.
Auricula urſi alpina, minima carnea. Sanicula alpina minima carnea. *C. B. P.* 243.
Auricula urſi minima, folio inferius venoſo & incano, flore ſuave rubente Ciaſſi.

Diſcriminatur à præcedente, foliis longioribus infernè venoſis, non nihil incanis, ſupernè viridibus, ſummis marginibus crenatis; Floribus quinis vel ſeptenis, coloris ſuavè rubentis, quaſi in umbellâ caulis faſtigio inſidentibus. Hanc Dominus Ciaſſi Venetiis tranſmiſit ad honeſtiſſimam matronam Agnitam de Block, cujus liberalitate accepimus.

Auriculæ urſi affinis, Androſace dicta major. Saniculæ affinis planta, Androſace dicta major *Moriſ. Hiſt.* 2. 556. Alſine affinis, Androſace dicta major *C. B. P.* 251. Andro-
ſace

ſace Matthioli altera *I. B. tom.* 3. *l.* 29. 368.

*Auricula urſi Mycon. v.* Verbaſcum.

AZEDARACH *Dod. Pemt.* 6. *l.* 4. *c.* 26. Arbor Fraxini folio, cœruleo flore *C.B.P.* 415. Azadaracheni arbor *I. B. tom.* 1. *l.* 5. 554.

B.

*Baccharis quibuſdam I. B. v.* Conyza.

*Bala Hort. Mal. v.* Ficus.

*Balauſtia flore pleno majori C. B. P. v.* Malus Punica.

*Ballote Dioſc. C. B. P. v.* Marrubium.

*Balſamina rotundifolia repens ſeu Mas C. B. P. v.* Cucumis.

BALSAMINA, Herba impatiens, ſeu Noli me tangere, flore patulo eleganter dilutè rubente *Moriſ. Hiſt.* 2. 281. Balſamina Fœmina *C.B.P.* 306. Balſamina Fœmina, Perſici folio, vel Salicis folio *I. B. tom.* 2. *l.* 21. 909. flore incarnato. ANN.

Eadem flore candido. ANN.

Eadem flore partim candido; partim rubro. ANN.

* Balſamina, Herba impatiens, ſeu Noli me tangere flore, patulo luteo *Moriſ. Hiſt.* 2. 282. Balſamina lutea, ſive Noli me tangere *C.P.B.* 306. Noli me tangere *I. B. tom.* 2. *l.* 21. 903. ANN.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Bamia I.B.* v. Althæa.
*Bananiera Piſon.* v. Ficus.

BARBA capræ floribus oblongis C. B. P. 163. Barba capræ *I. B. tom.* 3. *l.* 30. 488.
* Barba capræ floribus compactis C. B. P. 163. Vlmaria *I. B.* 3. *l.* 30. 488.

BARBA Jovis C. B. P. 397. Jovis barba pulchrè lucens *I. B. tom.* 1. *l.* 11. 385.
*Barbarea C. B. P.* v. Eruca.
*Bardana I. B.* v. Lappa.
*Baſilicum vulgò.* v. Ocymum.
*Batatas C. P. B. & I. B.* v. Convolvulus.
*Beccabunga vulgò.* v. Veronica.
• *Beidelſſar Alpini I. B.* v. Apocynum.
*Been album I. B.* v. Lychnis.
*Behen rubrum I. B.* v. Limonium.
*Bella donna I. B.* v. Solanum.
*Belle videre I. B.* v. Atriplici affinis.

* BELLIS ſylveſtris, caule folioſo major C. B. P. 261. Bellis major *I. B. tom.* 3. *l.* 26. 114. Caule glabro *C. B. P. Var.* 261.
* Eadem caule hirſuto *C. B. P. Var.* 261.
Bellis Alpina major, rigido folio *C. B. P.* 261. Bellis Alpina major, foliis anguſtis rigidis *I. B. tom.* 3. *l.* 26. 115.
Eadem folio breviori & latiori.
Hæc præcedente humilior eſt & tenerior; Fo-

Foliis latioribus, brevioribus, magis reflexis; Floribus minoribus. Floret in hybernaculo totâ hyeme.

Bellis Americana procerior ſerotina ramoſa, flore ampliſſimo. An Aſter ſerotinus procerior ramoſus, Bellidis ſylveſtris flore *Cat. Hort. Reg. Pariſ.* 27?

Bellis ramoſa umbellifera *Cornuti* 194. Bellis major ramoſa umbellifera Americana *Park. Theatr.* 528.

Bellis leucanthema, Tanaceti foliis inodoris, flore majori *Moriſ. Hort. Bleſ.* 362. Tanacetum inodorum, flore majori C. B. P. 132. Tanacetum album, flore ampliore *I. B. tom.* 3. *l.* 29. 133. *Deſcr.*

Eadem flore minori *Moriſ. Hiſt. Bleſ.* 362. Tanacetum montanum inodorum, minori flore *C. B. P.* 132. Tanacetum album *I. B. tom.* 3. *l.* 26. 133.

Bellis ſylveſtris media, caule carens *C. B. P.* 261. Bellis ſylvatica I. B. *tom.* 3. *l.* 26. 114.

*Bellis ſylveſtris minor C. B. P. 261. Bellis minor ſylveſtris ſpontanea I. B. *tom.* 3. *l.* 26. 111. Petalis albis *C. B. P. Var. ibid.*

*Eadem petalis ex candido rubris *C. B. P. Var.* 261.

*Eadem petalis ex albo & rubro mixtis *C. B. P. Var.* 261.

*Eadem petalis intus rubris, in ambitu albis *C. B. P. Var.* 261.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Bellis hortenſis, flore pleno, eoquè magno vel parvo *C. B. P.* 261. Bellis hortenſis, ſive flore multiplicato *I. B. tom.* 3. *l.* 26. 113. flore albo.

Eadem flore incarnato *C. B. P. Var.* 261.

Eadem flore rubro *C. B. P. Var.* 261.

Eadem flore vario ex candido & rubro *C. B. P. Var.* 261.

Eadem pediculo folioſo: quæ 7. in Prodr. *C. B. P.* 262.

Bellis hortenſis prolifera *C. B. P.* 262. Bellis hortenſis, flore multiplicato ſive prolifera *I. B. tom.* 3. *l.* 26. 113.

Bellis ſpinoſa, foliis Agerati *C. B. P.* 264. Bellis ſpinoſa *Proſp. Alpin. Exot.* 372. Capitulo aphyllo luteo.

Eadem foliis non ſpinoſis.

Bellis Africana capitulo aphyllo luteo, Coronopi folio, cauliculis procumbentibus. Chryſanthemum capitis Bonæ Spei repens flore aphyllo *Dn.* Syens *Breyn. Cent.* 1. 156.

Eadem foliis & cauliculis junceis erectis.

Nata eſt ex ſeminibus Bonæ Spei, priori ſimilis; Aſt foliis & cauliculis tenuioribus, erectis & junceis. Sapore & odore, veluti præcedens, fatuo.

*Bellis lutea, foliis profundè inciſis major C. B. P. v.* Chryſanthemum.

*Bel-*

*Bellis lutea, foliis profundè inciſis minor. v.* Chryſanthemum.

*Bellis lutea, foliis ſubrotundis C. B. P. v.* Chryſanthemum.

*Belmoſcus Ægyptia Honorio Bellio. v.* Althæa.

BERBERIS dumetorum *C. B. P.* 454. Berberis vulgò, quæ & Oxyacantha putata *I. B. tom.* 1. *l.* 6. 52.

Berberis ſine nucleo *C. B. P.* 454.

BETA ſpontanea maritima communis viridis *Moriſ.* 596. Beta ſylveſtris maritima *C. B. P.* ANN.

Beta alba, vel palleſcens, quæ Sicula & Cicla Officinarum *Moriſ. Hiſt.* 2. 596. C. B. P. 118. ANN.

Beta communis ſive viridis C. B. P. 118. ANN.

Beta rubra vulgaris C. B. P. 118 *Moriſ. Hiſt.* 2. 596. ANN.

Beta Sicula, ſeu Syriaca platineuros alba *Moriſ. Hiſt.* 2. 596. Beta pallidè virens major *C. B. P.* 118. ANN.

Eadem lutea *Moriſ. Hiſt.* 2. 596. Beta pallidè flavens major *C. B. P.* 118. ANN.

Eadem rubra *Moriſ. Hiſt.* 2. 596. Beta rubra major C. B. P. 118. ANN.

Eadem aurantiaca *Moriſ. Hiſt.* 2. 596. ANN.

Beta rubra, radice Rapæ C. B. P. 188. *Moriſ.*

*Hiſt.* 2. 596. Beta, radice rubrâ craſsâ *I. B. tom.* 2. *l.* 23. 901. ANN.
Beta Cretica, ſemine ſpinoſo ſeu aculeato *Moriſ. Hiſt.* 2. 597. *C. B. P.* 118. *I. B. tom.* 2. *l.* 23. 963. ANN.

BETONICA major Danica *Park. Theatr.* 614.
* Betonica purpurea *C. B. P.* 235. Betonica vulgaris purpurea *I. B. tom.* 3. *l.* 38. 301.
Eadem alba C. B. P. 235. Betonica, flore albo *I. B. tom.* 3. *l.* 28. 302.
Betonica minima alpina Helvetica *Park. Theatr.* 614.
*Betonica Coronaria ejuſque ſpecies I. B.* *v.* Caryophyllus.

* BETULA *C. B. P.* 427. Betula Theophraſti *I. B. tom.* 1. *l.* 8. 148.
Eadem virgulis pendulis *J. Lôſel. Mentz. Ind.* 47.
*Bifolium majus* I. B. *v.* Orchis.
*Bintamburu Zeylonenſium.* *v.* Convolvulus.
*Biſmalva* I. B. *v.* Malva.

* BISTORTA major, radice minus intortâ C. B. P. 192. *Moriſ. Hiſt.* 2. 585. Biſtorta major, rugoſioribus foliis *I. B. tom.* 3. *l.* 31. 538.
Biſtorta major, radice magis intortâ *C. B. P.* 192.

192. *Moriſ. Hiſt.* 2. 585. Biſtorta media, folio minus rugoſo *I. B. tom.* 3. *l.* 31. 531.

Biſtorta Alpina minima ſobolifera *Moriſ. Hiſt.* 2. 585. Biſtorta minima *I. B. tom.* 3. *l.* 31. 539. An Biſtorta Alpina media *C. P. P.* 192?

BLATTARIA perennis, Verbaſci folio, flore luteo, amplo *Moriſ. Hort. Bleſ.* 239. capſulis minoribus.

Blattaria perennis, flore violaceo *Moriſ. Hiſt.* 2. 488. Blattaria purpurea, radice perenni *Moriſ. Hort. Bleſ.* 240. Blattaria purpurea *C. B. P.* 241. Blattaria flore cœruleo vel purpureo *I. B. tom.* 3. *app.* 875. Folio ſubrotundo.

Blattaria flore gilvo ſeu obſoleti coloris *Moriſ. Hiſt.* 2. 488. Blattaria lutea folio longe laciniato C. B. P. 240. Folio oblongo.

Eadem Anglicana perennis, flore obſoletè phœniceo *Cat. Hort. Reg. Pariſ.* 31.

Eadem flore ferrugineo *Cat. Hort. Reg. Pariſ.* 31.

Eadem flore flavo.

Blattaria annua ramoſa, floribus luteis ſtaminibus purpureis *Moriſ. Hiſt.* 2. 498. Blattaria vulgaris lutea *I. B. tom.* 3. *appen.* 874. ANN.

Eadem flore albo. Blattaria alba C. B. P. 241. I. B. *tom.* 3. *app.* 874. ANN.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Eadem flore purpureo. ANN.
Eadem obſoleto colore purpuraſcente *C. B. P. Var.* 241. ANN.
Eadem nigro Violæ eleganti colore nitens *C. B. P. Var.* 241. ANN.
Eadem obſoleto flaveſcente colore. ANN.
Blattaria annua flore majore luteo, capſulâ item majore *Moriſ. Hiſt.* 2. 498. Floribus longioribus inſidentibus petiolis. Blattaria magno flore *C. B. P.* 241. *I. B. tom.* 3. *app.* 875. ANN.
Eadem flore intus albo, extus incarnato. ANN.
Blattaria Zeylanica, flore amplo miniato. ANN.
*Blattaria rubra ſpicata major glabra communis, folio acuto Moriſ.* v. Lyſimachia ſpicata purpurea.
*Blattariæ adſinis planta, major flore luteo Moriſ.* v. Lyſimachia.
*Eadem minor, foliis nigris punctis notatis Moriſ.* v. Lyſimachia.
*Blattariæ adſinis planta, bifolia lævis flore albo. Ephemeron Moriſ.* v. Lyſimachia.

*BLITUM perenne, Spinachiæ facie *Moriſ. Hiſt.* 2. 599. Lapathum unctuoſum, folio triangulo ſeu Bonus Henricus *C. B. P.* 115. Bonus Henricus *I. B. tom.* 2. *l.* 23. 965.
Blitum rubrum majus *C. B. P.* 118. *Moriſ. Hiſt.* 2. 599. Blitum pulchrum rectum magnum rubrum *I. B. tom.* 2. *l.* 23. 966. ANN.

Bli-

Blitum album majus C. B. P. 118 *Moriſ. Hiſt.* 2. 599. Blitum pulchrum magnum album I. B. *tom.* 2. *l.* 23. 967. ANN.

Blitum rubrum minus C. B. P. 118. *Moriſ. Hiſt.* 2. 599. I. B. *tom.* 2. *l.* 23. 967. ANN.

Blitum album minus C. B. P. *Moriſ. Hiſt.* 2. 599. *I.* B. *tom.* 2. *l.* 23. 967. ANN.

Blitum minus polyſpermum, à ſeminis copiâ *C.* B. *P.* 118. *Moriſ. Hiſt.* 2. 599. Blitum erectius ſive 3. Tragi *I.* B. *tom.* 2. *l.* 23. 967. ANN.

*Blitum monoſpermum Indicum aculeatum, capſulâ rotundâ Breyn. Pr.* v. Amaranthus.

*Blitum ſpinoſum Americanum Sutherl. Catal. Edinb.* v. Amaranthus.

*Blitum maximum I.* B. *v.* Amaranthus.

*Bona major Dod. Moriſ.* v. Faba.

*Bonus Henricus I.* B. *v.* Blitum.

BORRAGO floribus cœruleis *I.* B. *tom.* 3. *l.* 33. 574. Bugloſſum latifolium Borrago *C.* *B. P.* 256.

Eadem floribus albis *I.* B. *tom.* 3. *l.* 33. 574. Floribus candidis C. *B. P. Var.* 256.

Eadem folio & flore albo.

*Borrago Cretica vulgò. v.* Bugloſſum.

*Borrogo minima Herbariorum I.* B. *v.* Bugloſſum.

*Borrago ſylveſtris perennis Candiæ, flore puniceo Zan. v.* Anchuſa.

*Botrys Ambroſioides vulgaris C. B. P. v.* Atriplex.

BO-

*Botrys Ambroſioides Mexiocana C. B. P. v.* Atriplex.
*Botrys verticillata I. B. v.* Chamædris.
*Botrys Chamædrioides C. B. P. v.* Chamædris.
*Branca urſina I. B. v.* Acanthus.

BRASSICA capitata alba *C. B. P.* 111. *Moriſ. Hiſt.* 2. 206. *I. B. tom.* 2. *l.* 21. 826. ANN,

Braſſica capitata rubra *C. B. P.* 111. *Moriſ. Hiſt.* 2. 207. *I. B. tom.* 2. *l.* 21. 831. ANN.

Braſſica capitata polycæphalos *Lugd. Moriſ. Hiſt.* 2. 207. Braſſica ex capitulis pluribus conglobata *C. B. P.* capite clauſo penitus. ANN.

Braſſica alba, capite oblongo non penitus clauſo *C. B. P.* 111. *Moriſ. Hiſt.* 2. 207. Braſſica Italica tenerrima glomeroſa, flore albo. *I. B. tom.* 2. *l.* 21. 827. ANN.

Braſſica alba criſpa *C. B. P.* 111. *Moriſ. Hiſt.* 2. 207. Braſſica Sabauda rugoſa *I. B. tom.* 2. *l.* 21. 828. ANN.

Braſſica ſativa alba vel viridis vulgaris, aperta lævis *Moriſ. Hiſt.* 2. 207. Braſſica alba vel viridis *C. B. P.* 111. Braſſica alba vulgaris *I. B. tom.* 2. *l.* 21. 829. ANN.

Braſſica ſativa rubra, aperta lævis *Moriſ. Hiſt.* 2. 207. Braſſica rubra *C. B. P.* 111. Braſſica rubra vulgaris *I. B. tom.* 2. *l.* 21. 830. ANN.

Braſ-

Braſſica fimbriata *C. B. P.* 112. *Moriſ. Hiſt.* 2. 207. Braſſica tophoſa *I. B. tom.* 2. *l.* 21. 830. ANN.

Ejuſdem varietates colore inſignes. ANN.

Braſſica fimbriata pumila *C. B. P.* 112. *Moriſ. Hiſt.* 2. 207. ANN.

Braſſica cauliflora *C. B. P.* 111. *Moriſ. Hiſt.* 2. 208. Braſſica multiflora *I. B tom.* 21. 828. ANN:

Braſſica Aſparagodes criſpa C. B. P. 111. *Moriſ. Hiſt.* 2. 208. Braſſica thyrſoides *I. B. tom.* 2. *l.* 21. 833. ANN.

Braſſica Gongylodes C. B. P. 111. *Moriſ. Hiſt.* 2. 208. Braſſica caulorapa *I. B. tom.* 2. *l.* 21. 829. ANN.

Braſſica lato Apii folio *C. B. P.* 112. *Moriſ. Hiſt.* 2. 208. ANN.

Braſſica anguſto Apii folio *C. B. P.* 112. *Moriſ. Hiſt.* 2. 208. Braſſica tenuiſſimè laciniata *I. B. tom.* 2. *l.* 21. 832. ANN.

Braſsica maritima arborea, ſeu procerior ramoſa *Moriſ. Hiſt.* 2. 208.

Braſſica maritima major repens, multiflora alba monoſpermos *Moriſ. Hiſt.* 2. 209. Braſſica maritima monoſpermos *C. B. P.* 112. Braſsica monoſpermos Anglica *I. B. tom.* 2. *l.* 21. 830.

Braſſica ſylveſtris, Crambe dicta *Dod. Moriſ. Hiſt.* 2. 209. Braſsica arvenſis *C. B. P.* 112. & Braſsica ſylveſtris *Dioſc. Dod. C. B. P. ibid.*

*ibid.* Braſica ſylveſtris *I. B. tom.* 2. *l.* 21. 833. ANN.

* Braſica campeſtris perfoliata, flore albo *C. B. P.* 112. *Moriſ. Hiſt.* 2. *l.* 210. Perfoliata ſiliquoſa *I. B. tom.* 2. *l.* 21. 835. ANN.

Braſſica ſylveſtris, Napobraſica dicta *Moriſ. Hiſt.* 2. 210. Napobraſica *C. B. Prodr. &* *P.* 111. ANN.

* Braſſica ſylveſtris, foliis circa radicem Cichoraceis, aſperis, caulibus autem adhærentibus planis ſeu glabris *Moriſ. Hiſt.* 2. 210. Braſica ſylveſtris, foliis circa radicem Cichoraceis *C. B. P.* Glaſtifolia Cichoroides I. B. & Turritis ſecunda Cluſii *I. B. tom.* 2. *l.* 2. 837.

*Braſſica ſylveſtris hiſpida non ramoſa* C. B. P. *v.* Leucojum.

*Britannica antiquorum vera Munt. v.* Lapathum.

BRUNELLA Luſitanica, flore & ſpicâ majore *Dodart. Mem.* 67. Foliis Scrophulariæ.

Brunella, cœruleo magno flore *C. B. P.* 261. Prunella magno folio non laciniato I. *B. tom.* 3. *l.* 30. 429.

* Brunella major, folio non diſſecto *C. B. P.* 260. Prunella flore minore vulgaris *I. B. tom.* 3. *l.* 30. 428.

* Eadem flore albo *Cat. Hort. Reg. Pariſ.* 32.

* Ea-

...adem flore purpuraſcente *Cat. Hort. Reg. Pariſ.* 32.

...runella folio laciniato C. B. P. 261. Prunella laciniata, flore magno purpureo I. B. *tom.* 3. *l.* 30. 429.

...adem flore albo. An Prunella flore albo parvo, folio laciniato *I. B. tom.* 3. *l.* 30. 429?

...*romos vulgò. v.* Feſtuca

...RYONIA aſpera ſive alba, baccis rubris *C. B. P.* 297. Bryonia aſpera incana alba, baccis rubris *Moriſ. Hiſt.* 2. 4. Vitis alba, ſive Bryonia *I. B. tom.* 2. *l.* 15. 143.

...ryonia levis, ſive nigra racemoſa C. B. P. 297. *Moriſ. Hiſt.* 2. 5. Vitis nigra quibuſdam, ſive Tamnus Plinii, folio Cyclaminis I. B. *tom.* 2. *l.* 15. 147.

...ryonia Zeylanica, foliis profundè laciniatis.

Ingenium catharcticum, congeneribus haud diſſimile, probat hæc Bryonia tàm guſtu ſuo acri amaro & nauſeoſo, quàm etiam uſu, Zeylanenſibus in Hydrope frequenti, penes quos in parietinis ruderibus aliiſque incultis ſordidis, ſua ſponte luxuriat. Spargit à radice albicante fibroſâ in modicum ventrem extumeſcente, flagella tenera flexibilia, longo varioque reptatu circinnatis ſuis claviculis vicina quævis apprehendentia; Folia atro viridia, aſperiuſcula, quinque vel ſex profundis laciniis di-

vi-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

viſa; Flores ad foliorum ſinus ſolitarios, aliquando binos ternoſve, parvulos, ex quinque petalis reflexis pallide flaveſcentibus & ſubhirſutis compoſitos; Baccas Ceraſi magnitudine, oblongo rotundas, primùm virides, poſtmodum rubellas aliquot lacteis ſtriis perbellè inſcriptas, continentes in pallido lentoque ſucco acinos fuſcos, duros, aſperos, ſubrotundos, cingulo medio, quaſi faſciâ, in obtuſum apicem protuberante. Radix ad multos annos perennat in Zeylona; ſub noſtro verò duriori climate facilè perit.

BUGLOSSUM latifolium ſemper virens C. B. P. 256. Bugloſſum folio Borraginis, Hiſpanicum I. B. *tom.* 3. *l.* 33. 577.

Bugloſſum anguſtifolium majus C. B. P. 256. flore cœruleo *C. B. P. Var.* 256. Bugloſſum vulgare majus *I. B. tom.* 3. *l.* 33. 578. ANN.

Idem flore rubeo *C. B. P. Var.* 256. flore purpureo I. B. *Deſer. tom.* 3. *l.* 33. 578. ANN.

*Bugloſſum anguſtifolium minus *C. B. P.* 256. Bugloſſum vulgare minus I. B. *tom.* 3. *l.* 33. 578. ANN.

Bugloſſum ſylveſtre majus nigrum *C. B. P.* 256. ANN.

*Bugloſſum ſylveſtre minus C. B. P. 256. Echium Fuchſii, ſive Borrago ſylveſtris I. B. *tom.* 3. *l.* 33. 581. ANN.

*Bu-

## BRYONIA ZEYLANICA FOLIIS PROFUNDE LACINIATIS.




Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

* Bugloſſum ſylveſtre minus alterum & aſperius *C. B. P.* 256. ANN.

* Bugloſſum ſylveſtre, cauliculis procumbentibus *C. B. P.* 257. Cynogloſſa fortè Topiaria Plinio, Echium lappulatum quibuſdam *I. B. tom.* 3. *l.* 33. 590. ANN.

Bugloſſum minus Symphyti foliis. Symphytum pumilum repens, Borraginis facie C. B. P. 259. Symphytum pumilum repens, ſive Borrago minima herbariorum I. B. *tom.* 3. *l.* 33. 597.

Bugloſſum Creticum, cauliculis procumbentibus, flore variegato, odorato, Echii foliis verrucoſis. Borrago ſylveſtris annua Candiæ *Zanon. Hiſt.* 48. Bugloſſum Creticum verrucoſum, perlatum quibuſdam *Cat. Hort. Reg. Pariſ.* 33. Borrago Cretica vulgò. ANN.

Bugloſſum marinum incanum cœruleo flore. Cynogloſſum flore cœruleo *Park. Theatr.* 13.

*Bugloſſum latifolium* C. B. P. *v.* Borrago.

*Bugula quibuſdam* I. B. *v.* Conſolida media.

* BULBOCASTANUM majus, folio Apii *C. B. P.* 162. Bulbocaſtanum *Moriſ. Umbellif.* 5. I. B. *tom.* 3. *l.* 27. 31.

*Bulbocodium ejuſque ſpecies I. B. v.* Narciſſus.

*Bulbus eriophorus Orientalis* C. B. P. *v.* Hyacinthus.

*Bul-*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Bulbus ſylveſtris Fuchſii I.B.* v. Ornithogalum.

*Bunias Moriſ.* v. Napus.

*Bupthalmum Creticum, Cotulæ facie Breyn.* v. Chryſanthemum.

*Bupthalmum Cotulæ folio* C. B. P. v. Chryſanthemum.

*Bupthalmum Dod.* I. B. v. Adonis.

*Bupthalmum Tanaceti minoris foliis* C. B. P. v. Chryſanthemum.

BUPLEURUM folio rigido C. B. P. 278. Bupleurum perenne, latifolium *Moriſ. Umbell.* 26. Auricula leporis altera, ſive rigidior *I. B. tom.* 3. *l.* 27. 200.

Bupleurum folio ſubrotundo, ſive vulgatiſſimum C. B. P. 278. Bupleurum perenne, anguſtifolium *Moriſ. Umbell.* 26. Auricula leporis, umbellâ luteâ *I. B. tom.* 3. *l.* 27. 200.

* BURSA paſtoris major, capſulâ cordatâ, foliis non ſinuatis *Moriſ. Hiſt.* 2. 304. Burſa paſtoris major, folio non ſinuato C. B. P. 108. ANN.

Eadem foliis laciniatis *Moriſ. Hiſt.* 2. 304. Burſa paſtoris major, folio ſinuato *C. B. P.* 108. Burſa paſtoria *I. B. tom.* 2. *l.* 22. 936. ANN.

Eadem folio eleganter diſſecto, inſtar Coronopi repentis *C. B. P. Var.* 108. ANN.

* Eadem minor capſulâ brevi cordatâ, foliis ſinuatis *Moriſ. Hiſt.* 2. 305. Burſa paſtoris media C. B. P. 108. ANN.

* Burſa paſtoris minor, foliis alatis, coſtæ mediæ è regione adhærentibus, uno impare extremum claudente *Moriſ. Hiſt.* 2. 305. Burſa paſtoris minor, foliis inciſis C. B. P. 108. Burſa paſtoris parva, folio glabro, ſpiſſo *I. B. tom.* 2. *l.* 22. 137. ANN.

* Burſa paſtoris major hirſuta, capſulâ oblongâ *Moriſ. Hiſt.* 2. 305. Burſa paſtoris major, loculo oblongo *C. B. P.* 108. Burſæ paſtoriæ ſublongo loculo affinis, pulchra planta *I. B. tom.* 2. *l.* 22. 938. ANN.

* Burſa paſtoris minor, loculo oblongo *C. B. P.* 108. *Moriſ. Hiſt.* 2. 305. Burſa paſtoria minima oblongis ſiliquis, verna, loculo oblongo *I. B. tom.* 2. *l.* 22. 937. ANN.

* Burſa paſtoris minor, foliis trifidis, aliquando multifidis, florum petalis bifidis, loculo oblongo *Moriſ. Hiſt.* 2. 306. Burſa paſtoria minima, oblongis ſiliquis, verna, loculo oblongo I. B. *tom.* 2. *l.* 22. 937. ANN.

*Burſæ paſtoris ſimilis ſiliquoſa major*, C. B. P. *v.* Draba.

*Eadem minor* C. B. P. *v.* Draba.

BUXUS arboreſcens *C. B. P.* 471. Buxus *I. B. tom* 1. *l* 4. 496.

Buxus foliis rotundioribus *C. P. B.* 471.

Buxus

Buxus foliis ex luteo variegatis *Hort. Reg. Pariſ.* 34. Buxus auratus *Park.*

Buxus major, foliis per limbum aureis *Hort. Reg. Pariſ.* 34.

Buxus longioribus foliis, in acumen luteum deſinentibus *Hort. Reg. Pariſ.* 34.

## C.

*Caachira Piſon.* v. Colutea.

CACALIA foliis cutaneis acutioribus & glabris *C. B. P.* 198. Cacalia quibuſdam *I. B. tom.* 3. *l.* 32. 569.

CACHRYS, ſeu Libanotis Cachryphoros, ſemine fungoſo levi *Moriſ. Umb.* 1. Libanotis Ferulæ folio, ſemine anguloſo *C. B. P.* 150. Libanotis Cachryophoros quibuſdam, floribus luteis *I. B. tom.* 3. *l.* 27. 40.

Eadem ſemine fungoſo ſulcato aſpero *Moriſ. Umb.* 2.

*Cacubalum quibuſdam* I. B *v.* Solanum.

*Cakile quibuſdam* I. B. *v.* Eruca.

CALAMINTHA incana, Ocymi foliis *C. B. P.* 228, Calamintha folio & flore parvo incana *I. B. tom.* 3. *l.* 28. 230.

Calamintha Pulegii odore, ſive Nepeta *C. B.*

 *P.* 228.

*P.* 228. Calamintha flore minore, odore Pulegii *I. B. tom.* 3. *l.* 28. 229.

Calamintha vulgaris vel Officinarum Germaniæ *C. B. P.* 228. Calamintha flore magno vulgaris *I. B. tom.* 3. *l.* 28. 228.

Calamintha magno flore *C. B. P.* 229. Calalamintha montana, flore magno ex calyce longo *I. B. tom.* 3. *l.* 28. 229.

Eadem Pulegii odore, foliis latioribus.

Calamintha cattaria, ſeu Nepeta vulgaris & major. Mentha cattaria vulgaris & major *C. B. P.* 228. Mentha cattaria *I. B. tom.* 3. *l.* 28. 225.

Eadem minor. Mentha cattaria minor *C. B. P.* 228.

Calamintha cattaria latifolia *C. B. P.* Mentha cattaria Hiſpanica, olim Sideritis altiſſima flore albo *I. B. tom.* 3. *l.* 28. 226. Ann.

Eadem anguſtifolia. Mentha cattaria anguſtifolia *C. B. P.* 228. Mentha cattaria Hiſpanica, anguſtioribus foliis *I. B. tom.* 3. *l.* 28. 226. Ann.

Calamintha tuberoſâ radice. Mentha tuberoſâ radice C. P. P. 227. Menthaſtrum tuberoſâ radice *I. B. tom.* 3. *l.* 28. 227.

*Calamintha arvenſis verticillata* C. B. P. *v.* Mentha.

*Calamus Aromaticus Officinarum* C. B. P. *& vulgaris I.* B. *v.* Acorus.

*Calcatrippa vulgò. v.* Conſolida Regalis.

*Ca-*

*Calceolus D. Mariæ I. B.* v. Helleborine.

CALENDULA vulgaris, flore citrino ſimplici. Caltha vulgaris C. B. P. 275. Caltha flore ſimplici I. B. *tom.* 3. *l.* 26. 101. ANN.

Eadem flore pallido ſimplici C. B. P. *Var.* 275. ANN.

Eadem flore ruffo, ſeu luteo medio ruffo *C. B. P. Var.* 275. ANN.

Calendula polyanthos maxima. Caltha polyanthos maxima *C. B. P.* 275. ANN.

Calendula flore luteo, vel aureo pleno. Caltha polyanthos major *C. B. P.* 275. Caltha flore pleno I. B. *tom.* 3. *l.* 26. 101. ANN.

Eadem flore melino pleno C. B. P. *Var.* 276. ANN.

Calendula flore aureo pleno minor. Caltha polyanthos flore aureo *Tab.* ANN.

Calendula floribus reflexis. Caltha floribus reflexis *C.* B. P. 276. ANN.

Calendula prolifera, majoribus floribus. Caltha prolifera, majoribus floribus C. B. P. 276. Caltha prolifera *I. B. tom.* 3. *l.* 26. 102. ANN.

Calendula minor arvenſis. Caltha arvenſis *C. B. P.* 176. ANN.

Eadem Hiſpanica. ANN.

Minore arvenſe gracilior & humilior eſt, quotannis, ritu congenerum, ex ſemine deciduo propullulans.

Calendula Hieracii flore, Chondrillæ folio, verrucaria. Cichorium verrucarium *Moriſ. Hort. Bleſ.* 361. Cichorium verrucoſum, ſive Zazintha, Hieraciis annumerandum *I. B. tom.* 2. *l.* 24. 1013. Chondrilla verrucaria, foliis Cichorii viridibus C. B. P. 330. ANN.

Calendula Hieracii flore, ſemine falcato. Cichorium falcatum *Moriſ. Hort. Bleſ.* 361. Hieracium ſiliquâ falcatâ C. B. P. 128. Hieracium ſtellatum I. B. *tom.* 2. *l.* 24. 1014. ANN.

Calendula procumbens, Hieracii flore, capitulum inclinans ſemine adunco. Cichorium ſemine adunco *Moriſ. Hort. Bleſ.* 361. Hieracium capitulum inclinans, ſemine adunco C. B. P. 128. Hieracium florem inclinans I. B. *tom.* 2. *l.* 24. 1042. ANN.

Calendula humilis Africana, flore intus albo, foris violaceo ſimplici. ANN.

Sequentes potius florum & ſeminum diſpoſitionem, quàm foliorum cœterarumquè partium affinitatem, Calendulis inſerendam cenſuimus hanc plantam. Mittit ab albente parvâ radice cauliculos multos ramoſos, dodrantem raro ſuperantes, nunc erectos nunc reclinatos; Folia pinguia craſſiuſcula, glabra, aliquot laciniis inciſa, Erucæ maritimę non adeò diſparia; Flores in ramulorum ſummitate, petalis ſimplicibus, Calendula

**CALENDULA HUMILIS AFRICANA, FLORE INTUS ALBO, FORIS VIOLACEO SIMPLICI.**



Calendula pluvialis

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

dulâ vulgari longioribus, intus lacteis, extus violaceis, ad ſolem radiatæ ſtellæ in modum expanſis, cœteroquin clauſis, ad ſe collectis & in gyrum revolutis, medium occupante orbiculo croceo, aliquot purpureò-nigricantibus granulis, in tenuiſſimos villos fatiſcentibus, inſperſo. Semina nuda in parvis capitulis diſpoſita, ritu Calendulæ duplicis ſpeciei; alia orbiculata membranacea compreſſa, inſtar Oreoſelini Cluſii, coloris dilutè caſtanei; alia, quæ his eleganti ordine, interjacent, teretia ſpadiceo-fuſca, ſuperficie granulatâ. Utraque fœcunditatem probant ſuo partu, quem, vel autumno decidua, vel vere ſtudio ſata, feliciter excludunt. Alumna eſt aridorum collium ad Promontorium Bonæ Spei, culturæ ſub noſtro climate patientiſſima. Ejus ſapor percipitur fatuus aliquando ſubamaricans; Odor medii diſci crocinus, debilis.

*Cali.* *v*. Kali.

CALTHA paluſtris, flore ſimplici *C.B.P.* 276. Caltha paluſtris I. B. *tom.* 3. *l.* 3. 470.

Caltha paluſtris flore pleno *C. B. P.* 276. Caltha paluſtris flore multiplicato I. B. *tom.* 3. *l.* 30. 471.

*Camelina* I, B. *v*. Myagrum.

CAM-

CAMPANULA major lacteſcens Lobelii *Moriſ. Hiſt.* 2. 452. Rapunculus hortenſis, folio latiori, ſeu pyramidalis *C. B. P.* 93. Pyramidalis lævis *I. B. tom.* 2. *l.* 20. 808.

Campanula Perſicæfolia Lobelii, flore cœruleo *Moriſ. Hiſt.* 2. 452. Rapunculus Perſicifolius, magno flore *C. B. P.* 93. Campanula anguſtifolia, cœrulea *I. B. tom.* 2. *l.* 20. 803.

Eadem flore albo *Moriſ. Hiſt.* 2. 452. Rapunculus Perſicifolius, magno flore albo *C. B. P. Var.* 93. Campanula anguſtifolia alba *I. B. tom.* 2. *l.* 20. 803.

Campanula minor Americana, foliis rigidis, cœruleo patulo. Trachelium minus Americanum, flore cœruleo patulo. *Dodart. Mem.* 119. Trachelium minus Americanum, foliis rigidioribus, flore cœruleo patulo *Cat. Hort. Reg. Pariſ.* 177.

Eadem flore albo. Trachelium idem, flore albo *Cat. Hort. Reg. Pariſ.* 177.

Campanula radice eſculentâ, flore cœruleo. Rapunculus eſculentus *C. B. P.* 92. *Moriſ. Hiſt.* 2. 455. Rapunculus vulgaris campanulatus *I. B. tom.* 2. *l.* 20. 795.

Eadem flore candicante. Rapunculus eſculentus, flore candicante *C. B. P. Var.* 92.

Campanula vulgaris minor, foliis imis rotundioribus ſinuatis non ſerratis, floribus cœruleis *Moriſ. Hiſt.* 2. 456. Campanula minor ro-

rotundifolia vulgaris *C. B. P.* 93. Campanula parva. Anguillaræ Cantabrica *I. B. tom.* 2. *l.* 20. 798.

Eadem floribus candidis *C. B. P. Var.* 93. *Moriſ. Deſer. Hiſt.* 2. 456.

Campanula arvenſis erecta. Onobrychis arvenſis *C. B. P.* 215. Campanula arvenſis minima Dodonæi *Moriſ. Hiſt.* 2. 457. Avicularia Sylvii quibuſdam *I. B. tom.* 2. *l.* 20. 800.


Campanula pentagonia perfoliata *Moriſ. Hiſt.* 2. 457. Onobrychis peregrina perfoliata, folio rotundiori *Cat. Hort. Reg. Pariſ.* 132.

Campanula minor annua, foliis inciſis *Moriſ. Hiſt.* 2. 458. Rapunculus minor, foliis inciſis *C. B. P.* 92. Erinos Fabii Columnæ minor *I. B. tom.* 2. *l.* 20. 799. Ann.

Campanula minima Africana, Erini facie, flore violaceo cauliculis procumbentibus. Ann.

Erino Fabii Columnæ accedens plantula in paſcuis aliiſque irriguis locis circa Promontotium Bonæ Spei reperitur, cujus ſemina hûc advecta lætè progerminarunt. Nititur radicè exiguâ, pallidâ, emittente cauliculos tenues, humi procumbentes, in aliquot ramulos diviſos, quibus adſtant foliola Erino Columnæ longiora, anguſtiora, pinguia, craſſiuſcula, hilari virore nitentia ſi-

CAMPANULA MINOR AFRICANA, ERINI FACIE, FLORE VIOLACEO, CAULICULIS PROCUMBENTIBUS.



Lobelia erinoides.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ſinuata, per margines leviter crenata; Ad horum alas prodit tenuiſſimus pedicellus, ſuſtinens ex calıculo exiguo ſubhirſuto quinque partito floſculum parvum, oblongum monopetalum campanulatum, quinque profundioribus crenis diſſectum, coloris in purpurâ violacei; Hoc defluxo, ſuccedit more congenerum vaſculum oblongum exiguum, trigonum, tricapſulare, tribus foraminulis vix conſpicuis pertuſum, continens, ſemina minutiſſima rubiginea. Tota plantula lacte tenui, aquoſo, ſubdulci turget. Floret ab Auguſto in mediam hyemem uſque, ſeminibus deciduis ſeſe propagans.

Eadem cauliculis erectis.

Hæc antedictæ adeò ſimilis eſt, ut antequam adoleſcit, vix ab illâ diſcerni queat. Cauliculos acquirit robuſtiores rectâ aſſurgentes, dodrantales; Folia longiora & anguſtiora; Floſculos minores in pedunculis longioribus. Cætera verò conveniunt. Offendi cum ſuperiori locis humentibus ad Promontorium Bonæ Spei.

Campanula maxima, foliis latiſſimis *C. B. P.* 94. *Moriſ. Hiſt.* 2. 459. flore cœruleo. Campanula pulchra, à Toſano Carolo miſſa *I. B. tom.* 2. *l.* 20. 807.

Eadem flore albo *C. B. P. Var.* 94.

Cam-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*CAMPANULA MINOR AFRICANA, ERINI FACIE, FLORE VIOLACEO, CAULICULIS ERECTIS.*



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Campanula vulgatior, foliis Urticæ, vel major & aſperior *C. B. P.* 94. *Moriſ. Hiſt.* 2. 459. *I. B. tom.* 2. *l.* 20. 805. Flore cœruleo *C. B. P. Var.* 94.

Eadem flore candido *C. B. P. Var.* 94.

Eadem flore dilutè purpuraſcente *C. B. P. Var.* 94.

Eadem flore duplici cœruleo, interdum triplici aut quadruplici *Cat. Hort. Reg. Pariſ.* 36.

Eadem flore duplici albo *Cat. Hort. Reg. Pariſ.* 36.

Campanula Urticæ foliis oblongis, minus aſperis *C. B. P.* 94. Flore cœruleo.

Eadem flore albo. An Campanula ſive Cervicaria major lævior, flore magno albo *I. B. tom.* 2. *l.* 20. 806?

Campanula hortenſis, flore & folio oblongo *C. B. P.* 94. *Moriſ. Hiſt.* 2. 459. flore cœruleo. Viola Mariana Dodonæi, quibuſdam Medium *I. B. tom.* 2. *l.* 20. 804. Ann.

Eadem flore ſubalbido *C. B. P. Var.* 94. *Moriſ. Hiſt.* 2. *Deſcr.* 495. Ann.

Campanula hortenſis, Rapunculi radice *C. B. P.* 94. Campanula hortenſis, Rapunculi radice repente *Moriſ. Hiſt.* 2. 460. Campanula repens, flore minore cœruleo *I. B. tom.* 2. *l.* 20. 706.

Campanula foliis Echii *C. B. P.* 94. *Moriſ. Hiſt.* 2. 460. Trachelium altiſſimum hirſutum aſpe-

aſperius, foliis anguſtis, floribus parvis *I. B. tom.* 2. *l.* 20. 801.

Campanula pratenſis, flore conglomerato *C.B. P.* 94. *Moriſ. Hiſt.* 2. 461. Trachelium minus multis *I.B. tom.* 2. *l.* 20. 800. Flore cœruleo.

Eadem flore albo *Cat. Hort. Reg. Pariſ.* 47.

*Campanula Indica. I. B.* v. Convolvulus.

CAMPHORIFERA arbor, ex quâ Camphora Officinarum. Arbor Camphorifera Japonica *Breyn. Cent.* 1. 11. *Prodr.* 4. Camphora Officinarum *C. B. P.* 500. Caphura, quæ Salicis folio dicitur *I. B. tom.* 1. *l.* 9. 338.

Rariſſimum & elegantiſſimum hoc arbuſtum, Horti noſtri decus & ornamentum, acceptum referimus Illuſtriſſimo Dn$_o$ Hieronymo Beverningio, rariorum plantarum æſtimatori incomparabili, cui pro hôc ſplendidiſſimo munere & innumeris aliis in Rempublicam herbariam meritis laudes & gratias ſummas habendas eſſe cenſemus.

*Canella C. B. P. & I. B.* v. Caſſia.

CANNA Indica latifolia maxima. Arundo Indica latiſſimo folio, flore rutilo *Cat. Hort. Reg. Pariſ.* 25.

Canna Indica latifolia humilior, flore ſatu-

ratiùs rubente. Arundo Indica latifolia *C. B. P.* 19. *I. B. tom.* 2. *l.* 18. 489. Langoas *Stapel* 334.

Eadem Americana, flore fulgenti cocco ſplendente.

Inter alia pulchra ſemina à Dno Henrico Meiero, Rei herbariæ ſtudioſiſſimo, ex Surinamâ ad nos tranſmiſſa, prodiit hæc planta, quæ non niſi adulta à ſuperiore dignoſcitur. Stipites edit ſuperiore paulò humiliores; Flores hilari cocco intenſiſſimè rubentes; Semina minora in ſpadiceo nigricantia; Cætera paria.

Eadem flore luteo punctato. Arundo Indica latifolia, flore luteo punctato *C. B. P.* 19. *I. B. tom.* 2. *l.* 18. 490.

Canna Indica anguſtifolia, flore flavo. Albara *Piſon. l.* 5. 21.

*Cannabina aquatica C. B. P.* v. Chryſanthemum.

CANNABIS ſativa *C. B. P.* 320. Cannabis Mas. *I. B. tom.* 3. *l.* 30. 447. ANN.

Cannabis erratica *C. B. P.* 320. Cannabis Fœmina *I. B. tom.* 3. *l.* 30. 448. ANN.

*Cannabis ſylveſtris quorundam, Urticæ inerti affinis I. B.* v. Sideritis.

*Cantabrica Anguillaræ I. B.* v. Campanula.

*Ca-*

*Caphura, quæ Salicis folio dicitur I. B. v.* Camphora.

*Capillus Veneris I. B. v.* Adianthum.

CAPPARIS ſpinoſa, fructu minore, folio rotundo *C. B. P.* 480. *Moriſ. Hiſt.* 2. 284. Capparis ſpinoſa *I. B. tom* 2. *l.* 14. 63.

Capparis Portulacæ folio *C. B. P.* 480. Capparis Fabaginea, ſive Peplios Lutetianorum *I. B. tom.* 2. *l.* 14. 66.

*Caprifolium perfoliatum & non perfoliatum I. B. v.* Periclymenum.

*Capſicum vulgò. v.* Solanum.

*Caracalla vulgò. v.* Phaſeolus.

*Carchichec Turcarum Moriſ. v.* Primula veris.

*Cardamine ejuſque ſpecies I. B.. v.* Naſturtium.

CARDIACA Africana perennis, foliis Sideritidis, floribus longiſſimis phœniceis villoſis. Leonurus perennis Africanus vulgò. Leonurus Capitis Bonæ Spei *Breyn. Cent.* 1. Sideritis Cannabina Æthiopica fruteſcens, phoeniceo flore maximo villoſo *Breyn. Prodr.* 47.

Cardiaca Americana annua, Nepetæ folio, floribus brevibus phœniceis villoſis. Leonurus annuus Americanus vulgò

Si à florum & ſeminum, ceu partium potiorum & magis conſtantium, conſimili diſpoſitione plantæ reducendæ ſunt in conſimilia genera & ſpecies, exiſtimo, utrumquè Leonurum Africanum & Americanum nullibi aptiùs, quàm ad Cardiacam eſſe referendum, & conſimili nomine appellandum. Uterquè enim producit verticillatâ ſerie, veluti vulgaris Cardiaca, flores galeatos, labro exiguo trifido, & ſemina quaterna oblonga anguloſa. Africanum curioſiſſimè deſcripſit Dn. Jacobus Breynius in Centuriâ Plantarum exoticarum primâ, ut & in Prodromo faſciculi Plantarum rariorum. Americanus verò adoleſcit caule tricubitali & altiori, herbaceo, candicante, quadrangulo, ſtriato, ſolido, albâ medullà farcto, quem per remotiora intervalla, verticillato ambitu, amplectuntur utriculi denſâ numeroſâquè congerie invicem incumbentes, tubuloſi, quinquanguli, ſtriati, ſuperiore longiores, ex brevibus pedunculis deorſum flexi, & quadantenus falcati, orificio ampliori, ſeptem molleculis aculeis, ſex brevioribus, uno in ſummo longiori & robuſtiori, armato; Ex his exeunt flores galeati vix labiati, præcedente Africanâ triplo breviores & graciliores, villoſi, phœnicei coloris, ſuccedentibus quaternis ſeminibus oblongis,

an-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ARDIACA AMERICANA ANNUA NEPETÆ FOLIO, FLORIBUS BREVIBUS PHOENICEIS VILLOSIS.



Phlomis nepetaefolia

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

angulofis, ſpadiceis, ſuperiore itidem brevioribus & anguſtioribus. Ad ſingula genicula ab imo caulis ad ſummum uſque naſcuntur folia bina ex oppoſito alternatim, Nepetæ haud multùm abſimilia, ampliora tamen, non nihil incana, mollia, & in ambitu magis crenata. Radix ſubeſt lignoſa albicans fibroſa, pro plantæ ratione ſat parva; Nata, ſemine, ex Surinamâ advecto, eo, quo floruit, anno periit. Viribus non multùm abludere à congeneribus, propter conſimilem ſaporem & odorem non dubitandum arbitror.

Cardiaca *I. B. tom.* 3. *l.* 28. 320. Marrubium Cardiaca dictum, C. B. P. 230.

Eadem foliis eleganter criſpis *Cat. Hort. Oxon.* 38.

Hæc à præcedenti Cardiaca vulgari differt tantùm foliis imis mollioribus, amplioribus, profundiùs & crebriùs laciniatis, marginibus pallidis, undulatis & incriſpatis.

*Carduncellus montis Lupi* I. B. *v.* Cnicus.

CARDUUS pratenſis latifolius *C. B. P.* 376. Carduus pratenſis Tragi I. B. *tom.* 3. *l.* 25. 42.

Carduus vinearum repens, folio Sonchi & Carduus in avenâ proveniens C. B. P. 377. Ceanothus *Columm. Ecphr. p.* 1. 45. Carduus ſerpens lævicaulis *I. B. tom.* 3. *l.* 25. 59.

Idem

Idem floribus albis, caule tuberoſo, qui Hæmorrhoidalis Pariſienſium *Cat. Hort. Reg. Pariſ.* 37.

Carduus albis maculis notatus, vulgaris *C.B.P.* 381. Carduus Marianus, ſive lacteis maculis notatus I. B. *tom.* 3. *l.* 25. 52. ANN.

Carduus albis maculis notatus, exoticus *C. B. P.* 381. Carduus lacteus peregrinus Camer I. B. *tom.* 3. *l.* 25. 53. ANN.

Idem flore albo *Cat. Hort. Reg. Pariſ.* 38. ANN.

Carduus tomentoſus latifolius, ſylveſtris, Spina alba vel Acanthium dictus. Spina alba tomentoſa latifolia, ſylveſtris *C. B. P.* 382. Spina alba ſylveſtris Fuchſio I. B. *tom.* 3. *l.* 25. 54. Flore purpureo C. B. P. *Var.* 382. Ann.

Idem flore albo C. B. P. *Var.* 382. ANN.

Idem Illyricus ſpinoſior, capitulis majoribus. Spina tomentoſa altera ſpinoſior *C.B.P.* 382. Carduus quibuſdam dictus Acanthium Illyricum, aliis verò Onopordum *I.* B. *tom.* 3. *l.* 25. 55. ANN.

Carduus ſpinoſiſſimus latifolius ſphœrocephalus, vulgaris *C. B. P.* 385. Carduus lanceolatus ſive ſylveſtris Dodonæi *I.* B. *tom.* 3. *l.* 25. 58. ANN.

Carduus ſpinoſiſſimus anguſtifolius, vulgaris C. B. P. 385. Carduus caule criſpo *I.* B. *tom.* 3. *l.* 25. 59.

Carduus nutans *I. B. tom.* 3. *l.* 25. 56. ANN.

* Carduus lanceatus latifolius *C. B. P.* Flore purpureo. ANN.

Idem flore albo *Cat. Hort. Reg. Paris.* 38. ANN.

Carduus lanceolatus ferocior *I. B. tom.* 3. *l.* 25. 58. ANN.

Carduus ſtellatus, foliis Papaveris erratici *C. B. P.* 387. Carduus ſtellatus, ſive Calcitrappa *I. B. tom.* 3. *l.* 25. 89. ANN.

Idem flore albo *Cat. Hort. Reg. Paris.* 38. ANN.

Carduus Chryſanthemus Africanus. Scolymus Chryſanthemus annuus *Dodart. Mem.* 111.

Carduus Polyacanthus, folioſo caule, Acarna dictus. Polyacanthus Caſabonæ, Acarnæ ſimilis *I. B. tom.* 3. *l.* 25. 92. Acarna Theophraſti vulgò. ANN.

Carduus Salmanticenſis, Acarnę foliis incanis. Acarna major caule folioſo *C. B. P.* 379. Acarnæ ſimilis, flore purpureo, Chamæleon Salmanticenſis Cluſio *I. B. tom.* 3. *l.* 25. 91. ANN.

Carduus humilis, minore flore, Carlinæ foliis. Carlina acaulos, minore purpureo flore *C. B. P.* 380. Chamæleon exiguus Tragi *I. B. tom.* 3. *l.* 27. 62. ANN.

CARLINA aucaulos, magno flore *C. B. P.* 380. Carlina caulifera vel acaulos *I. B. tom.* 3. *l.* 25. 64.

Car-

Carlina ſylveſtris quibuſdam, aliis Attractylis *I. B. tom.* 3. *l.* 25. 81. Cnicus ſylveſtris ſpinoſior *C. B. P.* 378. ANN.

Eadem flore aureo, perennis. Cnicus ſylveſtris ſpinoſior, flore aureo, perennis *Cat. Hort. Reg. Pariſ.* 54.

Carlina minor ſylveſtris Cluſii, flore luteo I. B. *tom.* 3. *l.* 25. 84. Acarna flore luteo patulo *C. B. P.* 379.

Carlina acaulos, minore purpureo flore *C. B. P.* *v.* Carduus.

*Carota ejuſquè ſpecies I. B.* *v.* Paſtinaca.

CARPINUS Matt. in lib. 1. Dioſc. c. 95. Oſtrya Ulmo ſimilis, fructu in umbilicis foliaceis *C. B. P.* 427. Fagus ſepium, vulgò Oſtriis Theophraſti *I. B. tom.* 1. *l.* 8. 146. *& C. B. P. in Matth. l.* 1. *c.* 95.

*Carthamus ejuſquè ſpecies* I. B. *v.* Cnicus.

CARUM, ſive Carvi *Moriſ. Umbell.* 24. Cuminum pratenſe, Carvi Officinarum C. B. P. 158. Caros *I. B. tom.* 3. *l.* 27. 69. ANN.

CARYOPHYLLATA vulgaris *C. B. P.* 321. *Moriſ. Hiſt.* 2. 430. Caryophyllata vulgaris, flore parvo luteo *I. B. tom.* 2. *l.* 17. 398.

Caryophyllata Virginiana, albo flore minore radice inodorâ.

Huic ſunt folia longiuſcula, attactu aſpera, crenata, inferiora palmam ampla, laciniata, ſuperiora anguſta, rariùs laciniata, leviter mucronata; Caules ad duo cubita elevati, non nihil villoſi & aſperi, in multiplices ſurculos diviſi; Flores Caryophyllatæ vulgaris effigie, petalis pallidis anguſtiſſimis exiguis, ſtaminibus herbaceis cum apiculis pallidè flaveſcentibus. Semina ritu ſuperioris nuda, in capitulum congeſta, brevioribus & minùs rigidis filamentis caudata. Radix ſubeſt alba, multis capillamentis fibrata, ſapore & odore fatua. Miſit ad nos Dn. Jacobus Bobartus Horti Oxonienſis Cuſtos, Vir in ſtudio ſimplicium exercitatiſſimus.

Caryophyllata Alpina lutea major *Moriſ. Hiſt.* 2. 430. Caryophyllata Alpina lutea *C. B. P.* 322. Caryophyllata montana, flore magno luteo *I. B. tom.* 2. *l.* 17. 398.

Caryophyllata Alpina longifolia, ſinuatis & profundè inciſis foliis *Moriſ. Hiſt.* 2. 431. Caryophyllata Alpina minor *C. B. P.* 322.

Caryophyllata montana lutea, nutante flore *Cat. Hort. Reg. Pariſ.* 39.

Caryophyllata aquatica, nutante flore purpureo, calathi effigie *Moriſ. Hiſt.* 2. 431. Caryophyllata aquatica, nutante flore *C. B. P.* 321. Caryophyllata aquatica, flore rubro ſtriato *I. B. tom.* 2. *l.* 17. 398.

*Ca-*

*Caryophylleus flos aphyllocaulos vel junceus ejuſquè ſpecies I. B.* *v.* Scabioſa.

CARYOPHYLLUS maximus ruber *C.B.P.* 207. *Moriſ. Hiſt.* 2. 561.

Caryophyllus maximus variegatus *C.B.P.* 207. *Moriſ. Hiſt.* 2. 561. Betonica coronaria, flore pleno, maxima, punctis rubris variegata *I.B.tom.* 3. *l.* 29. 327.

Caryophyllus maximus & pleniſſimus, colore mixto carneo, quibuſdam corniculis lacteis du Bry *C. B. P. Var.* 207. *Moriſ. Hiſt.* 2. 561.

Caryophyllus maximus & pleniſſimus, colore vario in diverſis petalis ſcarlatino, dilutiùs rubente, albo, du Bry *C. B. P. Var.* 707. *Moriſ. Hiſt.* 2. 561.

Caryophyllus maximus & pleniſſimus, colore rubro ſaturatiori, ſtaminulis tribus niveis in medio, du Bry *C. B. P. Var.* 207. *Moriſ. Hiſt.* 2. 561.

Ejuſdem variæ differentiæ, mirâ florum elegantiâ inter ſe certantes.

Caryophyllus altilis, major *C. B. P.* 207. *Moriſ. Hiſt.* 2. 561. Betonica coronaria, ſive Caryophylleus flos *I. B. tom.* 3. *l.* 29. 327.

Idem multiplex, flore albo Eyſt. *C. B. P. Var.* 207.

Idem flore carneo Eyſt. *C. B. P. Var.* 207.

Idem flore rubro Eyſt. *C. B. P. Var.* 207.

Idem

Idem coloris albi, mixtâ & ſparsâ rubedine, Bry, C. B. P. *Var.* 207.

Idem flore albo, flammulis ruberrimis *C. B. P.* 207.

Idem flore albo, lineis rubris ſubtiliſſimè diſtincto *C. B. P. Var.* 207.

Ejuſdem plures ſpecies, pro vario pingentis naturæ luſu, varios præ ſe ferentes colores.

Caryophyllus altilis medius C. B. P. 208. *Moriſ. Hiſt.* 2. 561. Flore albo lineis cermeſini coloris C. B. P. *Var.* 208. *& Moriſ. Hiſt.* 2. 561.

Idem flore miniato, medio albeſcente C. B. P. 208. *Moriſ. ibid.*

Ejuſdem plures differentię, colorum variorum elegantiâ ſeſe commendantes.

Caryophyllus pleno flore, Mali aurantii colore C. B. P. 208 *Moriſ. Hiſt.* 2. 561. Betonica coronaria rara, flore phœniceo pleno I. B. *tom.* 3. *l.* 29. 327.

Caryophyllus pleno flore minor C. B. P. 208. *Moriſ. Hiſt.* 2. 561.

Caryophyllus ſupinus, pleno flore rubro, argenteis micis aſperſo *C. B. P.* 208. *Moriſ. Hiſt.* 2. 561.

Caryophyllus multiplex laciniatus C. B. P. 208. *Moriſ. Hiſt.* 2. 561. Betonica coronaria ſuperba, ſive Caryophylleus flos, folio tenuiſſimè diſſecto, flore pleno purpuraſcente I. B. *tom.* 3. *l.* 29. 331.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Idem flore incarnato *C. B. P. Var.* 208. *Moriſ. Hiſt.* 2. 561.

Caryophyllus hortenſis ſimplex, flore majore *C. B. P.* 208. *Moriſ. Hiſt.* 2. 561. Betonica coronaria, ſive Caryophyllus flore ſimplici, ſativus *I. B. tom.* 3. *l.* 29. 325.

Ejuſdem varietates multæ, variis in florum petalis coloribus notatæ.

Caryophyllus ſimplex, flore minore pallidè rubente *C. B. P.* 208.

Caryophyllus ſimplex minor, flore punctato *C. B. P.* 208. Betonica coronaria minima, micis aureis aſperſa *I. B. tom.* 3. *l.* 29. 329.

Caryophyllus ſimplex ſupinus, latifolius *C. B. P.* 208. Betonica coronaria, ſive Caryophyllus minor, folio viridi nigricante, repens, flore argenteis punctis notato *I. B. tom.* 3. *l.* 29. 329.

Caryophyllus ſylveſtris vulgaris, latifolius *C. B. P.* 209. Betonica coronaria, ſive Caryophyllus ſylveſtris, vulgatiſſimus *I. B. tom.* 3. *l.* 29. 334. Flore ſimplici ſuaverubente, ſeu purpureo odorato *C. B. P. Var.* 209.

Idem flore ſimplici purpureo inodoro *C. B. P. Var.* 209.

Idem flore purpureo odoro pleno *C. B. P. Var.* 209.

Caryophyllus vulgaris, ſylveſtris anguſtifolius *C. B. P.* 208.

Idem unguibus purpureis inſignis. Betonica co-

coronaria, ſive Caryophyllea, corollâ purpureâ inſignis *I. B. tom.* 3. *l.* 29. 329.

Idem criſpante flore incarnato, unguibus ſtriatis purpuraſcentibus inſignis. Betonica coronaria ſive Caryophyllea, ex rubello albicante & criſpante flore cum corollâ *I.B. tom.* 3. *l.* 29. 329.

Caryophyllus ſylveſtris puſillus omnium minimus, unico flore *Moriſ. Hiſt.* 2. 562. Caryophyllus ſylveſtris humilis, flore unico *C. B. P.* 209. Betonica coronaria, ſive Caryophyllea repens rubra *I. B. tom.* 3. *l.* 29. 328.

Idem flore albo. Betonica coronaria, ſive Caryophyllea repens alba *I. B. tom.* 3. *l.* 29. 328.

Caryophyllus ſylveſtris juncifolius cœruleus Monſpelienſium *Moriſ. Hiſt.* 2. 562. Caryophyllus cœruleus Monſpelienſium *C. B. P.* 209. Aphyllantes Monſpelienſibus *I. B. tom.* 3. *l.* 29. 335.

Caryophyllus plumarius, flore inodoro tenuiſſimè ſecto *Moriſ. Hiſt.* 2. 562. Caryophyllus flore tenuiſſimè ſecto *C. B. P.* 209. Betonica coronaria tenuiſſimè diſſecta, ſive Caryophyllea ſuperba elatior, vulgaris *I. B. tom.* 3. *l.* 29. 330.

Idem flore dilutius rubente *C. B. P. Var.* 210. *Moriſ. Hiſt.* 2. 562.

Caryophyllus plumarius, floribus odoratis, ſta-

ſtaminulis corniculatis *Moriſ. Hiſt.* 2. 562. Caryophyllus ſylveſtris tertius, flore laciniato, ſtaminulis corniculatis odoratis *C. B. P.* 210. Betonica coronaria minus ramoſa, flore tenuiter fimbriato albo, corniculis duobus emergentibus *I. B. tom.* 3. *l.* 29. 332.

Caryophyllus plumarius, floribus odoratis ſine corniculis *Moriſ. Hiſt.* 2. 562. Caryophyllus ſylveſtris, flore laciniato ſine corniculis, odoro *C. B. P.* 210. Betonica coronaria minus ramoſa, flore tenuiter fimbriato planè albo ſine corniculis *I. B. tom.* 3. *l.* 29. 332.

Caryophyllus floribus odoratis lanuginoſis hirſutis *Moriſ. Hiſt.* 2. 562. Caryophyllus ſylveſtris, floribus lanuginoſis hirſutis *C. B. P.* 210. Betonica coronaria minus ramoſa, flore tenuiter fimbriato albo cum corollâ purpuraſcente hirſutâ *I. B. tom.* 3. *l.* 29. 332.

Idem floribus purpuraſcentibus ſine hirſutie. Betonica coronaria minus ramoſa, flore tenuiter fimbriato purpuraſcente cum corollâ fuſcâ & penè rubente ſine hirſutie *I. B. tom.* 3. *l.* 29. 332.

Caryophyllus barbatus hortenſis, flore multiplici *C. B. P.* 208. *Moriſ. Hiſt.* 2. 563. Betonica coronaria latifolia petræa, pleno flore rubro vel ad purpureum accedente *I. B. tom.* 3. *l.* 29. 333.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Idem flore albo *C. B. P. Var.* 208. Betonica coronaria latifolia petræa, pleno flore albo *I. B. tom.* 3. *l.* 29. 333.

Caryophyllus barbatus, flore roſeo *C. B. P.* 208.

Caryophyllus barbatus hortenſis ſimplex latifolius *Moriſ. Hiſt.* 2. 563. Betonica coronaria latifolia petræa, flore punctulis albis notato *I. B. tom.* 3. *l.* 29. 333.

Idem flore albo, maculis lactei coloris notato *C. B. P. Var.* 208.

Idem flore carneo.

Idem flore verſicolore rubro & carneo guttato in eodem ramulo, ſeu diverſicolore ex albo rubro & medio *C. B. P. Var.* 208. Betonica coronaria latifolia, flore picturato Veſuntina *I. B. tom.* 3. *l.* 29. 334.

Caryophyllus barbatus hortenſis ſimplex anguſtifolius *C. B. P.* 209. *Moriſ. Hiſt.* 2. 563. Betonica coronaria minus latifolia, flore profundo diſſecto *I. B. tom.* 3. *l.* 29, 333.

Idem flore omnino niveo *C. B. P. Var.* 209.

Idem flore purpuraſcente, oris albis *C. B. P. Var.* 209.

Idem flore verſicolore in eodem ramulo *C. B. P. Var.* 209.

Caryophyllus barbatus ſylveſtris annuus anguſtifolius, perpaucis capitulis donatis *Moriſ. Hiſt.* 2. 563. Caryophyllus barbatus ſylveſtris *C. B. P.* 209. Viola barbata anguſti-

ſtifolia I. B. *tom.* 2. *l.* 29. 335. ANN.
aryophyllus barbatus ſylveſtris annuus latifolius, multis capſulis ſimul junctis donatus *Moriſ. Hiſt.* 2. 563. Caryophyllus ſylveſtris prolifer *C. P. B.* 209. Betonica coronaria ſquamoſa ſylveſtris I. B. *tom.* 3. *l.* 29. 335. ANN.

*aryophyllus arvenſis hirſutus, flore majore, ejuſquè ſpecies* C. B. P. *v.* Lychnis.

*aryophyllus arvenſis glaber, flore majore, ejuſquè ſpecies* C. B. P. *v.* Lychnis.

*aryophyllus arvenſis umbelliferus* I. B. *v.* Lychnis.

*aryophyllus holoſteus tomentoſus latifolius* C. B. P. *&* I. B. *v.* Lychnis.

*aryophyllus minimus muralis* C. B. P. *v.* Lychnis.

*aryophyllus montanus, flore globoſo, ejuſquè ſpecies* C. B. P. *v.* Scabioſa.

*aryophyllus pratenſis, flore laciniato, ejuſquè ſpecies* C. B. P. *v.* Lychnis.

CASSIA fiſtula Alexandrina *C. B. P.* 403. Caſſia purgatrix I. B. *tom.* I. *l.* 12. 416. Conna *Hort. Mal. tom.* I. 37.

CASSIA Cinamomea. Cinamomum ſive Canella Zeylanica *C. B. P.* 408. Canella ſive Cinamomum vulgare I. B. *tom.* I. *l.* 4.

 440.

440. Canella, quæ Caurdo Piſon. Mant. Arom. 165. Kurundu Zeylanenſibus.

Cortices duos tranſmittit Oriens in Medicorum Officinas, facie quidem & genere conſimiles, ſed nomine diſcretos, videlicet Caſſiam Cinamomeam, vulgò Cinamomum ſeu Canella dictam, & Caſſiam ligneam. Prior luxuriat in Inſulâ Zeylan, poſterior in Malabarâ, Sumatrâ, Javâ, & Franciſco Hernande *Hiſt. Mexic l.* 2. 35. teſte, in Inſulis Philippinis. Caſſia verò Malabarica cùm in *Hort. Malab. tom.* 1. 107. nomine Caruæ accuratiſſimè deſcribitur, & à Cinamomeâ ſeu Zeylanicâ tantùm acrimoniâ, ſuavitate, & virtutis præſtantiâ, neutiquam facie modovè creſcendi diſcriminatur; Inſuper etiam in Muſęo noſtro Zeylanico pertexendam ſuſcepi hiſtoriam integram Caſſiæ ejuſquè ſpecierum ſubalternarum, quas in orientalibus plagis mihi conſpicere licuit, duxi ſupervacaneum hujus deſcriptionem hîc apponere. Cæterùm Caſſia Cinamomea, aliquoties à me ex Zeylan in Belgiam tranſmiſſa, viguit in horto Bentingiano, Beverningiano & Noſtro ad ſecundum tertiumvè annum, quo, incidente brumâ rigidiori, interiit.

*Caſſida Columnn. v. Scutellaria.*

*Caſſutha* I. B. *v.* Cuſcuta.

CA-

CASTANEA ſativa *C. B. P.* 419. Caſtanea *I. B. tom.* 1. *l.* 7. 121.

Caſtanea ſylveſtris, quæ peculiariter Caſtanea *C. B. P.* 419.

aſtanea folio multifido *C. B. P.* 419. Caſtanea equina, folio multifido *I. B. tom.* 1. *l.* 7. 128.

*atanance Dalechampii* I. B. *v.* Cichorium.

*atanance leguminoſa quorumdam I.* B. *v.* Lathyrus.

*ataputia minor* I. B. *v.* Lathyris.

*attugaſturi Hort. Mal. v.* Althæa.

AUCALIS arvenſis echinata latifolia *C. B. P.* 152. *Moriſ. Umbell.* 33. Lappula canaria latifolia ſive I. B. *tom.* 3. *l.* 27. 80. ANN.

dem flore albo *Moriſ. Umbell.* 33. ANN.

ucalis Monſpelienſis, echinato magno fructu *C. B. P.* 153. *Moriſ. Umbell. c.* 6. 33. Lappula canaria, flore pulchro magno albo *I. B. tom.* 3. *l.* 27. 79. ANN.

ucalis Daucoides Tingitana *Moriſ. Umbell.* 33.

ucalis arvenſis echinata, parvo flore & fructu C. B. P. 152. Caucalis minor arvenſis, parvo flore & fructu *Moriſ. Umbell.* 33. Lappula canaria, flore minore ſive tenuifolia *I. B. tom.* 3. *l.* 27. 80. ANN.

ucalis ſemine aſpero, floſculis rubentibus .B. P. 152. Anthriſcus quorundam, ſemine

ne aſpero hiſpido I. B. *tom.* 3. *l.* 27. 83.
ANN.
* Caucalis lato Apii folio *C.B.P.* 152. Caucalides Matthioli *I. B. tom.* 3. *l.* 27. 82. ANN.
*Caucalis maxima, Sphondilii aculeato ſemine C. B. P.* v. Tordilium.
*Cauda muris I. B.* v. Holoſteo affinis.
*Ceanothos Columm.* v. Carduus.
*Cauda pavonis Zeylanenſibus.* v. Criſta Pavonis.

CEDRUS conifera, foliis Laricis *C. B. P.* 490. Cedrus magna, ſive Libani conifera *I. B. tom.* 1. *l.* 9. 277.
*Cedrus folio Cupreſſi major, fructu flaveſcente* C. B. P. v. Juniperus.
*Cedrus Phœnicea Bellonio I. B.* v. Juniperus.
*Cedrus Lycia retuſa Bellonio dicta* I. B. v. Juniperus.
*Cedrus Bormudiana vulgò.* v. Juniperus.
*Cedrus Virginiana vulgò.* v. Juniperus.
*Cedrus novæ Angliæ vulgò.* v. Juniperus.
*Celaſtrus Theophraſti Cluſ.* v. Alaternus.

CENTAURIUM majus, folio in lacinias plures diviſo C. B. P. 117. Centaurium majus, Juglandis folio *I. B. tom.* 3. *l.* 25. 38.
Centaurium foliis Cinaræ *Cornut.* 72.
Centaurium Alpinum luteum C. B. P. 117. Centauroides glabro flore flaveſcente I. B.
*tom.*

*tom.* 3. *l.* 25. 40. Centaurium majus luteum Cornuti.

Centaurium majus, Rha capitatum, folio Enulæ ſubtus hirſuto & incano *I. B. tom.* 3. *l.* 25. 41.

Centaurium capitatum ciliare annuum, foliis laciniatis ſerratis *Moriſ. Hort. Bleſ.* 362. Chondrilla foliis laciniatis ſerratis, purpuraſcente flore *C. B. P.* 130. Cyanus pulchro ſemine Centaurii majoris *I. B. tom.* 3. *l.* 25. 24. Crupina Belgarum vulgò. ANN.

CENTAURIUM luteum perfoliatum *C. B. P.* 278. *Moriſ. Hiſt.* 2. 565. Perfoliatum Centaurium luteum *I. B. tom.* 3. *l.* 29. 355. ANN.

Centaurium minus rubrum *Moriſ. Hiſt.* 2. 566. Centaurium minus *C. B. P.* 278. Flore è puniceo colore in purpurâ rubente *C. B. P. Var.* 278. Centaurium minus, flore purpureo *I. B. tom* 3. *l.* 29. 353. ANN.

Idem album *Moriſ. Hiſt.* 2. 566. Centaurium minus, flore albo *C. B. P. Var.* 278. *I. B. tom.* 3. *l.* 29. 353. ANN.

*Centaurium minus adulterinum quibuſdam I. B.* v. Lychnis.

*Centimorbia I. B.* v. Nummularia.

*Centinodia, I. B.* v. Polygonum.

CEPA vulgaris *C. B. P.* 71. *Moriſ. Hiſt.* 2. 383. Floribus & tunicis purpuraſcentibus *C. B. P. Var.* 71. Cœpe ſive Cepa rubra rotunda *I. B. tom.* 2. *l.* 19. 547.

Eadem floribus & tunicis candidis *C. B. P. Var.* 71. Cœpe ſive Cepa alba rotunda *I. B. tom.* 2. *l.* 19. 547.

Cepa oblonga *C. B. P.* 71. *Moriſ. Hiſt.* 2. 383. Cœpe ſive Cepa longa *I. B. tom.* 2. *l.* 19. 547.

Cepa radice candidâ dulci *C. B. P.* 71.

Cepa Aſcalonica Matthioli *Moriſ. Hiſt.* 2. 383. Cepa ſterilis, Tragi *C. B. P.* 72. Cepa Aſcalonica, ſive fiſſilis *I. B. tom.* 2. *l.* 19. 551.

Cepa ſectilis juncifolia perennis *Moriſ.* 2. 383. Porrum ſectivum juncifolium *C. B. P.* 72. Porrum ſectivum & Schœnopraſſon quibuſdam *I. B. tom.* 2. *l.* 19. 553.

*Cepæa C. B. P.* *v.* Sedum.

CERASA ſativa rotunda, rubra & acida, quæ noſtris Ceraſa ſativa *C. B. P.* 449. Ceraſus *I. B. tom.* 1. *l.* 2. 216.

Ceraſa ſativa majora *C. B. P.* 450. Ceraſa Duracena oblonga *I. B. tom.* 1. *l.* 2. 221.

Ceraſa acidiſſima ſanguineo ſucco *C. B. P.* 450. Ceraſa acida rubella *I. B. tom.* 1. *l.* 2. 221.

Ceraſa craſſa carne durâ *C. B. P.* 450.

Ceraſa carne tenerâ & aquoſâ *C. B. P.* 450.

Ceraſa alba dulcia *C. B. P.* 450.

Ceraſa

Cerasa acida nigricantia solidiora, tardiùs matureſcentia *I. B. tom.* 1. *l.* 2. 121.

CERASUS major ac ſylveſtris, fructu ſubdulci, nigro colore inficiente *C. B. P.* 450. Ceraſus ſylveſtris, fructu nigro *I. B. tom.* 1. *l.* 2. 208.

Eadem rubro colore C. B. P. *Var.* 450. Ceraſus ſylveſtris, fructu rubro I. B. *tom.* 1. *l.* 2. 208.

Ceraſus hortenſis, flore roſeo *C. B P.* 450.

Ceraſus hortenſis, flore pleno C. *B. P.* 450. Ceraſus flore pleno I. B. *tom.* 1. *l.* 2. 223.

Ceraſus hortenſis, fructu ſine oſſiculis.

Ceraſus folio Laurino *C. B. P.* 450. Lauroceraſus *I. B. tom.* 1. *l.* 4. 420.

Ceraſus pumila *C B. P.* 450. *I. B. tom.* 1. *l.* 2. 222.

Ceraſus racemoſa hortenſis *C. B. P.* 450. Ceraſus uno pediculo plura ferens, & Ceraſus racemoſa *I. B. tom.* 1. *l.* 2. 223.

Ceraſus racemoſa ſylveſtris, fructu non eduli *C. B. P.* 451. Ceraſus racemoſa quibuſdam, aliis Padus *I. B. tom.* 1. *l.* 2. 228.

Ceraſo affinis *C. B. P.* 451. Ceraſus ſylveſtris amara, Mahaleb putata I. B. *tom.* 1. *l.* 2.

CERATONIA. Siliqua edulis C. B. P. 402. Siliquæ arbor, ſive Ceratia I B. *tom.* 1. *l.* 12. 413.

*Cerefolium ſativum Moriſ.* v. Chærophillum.

*Cereus Peruanus ſpinoſus, fructu rubro nucis magnitudine* C. B. P. *v.* Ficus.

CERINTHE ſive Cynogloſſum montanum majus C. *B.* P. 258. Cerinthe quorundam major, verſicolore flore *I. B. tom.* 3. *l.* 33. 602. ANN.

Eadem flore ex rubro purpuraſcente C. *B.* P. 258. Cerinthe quorundam major, flore ex rubro purpuraſcente *I.* B. *tom.* 3. *l.* 33. 603. ANN.

Eadem flore luteo *C.* B. *P. Var.* 258. ANN.

Eadem flore flavo aſperior C. *B.* P. 258. Cerinthe quorundam major, ſpinoſo folio, flavo flore *I.* B. *tom.* 3. *l.* 33, 602. ANN.

Cerinthe minor *C. B. P.* 258. Cerinthe quorundam minor, flore flavo *I.* B. *tom.* 3. *l.* 33. 603. ANN.

*Cerrus I.* B. *v.* Quercus.

*Cervaria nigra* I. B. *v.* Libanotis.

*Cervaria alba I. B. v.* Laſerpitium.

CETERACH Officinarum C. *B.* P. 354. Aſplenum ſive Ceterach *I. B. tom. l.* 37. 740.

CHÆROPHYLLUM ſativum *C. B. P.* 152. Cerefolium ſativum *Moriſ. Umbell.* 46. Chærephyllon *I.* B. *tom.* 3. *l.* 27. 75. ANN.

*Chærophyllum ſeu Cerefolium ſylueſtre perenne,

renne, ſeminibus lævibus nigris *Moriſ. Umbel.* 46. Myrrhis ſylveſtris, ſeminibus lævibus C. B. P. 160. Cicutaria vulgaris *I. B. tom.* 2. *l.* 27. 181.

*Chærophyllum ſylveſtre* C. B. P. *v.* Myrrhis.

*Chærophyllo nonnihil ſimilis* C. B. P. *v.* Alchymilla.

*Chamæbalanus leguminoſa* I. B. *v.* Lathyrus.

*Chamæbuxus flore Coluteæ C. B. P. v.* Aſtragalus.

*Chamæceraſus ejuſquè ſpecies C. B. P. v.* Periclymenum rectum.

*Chamæciſtus ejuſquè ſpecies C. B. P. v.* Ciſtus humilis.

*Chamæcriſta pavonis Braſiliana ſiliquâ ſingulari Breyn. v.* Senna.

*Eadem Americana ſiliquâ multiplici Breyn. v.* Senna.

CHAMÆDRYS major repens *C. B. P.* 249. Chamædrys vulgò vera exiſtimata *I. B. tom.* 3. *l.* 28. 288.

Chamædrys minor repens *C. B. P.* 249.

Chamædrys foliis laciniatis, Botryos facie. Botrys Chamædrioides *C. B. P.* 138. Botrys verticillata I. B. *tom.* 3. *l.* 28. 298. ANN.

*Chamædrys ſpuria major altera fruteſcens* C. B. P. *v.* Veronica.

*Chamædrys ſpuria major anguſtifolia* C. B. P. *v.* Veronica.

*Chamædrys ſpuria minor rotundifolia C. B. P.* v. Veronica.

*Chamægeniſta ejuſquè ſpecies C. B. P.* v. Geniſta humilis.

*Chamæiris ejuſquè ſpecies C. B. P.* v. Iris humilis.

CHAMÆLÆA tricoccos *C. B. P.* 462. *I. B. tom.* 1. *l.* 5. 584.

*Chamæleagnus Dod. I. B.* v. Rhus.

*Chamæleon Salmaticenſis Cluſii I. B.* v. Carduus.

*Chamæleon exiguus Tragi I. B.* v. Carduus.

*CHAMÆMELUM vulgare, ſive Leucanthemum Dioſc. *C. B. P.* 135. Chamæmelum vulgare amarum *I. B. tom.* 3. *l.* 26. 116.

Chamæmelum nobile, ſive Leucanthemum odoratius *C. B. P.* 135. Chamæmelum odoratiſſimum repens, flore ſimplici *I. B. tom.* 2. *l.* 26. 118.

Chamæmelum Leucanthemum Hiſpanicum, magno flore, quod 1. eſt in prodromo *C. B. P.* 135.

Chamæmelum nobile, flore multiplici *C. B. P.* 135. Chamæmelum repens odoratiſſimum perenne, flore multiplici *I. B. tom.* 3. *l.* 26. 119

Chamæmelum luteum, capitulo aphyllo *C. B. P.* 135. Chamæmelum aureum peregrinum,

num, capitulo ſine foliis *I. B. tom.* 3. *l.* 26. 119.

Chamæmelum inodorum *C. B. P.* 135. Chamæmelum inodorum, ſive Cotula non fœtida *I. B. tom.* 3. *l.* 26. 120. ANN.

Idem flore pleno. Sutherland *Hort. Edenburg.* 79. ANN.

Chamæmelum fœtidum *C. B. P.* 135. Chamæmelum fœtidum, ſive Cotula fœtida *I. B. tom.* 3. *l.* 26. 120. ANN.

Chamæmelum Æthiopicum lanuginoſum *Breyn. Cent.* 1. 148. ANN.

*Chamæmeſpilus Cordi C. B. P.* *v.* Meſpilus.

*Chamæmeſpilus* I. B. *v.* Meſpilus.

*Chamænerion ejuſquè ſpecies C. B. P.* *v.* Lyſimachia.

CHAMÆPITYS moſchata, foliis ſerratis C. B. P. 249. Chamæpitys, ſive Iva moſchata Monſpelienſium *I. B. tom.* 3. *l.* 28. 296.

Chamæpitys lutea vulgaris, ſive folio trifido C. B. P. 249. Chamæpitys vulgaris odorata, flore luteo *I. B. tom.* 3. *l.* 28. 295. ANN.

*Chamæpitys cœrulea Auſtriaca* C. B. P. 250. *v.* Hyſſopus.

*Chamæpixos* I. B. *v.* Aſtragalus.

*Chamæriphes* I. B. *v.* Palma humilis.

*Chamærhododendron Breyn.* *v.* Ciſtus.

*Cha-*

*Chamæſyce Matth.* C. B. P. I. B. *v.* Tithymalus.

* CHELIDONIA rotundifolia minor C. B. P. 309. Scrophularia minor, ſive Chelidonium minus vulgò dictum *I. B. tom.* 3. *l.* 30. 468. Ranunculus præcox rotundifolius granulatâ radice *Moriſ. Hiſt.* 2. 446.

* Eadem rotundifolia minor, folio maculato C. B. P. *Var.* 309.

Eadem rotundifolia minor, flore pleno Camerarii C. B. P. *Var.* 309.

CHELIDONIUM maximum Canadenſe ἄκαυλον Cornuti 212. *Moriſ. Hiſt.* 2. 257.

* Chelidonium majus vulgare C. B. P. 144. *Moriſ. Hiſt.* 2. 257. Chelidonia *I. B. tom.* 3. *l.* 30. 482.

Chelidonium majus, laciniato flore, & foliis quernis *Moriſ. Hiſt.* 2. 257. Chelidonium majus, foliis quernis C. B. P. 144.

Idem floribus & foliis tenuiſſimè diſſectis Fumariæ Myconii inſtar *Moriſ. Hiſt.* 2. 258. Chelidonium majus flore & foliis minutiſſimè laciniatis *Cat. Hort. Reg. Pariſ.* 49.

*Chicallotl Hernand.* *v.* Papaver ſpinoſum.

*Chimalatl Hernand.* *v.* Chryſanthemum.

CHONDRILLA juncea viſcoſa arvenſis, quæ prima Dioſc. C. B. P. 130. Chondrilla viminea *I. B. tom.* 2 *l.* 24. 1021.

Chon-

Chondrilla viſcoſa humilis C. B. P. 130. ANN.

Chondrilla cœrulea latifolia laciniata C. B. P. 130.

Eadem flore incarnato.

Chondrilla cœrulea altera, Cichorii ſylveſtris foliis C. B. P. 130. Chondrille vel Chondrilla cœrulea I. B. *tom.* 2. *l.* 24. 1019.

*Chondrilla verrucaria, foliis cichorii viridibus* C. B. P. *v.* Calendula.

*Chondrilla foliis laciniatis ſerratis, purpuraſcente flore* C. B. P. *v.* Centaurium capitatum.

*Chondrilla cœrulea, cyani capitulo* C. B. P. *v.* Cichoreum.

CHRISTOPHORIANA Americana racemoſa, baccis niveis *Moriſ. Hiſt.* 2. 8. Aconitum baccis niveis *Corn.* 76.

Eadem baccis rubris *Moriſ. Hiſt.* 2. 8. Aconitum baccis rubris *Corn.* 76.

Chriſtophoriana vulgaris noſtras racemoſa & ramoſa *Moriſ. Hiſt.* 2. Aconitum racemoſum: An Actæa Plinio C. B. P. 183? Aconitum racemoſum Actæa quibuſdam I. B. *tom.* 3. *l.* 35 660.

Chriſtophoriana Canadenſis racemoſa & ramoſa *Moriſ. Hiſt.* 2. 8. Panaces Κάρπιμον, ſive Chriſtophoriana Canadenſis *Park. Theatr.* 950.

950, Angelica baccifera Canadenſis *Park. Theatr.* 950.

CHRYSANTHEMUM Indicum, flore & ſemine maximis, annuum. Chryſanthemum Peruvianum *Moriſ. Hort. Bleſ.* 399. Helenium Indicum maximum *C. B. P.* 276. Herba maxima *I. B. tom.* 3. *l.* 26. 106. Chimalatl Peruina, Flos ſolis Hernand. 228. ANN.

Idem ramoſum. Helenium Indicum ramoſum *C. B. P.* 277. ANN.

Idem ſemine cinereo. Helenium Indicum ramoſum, ſemine albo, cinereo ſtriato *Hort. Reg. Pariſ.* 84. ANN.

Idem flore minore melino. Helenium Indicum minus *C. B. P.* 277. Herbæ maximæ ſpecies minor, florum multitudine parvitatem compenſans *I. B. tom.* 3. *l.* 26. 107. ANN.

Helenium Indicum, flore & ſemine maximis, perenne.

Chryſanthemum Americanum, laciniato folio, majus *Moriſ. Hort. Bleſ.* 251. Doronicum Americanum laciniato folio *C. B. P. app.* 516.

Chryſanthemum Americanum, laciniato folio obſcurius virente, minus *Moriſ. Hort. Bleſ.* 251.

Chryſanthemum Indicum radice tuberoſâ. He-

Helianthemum Indicum tuberoſum *C. B. P.* 277. Helenium Indicum tuberoſum *Cat. Hort. Pariſ.* 85. Flos ſolis Farneſianus, ſive Aſter Peruanus tuberoſus Colum. *Ecphraſ. part.* 2. 11. *Aldin. Hort. Farneſ.* 191.

Chryſanthemum Canadenſe latifolium altiſſimum *Moriſ. Hort. Bleſ.* 251. Chriſanthemum Canadenſe latifolium elatius *Bocc. Ic. & deſcr.* 52. An Helenium Canadenſe altiſſimum, Voſacan dictum *Cat. Hort. Reg. Pariſ.* 85?

Idem humilius *Moriſ. Hort. Bleſ.* 251. Chryſanthemum Canadenſe humilius *Bocc. Ic. & deſcr.* 52.

Chryſanthemum Canadenſe bidens, alato caule *Moriſ. Hort. Bleſ.* 253. An Helenium Canadenſe elatius, alato caule *Cat. Hort. Pariſ.* 85.

Chryſanthemum Canadenſe, Rapunculi radice, ſtrumoſum vulgò.

Multis firmatur radicibus albis, carnoſis, fuſiformibus, Rapunculo vel Aſphodelo haud disparibus, quæ caules attollunt complures, novem decemvè pedum altitudine, rotundos, aſperos nonnihil hirſutos, & ſtriatos, in numeroſos ramos ſubdiviſos. Hos ſine ordine cingunt folia palmam longa, pollicem & amplius lata, in acumen deſinentia, aſpera, atroviridia, per ambitum

tum leviter crenata. Ramorum cacumina occupant flores lutei corymboſi, Chryſanthemo Canadenſi humiliori ſimillimi, niſi quod petala dilutiùs flaveſcant, in mucronem bifidum terminentur, & foliola, flori ſubſtrata, longius producantur. His fatiſcentibus ſuccedunt ſemina anguloſa, ritu affinium, Radices ſubamarum aromaticum non ingratum habentes ſaporem, à Canadenſibus parantur in fercula, velut ab Europæis Rapunculi, Rapæ & ſimiles.

Chryſanthemum Canadenſe minus, caule alato *Moriſ. Hort. Bleſ.* 252. Aſter luteus alatus *Corn.* 62.

Chryſanthemum Aſteris facie ſupinum, majus. Aſter luteus ſupinus *C. B. P.* 266. Aſter Atticus luteus ſupinus, ſpinoſus I. B. *tom.* 2. *l.* 24. 1045.

Idem minus. Chryſanthemum Conyzoides Luſitanicum *Breyn. Cent.* 1. 157. Aſter ſupinus Conyzoides Africanus *Park. Theatr.* 131.

Chryſanthemum Aſteris facie, foliis circa florem mollibus. Aſter Atticus, foliis circa florem mollibus *C. B. P.* 266.

Chryſanthemum Aſteris facie, foliis ad florem rigidis. Aſter luteus, foliis ad florem rigidis *C. B. P.* 266.

Chryſanthemum Aſteris facie, foliis Succiſæ. Aſter luteus major, Succiſæ foliis *C. B. P.* 266

Chry-

hryſanthemum foliis Matricariæ *C.B.P.* 134.

Chryſanthemum majus, folio valdè laciniato, flore croceo I. B. *tom*. 3. *l*. 26. 112. ANN.

em flore partim candido, partim luteo *C. B. P.* 134. Chryſanthemum Creticum I. B. *tom*. 3. *l*. 26. 112. ANN.

em majus, folio profundiùs laciniato, flore magno *C. B. P.* 134. Chryſanthemum Creticum *I. B. tom*. 3. *l*. 26. 112. ANN.

hryſanthemum Alpinum incanum, foliis laciniatis C. B. P. 134.

hryſanthemum Tanaceti minoris foliis. Buphthalmum Tanaceti minoris foliis C. B. P. 134. Chamæmelum Chryſanthemum quorundam I. B. *tom*. 3 *l*. 26. 122.

ryſanthemum Cotulæ folio. Buphtalmum Cotulæ folio C. B. P. 134. Bupthalmum tenuifolium, folio Millefolii ferè I. B. *tom*. 3. *l*. 26. 124.

hryſanthemum Creticum, Cotulæ facie. Buphthalmum Creticum, Cotulæ facie *Breyn. Cent*. I. 154. ANN.

hryſanthemum ſegetum, facie Bellidis ſylveſtris, foliis glaucis, Papaveris hortenſis inſtar, profundè inciſis majus. Bellis lutea, foliis profundè inciſis major C. B. P. 262. ANN.

em minus. Bellis lutea, foliis profundè inciſis minor C. B. P. 262. ANN.

em foliis glaucis minùs ſectis. Bellis lutea foliis ſubrotundis C. B. P. 262. Chryſanthe-

mum folio minùs ſecto glauco *I. B. tom.* 3. *l.* 26. 113.

*Chryſanthemum aquaticum Cannabinum, folio tripartito diviſo. Cannabina aquatica, folio tripartito diviſo C. B. P. 321. Verbeſina ſive Canabina aquatica, flore minùs pulchro, elatior ac magis frequens I. B. *tom.* 2. *app.* 1073. ANN.

*Idem folio non diviſo. Cannabina aquatica, folio non diviſo C. B. P. 321. Verbeſina pulchriore flore luteo I. B. *tom.* 2. *app.* 1074. ANN.

Idem Cannabinum Americanum *Moriſ. Hort. Bleſ.* 254. Eupatorium aquaticum *Park. Theatr. deſcr.* 596. ANN.

Chryſanthemum aquaticum, foliis multifidis, Cicutæ nonnihil ſimilibus, Virginianum.

Venuſtiſſimam hanc Chryſanthemi ſpeciem conceſſit nobis Dn. Watſius, Vir in Plantarum cognitione peritiſſimus, & Horti Botanici, celeberrimi Collegii Pharmaceutici Londinenſis impenſis exſtructi, Præfectus digniſſimus. Fibris radicatur numeroſis pallidis; Caules tollit tripedales aliquando altiores, ramoſos, glabros, quadrangulos, geniculatos, ſubinde ex viridi rubentes; Folia ad ſingulos nodos promit bina ex adverſo, multifida, Cicutæ non nihil ſimilia, aſt minora & robuſtiora; Flores inſident ramorum faſtigiis, diſcoidei vix radia-

diati, Chryſanthemo ſuperiore duplo minores, parte extimâ multis viridantibus foliolis ſquamarum inſtar obvallati, medio verò orbe ex minutis aureis fiſtuloſis tubulis, apiculos fuſcos exerentibus, compacti. Semina ſuccedunt oblonga, depreſſa, aſpera, in duos apices deſinentia, more antecedentium. An radix ſit perennis, an annua, pro certo nobis non conſtat. Eo ipſo enim, quo hęc ſcripſimus, apud nos florere incepit.

*hryſanthemum Aizoides Africanum ejuſquè ſpecies Breyn.* v. Ficoides.

*ryſanthemum Capitis Bonæ Spei repens, flore aphyllo Dn. Syens Breyn. Seu Chryſanthemum Africanum procumbens, flore cernuo, nudo, luteo Suther.* v. Bellis.

ICER ſativum *C. B. P.* 343. *Moriſ. Hiſt.* 2. 75. Cicer arietinum *I. B. tom.* 2. *l.* 17. 292. Floribus & ſeminibus candidis *C. B. P. Var.* 347. ANN.

em floribus & ſeminibus ex purpurâ rubeſcentibus *C. B. P. Var.* 347. ANN.

em floribus rubris & ſeminibus nigris, minoribus & anguloſioribus *Moriſ. Hiſt.* 2. 76. *deſcr.* ANN.

*er ſylveſtre, foliis oblongis hiſpidis majus C. B.* v. Aſtragalus.

*er arboreum Indicum perenne Zan.* v. Aonis.

*Cicer ſylveſtre latifolium triphyllon* C. B. P. *&* I. B. *v.* Anonis.

CICHORIUM ſativum *C. B. P.* 125. *I. B. tom.* 2. *l.* 24. 1011. Cœruleum Lob. ANN.
Idem album. Tab. ANN.
* Cichorium ſylveſtre ſive Officinarum C. B. P. 124. Cichorium ſylveſtre *I. B. tom.* 1. *l.* 24. 1007. ANN.
* Idem floribus candidis C. B. P. *Var.* 125. ANN.
* Idem flore roſeo *C. B. P. Var.* 126. ANN.
Idem folio prorſus integro *C. B. P. Var.* 126. ANN.
Cichorium Cyani capitulo *Moriſ. Hort. Bleſ.* 361. Chondrilla cœrulea Cyani capitulo *C. B. P.* 131. Catanance Dalechampii, folio Coronopi *I. B. tom.* 3. *l.* 25. 26. Seſamoides parvum Matth. vulgò. ANN.
Cichorio affinis, Lampſana domeſtica *Moriſ. Hort. Bleſ.* 359. Soncho affinis, Lampſana domeſtica *C. B. P.* 124. Lampſana Dodonæi *I. B. tom.* 2. *l.* 24. 1028. ANN.
*Cichorium verrucarium* C. B. P. *ſeu verrucoſum* *I. B.* *v.* Calendula.
*Cichorium ſemine adunco* C. B. P. *ſeu florem inclinans* I. B. *v.* Calendula.
*Cichorium falcatum Moriſ.* Calendula.
*Cichoreum pratenſe luteum lævius* C. B. P. *v.* Hieracium.
*Cichoreum pratenſe luteum hirſutum aſperum* C. B. P. *v.* Hieracium.

*iciliana* I. B. *v.* Hyppericum.

CICUTA latifolia fœtidiſſima *Moriſ. Umbell.* 18. Cicutaria latifolia fœtida C. B. P. 161. Seſeli Peloponenſe Matthioli, ſive Cicutaria quorundam *I. B. tom.* 3. *l.* 27. 184.

icuta major C. *B.* P. 160. *Moriſ. Umbell.* 18. Cicuta I. B. *tom.* 2. *l.* 26. 175. ANN.

icuta minor Petroſelino ſimilis *C. B. P.* 160. *Moriſ. Umbell.* 18. Cicutaria Apii folio *I. B. tom.* 3. *l.* 27. 179. ANN.

icutaria paluſtris tenuifolia C. B. P. 161. *Moriſ. Umb.* 18. Phellandrium, ſive Cicutaria aquatica quorundam *I.* B. *tom.* 3. *l.* 27. 183. ANN.

*icutaria odorata* C. *B. P.* *v.* Myrrhis.

*icutaria odorata bulboſa* C. B. P. *v.* Myrrhis.

CINARA hortenſis, foliis non aculeatis, Anglica maxima. Cinara maxima Anglica Lob. C. *B.* P. 383. Carduus ſive Scolymus maximus non ſpinoſus I. B. *tom.* 3. *l.* 25. 51.

inara hortenſis, foliis non aculeatis C. B. P. 383. Carduus ſive Scolymus ſativus non ſpinoſus I. B. *tom.* 3. *l.* 25. 48.

adem capite ſubrotundo *Cat. Hort. Reg. Pariſ.* 51.

inara hortenſis aculeata *C. B. P.* 383. Carduus ſive Scolymus ſativus ſpinoſus *I. B. l. tom.* 3. *l.* 25. 44.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Cinara ſpinoſa, cujus pediculi eſitantur *C. B. P.* 383.

CIRCÆA major. Solani folia Circæa dicta major *C. B. P.* 168. Ocimaſtrum verrucarium *I. B. tom.* 2. *l.* 23. 977.

Eadem Alpina minor. Solanifolia Circæa Alpina *C. B. P.* 168.

CIRSIUM maximum, Aſphodeli radice *C. B. P.* 377. Cirſium maximum, foliis carnoſis, bulbosâ radice, fortè Lutetianum *I. B. tom.* 3. *l.* 25. 44.

*Cirſium majus, ſingulari capitulo magno, vel incanum variè diſſectum C. B. P. 377. Cirſium Anglicum, radice Hellebori nigri modo fibrosâ, folio longo I. B. *tom.* 3. *l.* 25. 45.

Idem folio virdi.

Superioris folia alterâ parte virent, alterâ incanâ lanuguine pubeſcunt; Hujus verò omnino virent. Accepimus ex Angliâ, ubi ſponte naſcitur.

Cirſium ſingularibus capitulis parvis C. *B.* P. 377. Cirſium foliis non laciniatis, virore Braſſicæ, & macrocaulon *I. B. tom.* 3. *l.* 25. 45.

Cirſium foliis non hirſutis, floribus compactis C. B. P. 377. Carduus Cirſium Monſpeliacum, folio longo glabro Matthioli *I.* B. *tom.* 3. *l.* 25. 44.

Cirſium anguſtifolium, in Prodr. C. B. P. 377.

CISTUS Ladanifera Hiſpanica *C.B.P.*467. Ciſtus Ledon, flore maculâ nigricante notato *I. B. tom,* 2. *l.* 13. 8.

Eadem flore emaculati candoris.

Ciſtus Ledon, foliis Laurinis *C. B. P.* 467.

Ciſtus Ledon, foliis Populi nigræ major *C. B. P.* 467. Ciſtus Ledon foliis Populi nigræ major *I. B. tom.* 3. *l.* 13. 9.

Ciſtus Ledon hirſutum *C. B. P.* 367. Ciſtus Ledon IV. Cluſii, flore candido *I. B. tom.* 2. *l.* 13. 10.

Ciſtus Ladanifera, Monſpelienſium *C.B.P.*467. Ciſtus Ladanifera, ſive Ledon Monſpeliacum, anguſto folio nigricans *I. B. tom.* 2. *l.* 13. 10.

Ciſtus Ledon, foliis Rorismarini ſubtus incanis *C. B. P.* 467. Ciſtus Ledon foliis Rorismarini coronariæ Cluſii, flore luteo *I. B. tom.* 2. *l.* 13. 11.

Ciſtus Ledon, foliis Rorismarini ferrugineis *C. B. P.* 467. Rosmarinus ſylveſtris quorundam *I. B. tom.* 2. *l.* 13. 23.

Ciſtus Ledon, foliis Salicis anguſtifoliæ *C. B. P.* 468. Rosmarinus ſylveſtris ἄοσμος Cluſio *I. B. tom.* 2. *l.* 13. 24.

Ciſtus Ledum Alpinum hirſutum *C. B. P.* 468. Nerium Alpinum quibuſdam, aliis Ledum hirſutum, *I. B. tom.* 2. *l.* 13. 21. Balſamum Alpinum hirſutum vulgò.

Ciſtus Ledum Alpinum, foliis ferreâ rubigine

nigricantibus *C. B. P.* 468. Nerium Alpinum quibusdam, aliis Ledum glabrum *I. B. tom.* 2. *l.* 13. 21. Balſamum Alpinum glabrum vulgò.

Ciſtus Indicus, Ledi Alpini foliis & floribus amplis. Chamærhododendron exoticum, ampliſſimis floribus Liliaceis *Breyn. Prodr.* 23.

Inter utriuſquè Indiæ miracula, quæ in florido Theatro Illuſtriſſimi Beverningii vigent, eminet ſpecioſiſſimus hic Ciſtus ex Jaccatrâ advectus, cujus florum eximia pulchritudo quemlibet intuentem in ſummam rapit admirationem. Fruticat duorum cubitorum altitudine, trunco pollicem craſſo; Cortice ſcabro, inæquali, ex fuſco cinereo; Ligno duro, ſolido, palleſcente; Ramis brevibus, contortis, inordinatis, circa faſtigia foliis, Balſamo Alpino non diſparibus, ſed rigidioribus & villoſis, denſiſſimâ ſerie perpetuoquè virore refertis. Intra hæc prodeunt flores quodammodo Liliacei, monopetali, quinquè partiti, ſtructurâ Balſami Alpini, amplitudine Narciſſi Gareti, colore fulgentis dilutioris cocci; Iunio verò & Auguſto tantâ ubertate luxuriant, ut ſuperiorem fruticis partem quaſi elegantiſſimâ coccineâ veſte videantur cooperire. His niſi odor deeſſet, diceres naturam nihil amabilius, nihilquè ad-

ISTUS INDICUS, LEDI ALPINI FOLIIS ET FLORIBUS AMPLIS.



*Azalea indica*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

admirabilius unquam produxiſſe; Attamen odoris deſiderium rependere videntur florum congeries numeroſa, amœniſſima Liliacea ſtructura, & vivacitas exquiſitiſſimi coloris. Cæterùm ex ſingulis floribus ſeſe exerunt quaterna apiculata ſtamina incurvata pallidè coccinea, unico intermedio longiori, inſidente futuri fructus rudimento; His unà cum flore defluxis, perficiuntur in parvis oblongis villoſis quinquifidis ūtriculis, conceptacula villoſa, veluti in Ciſto Ledo vulgò Balſamo ſeu Nerio Alpino, quinque intus carinulas habentia, in quibus ſemina exigua flaveſcentia. Quò contumaciùs eſt Balſamum Alpinum locis mitioribus, in quibus vivere refragratur; tantò ſequacior eſt hic Ciſtus, qui hortenſem culturam in laudatiſſimo Beverningiano Theatro jam ad duodecimum annum innoxiè ſuſtinuit. Facultate ad congeneres Ciſtos accedere, putamus ex adſtringente guſtu, quem cum illis habet communem.

Ciſtus Mas, folio rotundo hirſutiſſimo *C. B. P.* 464. Ciſtus mas major folio rotundiore *I. B. tom.* 2. *l.* 13. 2.

Ciſtus Mas, folio oblongo incano *C. B. P.* 464. Ciſtus Mas IV. Monſpeliacus folio oblongo albido *I. B. tom.* 2. *l.* 13. 3.

Ciſtus Mas, anguſtifolius *C. B. P.* 464. Ciſtus Mas

Mas II. folio longiore *I. B. tom.* 2. *l.* 13. 2.

Ciſtus Mas, folio breviore *C. B. P.* 464. Ciſtus Mas III. foliis dilutiùs virentibus *I. B. tom.* 2. *l.* 13. 3.

Ciſtus Mas, foliis Chamædrys C. B. P. 464. Ciſtus Mas V. Foliis criſpis, & quodammodo ſinuoſis *I. B. tom.* 2. *l.* 13. 3.

Ciſtus Fœmina, folio Salviæ C. B. P. 464. Ciſtus Fœmina Monſpeliana, flore albo *I. B. tom.* 2. *l.* 13. 4.

Eadem flore luteo, ochræ colore *C. B. P. Var.* 465. Ciſtus Fœmina Hiſpanica, flore luteo *I. B. tom.* 2. *l.* 13. 4.

CISTUS humilis, ſeu Chamæciſtus vulgaris, flore luteo C. B. P. 465. Helianthemum vulgare, flore luteo *I. B. tom.* 2. *l.* 13. 15.

Ciſtus humilis, ſeu Chamæciſtus vulgaris, flore albo majore *C. B. P.* 466. Helianthemum foliis majoribus, flore albo. *I. B. tom.* 2. *l.* 13. 16.

Ciſtus humilis, ſeu Chamæciſtus foliis minoribus & incanis *C. B. P.* 466. Ciſtus humilis Cluſio, ſive Helianthemum omnino candicans, flore nunc albo, nunc pallido *I. B. tom.* 2. *l.* 13, 16.

Ciſtus humilis ſeu Chamæciſtus Friſicus, foliis Nardi Celticæ *C. B. P.* 466.

Ciſtus humilis ſeu Chamæciſtus, foliis Thymi incanis *C. B. P.* 466. Helianthemum flore

flore albo, folio anguſto hirſuto *I. B. tom.* 2. *l.* 13. 17.

Ciſtus humilis ſeu Chamæciſtus Ericæ folio luteus *C. B. P.* 466. Helianthemum tenuifolium glabrum, luteo flore, *I. B. tom.* 3. *l.* 13. 18. Caule elatiori, & longioribus foliis *C. B. P. Var.* 466.

Idem caule humiliore *C. B. P.* 466.

Ciſtus humilis ſeu Ciſtus folio Plantaginis *C. B. P.* 464. Tuberaria major Myconi *I. B. tom.* 2. *l.* 13. 12.

Ciſtus humilis ſeu Ciſtus Fœmina, Portulacæ folio latiore obtuſo *C. B. P.* 465. Ciſtus folio, Halimi flore luteo. *I. B. tom.* 2. *l.* 13. 5.

Ciſtus humilis ſeu Ciſtus folio Sampſuchi incano *C. B. P.* 465. Ciſtus folio Sampſuchi Cluſii, cui macula in flore *I. B. tom.* 2. *l.* 13. 6.

Ciſtus humilis ſeu Ciſtus folio Majoranæ *B. P.* 465.

Ciſtus humilis ſeu Ciſtus folio Salicis *C. B. P.* 465. Ciſtus annuus 1. Cluſio, folio rotundiore *I. B. tom.* 2. *l.* 13. 13. Ann.

Ciſtus humilis ſeu Ciſtus Ledi folio *C. B. P.* 465. Ciſtus annuus, folio Ledi, flore luteo *I. B. tom.* 2. *l.* 13. 14. Ann.


Ciſtus humilis Aizoides, maritimus Africanus, flore rubello.

Botanoſophi recentiores, inſiſtentes principiis, à fructificatione, ſeu fine Plan-

tarum

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

CISTUS HUMILIS AIZOIDES, MARITIMUS AFRICANUS FLORE RUBELLO.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tarum ultimo petitis, diſpeſcunt Ciſtum in tria genera: Primum includit ſemina conceptaculo octagono, octo intus carinulis diviſo, & ex maturitate in totidem partes diſſiliente: Alterum perficit ſemina in vaſculo pentagono, quinquè loculamentis diſtincto: Tertium producit capſulam parvam trigonam, quæ mediante tripartitâ tenui membranulâ, inſtar parietis intergerini, in ternas cellulas dividitur, & juſtam maturitatem adepta, in totidem corticoſas veluti cotylas dehiſcit. Ciſti primi & ſecundi generis, vocantur majores; Tertii generis, minores, humiliores ſeu Chamæciſti. Huic ultimo inſerendum cenſemus Ciſtum hunc Africanum, quem ob caules & folia ſucculenta, Sedis haud abſimilia, Aizoidem vocavimus. Nititur radice parvâ ex ruffo albeſcente; Caule concolori, dodrontali, rotundo, nunc bifido, nunc quadrifido; Foliis teretibus, glabris, Sedo minori luteo acutifolio, Trinquemadame dicto, æmulis, ſed craſſioribus, & quadruplo longioribus; Inter hæc erigitur pediculus gracilis, tenuis, nudus, ſubrubens, ſemipalmaris, circa faſtigium in aliquot tenuiſſimos ramulos divaricatus, ſuſtinentes florem pentapetalum parvulum, rubellum, fugacem, qui ad ſolem meridianum expanditur; hoc verò recedente, claudi-

tur,

tur, vel omnino marceſcit, relinquens conceptaculum rotundum, trigonum, in terna foliola carinata diſſiliens, fundenſquè ſemina exigua, compreſſa, nigra. Frequens occurrit maritimis locis ad Promontorium Bonæ Spei inter ſpecies Ficus aizoidis, & proinde eandem expoſcit culturam; Solum amant arenoſum ſiccum, aëris rigidioris injurias ægrè ferens, progerminans non minùs ſeminibus, quâm ramulis reſectis, & in terram depactis, virens toto anno. Sapor percipitur aqueus, odor nullus.

*Citreum malum ejuſquè ſpecies I. B.* *v.* Malus citrea.

*Citrullus C. B. & I. B.* *v.* Anguria.

*Citrus vulgò ejuſquè ſpecies.* *v.* Malus Citrea.

CLEMATIS Hederacea Indica Iaſmini foliis. Gelſeminum Ederaceum Indicum *Corn.* 103. Gelſeminum Indicum flore phœniceo. *Fer. Flor. Cult.* 199.

Clematis Americana ſiliquoſa tetraphyllos *Dodart. Memor.* 71. *Breyn. Prodr.* 30.

Clematis Daphnoides major *C. B. P.* 302. Clematis Daphnoides major, flore cœruleo *I. B. tom.* 2. *l.* 15. 132.

Eadem flore albo *I. B. tom.* 2. *l.* 15. 132.

Eadem folio & flore variegatis.

Clematis Daphnoides minor *C. B. P.* 301. Clematis Daphnoides minor flore cœruleo *I. B. tom.* 2. *l.* 15. 130.

Ea-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Eadem flore candido *C. B. P. Var.* 301. *I. B. tom.* 2. *l.* 15. 130.

Eadem flore rubente vel ſubpurpuraſcente C. B. P. *Var.* 301. *I. B. tom.* 2. *l.* 15. 130.

Eadem flore duplici, ſeu flore alium florem medium continente C. B. P. *Var.* 1301.

Eadem folio & flore variegatis. Clematis Daphnoides minor foliis maculoſis, *Sutherl. Cat. Edinburg.* 88.

Clematis flore pleno *C. B. P.* 302. Clematis Daphnoides flore pleno I. B. *tom.* 2. *l.* 17. 130.

*Clematis pentaphylla, flore roſeo clavato Moriſ.* v. Cucumis.

*Eadem latifolia.* v. Cucumis.

*Clematis paſſionalis triphyllos flore luteo Moriſ.* v. Cucumis.

*Clematis trifolia, flore roſeo clavato C. B. P.* v. Cucumis.

*Eadem flore clavato ex nigro punicante Hort. Reg. Pariſ.* v. Cucumis.

CLEMATITIS ſylveſtris latifolia C. B. P. 300. Clematis latifolia, ſive Atragene quibusdam *I. B. tom.* 2. *l.* 15. 125.

Eadem dentata I. B. *tom.* 2. *l.* 15. 125.

Clematitis ſive Flammula repens *C. B. P.* 300.

Clematis ſive Flammula ſcandens tenuifolia alba *I. B. tom.* 2. *l.* 15. 127.

Clematitis ſeu Flammula recta C. B. P. 300.

Cle-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Clematis ſive Flammula ſurrecta alba *I. B. tom.* 2. *l.* 15. 127.

Clematitis cœrulea repens C. B. P. 390. Clematis ſive Flammula, flore cœruleo ſcandens *I. B. tom.* 2. *l.* 15. 128.

Eadem purpurea C. B. P. 300. *I. B. tom.* 2. *l.* 15. 128.

Clematitis cœrulea, flore pleno C. B. P. 301. Clematis purpurea, flore pleno ſcandens *I. B. tom.* 2. *l.* 15. 129.

Clematitis cœrulea erecta *C. B. P.* 300. Clematis Pannonica, flore cœruleo ſurrecta *I. B. tom.* 2. *l.* 15. 129.

CLINOPODIUM Canadenſe fiſtuloſum. *Moriſ. Hort. Bleſ.* 382. Origanum fiſtuloſum Canadenſe *Cornut.* 14.

Clinopodium Virginianum anguſtifolium, flore luteo.

Caulibus exit humilioribus & gratilioribus. Foliis anguſtioribus, pallidioribus, contactu mollioribus, & odoratioribus. Floribus in caulis faſtigio paucioribus, tenuioribus, flaveſcentibus. Cæteris partibus Canadenſi ſimillimis. Poſſidemus ex munere Reverendi Dni de Marees ſacrorum dogmatum Præconis fideliſſimi & florum rariorum cultoris præſtantiſſimi.

Clinopodium Origano ſimile C. B. P. 224. Clinopodium Origani facie *I. B. tom.* 3. *l.* 28. 250.

Clinopodium Mari Syriaci foliis, odore Maſtiches. Clinopodium quorundam, Maſtichina Gallorum *I. B. l.* 28. *tom.* 243. Marum Maſtichen redolens, ſive Sampſuchus C. B. P. 224.

CLINOPODIUM arvenſe, Ocymi facie *C. B. P.* 225. Acinos multis *I. B. tom.* 3. *l.* 28. 259.

Foliis hirſutiſſimis C. B. P. *Var.* 225.

Idem foliis anguſtioribus pene levibus C. B. P. *Var.* 225.

Clinopodium Creticum *Proſp. Alpin. Exot.* 265. ANN.

CLITORIUS Flos cœruleus *Breyn. Cent.* I. 76.

Idem albus.

*Cneoron Matth.* v. Thymelea.

*Cneorum album, folio Oleæ argenteo molli* C. B. P. v. Convolvulus.

CNICUS ſativus, ſive Carthamum Officinarum C. B. P. 378. Carthamus ſive Cnicus I. B. *tom.* 3. *l.* 25. 79. ANN.

Cnicus cœruleus aſperior C. B. P. 378. Carthamus, ſive Cnicus, flore cœruleo I. B. *tom.* 3. *l.* 25. 80.

Cnicus perennis cœruleus Tingitanus.

Planta hæc, naturâ totoquè habitu Cnicum referens, agit radicem albam, longam, te-

CNICUS PERENNIS COERULEUS, TINGITANUS.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tenuem, abſquè fibris, modò obliquè modò rectâ in terram depactam, emittentem folia rigida craſſiuſcula, ſpithamo longiora, pollice anguſtioria, circa margines crenata, & ſimul exiguis aliquot ſpinulis, obtutum ferè fugientibus, armata; Intra hæc prodit caulis utplurimùm ſimplex, aliquando ſtatim à radice in binos ternosvè ramos ſubdiviſus, ſuſtinens ex capitulo oblongo ſquamato, & aliquot rigidis brevibus foliolis circumvallato, flores cœruleos, fiſtuloſos, oris laciniatis, quos excipiunt ſemina fuſca, barbata, more congenerum. Hanc, circa Tingidem collectam, ad nos miſit Dn. Robertus Moriſon, dum viveret, Botanices Profeſſor in Academiâ Oxonienſi longè celeberrimus.

Cnicus, Attractylis lutea dicta. Attractylis lutea C. B. P. 379. Attractylis vera flore luteo I. B. *tom.* 3. *l.* 25. 83. ANN.

Cnicus ſylveſtris hirſutior, ſive Carduus Benedictus C. B. P. 378. Carduus Benedictus I. B. *tom* 3. *l.* 25. 75.

Cnicus cœruleus humilis montis Lupi. Eryngium montanum minimum, capitulo magno C. B. P. 386. Carduncellus montis Lupi I. B. *tom.* 3. *l.* 25. 92.

*Cnicus ſylveſtris ſpinoſior* C. B. P. *v.* Carlina.

*Cnicus ſylveſtris ſpinoſior, flore aureo, perennis Cat. Hort. Reg. Pariſ.* *v.* Carlina.

Co-

COCHLEARIA major Batavica erecta, folio oblongo. ANN.

A vulgari majori Cochleariâ differt tantùm cauliculis rectà aſſurgentibus, dodrontalibus, aliquando cubitalibus, & foliis oblongis. Reperi in udoſis circa Catwick.

Cochlearia major Batavica, ſubrotundo folio *Moriſ. Hiſt.* 2. 308. Cochlearia folio ſubrotundo C. B. P. 110. Cochlearia I. B. *tom.* 2. *l.* 22. 942. ANN.

Cochlearia Britannica, folio ſinuato *Moriſ. Hiſt.* 2. 308. Cochlearia folio ſinuato *C. B. P.* 110. ANN.

Cochlearia Danica procumbens *Moriſ. Hiſt.* 2. 309. Cochlearia Danica repens quæ 2. in Prodromo C. B. P. 110. *Sim. Paul. Quadr. Bot.* 269. An Cochlearia minima I. B. *tom.* 2. *l.* 22. 942? ANN.

*Coggygria* I. B. *v.* Cotinus.

COLCHICUM commune *C. B. P.* 67. *Moriſ. Hiſt* 2. 340. Colchicum I. B. *tom.* 2. *l.* 19. 648.

Idem albo flore *C. B. P. Var.* 67.

Idem florum foliis rubris & albis alternatim diſpoſitis C. B. P. 68.

Idem folio lineis albis picto. *Moriſ. Hort. Bleſ.* 55. *Hort. Reg. Pariſ.* 54.

Colchicum vere & autumno florens *C. B. P.* 68. *Moriſ. Hiſt.* 2. 340. Colchicum biflorum I. B. *tom.* 2. *l.* 19. 652.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Colchicum floribus Fritillariæ inſtar teſſellatis, foliis planis *Moriſ. Hiſt.* 2. 340. Colchicum flore Fritillariæ inſtar teſſellatis *C.B. P.* 68. Colchicum Neapolitanum, ſeu Colchico vulgari ſimilis bulbus I. B. *tom.* 2. *l.* 19. 655.

Colchicum Chioenſe, floribus Frillariæ inſtar teſſellatis, foliis undulatis *Moriſ. Hiſt.* 2. 341. Colchicum variegatum *Corn.* 137.

Colchicum latifolium variegatum *C. B. P.* 68.

Colchicum ex albo & purpuraſcente varium *C. B. P.* 68. Colchicum ποικιλάνθις alterum I. B. *tom.* 2. *l.* 19. 656.

Colchicum candidum multiflorum C. B. P. 68. *Moriſ. Hiſt.* 2. 341. Colchicum polyanthes album I. B. *tom.* 2. *l.* 19. 653.

Colchicum polyanthes, lato albo Ellebori folio C. B. P. 68. *Moriſ. Hiſt.* 2. 341. Colchicum latifolium Bizantinum, polyanthes I. B. *tom.* 2. 19. 655.

Colchicum montanum anguſtifolium *C. B. P.* 68. *Moriſ. Hiſt.* 2. 341. Colchicum montanum, flore purpureo I. B. *tom.* 2. *l.* 19. 656.

Colchicum vernum Hiſpanicum *C. B. P.* 69. Colchicum vernum Cluſii I. B. *tom.* 2. *l.* 19. 652.

Colchicum pleno flore C. B. P. 69. I. B. *tom.* 2. *l.* 19. 654. Flore purpuraſcente.

Col-

Colchicum pleno flore, variegatum, C. B. P. 68. *Moriſ. Hiſt.* 2. 342. Colchicum polyanthes candidum, eleganti rubore varium *I. B. tom.* 2. *l.* 19. 653.

Colchicum polyanthos multiplex C. B. P. 68. *Moriſ. Hiſt.* 2. 342. Flore purpureo.

Idem flore albo.

Idem flore teſſellato.

Colchico-Narciſſus autumnalis luteus major *Moriſ. Hiſt.* 2. 342. Colchicum luteum majus C. B. P. 69. Colchicum flore luteo quorundam *I. B. tom.* 2. *l.* 19. 661. Narciſſo-Colchicum vulgò.

*Colocaſſia* I B. & C. B. *v.* Arum.

COLOCYNTHIS fructu rotundo, major *C. B. P.* 313. *Moriſ. Hort.* 2. 27.

Eadem fructu rotundo, minor C. B. P. 313. Colocynthis *I. B. tom.* 2. *l.* 232.

Eadem oblonga C. B. P. 313. Cucurbita aſpero folio, amara grandis rotunda viridis *I. B. tom.* 2. *l.* 16. 229.

Eadem pyriformis, ſeu Pepo amarus C. B. P. 313.

Eadem pyriformis, cortice maculato C. B. P. 313. Cucurbita ſive Colocynthis amara, pyriformis variegata *I. B. tom.* 2. *l.* 16. 230.

COLUTEA veſicaria C. B. P. 396. *I. B. tom.* 1. *l.* 11. 380.

Eadem veſiculis rubentibus *I. B. tom.* 1. *l.* 11. 380.

Colutea Æthiopica, flore phœniceo, Barbæ jovis foliis *Breyn. Prodr.* 30. *Cent.* 70.

COLUTEA Scorpioides elatior & major, fruteſcens *Moriſ. Hiſt.* 122. Colutea ſiliquoſa, ſeu Scorpioides major *C. B. P.* 397. Colutea Scorpioides *I. B. tom.* 1. *l.* 11. 381.

Colutea Scorpioides humilior & minor *Moriſ. Hiſt.* 2. 122. Colutea ſiliquoſa minor *C. B. P.* 397. Colutea Scorpioides humilis *I. B. tom.* 1. *l.* 11. 382.

Colutea ſive Polygala Valentina prima Cluſii. *Moriſ. Hiſt.* 2. 12. Polygala major Maſſiliotica *C. B. P.* Coluteæ parva ſpecies, Polygala Valentina Cluſii *I. B. tom.* 1. *l.* 11. 383.

Colutea ſive Polygala altera fruticoſior, foliis latioribus. Polygala altera *C. B. P.* 349. Colutea Scorpioides quædam, ſive Polygalo Cortuſi ſimilis planta, ſed major *I. B. tom.* 1. *l.* 11. 382.

Colutea ſiliquoſa minor coronata *C. B. P.* 397. *Moriſ. Hiſt.* 2. 122.

Colutea Scorpioides Cretica odorata *Proſp. Alpin. Exot.* 17. *Moriſ. Hiſt.* 123.

Colutea Indica herbacea, ex quâ Indigo. Nil Anil ſive Indigo Indica *Moriſ. Hiſt.* 2. 202. An Iſatis Indica, foliis Roriſmarini, Glaſto affi-

affinis *C. B. P.* 113? Anil ſive Nil, Indorum color *I. B. tom.* 2. *l.* 22. 945. Caachira *Piſon. l.* 4. 198.

Colutea herbacea dumetorum major, ſiliquis articulatis, flore vario. Coronilla, ſeu Polygala dumetorum major, ſiliquis articulatis, flore vario *Moriſ. Hiſt.* 2. 119. Securidaca dumetorum major, flore vario, ſiliquis articulatis *C. B. P.* 349.

Colutea herbacea enneaphyllos *Moriſ. Hiſt.* 2. 120. Ferrum equinum Gallicum, ſiliquis in ſummitate *C. B. P.* 349. Polygalon Cortuſi *I. B. tom.* 2. *l* 17. 751.

Colutea Zeylanica argentea tota. Mundu-Murungu Zeylanenſibus.

Colutea eſt bifaria: Veſicaria & Siliquoſa. Veſicariæ innotuerunt tres ſpecies: Vulgaris, Africana, & Syriaca. Siliquoſa dividitur in duas claſſes; Prima continet ſpecies numerò plurimas tàm fruteſcentes quàm herbaceas, ferentes ſemina cylindracea oblonga in ſiliquis bivalvibus articulatis; Alterius quatuor in Oriente offendi differentias fruteſcentes, quarem ſemina ſunt globoſa, & ſiliquæ bivalves ventrioſæ, quaſi iſthmo interceptæ. Ex his Horti alumna facta eſt, maritima argentea, ab incano & tomentoſo habitu ita nominata. Fruticat altitudine humanâ; Radice palleſcente, brachiatâ, lignoſâ;

Cau-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Caule ſimplici, aliquando multiplici; Ramis non incomptis, incano molli tomento obſitis; Foliis perpetuis, ſubrotundis, craſſis, albentibus, lanuginoſis, ut plurimùm ſeptendecim coſtam mediam binatim cingentibus, unico in ſummo impari; Floribus papilionaceis, luteis, Geniſtæ Hiſpanicæ amplitudine, in ſpicâ palmari, affatim coacervatis; pendentibus ſingulis ex caliculis parvis, incanis, marginibus crenatis. Siliquis coriaceis, bivalvibus, teretibus, digitum longis, ventrioſis, aliquot quaſi iſthmis inſcriptis, deorſum ſpectantibus, intus & extus incani albentis coloris, & in molleculum mucronem productis, claudentibus parte, quæ protuberat, ſemen globoſum, durum, fuſcum, magnitudine Ciceris. Abundat in vepretis maritimis Inſulę Zeylan, dicta ab indigenis Mundu Murunga, id eſt Murungu maritima. Videtur enim habere quandam affinitatem cum Moringa Chriſt. à Coſta, *l. Arom. c.*35. quam Zeylanenſes Wattu Murungu, hoc eſt Murungu hortenſe vocant. Cæterùm guſtanti deprehenditur acris, amara, ingrata & nauſeoſa, virtute purgandi prædita; ſed ob ignaviam & malignitatem è foro medico pro ſcripta. Propagatur facilè per novellos ſtolones è radice aſſurgentes, per ſubmerſionem aut

cir-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

COLUTEA ZEYLANICA ARGENTEA TOTA.



Sophora tomentosa

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

circumpoſitionem, ut & per ſemina vere terræ commiſſa. Frigori ſubducta totâ hyeme viget & viret.

*Conna Hort. Mal.* v. Caſſia fiſtula.

*Conſiligo tenuifolia* I. B. v. Adonis.

*Conſolida major* C. B. P. v. Symphytum.

* CONSOLIDA media pratenſis cœrulea *C. B. P.* 260. Conſolida media quibuſdam Bugula *I. B. tom.* 3. *l.* 30. 340.

* Eadem flore albo C. B. P. *Var.* 260.

* Eadem purpurea C. B. P. 260.

Conſolida media Genevenſis *I. B. tom.* 3. *l.* 30. 432. Conſolida media pratenſis hirſuta *Hort. Reg. Par.* 55.

CONSOLIDA regalis hortenſis, flore majore & ſimplici C. P. B. 142. Delphinium ſive Conſolida regalis erectior, purpureo ſive violaceo flore majore *I. B. tom.* 3. *l.* 26. 211. Calcatrippa vulgò. ANN.

Eadem flore ſimplici rubro *C. B. P. Var.* 142 ANN.

Eadem ſeu Delphinium elatius, purpuro-violaceum C. B. P. *Var.* 142.

Eadem ſeu Delphinium elatius flore incarnato *C. B. P. Var.* 142. ANN.

Eadem flore cineratio *C. B. P, Var.* 142. ANN.

Eadem ſeu Delphinium elatius, flore albo *C. B. P. Var.* 142. ANN.

Con-

Conſolida regalis hortenſis, flore minore *C. B. P.* 142. Flore cœrulèo. ANN.
Eadem flore cinereo *C. B. P. Var.* 142. ANN.
Eadem flore albo *C. B. P. Var.* 142. ANN.
Eadem flore incarnato *C. B. P. Var.* ANN.
Conſolida regalis flore majore & multiplici *C. B. P.* 142. Conſolida regalis erectior, flore purpureo ſive violaceo pleno *I. B. tom.* 3. *l.* 26. 211. ANN.
Eadem flore pleno incarnato *C. B. P. Var.* 142. ANN.
Eadem multiplici flore argenteo *C. B. P. Var.* 142. ANN.
Eadem flore multiplici cinereo *C. B. P. Var.* 142. ANN.
Eadem flore pleno rubro *C. B. P.* 142. ANN.
Eadem flore pleno variegato, præcox. *Cat. Hort. Reg. Pariſ.* 56. ANN.
Eadem roſea flore pleno variegato, ſerotina. *Cat. Hort. Reg. Pariſ.* 56. ANN.
Eadem roſea flore punctato. ANN.
Eadem flore fuſco obſoleto. ANN.
Conſolida regalis arvenſis *C. B. P.* 142. Conſolida regalis, flore minore *I. B. tom.* 3. *l.* 26. 210. ANN.

CONVOLVULUS major rectus Creticus argenteus *Moriſ. Hiſt.* 2. 11.. Cneorum album folio Oleæ argenteo molli *C. B. P.* 463. Dorycnium Imperati *I. B. tom.* 1. *l.* 5. 598.

Con-

Convolvulus maritimus Zeylanicus, folio craſſo cordiformi. Bintamburu Zeylanenſibus Pes capræ Luſitanis.

Vegetabilia, quæ ſimili inter ſe gaudent fructificatione, & proinde generis ſocietate conjunguntur, utplurimùm inter ſe convenire principiis activis atquè virtute, differente duntaxat ſecundum magis & minus, prout ſapor vel odor eſt intenſior, vel remiſſior, pervulgatum eſt Botanicorum axioma, quod experientiæ non omnino repugnat. Inter alia innumera teſtes ſunt Scammoneum, Jalappa, Mechoacanna, Soldanella, cæteraquè hujus familiæ, quæ ſingula florem gerunt monopetalum, campaniformem & poſt horum exantheſin ſemina quaterna in capſulis ſubrotundis modo planis, modo in parvum abeuntibus, mucronem. Quotquot verò hac notâ innotuerunt, fundunt lac pungitivum & nauſeoſum, nunc dilutius nunc ſpiſſius, modò parcius modò copioſius, acredine vel intenſiore vel remiſſiore, ac proinde donantur ſale purgante aut potentiore aut debiliore. Conſimili purgativo ſale conſtare Convolvulum maritimum Zeylanicum, colligo non tantùm ex lacte acri linguam & fauces pungente; ſed & experimentis multijujâ experientiâ comprobatis. Reſina enim radicis drachmæ pondere cum vitel-

CONVOLVULUS MARITIMUS ZEYLANICUS FOLIO CRASSO CORDIFORMI.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

lo ovi, lacte Coccineo, aliâvè convenien-
te emulſione data, hydropicorum alvum
blandè ſubduxit. Idem officium præſtitit
radicis extractum cum ſpiritu Vini para-
tum. Quanquàm verò Convolvuli hujus
radix à Luſitanis & nunc quoquè à multis
Indis cenſeatur diaphoretica ejuſquè de-
coctum hoc nomine in lue Gallicâ aliiſquè
morbis chronicis in frequenti ſit uſu; at-
tamen perſuaſus ratione & experientiâ exi-
ſtimo, hanc virtutem eſſe meram imagina-
riam, adſcriptam radici, fortè ex non diſ-
pari facie, quam habet cum Salſaparillâ.
Luxuriat locis maritimis Malabaræ, Zey-
lan, aliarumquè regionum & Inſularum
Orientalium, cujus radix, Salſaparillæ non
abſimilis, in obliquum longè latequè pro-
repit, fuſco craſſoquè cortice tecta, & lacte
tenui, in reſinam concreſcente, referta,
Ex quâ ſparguntur ſarmenta herbacea,
glabra, infirma, humi ſtrata, trium qua-
tuorvè ulnarum longitudine; His alter-
natim adhærent folia ſubrotunda, carnoſa,
lucida, glabra, expanſa, aut complicata,
quaſiquè bifida, imitantia figuram cordis,
ſeu ut Zeylanenſibus placet, figuram pedis
caprini, unde acceſſit plantæ nomen Bin-
tamburu ſeu Pedis Capræ. Flores prodeunt
ex parvis quinquèfoliaceis caliculis, mo-
nopetali, ampli, pentanguli, campaniformes,
ro-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

roſeo vivaci colore, umbone medio atro-purpuraſcente. Semina ſequntur quaterna, anguloſa, hirſuta, locata in vaſculis ſubrotundis, in parvum deſinentibus mucronem. Licet in cenſum purgantium reponatur radix, tamen ejus folia cedunt in pabulum cuniculis, cervis, damis, capris tàm domeſticis, quàm ſylveſtribus. Hujus ſemina cum multis aliis curioſiſſimis transmiſit ad nos Dns Thomas à Rhee mercium Inſulæ Zeylan p. t. Adminiſtrator primarius, quæ, anno ſuperiori telluri commiſſa, germinarunt & in plantam adoleverunt.

[Co]nvolvulus maritimus rotundifolius *Moriſ. Hiſt.* 2. 11. Soldanella maritima minor *C. B. P.* 2. 295. Braſſica marina ſive Soldanella *I. B. tom.* 2. *l.* 15. 166.

[Co]nvolvulus Indicus Orientalis Inhame ſeu [B]attatas, Siſarum Peruvianorum, ſeu Battata Hiſpanorum *Moriſ. Hiſt.* 2. 11. Bata[t]as *C. B. P.* 91. *I. B. tom.* 2. *l.* 19. 792.

[Co]nvolvulus Indicus alatus maximus, foliis [hi]biſco non nihil ſimilibus anguloſis. Tur[bi]th Officinis. Turpethum repens, foliis [A]lthææ, vel Indicum *C. B. P.* 149. Tiraſta[v]alu Zeylanenſibus.

Quàm negligenter & perfunctoriè de[ſ]cripſerit Turbith Garzias ab Horto *l.* 1. [A]rom. *c.* 36. cujus tamen plantam viren-

M tem

CONVOLVULUS IND. ALATꝰ MAXIMUS FOL. IBISCO NONNIHIL SIMIL. TURBITH OFF.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

NVOLVULUS IND. ALATꝰ MAX. FOL. IBISCO NONNIHIL SIMIL. TURBITH OFF.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tem & floribus exornatam ſe vidiſſe fatetur, manifeſtum fiet ex brevi meâ deſcriptione & delineatione, quam, propriâ obſervatione collectam, hic ſubjungere operæ pretium duxi. Vario longoquè reptatu ad tria quatuorvè cubita deſcendit radix, pollicem & ampliùs craſſa, lignoſa, in aliquot ramos diviſa, craſſo fuſcoquè cortice tecta, qui ruptus, ſtillat ſuccum lacteum glutinoſum in pallidè flaveſcentem reſinam illico concreſcentem, guſtus primò ſubdulcis, poſtmodum pungitivi, vomitum minantis. Ex hâc prodeunt ſarmenta ramoſa, quatuor alis donata, varios in gyros ſeſe contorquentia, prope radicem lignoſa, digiti craſſitie, ruffeſcentia, in progreſſu verò viridia, ſex ſeptemvè ulnarum longitudinem aliquando ſuperantia, quorum nonnulla humi procumbunt, alia vicinas arbores fruticeſquè ſcandunt, iiſquè multiplici plexu ſe involvunt. His adſtant ex carinatis alatiſquè pedunculis folia Altheæ non nihil paria, mollia, incanâ rarâquè lanugine obſita, angulosa, in ambitu crenata, leviter mucronata, ad quorum ſinus circa ramorum ſummitates exeunt petioli ſuperioribus longiores, robuſtiores, alis & carinâ omnino deſtituti, ſuſtinentes terna aut quaterna capitula oblonga, mucronata, quinquè viridantibus in rubro foliolis conflata,

flata, quæ ſingula excludunt florem monopetalum Convolvuli vulgaris magnitudine & formâ, candidum, intus quinquè pallescentibus apiculatis ſtaminulis, cum ſexto intermedio ſubjectæ ſeminali capſulæ impacto, refertum. Flore excuſſo capitula expanduntur, in quorum centro conſpiciuntur quaterna rotundo-anguloſa nigricantia ſemina, Piperis magnitudine, incluſa vaſculo tenui, membranaceo, ſubrotundo, depreſſo, plano intus quadripartito. Conſimilia ſemina, florum ſeminumquè involucra memini quoque me obſervaſſe in Mechoacannâ, cujus expanſum involucrum una cum capſulâ ſeminali falsò pro flore propoſuit Monardes, & ex eo Dalechampius, Johannes Bauhinus, aliiquè. Turbith frequens offendi locis opacis, humidis, ad foſſarum margines, retro hortorum ſepes, aliisque ſylveſtribus à mare longe diſſitis in Zeylan & Malabarâ. Colliguntur in uſum medicum, non caules ut perhibet Garzias, ſed radices craſſiores, turgentes lacte & reſina copioſiore. Quæ ad nos tranſmittuntur radices, fodiuntur in Guzarattâ, ubi proventus luxurioſus. Virtutes chatharcticas Vide sîs apud autores. Viguit Planta, à me ex Zeylan in Hortum advecta, ad tertium uſquè annum, quò, antequam flores & ſemina perfecerat, interiit.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Convolvulus Syriacus & Scammonea Syriaca *Moriſ. Hiſt.* 2. 12. Scammonia Syriaca *C. B. P.* 295. Scammonia Syriaca, flore majore Convolvuli *I. B. tom.* 2. *l.* 15. 163.

* Convolvulus vulgaris major albus, ſeu flore majore albo *C. B. P.* 294. *Moriſ. Hiſt.* 2. 12. Convolvulus major *I. B. tom* 2. *l.* 15. 154.

* Idem purpureus *Comel. Cat.* 26.

Convolvulus purpureus, folio ſubrotundo Prod. *C. B. P.* 295. *Moriſ. Hiſt.* 2. 13. Campanula Indica *I. B. tom.* 2. *l.* 15. 165. ANN.

Idem flore albo. ANN.

* Convolvulus vulgaris, flore minore purpureo *Moriſ. Hiſt.* 2. 13. Convolvulus minor arvenſis *C. B. P.* 294. Helxine Ciſſampelos multis, ſive Convolvulus minor *I. B. tom.* 2. *l.* 15. 157.

* Idem flore albo *C. B. P. Var.* 294.

* Idem flore roſeo *C. B. P. Var.* 294.

Convolvulus cœruleus Hederaceus, ſeu trifolius Park. *Moriſ. Hiſt.* 2. 13. Convolvulus cœruleus, Hederaceo anguloſo folio *C. B. P.* 295. Nil Arabum ſeu Convolvulus cœruleus *I. B. tom.* 2. *l.* 15. 164. Folio anguſtiori. ANN.

Idem latiori folio. ANN.

Convolvulus Indicus villoſus, Hederæ folio tripartito, flore cœruleo ANN.

Gaudet radice exili, pallidâ modicè fibroſâ; Viticulis longis, tenuibus, piloſis, in-

infirmis, quæ vel vicinis ſtipitibus implicantur, vel terræ incumbunt & ex viticulorum nodis novas radiculas defigunt; Foliis pariter piloſis ſupernè viridibus, ſubtus pallidioribus, in tres lobos Nil Arabum inſtar diviſis, aſt anguſtioribus; Floribus monopetalis, campaniformibus, pentangulis, pallidè cœruleis fugacibus, ad ſolem expanſis, cæteroquin clauſis, tribus quatuorvè in hirſutum capitulum congeſtis, ſingulis inſidentibus caliculis, villoſis quinquè foliatis. His includuntur vaſcula rotunda, plana, cruſtacea, in quibus quaterna ſemina triangula, fuſca, hirſuta. Madet tenui lacte ſubacri ingrato, ſuſpecto virtutis purgantis. Hujus ſemina ex Indiâ advexi, ubi locis aridis incultis uberrimus proventus.

Convolvulus Americanus villoſus pentaphyllus & heptaphyllus major. Ann.

A radice non adeò magnâ albente fibroſâ emittit ſarmenta hirſuta, herbacea, infirma, in ramulos quam plures divaricata, ſex aut plurium ulnarum longitudine, vicinis quibuſvis adminiculis multivario amplexu ſeſe involventia. Folia palmam ampla, hirſuta digitata, quinquè vel ſeptem profundis laciniis inſcripta, alterâ parte viridia, alterâ ſubincana, longis piloſis petiolis adhærent. Ad horum exortum prodeunt

capitula hirſuta, veluti in præcedente, in quibus ſunt flores pallidè flaveſcentes & poſt horum exantheſin ſemina, præcedenti omnino ſimillima. Lacte quoque dilutiori turget ſubacri ingrato. Ex Americâ tranſmiſſus eſt hic elegantiſſimus Convolvulus ad Illuſtriſſimum Virum, Dnm Caſparum Fagelium, in cujus Viridario, exoticarum & rariſſimarum arborum & herbarum feraciſſimo, luxuriat. Vide Convolvulum Ægyptium Veſlingii, cum quo Americanus noſter non multùm differt.

Idem Zeylanicus minor, Pes Tigrinus dictus, Convolvulus heptaphyllus Indicus villoſus *Breyn. Prodr.* 33. Diwipahuru Zeylanenſibus. Ann.

Hic alumnus eſt Horti Beverningiani à me olim ex Zeylan ad Illuſtriſſimum Virum tranſmiſſus. Præcedenti ſimillimus eſt, aſt minor & hirſutior; Foliorum inciſuræ ſunt latiores & obtuſiores, pedem Tigridis exprimentes. Hinc à Zeylanenſibus accepit nomen Diwipahuru, ſive pedis Tigridis. Flores candidi quini aut ſepteni prodeunt alternatim ex capitulis hirſutis, in propoſitâ figurâ à pictore minus appoſitè expreſſis. Seminum medulla, in aquam tepidam projecta, peramœno ſpectaculo, reſolvitur in tenuiſſima candida folia, plantæ foliis exactè reſpondentia.

Con-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

CONVOLVULUS AMERICANUS VILLOSUS PENTAPHYLLUS ET HEPTAPHYLLUS MAIOR.



Convolvulus pentaphyllus

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Convolvulus peregrinus cœruleus, folio oblongo, flore peramæno triplici colore inſignito *Moriſ. Hiſt.* 2. 17. Convolvulus peregrinus cœruleus, folio oblongo Prodr. *C. B. P.* 134. I. B. *tom.* 2. *l.* 15. 166. ANN.

Convolvulus Siculus annuus cœruleus minimus, capſulâ floris binis foliolis cinctâ *Moriſ. Hiſt.* 2. 36. Convolvulus Siculus minor, flore parvo auriculato. *Bocon Pl. Sicul* 89. ANN.

Convolvulus argenteus, Althææ folio *C. B. P.* 295. *Moriſ. Hiſt.* 2. 13. floribus ex purpurâ candicantibus. *C. B. P. Var.* 295. Convolvulus peregrinus pulcher, folio Betonicæ *I. B. tom.* 2. *l.* 15. 159.

Idem floribus omnino purpuraſcentibus. *C. B. P. Var.* 295. Foliis magis inciſis & incanis.

Convolvulus minimus, Spicæfolius Lob. *Moriſ. Hiſt.* 2. 17. Convolvulus Linariæ folio *C. B. P.* 295. Volvulus terreſtris. *I. B. tom.* 2. *l.* 15. 160.


Convolvulus exoticus annuus, foliis Myriophylli ſeu Millefolii aquatici, flore ſanguineo. *Moriſ. Hiſt.* 2. 20. Jaſminum Millefolii folio *C. B. P.* 398. Quamoclit. *I. B. tom.* 2. *l.* 15. 177. ANN.

*Convolvulus major, ſemine triangulo vulgò v.* Frumentum Saracenicum.

*Idem minor, ſemine triangulo B. P. v.* Frumentum Saracenicum.

Co-

CONVOLVULUS ZEYLANICUS VILLOSUS PENTAPHYLLUS ET HEPTAPHILLUS MINOR.



Convolvul. pes tigridis.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

CONYZA Mas Theophraſti, major Dioſcoridis *C. B. P.* 265. Conyza major Monſpelienſis odorata *I. B. tom.* 2. *l.* 24. 1053.

Conyza Fœmina Theophraſti, minor Dioſcoridis C. B. P. 265. Conyza minor vera *I. B. tom.* 2. *l.* 24. 1054.

* Conyza Pannonica lanuginoſa *C. B. P.* 265. Aſteri montano hirſuto magno flore ſive Oculo Chriſti ſimilis, ſive Conyza tertia Cluſi *I. B. tom.* 2. *l.* 24. 1047.

Conyza media, Aſteris flore luteo, vel tertia Dioſcoridis *C. B. P.* 265. Conyza media Matth. flore magno luteo, humidis locis proveniens *I. B. tom.* 2. *l.* 24. 1050.

Conyza paluſtris ſerratifolia *C. B. P.* 266. Virga aurea anguſtifolia ſerrata, ſive Solidago Saracenica *I. B. tom.* 2 *l.* 24. 1063.

* Conyza aquatica laciniata *C. B. P.* 266. Conyza Helenitis mellita incana Lobelii *I. B. tom.* 2. *l.* 24. 1052.

Conyza major vulgaris *C. B. P.* 265. Conyza major Matthioli, Baccharis quibuſdam *I. B. tom.* 2. *l.* 24. 1051.

* Conyza cœrulea acris *C. B. P.* 265. Senecio ſive Erigeron cœruleus, aliis Conyza cœrulea *I. B, tom.* 2. *l.* 24. 1043.

Conyza Canadenſis annua acris alba. *Boccon. pl. Sicul.* 86. Aſter Canadenſis annuus flore papposo *Hort. Reg. Pariſ.* 27. ANN.

*Conyza media Monſpelienſis* I. B. *v.* Aſter.

*Conyza Africana incana arboreſcens, odore Salviæ & Rosmarini vulgò. v.* Elichryſum.

CORAL, arbor ſiliquoſa *I. B. tom.* 1. *l.* 12. 426. Siliqua ſylveſtris ſpinoſa arbor Indica *C. B. P.* 402. Arbuſcula Corallii *Ferr. Flor. Cult.* 381. Arbor Fabifera. Boa-Tſink-King dicta *Bont. l.* 5. 134. Erabudu Zeylanenſibus. Spinis ex albo virentibus & ſeminibus rubentibus.

Eadem minor ſpinis & ſeminibus nigricantibus. Jacerabudu Zeylanenſibus.

Coral, arbor Americana maxima.

Seminibus, anno ſuperiori ex America illatis, prodiit in Horto DNI Philippi de Flines hæc arbor, foliis ampliſſimis, quaſi cineraceo pulvere aſperſis, cujus flores favente cœlo hâc æſtate videre licebit.

*Coralloides ejuſquè ſpecies* C. B. P. *v.* Dentaria.

CORCHORUS Plinii *Moriſ. Hiſt.* 2. 283. *C. B. P.* 317. Corchorus ſive Melochia *I. B. tom.* 3. 983. ANN.

CORIANDRUM majus *C. B. P.* 158. Coriandrum ſativum majus *Moriſ. Umbell.* 48. Coriandrum *I. B. tom.* 3. *l.* 2 . 89. ANN.

Coriandrum minus teſticulatum *C. B. P.* 158. Coriandrum minus odorum *I. B. tom.* 3. *l.* 27. 91. ANN.

Cor Indum, ſive Halicacabum peregrinum multis *I. B. tom.* 2. *l.* 15. 173. *Moriſ. Hiſt.* 2. 19. Piſum veſicarium, fructu nigro, albâ maculâ notato *C. B. P.* 343. Minus. ANN.
Idem majus. ANN.
*Coris Matth. C. B. P.* v. Hypericum.

Cornus hortenſis Mas C. B. P. 447. Cornus ſativa, ſeu domeſtica *I. B. tom.* 1. *l.* 2. 202.
Eadem fructu albo C. B. P. *Var.* 447.
Cornus Fœmina C. B. P. 447. Cornus Fœmina putata, Virga ſanguinea I. B. *tom.* 1. *l.* 2. 214.
Eadem foliis variegatis.
*Cornu Cervinum vulgò ſpicâ Plantaginis I. B.* v. Coronopus.
*Corona Imperialis* I. B. v. Lilium.
*Coronilla ejuſquè ſpecies Moriſ.* v. Colutea.

*Coronopus hortenſis C. B. P. 190. Coronopus, ſive Cornu cervinum vulgò, ſpicâ Plantaginis I. B. *tom.* 3. *l.* 31. 509. ANN.
*Coronopus maritima major C. B. P. 190. Coronopus maritima noſtras *I. B. tom.* 1. *l.* 31. 511.
*Coronopus Ruellii* I. B. v. Naſturtium.
*Corruda* I. B. v. Aſparagus.
*Cortuſa* I. B. v. Primula Veris.

Co-

CORYLUS ſativa, fructu albo minore, ſive vulgaris C. B. P. 417. Corylus ſativa *I. B. tom.* 1. *l.* 3. 266. Nux avellana vulgò.

Corylus ſativa, fructu rotundo maximo *C. B. P.* 418.

Corylus ſativa, fructu oblongo rubente *C. B. P.* 418.

Eadem fructu pelliculâ albâ tecto *Cat. Hort. Reg. Pariſ.* 58.

Corylus ſylveſtris C. B. P. 418.

Corylus Byzantina. Avellana peregrina humilis C. B. P. 418. Avellana Byzantina *I. B. tom.* 1. *l.* 3. 270.

*Coſtus hortenſis* I. B. *v.* Tanacetum.

COTINUS Matth. C. B. P. 415. Coccigria, ſive Cotinus putata *I. B. tom.* 1. *l.* 4. 494.

*Cotonea malus ejuſquè ſpecies* C. B. P. *v.* Malus Cydonia.

*Cotoneaſter. I. B. v.* Meſpilus.

*Cotula non fœtida & fœtida I. B. v.* Chamæmælum.

COTYLEDON flore luteo maxima. Cotyledon flore luteo, radice repente. *Dodart. Mem.* 73.

Eadem media.

Superiori humilior eſt, & quoad omnes partes minor.

Ea-

Eadem minor. Cotyledon major C. B. P. 28. Cotyledon vera, radice tuberoſâ *I. B. tom.* 3. *l.* 35. 683. Umbilicus Veneris vulgò.

*Cotyledon media, foliis ſubrotundis* C. B. P. Sanicula.

*Cotyledon media, foliis oblongis ſerratis* C. B. *v.* Sanicula.

*Cotyledon media ſubhirſuta, floribus punctat.* C. B. P. *v.* Sanicula.

*Cotyledon ſtellata* B. P. *v.* Sedum.

*Coum Herbariorum Cat. Hort. Reg. Pariſ.* v. Cyclamen.

*Criſta galli. v.* Pedicularis.

CRISTA Pavonis ſive Frutex Pavoninus *Breyn. Cent.* 1. 61. Monarakudimbija ſive Cauda Pavonis Zeylanenſibus. Flos Pavoninus Luſitanis.

CRITHMUM ſive Fœniculum maritimum majus, odore Apii C. B. P. 288. *Moriſ. Umbell.* 20. Crithmum ſive Fœniculum marinum grandius, cui ſuccus luteus *I. B. tom.* 3. *l* 27. 199.

*Crithmum ſeu Fœniculum maritimum minus C. B. P. 281. *Moriſ. Umbell.* 20. Crithmum multis, ſive Fœniculum marinum *I. B. tom.* 3. *l.* 27. 174.

COTY-

CRITHMUM maritimum ſpinoſum *C. B. P.* 288. *Moriſ. Umbell.* 20. Paſtinaca marina quibuſdam, Secacul, & Crithmum ſpinoſum *I. B. tom.* 3. *l.* 27. 176.

*rithmum maritimum, flore Aſteris Attici C. B. P.* v. Aſter.

*rithmum quartum Matthioli umbelliferum I. B.* v. Ammi.

*ithmum Chryſanthemum vulgò.* v. Aſter.

*oco-colchicum vulgò.* v. Crocus.

CROCUS autumnalis ſativus, floridus & ſine flore *Moriſ. Hiſt.* 2. 335. Crocus ſativus *C. B. P.* 65. Crocus *I. B. tom.* 2. *l.* 19. 637.

ocus autumnalis Alpinus *C. B. P.* 65. *Moriſ. Hiſt.* 2. 336. Crocus montanus autumnalis *. B. tom.* 2. *l.* 19. 636.

ocus vernus latifolius, flore purpureo magno *Moriſ. Hiſt.* 2. 336. *C. B. P.* 65. Crocus vernus latifolius purpureus, flore majore *I. B. tom* 2. *l.* 19. 642.

ocus vernus latifolius purpureus variegatus *. B. P.* 65. *Moriſ. Hiſt.* 2. 336. Crocus vernus latifolius purpureus, verſicolore flore *. B. tom.* 2. *l.* 19. 642.

m variegatus pallidus.

ocus vernus latifolius purpuro-violaceus *. B. T.* 66. Crocus vernus latifolius

 pur-

purpureus, flore minore *I. B. tom.* 2 *l.* 12. 640.

Idem cœruleus, lineis violaceis variegatus *C B. P. Var.* 66. Crocus vernus latifolius, flore purpuraſcentibus venis vario *I. B. tom.* 2 *l.* 19. 640.

Crocus vernus Janthinus, latiore folio, lineâ mediâ albâ; & margine flaveſcente *Cat. Hort. Reg. Pariſ.* 59.

Crocus vernus latifolius albus variegatus *C. B. P.* 65. *Moriſ. Hiſt.* 2. 336. Crocus vernus latifolius, albo flore *I. B. tom.* 2. *l.* 19. 640.

Idem foliorum mucronibus purpuraſcentibus *C. B. P. Var.* 65.

Idem fundo violaceo. *Hort. Eyſtett.*

Idem ſupernè purpureus, infernè flaveſcens *C. B. P, Var.* 66.

Idem floribus albo & violaceo colore mixtis, baſi cœruleâ *Cat. Hort Reg. Pariſ.* 59.

Crocus vernus minor albicans *C. B. P.* 66. Crocus vernus latifolius, albo verſicolore flore ſimplici *I. B. tom.* 2. *l.* 19. 642.

Crocus vernus latifolius *C. B. P.* 66. *Moriſ. Hiſt.* 2. 336.

Crocus vernus latifolius flavus *C. P. B.* 66. *Moriſ. Hiſt.* 2. 337.

Idem flavo flore, virenti baſi *Cat. Hort. Reg. Pariſ.* 60.

Cro-

Crocus vernus latifolius aureus *C. B. P.* 66.
Idem pallidus *C. B. P.* 66.
Crocus vernus latifolius flavo-varius *C. B. P.* 66. *Moriſ. Hiſt.* 2.336.
Idem ſulphureo-varius.
Idem aureo-rutilo-varius Crocus vernus latifolius flavo-varius, alter *C. B. P.* 66. Crocus vernus latifolius flavus, vario flore *I. B. tom.* 2. *l.* 19. 644.
Crocus vernus anguſtifolius, magno flore *C. B. P.* 67. *Moriſ. Hiſt.* 2. 337. Crocus vernus anguſtifolius, floribus cœruleis ſive violaceis, Hiſpanicus *I. B. tom.* 2. *l.* 19. 645.
Idem flore toto candido *C. B. P. Var.* 67. Crocus vernus anguſtifolius, floribus candidis *I. B. tom.* 2. *l.* 19. 645.
Crocus vernus anguſtifolius, parvo flore *C. B. P.* 67. *Moriſ. Hiſt.* 2. 337. Crocus vernus anguſtifolius tertius Cluſio, flore multo minore cœruleo *I. B. tom.* 2. *l.* 19. 645.
Crocus vernus anguſtifolius ſerotinus, parvo argenteo verſicolore flore.
Crocus vernus juncifolius ſerotinus caule-ſcens, floribus violaceis, ad ſolem aureis micis fulgentibus. Croco-colchicum vulgò.

Hic adeò ſimilis eſt Croco verno anguſtifolio Cluſii *Rar. l.* 2. 207. ut penè idem videatur. Sed dubium movet cauliculus ſemipalmaris, è cujus apice prodeunt tres quatuorvè flores violacei, ad ſolem expan-

ſi, aureiſquè micis nitentes.

*Crocus Indicus*, *Arabibus Curcum Bont.* & Curcuma.

CROTALARIA Aſiatica fruteſcens trifolia floribus luteis amplis. Laburnum Zeylanicum, floribus ex luteo & rubro variegatis, ſiliquis bullatis. *Breyn. Prodr.* 40.

Crotalariæ ſpecies inter crepundia & puerilia ludicra reponuntur apud Indos dictæ vulgò Kiligilippe, quod crepitaculum ſeu κρόταλον audit. Harum enim tremulæ ſiliquæ, è ramis ſummis in tenuiſſimis petiolis pendentes, colliſu tùm ad ſe invicem, tùm ſeminum ad illarum valvas, ſtridorem emittunt, ludentibus pueris, non injucundum. Quatuor verò innotuerunt ſpecies, Horto noſtro familiares, quos Crotalariæ nomine producere libet. Quanquàm fortè non ineptè feciſſem, ſi ſub nomine Anonidum, ad quarum claſſem alteram ſiliquis pendentibus pertinere videntur, propoſuiſſem. Prima Aſiatica trifolia dicta fruteſcit in caulem bipedalem, glaucum, craſſitie digiti, varios ad latera ſpargentem ramos. Folia concoloria glabra terna ab uno digitali petiolo in obtuſum mucronem gracileſcunt Anagyridi proxima. Caulium ſpicę ornantur floribus luteis papilionaceis, Anagyridi pariter ſimilibus, ſingulis ex calyce quinque

## OTALARIA ASIATICA FRUTESCENS TRIFOLIA FLORIBUS LUTEIS AMPLIS.



*Crotolaria laburnifolia*


Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

queſariam ſecto longis gracilibus petioli dependentibus. Hos ſiliquæ excipiunt bivalves, teretes, membranaceæ, rigidæ, glabræ, ex baſi anguſtiori in ampliorem quaſi ampullam cum longiori protenſo filamento caudæ inſtar terminantes, ſiliquis Anonidis ſimiles, ſed longiores & ampliores, quæ includunt ſemina parva, compreſſa, flava, renalia, breviſſimis tremulis petiolis affixa, facie & ſapore Geniſtæ æmula. Radix ſubeſt lignoſa, albicans, in aliquot ramos & paucas fibras diducta, vivax ad tertium quartumvè annum. Spontanea reperitur in ſylvis Malabaræ, Zeylan, aliarumquè Orientalis Indiæ regionum. Hactenus non niſi ſeminibus propagari potuit, quicquid etiam induſtriæ & laboris fuit impenſum. Semina quamvis apud Indos in uſu non ſunt, ſuſpicionem præbent ſalis purgantis, quòd ſtatim, ut ex Infuſo aquæ calidæ aſſumpta ſunt, minentur vomitum.

Crotalaria Aſiatica folio ſingulari verrucoſo, floribus cœruleis. ANN.

Altera extollit è radice albente parùm lignoſâ raris fibris conſperſâ, annuatim pereunte, caulem herbaceum, cubitalem, aliquando altiorem, nodoſum, anguloſum, in progreſſu quadrangulum, & propemodum alatum, frequentibus ramis in orbem diſpo-

CROTALARIA ASIATICA FOLIO SINGULARI VERRUCOSO FLORIBUS COERULEIS.



diſpoſitis ornatum, quibus per uncialia i terſtitia ex breviſſimis petiolis adhærent f lia ſemidigitum longa, duos ungues lat in ſummo obtuſa, parte ſupernâ dilutè v ridia, infernâ ex viridi candicantia, nerv ſa, modo pro ſoli & climatis ingenio gl bra, mòdo verrucoſa, & ad margines u dulata. Ramorum apices faſtigiantur ſpicam, quam ambiunt flores papilionace ſuperiori multò minores, coloris cœrul vel in cœruleo palleſcentis, numero qui que ſeptem non rarò etiam triginta, uni ſp cæ adhærentes, qui ex parvis quinquifid caliculis in tenuiſſimis tremulis petiolis n læ inſtar dependent. His defluxis ſucc dunt ſiliquæ præcedenti conſimiles, aſt n gricantes, minus glabræ, ſed rarioribus pili obſitæ cum filamento ad extremum brevio ri, claudentes ſemina velut in priori, cu quo & iisdem natalibus perficiuntur. Fo liorum ſapor eſt oleraceus, ſeminum ver ſubacris & ingratus, quidpiam catharctic portendens.

Crotalaria Aſiatica, floribus luteis, folio ſingulari cordiformi. ANN.

Tertia cum ſuperioribus pares agnoſcit natales, faciem, creſcendi modum & vires. Aſt foliis omnino glabris, ex baſi anguſtâ ſenſim in latiorem obtuſam & cordiformem aciem deſinentibus, & ſex ſeptem-

ve

CROTALARIA ASIATICA, FOLIO SINGULARI CORDIFORMI, FLORIBUS LUTEIS.



Crotolaria retusa

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

vè per tranſverſum nervis inſcriptis, flor bus flavis & ſeminibus in ſiliquis glabris, ri tu congenerum.

Crotalaria hirſuta minor Americana herbacea caule ad ſummum ſagittato. Ann.

Quarta ex America hûc allata emittit al radice pallidâ fibroſâ cauliculum gracilem nunc ſimplicem nunc multiplicem, ramo ſum, ſpithameum, hirſutum, ad radicem ro tundum, in progreſſu verò prope ſingulorum foliorum exortus alatum, quaſiqu fimbriatum, alis faciem ſagittæ, ut in Chamægeniſtâ peregrinâ Cluſii, exprimentibus. Folia cæteris ſpeciebus minora unguem lata leviter mucronata hirſuta craſſiuſcula pallidè virentia cauli ſine pediculo preſſiùs adhærent. Flores ex ſpicâ propendent papilionacei dilutè flaveſcentes ſubhirſuti, Cythiſi floribus haud majores, quos ſequuntur ſemina reniformia in ſiliquis bullatis parvis hirſutis.

*Cruciata quibusdam flore luteo* I. B. *v.* Rubia.

*Crupina Belgarum vulgò. v.* Centaurium capitatum.

Cucumis ſativus vulgaris C. B. P. 310. *Moriſ. Hiſt.* 2. 31. Cucumis vulgaris viridis I. B. *tom.* 2. *l.* 16. 245.

Idem albus C. B. P. *Var.* 310. *I. B. tom.* 2. *l.* 16. 245.

Idem

## CROTALARIA HIRSUTA MINOR AMERICANA SAGITTATA.



Crotolaria Sagittalis

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Idem maturus totus albus C. B. P. *Var.* 310. Fructu maturo albo *Cat. Hort. Reg. Pariſ.* 60.

Cucumis flexuoſus C. B. P. 310. Cucumer longiſſimus I. B. *tom.* 2. *l.* 16. 247.

*Cucumis Ægyptius reticulatus Vesling. Moriſ. Hiſt.* v. Pepo.

*CUCUMIS ſylveſtris aſininus dictus C. B. P. 314. *Moriſ. Hiſt.* 2. 33. *I. B. tom.* 2. *l.* 16. 248.

CUCUMIS puniceus Cordi *Moriſ. Hiſt.* 2. 33. Balſamina rotundifolia repens ſeu Mas *C. B. P.* 306. Balſamina Cucumeraria I. B. *tom.* 2. *l.* 16. 251. vulgò Momordica. ANN.

Idem Zeylanicus. Maragoſa Luſitanis.

Fert ſarmenta longiora & craſſiora, folia ampliora, profundiùs laciniata, fructus pyriformes, ex flavo-rubentes, ſuperficie verrucosâ. Cætera cum priori conveniunt. Seritur in Zeylan & Malabarâ ad hortorum ſepes, quos circinnis ſuis implicat. Folia amariſſimi guſtus ſunt inſtar Lupuli, cujus loco a Belgis, in Oriente degentibus, ad coquendam Cereviſiam adhibentur. Indigenæ commendant decoctum & expreſſum ſuccum in morbis chronicis à ſale acido aduſto, quod ſubvertit ſal alcalicum.

Cu-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

CUCUMIS Flos Paſſionis dictus pentaphyllus, flore clavato. Clematis pentaphylla, flore roſeo clavato. *Moriſ. Hiſt.* 2.6. Murucuja I I. *Piſon. Hiſt.* 247. Clematis paſſiflora pentaphylla flore cœruleo punctato. *Munting. Prax.* 421.

Item foliis latioribus.

Item Hederaceo folio, flore ex luteo viridanti. Clematis paſſionalis triphyllos, flore luteo *Moriſ. Hiſt.* 2. 6. Clematis paſſi-flora, flore luteo *Munting. Prax.* 422.

Item triphyllos, flore roſeo, clavato. Clematis paſſionalis triphyllos flore roſeo *Moriſ. Hiſt.* 2. 7. Clematis trifolia flore roſeo clavato C. B. P. 301. Clematis paſſiflora, flore roſeo triphylla *Munting. Prax.* 423. Murucuja III. *Piſon. Hiſt.* 247. Maracot Indicum *Aldin. Hort. Farneſ.* 50.

Item flore ex purpura nigricante. Clematis trifolia altera, flore clavato ex nigro punicante. *Hort. Reg. Pariſ.* 53.

Item Quajavas folio majori. Murucuja IV. *Piſon.* 247.

Item folio minori. Murucuja V. *Piſon.* 248.

CUCURBITA lagenaria, flore albo *Moriſ. Hiſt.* 2. 23. Cucurbita lagenaria, flore albo, folio molli *C. B. P.* 313. Cucurbita lagenaria *I. B. tom.* 2. *l.* 16. 216.

Cucurbita major ſeſſilis, flore albo, folio molli



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

li *Moriſ. Hiſt.* 2. 23. Cucurbita major, flore albo, folio molli C. B. P. 312. Cucurbita latior, folio molli, flore albo *I. B. tom.* 2. *l.* 16 215.

Cucurbita oblonga, flore albo, folio molli C. B. P. 313. *Moriſ. Hiſt* 2. 24. I. B. *tom.* 2. *l.* 16. 214.

Cucurbita ſylveſtris fungiformis. *Ger. Moriſ. Hiſt.* 3. 39. Cucurbita capitata C. B. P. 313. 313.

Cucurbita Indica parva *Moriſ. Hiſt.* 2. 39. I. B. *tom.* 2. *l.* 16. 227. Cucurbitæ parvum genus, fructu pugni magnitudine, cortice rubro, maculis aſperſo, & ſemine rubro C. B. P. 313.

Cucurbitæ variæ ſpecies, fructus formâ & magnitudine, pro vario naturæ luſu, inter ſe differentes.

*Cucurbita aſpera, folio non fiſſo, fructu albo maximo ſeſſili* I. B. *v.* Pepo.

*Cucurbita foliis aſperis, ſive Zucha flore luteo* I. B. *v.* Pepo.

*Cucurbita major rotunda flore luteo folio aſpero* C. B. P. *v.* Pepo.

*Cucurbita verrucoſa* C. B. P. *v.* Pepo.

*Cucurbita clypeiformis, ſive Siciliana* I. B. *v.* Pepo.

*Cucurbita capitata Tabernæmontani* I. B. *v.* Pepo.

*Cu-*

*curbita aſpera pyriformis, parva alba* I. B. . Pepo.

*curbita aſpera, Cortice molli alba, magnitudine Arantiæ* I. B. *v.* Pepo.

*lcas Veſling. v.* Arum.

UMINUM *Moriſ. Umbell.* 6. Cuminum ſemine longiore *C. B. P.* 146. Cyminum ſativum *I. B. tom.* 3. *l.* 27. 21.

*minum ſylveſtre, capitulis globoſis* C. B. P. & *Cuminum ſylveſtre primum valdè odoratum globuloſum* I. B. *v.* Paſtinaca.

*minum ſemine rotundiore & minore, dulce Melitenſibus* C. B. P. *v.* Aniſum.

*minum pratenſe, Carvi Officinarum B. P. v.* Carum.

*nila bubula Plinii* C. B. P. *v.* Origanum.

*nila gallinacea Plinii C. B. P. v.* Origanum.

UPRESSUS ramis expanſis Mas. Cupreſſus *C. B. P.* 488. I. B. *tom.* 1. *l.* 9. 282.

preſſus ramis in metæ faſtigium convolutis Fœmina. Cupreſſus Fœmina Dodon.

preſſus Virginiana foliis Acaciæ deciduis.

Nomine Cupreſſi Virginianæ attuli ante aliquot annos ex Angliâ hanc arborem, quam in Virginiâ ſuâ ſponte luxuriare accepi. Ad altitudinem humanam vix apud nos aſſurgit, caudice ſcabro, pollicis craſſitiem ſuperante, abſquè ſpinis, ligno ſolido

do duriſſimo, ramis rubentibus in elegantem coronam expanſis, foliis Acaciæ Ægyptiæ ſimilibus, circa autumnum defluentibus De floribus & fructubus nihil mihi hactenus eſt compertum. Naſci amat locis irriguis, & depangi patitur per circumpoſitionem vel ramorum ſubmerſionem.

CURCUMA radice longâ Cyperi genus ex Indiâ Matth. *C.B.P.* 37. Curcuma ſive Terra merita Offic. radice croceâ *I.B.tom.2. l.* 19. 746. Crocus Indicus, Arabibus Curcum, Officinis noſtris radix Curcumæ dicta. *Iacob. Bont. Hiſt. Nat. l.* 6. *c.* 30.

Inter varias, quas ex Oriente in Hortum tranſvexi plantas, hoſpitatur in hunc uſquè diem Curcuma, Arabibus & Indis decantatiſſima. Conſtat radice tuberosâ, tereti, in tranſverſum actâ, Zingiberis facie, craſſitie digiti, ex multis propaginibus cum circularibus in ſuperficie zonis geniculatim conflatâ, aliquot craſſiuſculas fibras ex geniculis demittente, ponderosâ, foris pallidâ & modicè ſcabrâ, intus croceâ ac temporis decurſu in puniceum inclinante, ſolidâ quaſi ex condenſato croceo ſucco preſſiùs compactâ, guſtus acris amaricantis aromatici pinguis, odoris fragrantis. Hujus ſingula genicula protrudunt folia lætè viridia,

## CURCUMA.



O

*Curcuma longa*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

dia, plana, ſpithamum longa, unam duasvè palmas lata, in modicum acumen deſinentia, foliis Cannæ Indicæ junioris adeò ſimilia, ut à rudioribus non facilè ab invicem diſcerni queant. Hoc errore ductum video Bontium, qui *Hiſt. Nat. & Med. l. 7. c.* 30. loco Curcumæ delineavit Cannam Indicam in India frequentem & hortis noſtris ſatis familiarem. Cæterùm è novellis & robuſtioribus radicis tuberibus erigitur ſcapus dodrantalis, teres, ſucculentus, ſcriptorii calami craſſitudine, ex viridi pallesſcens, inferiori parte nudus à medio verò ad cacumen uſquè in craſſam rotundam ſpicam faſtigiatus, quam formant foliola ab exortu pallidè viridia, poſtmodum ex flavo rubentia vel ex pallido flava, duos ungues lata, ſenſim in recurvum mucronem abeuntia, ſquamatim diſpoſita, intra quorum commiſſuras deliteſcit tenax & viſcoſus humor, collectus ex nocturno deciduis rore. Inſuper ex ſingulis ſquamis ſucceſſivè prodeunt flores oblongi, Cannæ Indicæ facie, aſt triplo minores, quatuor ut plurimùm pallidè flaveſcentibus aut purpuraſcentibus petalis conſtructi, uno ſuperiori obliquè ſurſum vergente, binis inferioribus rectâ protenſis, intermedio verò quadantenus intorto & fimbriato. Quibus excuſſis ſuccedunt vaſcula parva, membra-

nacea,

nacea, tricapſularià, quæ continent ſemina rotunda, fuſca, ſeminibus Cannæ Indicæ minora. Simili omnino fructificatione gaudent Bangala Indorum, Cardamomum majus & minus, Coſtus Arabicus, utraquè Galanga, Zedoaria, Zerumbeth Garziæ, Zingibèr, & proinde unà cum Curcumâ ſub uno & eodem genere ſummo merentur reponi. Indis adeò familiaris eſt Curcuma, ut vix hortus in Oriente reperire liceat, in quo non colatur. Matureſcit foditurquè radix, poſtquam flores exaruerunt. Propagatur tàm ſeminibus quàm nodulis ſeu geniculis à radice reſectis. Donatur ſale oleoſo volatili, partibus blandis viſcoſis immerſo, cujus virtutes recenſent Bontius aliiquè.

CUSCUTA major *C. B. P.* 219. Cuſſuta, ſive Cuſcuta *I. B. tom.* 3. *l.* 28. 266. ANN.

Cuſcuta minor, ſive Epithymum *C. B. P.* 219. ANN.

*...urdo Piſon. v.* Caſſia.

*...amos leguminoſa* I. B. *v.* Faba.

CYANUS floridus odoratus Turcicus, ſive Orientalis major *Parkinſ. Theatr.* 482. Ambrette vulgò. Flore purpureo. ANN.

Idem flore albo *Cat. Hort. Reg. Pariſ.* 62. ANN.

Idem flore incarnato. ANN.

Idem flore luteo. ANN.

Cyanus Orientalis alter: ſeu Conſtantinopolitanus, flore fiſtuloſo candicante *Cat. Hort. Reg. Pariſ.* 63. ANN.

Idem fiſtuloſo purpureo flore *Cat. Hort. Reg. Pariſ.* 63. ANN.

Idem flore luteo fiſtuloſo *Dodart Mem.* 75. ANN.

Cyanus montanus latifolius: vel Verbaſculum Cyanoides *C.B.P.* 273. Cyanus Alpinus, radice perpetuâ *I. B. tom.* 3. *l.* 25. 23.

Idem anguſtifolius. Cyanus montanus, anguſtiore folio & longiore Belgicus *Cat. Hort. Reg. Pariſ.* 61.

Folia exhibet longiora, anguſtiora, tomento rariori obſita, cætera proximè allatæ paria.

* Cyanus ſegetum *C. B. P.* 273. & Cyanus hortenſis, flore ſimplici *C. B. P.* 273. Cyanus *I. B. tom.* 3. *l.* 25. 21. Flore cœruleo *C. B. P. Var.* 273. ANN.

*Idem flore albo *C. B. P. Var.* 273. ANN.

*Idem flore purpureo *C. B. P. Var.* 373. ANN.

Idem flore incarnato *C. B. P. Var.* 273. ANN.

*Idem flore violaceo *C. B. P. Var.* 273. ANN.

Idem flore carneo, fundo immaculati candoris *Cat. Hort. Reg. Pariſ.* 62. ANN.

Idem flore ex albo violaceo *C. B. P. Var.* 274. ANN.

Idem flore albo, umbilico cœruleo, violaceo, purpureo. Eyſtet. ANN.

Idem

Idem flore albo, fundo purpureo *C. B. P. Var.* 274. ANN.
Idem flore albo, fundo carneo *Cat. Hort. Reg. Pariſ.* 62. ANN.
Idem flore atro purpuraſcente *Cat. Hort. Reg. Pariſ.* 62. ANN.
Cyanus hortenſis, flore pleno C. B. P. 274. Cyanus pleno flore *I. B. tom.* 3. *l.* 25. 22. flore purpureo C. B. P. *Var.* 274. ANN.
Idem flore albo multiplici, medio pupureus C. B. P. *Var.* 274. ANN.
Idem flore cœruleo multiplici C. B. P. *Var.* 274. ANN.
*Cyanus pulchro ſemine Centaurii majoris* I. B. *v.* Centaurium Capitatum.

CYCLAMEN orbiculato folio infernè purpuraſcente *C. B. P.* 308. Cyclaminus folio rotundiore vulgatior *I. B. tom.* 3. *l.* 32. 551. Flore dilutiùs purpuraſcente C. B. P. *Var.* 308.
Idem flore ſaturatiùs purpuraſcente *C. B. P. Var.* 308.
Idem flore pleno.
Cyclamen orbiculato, folio infernè ex viridi pallente *C. B. P.* 308.
Cyclamen autumnale, orbiculato circumroſo folio, ſubtus rubente, odoratiſſimo flore carneo: Corcyrarum *Cat. Hort. Reg. Pariſ.* 62.

Cyclamen autumnale, folio ſubrotundo lucido molliori & crenato, ſuavè rubente flore: Syriacum *Cat. Hort. Reg. Pariſ.* 63.

Cyclamen hyemale orbiculatis foliis infernè rubentibus, purpuraſcente flore: Coum Herbariorum *Cat. Hort. Reg. Pariſ.* 63.

Cyclamen hyeme & vere florens, folio anguloſo, amplo flore albo, baſi purpureâ: Perſicum dictum *Cat. Hort. Reg. Pariſ.* 63.

Idem carneo flore, baſi purpureâ *Cat. Hort. Reg. Pariſ.* 63.

Cyclamen vernum, anguloſo folio, triplici viriditatis ſerie vario, maximis floribus albis, imo oſculo purpuraſcente: Antiochenum Nuperorum, *Cat. Hort. Reg. Par.* 63.

Idem floribus maximis omnino niveis.

Cyclamen latifolium auriculatum, flore ſuavè rubente. *Cat. Hort. Reg. Pariſ.* 63.

Cyclamen Aprili florens, cordato folio, amœnâ viriditate & albedine picto, minimo flore *Cat. Hort. Reg. Pariſ.* 63. Cyclaminum orientale, Katmer Bouhour Turcarum *Cornut.* 48.

Cyclamen folio longiore anguloſo, & linguam ſerpentis mentiente: Regium *Cat. Hort. Reg. Pariſ.* 36. *Sim. Paul. Quadr. Bot.* 527.

Cyclamen folio anguloſo *C. B P.* 308. flore intenſiùs quàm in vulgare rubente *C. B. P. Var.* 308. Cyclaminus flore rubro graciliori vernus *I. B. tom.* 3. *l.* 32. 554.

Idem

lem floribus omnino albeſcentibus *C. B. P. Var.* 308.

yclamen Hederæ folio *C. B. P.* 308. Cyclaminus folio anguloſo *I. B. tom.* 3. *l.* 32. 553.

yclamen vernum album C. B. P. 308. Cyclaminus flore graciliori albo vernus *I. B. tom.* 3. *l.* 32. 554.

yclamen odoratum æſtivo ſolſtitio florens, folio maculato *C. B. P.* 308.

lem folio paulò longiore, vix dum maculato, flore dilutè purpuraſcente: Romanum recentiorum *Cat. Hort. Reg. Pariſ.* 63.

yclamen radice exiguâ *C. B. P.* 308. Cyclaminus parvâ radice *I. B. tom.* 3. *l.* 32. 552.

*donia malus ejuſquè ſpecies Hort. Reg. Par. v.* Malus Cydonia.

*mbalaria* C. B. P. *v.* Linaria.

*nocrambe Mas & Fœmina* I. B. *v.* Mercurialis.

*noſorchis ejuſquè ſpecies* C. B. P. *&* I. B. *v.* Orchis.

*noglaſſa fortè topiaria Plinio* I. B. *v.* Buglosſum.

Cynogloſſum majus vulgare C. B. P. 257. Cynogloſſum vulgare *I. B. tom.* 3. *l.* 33. 598. Flore rubente. ANN.

em flore albo C. B. P. *Var.* 257. ANN.

em flore ex albo & rubro variegato. Cynogloſſum ſubrubente verſicolore flore *Park. Theatr.* 512. ANN.

*Cynogloſſum ſylvaticum, rubente caule *C. B.* 257. ANN.

Cynogloſſum Creticum, argenteo anguſto [fo]lio *C. B. P.* 257. Cynogloſſum Creticum p[ri]mum Cluſii *I. B. tom.* 3. *l.* 33. 600. ANN.

Cynogloſſum Creticum latifolium, fœtidu[m] *C. B. P.* 257. Cynogloſſum Creticum ſecu[n]dum Cluſi *I. B. tom.* 3. *l.* 33. 601. ANN.

Cynogloſſum ſemper virens in Phyt. & Pro[d.] *C. B. P.* 257. Cynogloſſa folio virenti *I. [B.]* *tom.* 3. *l.* 33. 600. ANN.

Cynogloſſum minus *C. B. P.* 257. & Cyn[o]gloſſum medium *C. B. P.* 257. Cynoglo[ſ]ſum minus *I. B. tom.* 3. *l.* 33. 600. ANN.

Cynogloſſæ affinis Linifolia, ſemine umbilic[a]to. Linum umbilicatum *Park. Theat. Ap[p.]* 1687. ANN.

*Cynogloſſum flore cæruleo Parkin.* v. Bugloſſum.

*Cynogloſſum folio molli, incano, flore cæruleo ſtriis rubris variegato Moriſ.* v. Bugloſſum.

*Cynogloſſum montanum majus C. B. P.* v. Cerinthe.

*CYPERUS rotundus inodorus Germanicus *C. B. P.* 14. Cyperus aquaticus ſeptentrionalis Lobelio *I. B. l.* 18. *tom.* 2. 503.

*Cyperus rotundus inodorus Anglicus *C. B. P.* 14. Cyperus rotundus littoreus inodorus *I. B. tom.* 3. l. 18. 503.

Cyperus rotundus eſculentus anguſtifolius *C. B. P.*

*B. P.* 14. Traſi *I. B. tom.* 3. *l.* 18. 504.
yperus odoratus, radice longâ : ſive Cyperus Officinarum C. *B. P.* 14.
yperus longus inodorus Germanicus *C. B. P.* 14. Cyperus longus inodorus ſylvaticus Lobelio *I. B. tom.* 3. *l.* 18. 503.
*yperi genus ex Indiâ Matth. C.B.P. v.* Curcuma.

CYTISUS incanus, folio oblongo Auſtriacus *C. B. P.* 391. Cyſtiſus Cluſii Pannonicus alter, foliis omnino incanis *I. B. tom.* 1. *l.* 11. 369.
ytiſus incanus, folio medio longiore C. *B. P.* 389. Cytiſus tertius Hiſpanicus cum brevi pediculo *I. B, tom.* 1. *l.* 11. 372.
ytiſus foliis ſubruffâ lanugine hirſutis C. *B. P.* 390. Cytiſus hirſutus *I. B. tom.* 1. *l.* 11. 371.
ytiſus glabris foliis ſubrotundis, pediculis breviſſimis C. *B. P.* 390. Cytiſus glaber, ſiliquâ latâ *I. B. tom.* 1. *l.* 11. 373.
ytiſus glaber nigricans C. *B. P.* 390. Cytiſus glaber, ſive ſiliquâ anguſtâ *I. B. tom.* 1. *l.* 11. 373.
ytiſus flore primùm incarnato, poſtmodum rubello.

Pedali nonnunquam cubitali aſſurgit altitudine, virgis gracilibus lignoſis, foliis glabris, ternis in brevi pediculo, floribus in ſpicâ coacervatis, papilionaceis, ab exortu

candidis, poſt incarnatis gratè rubellis, ſil-quis & ſeminibus velut in anteallato.

Cytiſus ſpinoſus. Acacia trifolia *C. B. P.* 392. Aſphalatus ſecunda trifolia, quæ Acacia ſecunda Matthiolo trifolia *I. B. tom.* 1. *l.* 11. 575.

*Cytiſus incanus, ſiliquis falcatis* C. B. P. *v.* Medica.

## D.

*Dactylus vulgò.* *v.* Palma.

*Damaſonii ſpecies quibuſdam* I. B. *v.* Helleborine.

*Datura vulgo* I. B. *v.* Stramonia.

*Daucus vulgò ejuſquè ſpecies.* *v.* Paſtinaca.

*Daucus Alpinus multifido longoquè folio, ſive montanus, umbellâ candidâ* C. B. P. *v.* Myrrhis.

*Daucus montanus, Apii folio major* C. B. P. *v.* Libanotis.

*Daucus Creticus, ſemine hirſuto* I. B. *v.* Myrrhis.

*Daucus pratenſis, Millefolii paluſtris folio* C. B. P. *v.* Oenanthe.

*Delphinium* I. B. *v.* Conſolida Regalis.

DENS canis, latiore rotundiorequè folio *C. B. P.* 87. Flore purpuraſcente *Moriſ. Hiſt.* 2. 344. Satyrion, quorundam Erithro-

hronium bifolium, flore unico radiato purpureo I. B. *tom.* 2. *l.* 19. 680.

em maculis lacteis variegatus, albo flore C. B. P. *Var.* 87. Satyrion, quorundam Erithronium bifolium, flore unico radiato albo I. B. *tom.* 2. *l.* 19. 680.

ens canis anguſtiore longiore folio *C.B.P.* 87. Flore albo *Moriſ. Hiſt.* 2. 344. *I. B. tom.* 2. *l.* 19. 680.

em flore ſuavè rubente *Cat. Hort. Reg. Pariſ.* 65.

DENS leonis, latiore folio *C. B. P.* 126. Hedypnois, ſive Dens leonis Fuchſii *I. B. tom.* 2. *l.* 24. 1035.

em anguſtiori folio C. B. P. 126.

DENTARIA triphyllos C. B. P. 322. *Moriſ. Hiſt.* 2. 254. Coralloides enneaphyllos Cluſii *I.* B. *tom.* 2. *l.* 21. 902.

entaria pentaphyllos *C. B. P.* 322. *Moriſ. Hiſt.* 2. 255. Coralloides prima quinquèfolia *I. B. tom.* 2. *l.* 21. 900.

entaria heptaphyllos *C. B. P.* 322. *Moriſ. Hiſt.* 2. 255. Coralloides altera, ſive ſeptifolia *I. B. tom.* 2. *l.* 21. 901.

*entariæ affinis, Ecchii flore, capſulâ Anagallidis Dodart. & Moriſ.* *v.* Echio affinis.

DENTILLARIA Rondeletii I. B. *tom.* 2. *l.* 22. 941. Lepidium Dentillaria dictum *C. B. P.* 97.

*P.* 97. Flore albo minore.
Eadem flore albo majore.

DIAPENSIA, ſive Sanicula Mas Fuchſii *I. B. tom.* 3. *l.* 34. 639. Sanicula Officinarum *C. B. P.* 319. *Moriſ. Hiſt.* 2. 616.

DICTAMNUS Creticus *C. B. P.* 222. Dictamnus Cretica ſeu vera *I. B. tom.* 3. *l.* 28. 25

DICTAMNUS ſpurius inodorus, acetabulis Moluccæ majoribus. Pſeudodictamnus acetabulis Moluccæ *C. B. P.* 223.
Idem acetabulis Moluccæ minoribus. Pſeudodictamnus verticillatus inodorus *C. B. P.* 222. Dictamnum adulterinum quibusdam verticillatum vel potiùs Gnaphalium Veterum *I. B. tom.* 3. *l.* 28. 255.
*Dictamnus Officinis I. B. v.* Fraxinella.

DIGITALIS purpurea, folio aſpero *C. B. P.* 243. *Moriſ. Hiſt.* 2. 478. Digitalis purpurea *I. B. tom.* 2. *l.* 20. 812.
Digitalis alba, folio aſpero *C. P. B.* 242. *Moriſ. Hiſt.* 2. 478. *Deſcr. I. B. tom.* 2. *l.* 20. 812 *Deſcr.*
Digitalis latifolia, flore ferrugineo *Moriſ. Hiſt.* 2. 478. Majore.
Eadem flore ferrugineo minore *Cat. Hort. Reg. Pariſ.* 68.

Digi-

Digitalis anguſtifolia, flore ferrugineo *C. B. P.* 244. *Moriſ. Hiſt.* 2. 478. Digitalis furruginea, folio auguſtiori *I. B. tom.* 2. *l.* 20. 813.

Digitalis lutea, magno flore *C. B. P.* 244. *Moriſ. Hiſt.* 2. 479. Digitalis lutea, flore majore, folio latiore *I. B. tom.* 2. *l.* 20. 813.

Digitalis lutea, minore flore. *Moriſ. Hiſt.* 2. 479. Digitalis major lutea vel pallida, parvo flore *C. B. P* 244. Digitalis flore minore, ſubluteo anguſtiori folio *I. B. tom.* 2. *l.* 20. 814.

*Digitalis minima, Gratiola dicta. Moriſ. v.* Gratiola.

*Digitalis Americana purpurea, folio ſerrato Dodart. v.* Gratiolæ affinis.

*Dipcadi vulgò. v.* Hyacinthus.

DISACUS ſativus *C. B. P.* 385. *I. B. tom.* 3. *l.* 25. 73. ANN.

Dipſacus ſylveſtris, aut Virga paſtoris major *C. B. P.* 385. Dipſacus ſylveſtris, ſive Labrum Veneris *I. B. tom.* 3. *l.* 25. 74.

Idem folio laciniato *I. B. tom.* 3. *l.* 25. 75. Dipſacus folio laciniato *C. B. P.* 385. ANN.

Dipſacus ſylveſtris, capitulo minore, vel Virga Paſtoris minor *C. B. P.* 385. Virga Paſtoris vulgaris *I. B. tom.* 3. *l.* 25. 75. ANN.

*Diptamus. v.* Dictamnus.

*Dora. I. B. v.* Milium.

*Doria I. B. v.* Virga aurea.

Do-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

DORONICUM maximum Americanu[m], latiſſimo anguloſo folio, radice tranſp[a]rente.

Hôc nomine accepimus â DNO Jacob[o] Bobarto, Horti Academici Oxonienſis cu[-]ſtode, Viro in plantarum ſcientiâ per[i]tiſſimo. Flores & ſemina videre nondu[m] contigit.

Doronicum maximum, foliis caulem ampl[e]xantibus *C. B. P.* 185. Doronicum max[i]mum, foliis Hyoſcyami Peruani modo cau[-]lem amplectentibus. *I. B. tom.* 3. *l.* 25. 18.

Doronicum latifolium, flore magno *C. B. P.* 185. Doronicum folio lato, flore magn[o] *I. B. tom.* 3. *l.* 25. 17.

Doronicum Plantaginis folio *C. B. P.* 184. Doronicum folio ferè Plantaginis oblong[o] *I. B. tom.* 3. *l.* 25. 18.

Doronicum radice dulci *C. B. P.* 184. Doronicum folio ſubrotundo ſerrato. *I. B. tom* 3. *l.* 25. 17.

Doronicum radice Scorpii *C. B. P.* 184.

*Doronicum Americanum, laciniato folio* C. B. P. *v.* Chryſanthemum.

*Dorycnium Monſpelienſium vulgò. v.* Lotus.

*Dorycnium Imperati I. B. v.* Convolvulus.

DRABA lutea, ſiliquis ſtrictiſſimis C. B. P. 110. *Moriſ. Hiſt.* 2. 234. Drabæ ſeu Arabis alia

alia Icon *Chabr.* 296. ex *I.B. tom.* 2. *l.* 22. 939.

raba Eryſimi flore & ſiliquis C.B.P. 109. Draba lutea, Eryſimi flore & ſiliquis *Moriſ. Hiſt.* 2. 234. Heſperidi Alpinæ murariævè ſimilis ſurrecta & magna *I. B. tom.* 2. *l.* 21. 881.

raba alba ſiliquoſa procumbens. Draba alba ſiliquòſa repens C. B. P. 109. *Moriſ. Hiſt.* 234. Heſperis Alpina, ſive muralis minor repens *I. B. tom.* 2. *l.* 21. 880.

rabæ ſiliquoſæ ſimilis, planta pręcox annua *Moriſ. Hiſt* 2. 235. Burſę paſtoris ſimilis ſiliquoſa major, ſeu majoribus foliis *C.P.B.* 108. Burſa paſtoria, ſive Piloſella ſiliquoſa *I.B. tom.* 2. 21. 870. Major Ann.

adem minor. Burſæ paſtoris ſimilis ſiliquoſa minor, ſeu minoribus foliis *C. B. C.* 109. Ann.

raba cœrulea annua, folio virente craſſiuſculo *Moriſ. Hiſt.* 235. Leucojum marinum parvum, folio virente craſſiuſculo *I. B. tom.* 2. *l.* 21. 877. Ann.

DRABA ſiliculoſa repens major, foliis magis incanis, ſpanoſpermos vulgaris *Moriſ. Hiſt.*. 2. 313. Draba umbellata, vel Draba major, capitulis donata C. B. P. 109. Draba multis, flore albo *I. B. tom.* 2 *l.* 22. 939.

*racocæphalon Breyn.* v. Gratiolæ affinis.

DRA-

DRACUNCULUS hortenſis *C. B. P.* 98. Dracunculs hortenſis, ſive Tarchon I. B. *tom.* 3. *l.* 26. 148.

*Dracunculus pratenſis, ſerrato folio* C. B. P. *v.* Ptarmica.

*Dracunculus pratenſis, flore pleno* C. B. P. *v.* Ptarmica.

*Dracunculus pratenſis alter Alpinus, folio Agerati Cat. Hort. Reg. Pariſ. v.* Ptarmica.

*Dracunculus paluſtris, ſive radice Arundinaceâ* C. B. P. *v.* Arum.

*Dracunculus aquaticus I. B. v.* Arum.

*Dracunculus polyphyllus* C. B. P. *Major caule maculato. v.* Arum.

*Idem minor caule non maculato. v* Arum.

*Dracunculus ſive Serpentaria triphylla Braſiliana* C. B. P. *v.* Arum.

*Dudaim. Gen.* 30. *& Cant.* 7. *Ludov. v.* Ficoides

*Dulcamara* C. B. P. *v.* Solanum.

## E.

E*bulus I. B. v.* Sambucus.

*Ecapatli altera Hernand. v.* Senna.

*Echinopus major* I. B. *v.* Scabioſa.

*Echinopus minor* I. B. *v.* Scabioſa.

* ECHIUM majus & aſperius, flore albo *C. B. P.* 254. Echium albo flore majus *I. B. tom.* 3. *l.* 33. 588. ANN.

Echium

Echium vulgare *C. B. P.* 254. *I. B. tom.* 3. *l.* 33. 556. Ann.

Echium Creticum latifolium rubrum *C. B. P.* 254. Ann.

Idem anguſtifolium rubrum *C. B. P.* 254. Ann.

Echium Auchuſæ facie flore luteo minus. Anchuſa lutea minor *C. B. P.* 255. *I. B. tom.* 3. *l.* 33. 583.

Echium latiſſimo folio, Lycopſis dictum, flore dilutè purpuraſcente. Lycopſis *C. B. P.* 255. Lycopſis Dioſcoridis quibuſdam *I. B. tom.* 3. *l.* 33. 584. Ann.

Idem flore albo. Ann.

Echium Lycopſis facie, Africanum perenne.

Producit cauliculos bipedales, aſperos, nonnihil piloſos, ramoſos, ex ruffo viridantes; Folia pinguia craſſiuſcula lycopſis vulgaris anguſtiora, breviora, aſpera, hirta, quaſiquè verrucoſa, & obtuſa; Flores in cœruleo purpuraſcentes; Semina triangula, nigricantia; Cœtera ſuperiori ſimillima. Hoc primum educavit ex ſeminibus Africis Dns Wilhelmus Leſier, rariorum Plantarum æſtimator & cultor curioſiſſimus, cujus liberalitate nobis eſt conceſſum.

*Echium lappulatum quibuſdam I. B. v.* Bugloſſum.

*Echium ſylveſtre lanuginoſum C. B. P. v.* An
chuſa.

*Echium Scorpioides arvenſe C. B. P. v.* An
chuſa.

*Echium Scorpioides paluſtre C. B. P. v.* An
chuſa.

*Echio adfinis Dentariæ foliis vulgò. v.* Hy
drophyllum.

*Elatine folio ſubrotundo C. B. P. v.* Linaria.

*Elatine folio acuminato C. B. P. v.* Linaria.

*Elaphoboſcum I. B. v.* Paſtinaca.

*Elæagnus Cordi I. B. v.* Rhus.

ELICHRYSON foliis Abrotani *C. P. B.* 26
Heliochryſon quorundam, folio Abro
tani *I. B. tom.* 3. *l.* 26. 150.

Elichryſum ſeu Stœchas citrina anguſtifoli
*C. B. P.* 264. Stœchas citrina tenuifolia Nar
bonenſis *I. B. tom.* 3. *l.* 26. 154.

Elichryſum Orientale *C. B. P.* 264. Stoecha
citrina, floris, & magnitudine, & color
ſpecioſa *I. B. tom.* 3. *l.* 26. 154.

Elichryſum ſive Stœchas citrina latifolia *C. B. P.*
264. Stœchas citrina Germanica, latiore fo
lio *I. B. tom.* 3. *l.* 26. 153.

* Elichryſum ſylveſtre latifolium, capitul
conglobatis *C. B. P.* 264. Gnaphalium a
Stœchadem citrinam accedens *I. B. tom.* 3
*l.* 26. 160.

Idem

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

### ICHRYSUM INODORUM GLABRUM, CORONOPI FOLIO ANNUUM MAGNOLI.



Athanasia annua

Idem anguſtifolium C. B. P. 264. Stœchadi ci trinæ affinis, capitulis parvis, raris, ſquamo ſis, in pappos evaneſcentibus *I. B. tom. 2. l. 26* 156.

Elichryſum ſylveſtre, flore oblongo C. B. P. 265 Stœchadi citrinæ affinis, capitulis longioribus *I. B. tom. 2 l. 26.* 156.

Elichryſo ſylveſtri flore oblongo ſimilis *C. B P. 265.*

Elichryſum inodorum glabrum, Coronopi folio annum Magnoli. ANN.

Huic ſunt cauliculi palmares, virides, ſuccoſi, infirmi, anguloſi, ſtriati; Folia digitalia, glabra, craſſa, aliquot inciſuris, Coronopo non abſimilibus, diſſecta; Flores in ramorum cimis rotundi, ſquamati, aurei corymbos Agerati æmulantes, in denſiorem quaſi umbellam conglomerati; Semina fuſca, oblonga, parva cum tenuiſſimo pappo, Radix ſubeſt tenuis, albicans, fibroſa. Sapor & odor nullus manifeſtus. Prodiit nobis ex ſeminibus, nomine Elichryſi Magnoli à Nobiliſſimo DNO Johanne Battiſta Ciaſſi tranſmiſſis.

Elichryſo affinis Africana arboreſcens, floribus purpuro-violaceis, foliis Salviæ, odore Roſmarini. Conyza Africana incana arbo reſcens, odore Salviæ & Roſmarini vulgò.

Quam-

*ICHRYSO AFFIN. AFRIC. ARBOR FLOR. PURP. VIOL. FOL. SALV. ODORE ROSMARINI.*



rchonanthes Camphoratus

Quamquam hæc arbuſcula nomen Chryſocomæ non mereri videatur, quod ejus flores aureâ luce non refulgeant; Attamen ob florum ſquamatam corymbaceamquè ſtructuram, & ſeminum papposam diſpoſitionem, ceu primariam plantarum partem Chryſocomæ haud diſſimilem, huic adjungendam eſſe exiſtimavi. Sponte naſcentem reperi locis ſaxoſis & ſalebroſis ad radices montis Tabulati Capitis Bonæ Spei, unde in Hortum tranſlata lætâ fertilitate germinavit. Figit radicem longam, obliquam, pallidam, in brachia divaricatam, ex quâ virgulta aſſurgunt complura (nonnunquam unum) ſex ſeptemvè pedum proceritate, lignoſa, ramoſa, candida, incano tomentoſo cortice veſtita. His adſtant folia, Salviæ quadantenus ſimilia, rigida, craſſa, perpetua, ſupra viridia, infra candida, inſcripta numeroſis obliquis nervis, è coſtâ mediâ in margines exporrectis, ſaporis acris amari aromatici, odoris fragrantiſſimi ex Roſmarino & Salviâ mixti. Ad ramorum cacumina pullulant multi ramuli, in quibus apparent parvi ſquamati tomentoſi floſculi, Elichryſi vulgaris effigie, barbulis tamen anguſtiſſimis purpuro-violaceis cingentibus orbiculum pallidum, fatiſcentem in tenuiſſima pappeſcentia ſemina. Menſibus Martio & Aprili floret in Hyemali; Iiſdem men-

menſibus perficitur quoquè ad Promontorium Bonæ Spei. Vegetat ramulis vel in terram deflexis, vel penitus reſectis, & feraci ſolo infixis. Virtutibus reſpondet Roſmarino. Oleum ex deſtillatione prolectum utero obſtructo præſtantiſſimum eſſe deoppilativum, experientia nos edocuit.

*Elleborine ejuſquè ſpecies* I. B. *v.* Helleborine.

*Elleborus ejuſquè ſpecies* I. B. *v.* Helleborus.

*Endivii vulgaris* C. B. P. *v.* Intybus.

*Epazatl Rech. v.* Atriplex.

EPHEMERUM Virginianum Joh. Tradeſcanti Parkius. Allium ſeu Moly Virgianinum C. B. P. 516. Phalangium Virginianum, foliis latioribus, radice repente, flore tripetalo cœruleo *Moriſ. Hiſt.* 2. 334. Hallucin.

Idem flore purpureo. *Cat. Hort. Reg. Pariſ.* 139.

Idem flore albo. *Cat. Hort. Reg. Pariſ.* 139.

Ephemerum Virginianum ramoſum procumbens, foliis amplis *Zanon. Hiſt. Botan.* 90.

Idem Africanum annuum, flore bipetalo. ANN.

Hoc ab antedicto Ephemero, nomine Phalangii Virginiani à Zanonio curioſiſſime deſcripto & depicto, diſtinguitur tantùm radice annuâ, & floribus minoribus duobus petalis conſtructis. Luxuriat in teſquis & ad margines rivulorum, circa Promontorium Bonæ Spei, in horto ſe ipſum

propagans ſeminibus deciduis. Similem ſpeciem aſt multò minorem obſervavi in Zeylan & Malabar, quæ in locis uliginoſis aliiſquè herbidis abundabat. A Medicis reponebatur inter aquea & refrigerantia medicamenta.

*Ephemeron Matthioli vel potius Ephemerum ſpurium.* v. Lyſimachia.

EPIMEDIUM Angguil. & Lunaria quorundam *C. B. P.* 323. *I. B. tom.* 2. *l.* 17. 391. *Hiſt. Moriſ.* 2. 196.

*Epithymum* C. B. P. *v.* Cuſcuta.

* EQUISETUM paluſtre, longioribus ſetis *C. B. P.* 15. Equiſetum majus aquaticum *lc.* 2. *I. B. tom.* 3. *l.* 36. 729.

*Equiſetum paluſtre, brevioribus ſetis C. B. P. 15.

*Equiſetum paluſtre, brevioribus foliis polyſpermon C. B. P. 15. Equiſeti facie Polygonum Fœmina *I. B. tom.* 3. *l.* 36. 732.

*Equiſetum paluſtre, tenuiſſimis & longiſſimis ſetis C. B. P. 16. *I. B tom.* 3. *l.* 36. 729.

*Equiſetum ſylvaticum, tenuiſſimis ſetis C. B. P. 16. Equiſetum ſive Hippuris tenuiſſima, non aſpera *I. B. tom.* 3. *l.* 36. 730.

*Equiſetum pratenſe, longiſſimis ſetis C. B. P. 16. Equiſetum minus terreſtre *I. B. tom.* 3. *l.* 36. 730.

*Equi-

quiſetum arvenſe, longioribus ſetis *C.B.P.* 16.
quiſetum foliis nudum, non ramoſum ſive junceum C. B. P. 16. Equiſetum majus aquaticum *lc.* 1. *I. B. tom.* 3. *l.* 36. 728.
quiſetum foliis nudum, ramoſum *C. B. P.* 16.
quiſetum fœtidum ſub aquâ repens *C.B.P.* 16. *I. B, tom.* 3. *l.* 36. 731.
*ranthemum* I. B. *v.* Adonis.

RICA vulgaris glabra C. B. P. 485. Erica vulgaris, humilis ſemper virens, flore purpureo *I. B. tom.* 1. *l.* 10. 354.
idem flore albo C. B. P. *Var.* 485. *I. B. tom.* 1. *l.* 10. 354.
rica Myricæ folio hirſuta *C. B. P.* 485. Erica Myricæ folio, tomentoſis & incanis foliis *I. B. tom.* 1. *l.* 10. 355.
rica maxima alba C. B. P. 485. Erica foliis Corios flore albo *I. B. tom.* 1. *l.* 10. 355.
ica maxima purpuraſcens longioribus foliis C. B. P. 485. Erica, foliis Corios quaternis, flore purpuraſcente *I. B. tom.* 1. *l.* 10. 356.
ica humilis, cortice cineraceo, Arbuti flore C. B P. 486. Erica ramulis ternis, floribus ſaturatioribus purpureis *I. B. tom.* 1. *l.* 10. 357.
dem flore albo *Hort. Reg. Pariſ.*

RICA baccifera procumbens nigra *C. B. P.* 486. Erica baccifera Matth. I. B. *tom.* 1. *l.* 5. 526.

*Ericu Hort. Malab.* *v.* Apocynum.
*Erigerum* I. B. *v.* Senecio.
*Erigeron cœruleum* I. B. *v.* Conyza.
*Erinos Colum.* I. B. *v.* Campanula.
*Erinus Matth.* *v.* Hieracium.
*Erithronium bifolium, flore unico radiato pu-*
*pureo & albo* I. B. *v.* Dens Canis.
*Erva de St. Maria Piſon.* *v.* Arum.

ERUCA major ſativa annua, flore albo ſtri-
to *Moriſ. Hiſt.* 2. 228. *I. B. tom.* 2. *l.* 19. 85
Eruca latifolia alba ſativa *C. B. P.* 98.
Eruca ſylveſtris latifolia, folio integro, flore l
teo minore *Moriſ. Hiſt.* 2. 229. Myagru
ſiliquâ longâ *C. B. P.* 109. Myagro affin
planta, ſiliquis longis *I. B. tom.* 2. *l.* 21. 89
Eadem ſiliquâ longiſſimâ.
Eruca latifolia lutea ſeu Barbarea major *Mor.*
*Hiſt.* 2. 230. Eruca lutea latifolia, ſive Barb
rea C. B. P. 98. Barbarea I. B. *tom.* 2. *l.* 21. 86
Eadem minor *Moriſ. Hiſt.* 2. 230.
Eruca maxima Canadenſis *Cornut.* 15. *Mori*
*Hiſt.* 2. 230.
*Eruca ſylveſtris major vulgatior fœtens *Mori*
*Hiſt.* 2. 231. Eruca ſylveſtris major lute
caule aſpero *C. B. P.* 98. Eruca tenuifoli
perennis, flore luteo *I. B. tom.* 2. *l.* 21. 862.
*Eruca ſylveſtris ſeu paluſtris minor procum
bens & repens, luteo parvoquè flore *Mori*
*Hiſt.* 2. 231. Eruca ſylveſtris minor lute

par

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

parvoquè flore *C. B. P.* 98.

Eruca paluſtris & Naſturtii folio, ſiliquâ oblongâ *C. B. P.* 98. Eruca quibusdam ſylveſtris repens floſculo luteo *I. B. tom.* 2. *l.* 21. 866.

Eruca cœrulea in arenoſis creſcens *C. B. P.* 99. *Moriſ. Hiſt.* 229. Eruca purpurea aliis cœrulea, ſive Viola petræa *I. B. tom.* 2. *l.* 21. 865.

*Eruca maritima Anglica, ſiliquâ fungoſâ poroſâ rotundâ, foliis craſſis latioribus Moriſ.* v. Raphaniſtrum.

*Eruca maritima Italica, ſiliquâ haſtæ cuſpidi ſimili C. B. P.* v. Raphaniſtrum.

*Eruca Monſpeliaca, ſiliquâ quadrangulâ echinatâ C. B. P.* v. Raphaniſtrum.

*Ervum ſemine anguloſo Moriſ.* v. Orobus.

ERYNGIUM maritimum *C. B. P.* 386. Eryngium marinum *I. B. tom.* 3. *l.* 25. 86.

Eryngium vulgare *C. B. P.* 386. *I. B. tom.* 3. *l.* 25. 86.

Eryngium montanum amethiſtinum *C. B. P.* 386. Eryngium cœruleum *I. B. tom.* 3. *l.* 25. 86. quoad deſcriptionem.

Eryngium Alpinum cœruleum, capitulo Dipſaci *C. B. P.* 386. Eryngium Alpinum, latis foliis, magno capite oblongo cœruleo *I. B. tom.* 3. *l.* 25. 88.

Eryngium capitulis Pſylli ex Siciliâ *Bocon. Ic. & deſcr.* 87.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Eryngium latifolium planum *C. B. P.* 38
Eryngium planum, latifolium, capitulo ro-tundo parvo *I. B. tom.* 3. *l.* 25. 88. Flo coeruleo.

Idem flore albo *C. B. P. Var.* 386.

Eryngium Americanum fœtidum. Itubu Su-rinamenſibus. ANN.

Hoc Eryngium prodiit, in floreo Pando-cheo Illuſtiſſimi Fagelii Seminibus, ex Su-rinamâ hùc illatis, pedis altitudinem non nunquam ſuperans, & Eryngio montan pumilo Caſp. & Joh. Bauhini non multùm diſſimile. Surinamenſibus audit Itubu, ho eſt fuga ſerpentum, eo quod Eryngii huju auram ſerpentes fugiant, nec eò loci, quo germinat unquam reperiantur. Nititur ra-diculis tenuibus, fibroſis, pallidè flaveſcen-tibus, caulibus ternis quaterniſvè viridan-tibus, rectis, firmis, ſtriatis, in frequentes ramos divaricatis quibus inſident capitula oblonga echinata herbacea, Pſyllii craſſitie, ſubtus aliquot rigidis aculeatis foliolis cir-cumvallata; Intra echinos capitulorum abſconduntur floſculi exigui, pallidi, vix conſpicui, fatiſcentes in ſemina parva, ſuæ ſortis paria. Folia circa radicem humi pro-cumbunt, in orbem digeſta, digiti longitu-dinem & latitudinem aliquando exceden-tia, molliora, obtuſa, in ambitu crena-ta, ſingulis crenis in molleculas ſpinas deſi-

nen-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

## ERYNGIUM AMERICANUM FOETIDUM.



Eryngium foetidum.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

nentibus; Aſt quæ caulium geniculis p intervalla adnaſcuntur, ſunt rigidiora, mu cronata, & laciniata, marginibus profun diùs ſerratis, & robuſtioribus aculeis arma tis. Tota planta eſt nigrati fragrantis odo ris, ad Coriandri recentioris folia acceden tis; Guſtus verò acris, & ſubdulcis. O ſalem volatilem, quem obtinet, reponitu ab Americanis inter alexipharmaca præ ſtantiſſima. In uteri vitiis tantæ efficaciæ eſt ut ſolus odor, naribus exceptus, hyſteric paſſione correptas reſtituere valeat.

ERYNGIUM luteum, facie Cardui. Scoly mus Chryſanthemus *C. B. P.* 384. Spin lutea *I. B. tom.* 3. *l.* 25. 84.

*Eryngium montanum minimum, capitulo ma gno C. B. P.* *v.* Cnicus.

*Eryngium arvenſe, foliis ſerræ ſimilibus C. B. P* *v.* Ammi.

*ERYSIMUM vulgare *C. B. P.* 100. *Moriſ. Hiſt.* 218. Eryſimum Tragi floſculis luteis, juxta muros proveniens *I. B. tom.* 2. *l.* 21. 863. ANN.

Eryſimum polyceration vel corniculatum *C. B. P.* 101. Eryſimum alterum Matthioli, ſili- quis parvis, quibuſdam Dentaria *I. B. tom* 2. *l.* 21. 864. ANN.

*Eryſimum latifolium majus glabrum C. B. P. 101.

101. *Moriſ. Hiſt.* 2. 218. ANN.

Eryſimum montanum, Irionis vulgaris folio λεπτομακροκέρατον *Moriſ. Hiſt.* 2. 219. Eryſimum anguſtifolium majus C. B. P. 101. & Rapiſtrum Italicum, ſiliquis longiſſimis C. B. P. 95. ANN.

*Eryſimum Cereale & Theophraſti* C. B. P. *v.* Frumentum Saracenicum.

*Eſula vulgò ejuſquè ſpecies.* *v.* Tithymalus.

EVONYMUS vulgaris, granis rubentibus *C. B. P.* 428. Evonymus multis: Aliis Tetragonia I. B. *tom.* 1. *l.* 8. 202.

Evonymus latifolius *C. B. P.* 428. *I. B. tom.* 1. *l.* 8. 202.

Evonymo adfinis Æthiopica ſemper virens, fructu globoſo ſcabro, foliis Salicis rigidis ſerratis. Lauro ſerratæ odoratæ Stapelianæ ſimilis inodora Capitis Bonæ Spei *Breyn. Prodr.* 42. Laurus non odorata, fructu globoſo Africana Sterbeeck Citricult. 248.

EUPATORIUM Cannabinum C. B. P. 320. Eupatorium adulterinum *I. B. tom.* 2. *l.* 14. 1065.

Eupatorium foliis Enulæ Cornuti 191.

Eupatorium Urticæ foliis Canadenſe, flore Violaceo. Valeriana Urticæ folia flore Violaceo *Corn.* 22. *Moriſ. Umbell.* 51.

*Eupatorium veterum* C. B. P. *v.* Agrimonia.

*Eupa-*

*Eupatorium odoratum* C.B.P. *v.* Agrimonia

*Eupatorium aquaticum Americanum Par.* *v.* Chryſanthemum

*Euphorbium Dodonæi Lobelii* C.B.P. *v.* Tithymalus.

* EUPHRASIA Officinarum *C. B. P.* 233. Euphraſia *I. B. tom.* 3. *l.* 30. 432. Flore cœruleo purpuraſcente *C. B. P.* 134. ANN.

* Eadem flore ex luteo albicante *C. B. P. Var.* 134. ANN.

* Euphraſia pratenſis rubra *C. B. P.* 234. Euphraſia parva purpurea *I. B. tom.* 3. *l.* 30. 427. ANN.

* Euphraſia pratenſis lutea *C. B. P.* 234. Cor. Monſpeſſulana lutea *I. B. tom.* 3. *l.* 30. 427. ANN.

## F.

FABA *C. B. P.* 338. Faba, Cyamos leguminoſa *I. B. tom.* 2. *l.* 17. 279. Faba, major, ſive Bona major *Dod. Moriſ. Hiſt.* 2. 83. Semine rubro *Moriſ. Hiſt.* 2. 83. ex rubro purpuraſcente *C. B. P. Var.* 388. ANN.

Eadem ſemine albo *Moriſ. Hiſt.* 2. 83. *C. B. P. Var.*

Faba minor, ſeu equina *C. B. P.* 348. *Moriſ. Hiſt.* 2. 84. Semine rubro *Moriſ. Hiſt.* 2. 83.

ni

nigro C. B. P. *Var.* 338. ANN.
Eadem ſemine albo *Moriſ. Hiſt.* 2. 83. C. B. P. *Var.* 338. ANN.
*Faba ſylveſtris, fructu rotundo atro C. B. P. v.* Vicia.
*Fagopyrum vulgò. v.* Frumentum Saracenicum.

FAGUS *C. B P.* 419. Fagus Latinorum: Oxya Græcorum *I. B. tom.* 1. *l.* 7. 217.
*Fagus ſepium* I. B. *v.* Carpinus.

FERRUM equinum, ſiliquâ ſingulari *C. B. P.* 349. *Moriſ. Hiſt.* 2. 117. Solea equina I. B. *tom.* 2. *l.* 17. 347. ANN.
Ferrum equinum, ſiliquâ multiplici *C. B. P.* 349. *Moriſ. Hiſt.* 2. 118. ANN.
Ferrum equinum Germanicum, ſiliquis in ſummitate *C. B. P.* 346. Ferrum equinum capitatum ſeu comoſum Columnæ *Moriſ. Hiſt.* 2. 118. Ornithopodio affinis, vel potiùs Soleæ vel Ferro equino, Herba *I. B. tom.* 2. *l.* 12. 348.
*Ferrum equinum Gallicum, ſiliquis in ſummitate* C. B. P. *v.* Colutea.

FERULA major ſeu Fœmina *Moriſ. Umbell.* 35. Ferula Fœmina Plinii *C. B. P.* 148. Ferula folio Fœniculi, ſemine latiore & rotundiore I. B. *tom.* 3. *l.* 27. 43.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Ferula minor, tenuiore folio *Moriſ. Umbel.* 35. Ferulago tenuiore folio C. B. P. 148. Narthecium Theophraſti, Ferulago Gazæ I. B. *tom.* 3. *l.* 27. 44.

Ferula Tingitana, folio latiſſimo lucido *Sutherl. Hort. Edinb.* 119.

Eadem folio anguſto lucido.

Ferula Libanotidis odorem & ſuccum fundens, ſeu Panax Aſclepium *Moriſ. Umb.* 35. Libanotis Ferulæ folio & ſemine *C. B. P.* 158. Libanotis quibuſdam, flore luteo ſemine Ferulæ I. B. *tom.* 3. *l.* 27. 41.

*FESTUCA graminea, glumis hirſutis C. B. P. 9. Gramen Gros Montbelgardenſium *tom.* I. B. 2. *l.* 18. 438. *Spicis diſperſis C. B. P. Var.* 9. Bromos vulgò. ANN.

*Eadem ſpicis in faſciculum comprehenſis C. B. *P. Var.* 9. ANN.

*Feſtuca graminea, glumis vacuis C. B. P. 9. I. B. *tom.* 2. *l.* 18. 479. ANN.

*Feſtuca Avenacea ſterilis elatior C. B. P. 9. Ægilops Matthiolo fortè I. B. *tom.* 2. *l.* 18. 435. ANN.

*Feſtuca utriculis lanugine flaveſcentibus C. B. P. 10. Ægilops quibuſdam ariſtis recurvis ſive Avena piloſa *I. B. tom.* 2. *l.* 18. 433. ANN.

Feſtuca altera, capitulis duris C. B. P. 10.

Feſtuca longiſſimis ariſtis, glumis variis ſpa- dic

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

dicei coloris C. B. P. 10. Gramen Ægilops, Bromoides Tabern. longiſſimis ariſtis *I. B. tom.* 2. *l.* 15. 513.

Ficus communis C. B. P. 457. Ficus *I. B. tom.* 1. *l.* 1. 128. Fructu purpureo C. P. B. *Var.* 457.

Eadem fructu albo C. B. P. *Var.* 457.

Eadem fructu viridi C. B. P. *Var.* 457.

Eadem fructu cœruleo C. B. P. *Var.* 457.

Ficus nunquam matureſcens *Cat. Hort. Reg. Pariſ.* 71.

Ficus foliis robuſtioribus & ramis erectioribus.

Ficus humilis *C. B. P.* 457. Chamæficus *I. B. tom.* 1. *l.* 1. 129.

Ficus Indica ſeu Opuntia major, folio ſpinis longiſſimis & validiſſimis armato *Breyn. Prodr.* 35.

Eadem folio minori', rotundiori & compreſſiori.

Ficus Indica ſeu Opuntia maxima, folio ſpinoſo, latiſſimo & longiſſimo.

Eadem folio ſpinoſo longiſſimo & anguſto.

Eadem folio oblongo media *Cat. Hort. Reg. Pariſ.* 70. An Nocheznopalli ſeu Zopalnocheztli, in quo Coccus Indicus naſcitur *Hernand. Hiſt. Mex. p.* 78?

Eadem minor. Ficus Indica humilis C. B. P.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

458. Ficus Indica minima, folio ſubrotund
*Cat. Hort. Reg. Pariſ.* 70.

FICOIDES, ſeu Ficus Aizoides Africana majo procumbens, triangulari folio, fructu maxi mo eduli. Ficus Hottentottorum vulgò.

Quas Plantas Clariſſimus Paulus Am mannus in plantarum charactere natural Kalia Africana, & peritiſſimus Iacobu Breynius in Centuriâ Chryſanthema Ai zoidea, ac in Prodromo Chryſanthemis ſi miles, vulgus verò Aſteres Aizoideos & Se da triangularia appellant, placuit nunc pro ducere ſub titulo Ficoides, ſeu Ficus Aizoi des Africanæ, ad cujus ſpecies veriùs viden tur accedere, quàm ad Kali, Chryſanthe mum, Aſterem aut Sedum. Etenim harum omnium floribus ſubjicitur fructus, ad mo dum Ficus Indicæ, vulgò Opuntia dictæ qui, cujuſcunquè etiam ſit magnitudinis & figuræ, includit pulpam ſuccoſam, dulcem Ficui Indicæ ſimilem, quamquàm ſiccita te in fungoſam aridam membranaceam ſub ſtantiam degenerantem & varios ſeminum loculos deſcribentem. Diſpeſcuntur autem in *quinquè capſulares*, quarum duæ ſunt fructu pyriformi majori, quinque fructu pyriformi minori, tres verò fructu orbi-culato: & *multicapſulares*, quarum altera eſt fructu majori, altera minori. Prima, fru-ctum maximum edulem Ficui ſimillimum

pro-

*FICUS AIZOID. AFRIC. MAI. PROCUMB. TRIANG. FOL. FRUCT. MAXIM. EDULI.*



Mesembr. edule

proferens, ſpargit ab radice craſsâ fibroſâ re
pente multiſquè fibratâ capillamentis, cau
liculos multos, humi ſtratos, digitum craſſos
duos treſvè cubitum & ampliùs longos, ſuc
coſos, ex viridi palleſcentes, penes radicem
aliquando rubentes, ad quorum genicul
exeunt folia bina ex adverſo, digiti longitu
dine & craſſitie, triangularia, viridia, ſuccu
lenta, cum totidem ex oppoſito ramulis & e
his aliis atque aliis, ſuſtinentibus in cacumi
nibus fructuum rudimenta pyriformia quin
quangula, quinquè trigonis foliolis inferio
ribus multò minoribus circumvallata, in
tra quæ emicat flos ſtellæ vel ſolis effigi
radiatus, Aſteris flore amplior, ex mollecu
lis tenuibus numeroſis petalis quaſi radii
ad Solem aureo fulgore micantibus con
ſtructus, cingentibus multa concoloria ſta
mina farinacis flaveſcentibus apiculis do
nata, quorum medium occupant ſeptem
octovè cornicula ex luteo viridantia in or
bem diffuſa. His marceſcentibus, matura-
tur fructus, adæquans nonnunquam Ficum
vulgarem, viridis, pulpoſus, granis minutiſ
ſimis, veluti in Icone inciſi fructus videre
eſt, refertus, ſaporis dulcis aquoſi haud in
grati, ſummò umbilico quinquè ſtellatim
decuſſatis radiis inſcripto, pulpâ vel cito
putreſcente vel intenſiori ſolis æſtu in fun-
goſam ſubſtantiam tranſeunte, quæ diſpe-
ſcitur

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ſcitur in quinquè loculos, includentes ſemina exigua anguloſa fuſca. Luxuriat cum cæteris ſubſequentibus hujus ſortis locis maritimis aridis ſabuloſis ad Promontorium Bonæ Spei, ubi fructus tàm à Belgis ibidem hoſpitantibus, quàm ab Indigenis Hottentottis eſitantur. Hujus propagatio fit vel per avulſos ramulos terræ commiſſos, vel per radices, quas caulium genicula terræ proxima demittunt. Toto anno in Belgiâ viget & viret, aſt præſervanda eſt à brumæ injuriis. Conſpicitur triplici florum colore, albo, purpureo, & flavo.

Idem folio triangulari enſiformi.

Crevit ex ſeminibus Africanis in horto Dni Hemskerck, florum rariorum cultoris ſolertiſſimi. Priori omnibus notis reſpondet, exceptis foliis nonnihil brevioribus, enſem falcatum latiori dorſo imitantibus.

Ficoides ſeu Ficus Aizoides Africana minor erecta, folio triangulari glauco, flore luteo. An Chryſanthemum Aizoides Africanum, triangulari folio minus, flore flavo *Breyn. Cent.* 1. 165? & Chryſanthemo ſimilis Aizoides Africana media, triangulari folio, flore flavo *Ejuſdem Prodr.* 26?

Partium exilitate neutiquam diſpoſitione & formà ab antè allatis differt: Fruteſcit cauliculis cubiti altitudine, rectis, te-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*FICUS AIZOIDES AFRICANA MINOR ERECTA, FOLIO TRIANGULO GLAUCO, FLORE LUTEO.*



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*FICUS AIZOIDES AFRICANA MINOR ERECTA, FOLIO TRIANGULO VIRIDI.*



Mesembryanthemum bicolor

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

nuibus, lignoſis, albentibus; Foliis du plo brevioribus, digiti minimi craſſitien vix adæquantibus, glaucis, triangulis; Flo ribus intra quinque foliola luteis, ad ſolen expanſis, ſuperiore minoribus; His ſubji ciuntur fructus Avellanæ nuclei magnitu dine, pyriformes, quinquanguli, ſucculenti dulces, vetuſtate fungoſi, tenaces, quaſiqu coriacei, in ſummo plani, quinis ſtellatin decuſſatis radiis notati, claudentes in toti dem oblongis loculis ſemina, pallidè flave ſcentia, anguloſa, dura, exigua. Indige eâdem, quâ ſuperior, culturâ. Foliorum ſa por obſervatur nunc ſalſus, nunc aquinſipi dus, prout fert ingenium ſoli, in quo naſci tur.

Eadem triangulari folio viridi, flore intus au reo, foris purpureo. An Chryſanthemum Africanum triangulari folio, flore carneo *Breynii Cent.* 1. 164? & Chryſanthe mo ſimilis Aizoides Africana major, trian gulari folio, flore carneo. Ejuſdem *Pro dr.* 26?

Totâ æſtate floret cum proximè de ſcriptâ, cujus ſitum & figuram omnino imitatur; ſed videtur paulò minor & graci lior. Folia edit viridia, flores aureos intus, extus purpuraſcentes, eminus colorem quo dammodo incarnatum mentientes.

Eadem folio tereti procumbens flore purpu reo.

FICUS AIZOIDES AFRICANA, FOLIO TERETI PROCUMBENS, FLORE PURPUREO.



reo. Chryſanthemum Aizoides Africanu
triangulari folio, flore purpureo *Brey*
*Cent*. I. 164. Chryſanthemo ſimilis Aizo
des Africana minor, triangulari folio, flo
purpureo *Breyn. Prodr*. 26.

Caliculis eſt infirmis, herbaceis, reſup
nis, dodrantalibus; Foliis viridibus, ter
tibus, anguſtis, gracilibus, digito longior
bus; Floribus purpureis; Cœteris antec
denti paribus.

Eadem flore coccineo.

Hæc à modo dictâ differt foliis nonnih
longioribus, & floribus elegantiſſimo co
cineo colore comantibus, educata in hort
laudati Dni Heemskerck.

Eadem Neapolitana flore candido. Kali Cra
ſulæ minoris foliis C. B. P. 289. *Moriſ. Hiſt*. 2
610.

Ficoides ſeu Ficus Aizoides Africana major
flore flavo, folio plano latiori. Chryſanthe
mum Aizoides Africanum primum ſeu la
tifolium *Breyn. Cent*. I. 160. Chryſanthe
mo ſimilis Aizoides Africana major latifo
lia. Ejuſdem *Prodr*. 24. Ann.

Hujus flori ſubjicitur fructus orbicularis
ſucculentus, dulcis, ex vetuſtate fungoſus
candidus imâ parte convexus, ſumma pla-
nus, medio umbilico barbato, ex quo quin-
què ſtellatim decuſſatæ lineæ ad extremum
ambitum ducuntur, dividentes fructum in

qua-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

S AIZOID. AFRIC. FOL. PLAN. MINOR, MUL-
AUL. FLORE INTUS RUB. EXTUS INCARN.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

quatuor cellulas, ſeminibus exiguis du pallidis refertas. Cætera ſatis curioſè d ſcripſit & depinxit laudatus Jacobus Bre nius loco citato.

Eadem folio anguſtiori. Ann.

Omnibus partibus minor & gracili conſpicitur.

Eadem minor multicaulis, flore intus rubent extus incarnato. Ann.

Spargit cauliculos numeroſos ſucculento geniculatos, reſupinos ab radice pallidâ fi broſâ; Folia bina ex adverſo, ſuperioribu multò minora, Portulacæ inter & Halim folia media, incana bullataquè aſpergin perfuſa; Flores denſis in ambitu barbu lis radiatos, intus gratè rubentes, extu incarnatos, ſerò & manè congenerum ri- tu clauſos, medio verò die ſole illuſtra- to expanſos, aſpectu jucundiſſimo; Se- mina pallida exigua in fructu ſuperiori mi- nore.

Ficoides ſeu Ficus Aizoides Africana, trian- gulari folio longiſſimo, fructu multicapſu- lari, flore luteo major. Chryſanthemum Aizoides Africanum ſecundum ſive tereti- folium *Breyn. Prodr.* 161. Chryſanthemo ſimilis Aizoides Africana major ſecunda ſi- ve teretifolia Ejuſdem *Prodr.* 26. Aſter Aizoides Capitis Bonæ Spei *Zanon. Hiſt. Bot.* 35.

Hanc

Hanc eandem eſſe exiſtimo, quam laudatus Breynius in *Prodr.* 25. nomine Chryſanthemi ſimilis Aizoides Africanæ majoris, triangularifoliæ, flore luteo majore, deſcripſit. Etenim pro ratione ſoli, & ætatis, modò amplior & robuſtior, modò minor & gracilior obſervatur. Fructus amplitudine nunc Ceraſum nunc Nucem juglandem æquat, ſucculentus, ſub dulcis, in fungoſam membranaceam ſubſtantiam tranſiens, communiter ſeptendecim pluribus vel paucioribus oblongis membranaceis loculis favis apum ſimilibus partitus, ex cujus ſummo ambitu eriguntur totidem radii fungoſi fuſci acuminati, duas treſvè uncias longi, effigiem Coronulæ exprimentes. Radix perennat, coliturquè veluti ſpecies ſuperiores.

Eadem minor. Chryſanthemum Aizoides Africanum, triangulari folio, flore aureo *Breyn. Cent.* 1. 163. Chryſanthemo ſimilis Africana major tertia, ſive triangulari folio, flore aureo Ejuſdem *Prodr.* 26.

Hæc antecedente minor profert fructus Ceraſi magnitudinem vix excedentes, quindecim aut ſedecim membranaceis loculis totidemquè radiis brevioribus (veluti ſemina Malvę) in orbem junctis & in mucronatum capitulum terminantibus, conſtructos, quibus includuntur ſemina exigua du-

ra

ra, anguloſa, ruffeſcentia. Reliqua vide apud Breynium loco citato.

FICOIDES ſeu Ficus Americana, cerei effigi ſpinoſa & anguloſa. Cereus Peruanus ſp noſus, fructu rubro Nucis magnitudine C. *P.* 485.

Eadem ſpinoſior & anguloſior.

FICOIDES ſeu Ficus Indica, longiſſimo lati ſimoquè folio, fructu longiſſimo, Muſa Sc rapioni dicta. Palma humilis, longis latiſqu foliis C. B. P. 507. Bananiera *Piſon.* 15 Bala *Hort. Malab. tom.* 1. 27. Muſa *I.* *tom.* 1. *l.* 1. 148. Mauz, Muſa *Alpin.* *Plant. Ægypt.* 80. Dudaim *Ludolf l.* *c.* 9.

*Ficuum ſpecie fructus Peruanus* C. B. P. *v.* Pc po arboreſcens.

*Filicula fontana major* C. B. P. *v.* Adianthum

*Filicula fontana minor* C. B. P. *v.* Adianthum

* FILIPENDULA vulgaris, an Molon Plin C. B. P. 163. Filipendula *I. B. tom.* 3. *l.* 2 189.

*Filipendula montana, flore Pedicularia* C. B. P *v.* Pedicularis.

* FILIX ramoſa non dentata florida C. B. P. 375 Filix floribus inſignis *I. B. tom.* 3. *l.* 37. 736 Oſmunda vulgò

Fi

Filix Indica, Oſmundæ facie. *Bod. à Stap. in Theophr.* 320. *Sim. Paul. Quadrip. Bot.* 32.

Filix Polypodii facie *Mentz. pugill.*

Filix montana florida perelegans, ſeu Adiantum album floridum *Raji Cat.* 109.

Filix ramoſa major, pinnulis obtuſis non dentatis C. B. P. 357. Filix major & prior Tragi ſive ramoſa repens *I. B. tom.* 3. *l.* 37. 733.

Filix ramoſa minor, pinnulis dentatis *C. B. P.* 355. Filix ramoſa minor *I. B. tom.* 3. *l.* 37. 734.

Filix non ramoſa dentata *C. B. P.* 358. Filix vulgo mas dicta, ſive non ramoſa *I. B. tom.* 3. *l.* 37. 737.

Eadem non ſerrata *C. B. P. Var.* 358.

Eadem in orbem, nidum avis exprimentem, excreſcens.

Filix mas non ramoſa, pinnulis anguſtis raris profundè dentatis *Ger. emac.* Filix mollis ſive glabra, vulgari mari non ramoſæ accedens *I. B. tom.* 3. *l.* 37. 738.

Filix mas non ramoſa, pinnulis latis auriculatis ſpinoſis *Ger. emac.*

Filix non ramoſa, petiolis tenuiſſimis, & tenuiſſimè dentatis *C. B. P.* 358.

Filix ſaxatilis, foliis non ſerratis *C. B. P.* 358. Filix minor non ramoſa *I. B. tom.* 3. *l.* 37. 740.

Filix paluſtris, ſeu aquatica. *Raji Cat.* 108.

Filix ſaxatilis ramoſa, nigris maculis punctata C. B. P. 358.

Filix ſaxatilis, caule tenui fragili. *Raji Cat.* 108. An Filicula Alpina criſpa C. B. P. 358.

*Filix querna C. B. P. 358.

*Filix Polypodium dicta. Polypodium vulgare C. B. P. 359. *I. B. tom.* 3. *l.* 37. 746.

Filix aculeata major C. B. P. 358.

*Flammula I. B.* v. Ranunculus.

*Flos Africanus ejuſquè ſpecies* C. B. P. *v.* Tagetes.

*Flos Mexicanus ejuſquè ſpecies I. B. v.* Mirabilis Peruviana.

*Flos Ambervalis vulgò. v.* Polygala.

*Flos Cardinalis Barberini Columna. v.* Rapunculus.

*Flos cuculi ejuſquè ſpecies* C. B. P. *v.* Lychnis.

*Flos Conſtantinopolitanus I. B. v.* Lychnis.

*Flos Paſſionis ejuſquè ſpecies vulgò. v.* Cucumis.

*Flos clitorius Breyn. v.* Clitorius flos.

FOENICULUM vulgare Germanicum C. B. P. 147. *Moriſ. Umbell.* 3. Fœniculum vulgare minus, acriori & nigriori ſemine I. B. *tom.* 3. *l.* 27. 2.

Idem foliis ſubnigricantibus C. B. P. *Var.* 17.

Fœniculum vulgare Italicum, ſemine oblongo guſtu acuto C. B. P. 147.

Fœniculum foliis atro-rubentibus *Suthe.* *Ho.*

*Hort. Edinb.* 122. An Fœniculum foliis ſubnigrantibus C. B. P. *Var.* 147?

Foliorum ſummitates atro-rubeſcunt, ſemina ſunt anguſta & longiora, cœtera congeneribus reſpondent. Germinavit ex ſeminibus Africanis.

œniculum dulce *C. B. P.* 147. *Moriſ. Umb.* 3. Fœniculum vulgari ſimile, dulce I. B. *tom.* 3. *l.* 27. 4. Fœniculum dulce, majori & albo ſemine *ibid.*

*œnum Burgundiacum vulgò. v.* Medica.

OENUM Græcum ſativum C. B. P. 348. *Moriſ. Hiſt.* 2. 166. *I. B. tom.* 2. *l.* 17. 363. ANN.

œnum Græcum ſylveſtre C. B. P. 348. Fœnum Græcum ſylveſtre Dalechampii *I. B. tom.* 3. *l.* 17. 365. Fœnum Græcum ſylveſtre μονοκέρατον, ſiliquâ breviore & latiore *Moriſ. Hiſt.* 2. 166. ANN.

dem minus Arabicum. ANN.

Exilitate partium à ſuperiori differt. Accepimus à DNO Iacobo Bobarto, ad quem inter alia ex Arabiâ erat miſſum.

*œnum Græcum ſylveſtre* I. B. *v.* Aſtragalus.

*ontalis ſeu Fontinalis* I. B. *v.* Potamogeton.

RAGARIA vulgaris *C. B. P.* 326. *Moriſ. Hiſt.* 2. 186. Fragaria ferens fraga rubra *I. B. tom.* 2. *l.* 17. 394.

adem fructu albo C. B. P. 326. Fragaria ferens fraga alba I. B. *tom.* 2. *l.* 17. 394.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Eadem fructu parvi Pruni magnitudine *C. P.* 227. *Moriſ. Hiſt.* 2. 186.

Fragaria fructu rotundo ſuaviſſimo, flore [illegible]plici *Cat. Hort. Reg. Pariſ.* 72.

Fragaria foliis hiſpidis *C. B. P.* 327.

Fragaria flore luteo *C. B. P.* 327.

Fragaria Virginiana, fructu coccineo *Mo*[illegible] *Hiſt.* 2. 186.

Fragaria ſterilis *C. B. P.* 327. Fragaria [illegible] fragifera, vel non veſca *I. B. tom.* 2. *l.* 17. 3[illegible] Fragaria ſterilis ſeu minimè veſca hir[illegible] minimè incana *Moriſ. Hiſt.* 2. 186.

*Fragaria Pentaphylli fructu Moriſ. Hort. B*[illegible] *v.* Pentaphylloides.

*Fragaria Pentaphylli fructu Moriſ. v.* Pen[illegible]phylloides.

FRANGULA Matth. Alnus nigra bacci[illegible] *C. B. P.* 428. *I. B. tom.* 1. *l.* 5. 560.

FRAXINELLA, ſive Dictamnus albus v[illegible]gò *C. B. P.* 222. Fraxinella, Officinis Di[illegible]mnus *I. B. tom.* 3. *l.* 30. 494. elatior, obl[illegible]giore ſpicâ ſaturatiore, foliis nigricanti[illegible] *C. B. P. Var.* 222. Floribus purpureis.

Eadem floribus albis. Fraxinella niveo fl[illegible] *Cluſ. Hiſt. Rar. Plant. l.* 1. 100.

Fraxinella, ſive Dictamnus albus humilior, [illegible]viore ſpicâ, flore & foliis dilutioribus p[illegible]pureis. *C. B. P. Var.* 222. An Fraxinella i[illegible]

D[illegible]

nor purpurea Belgarum *Cat. Hort. Reg. Pa-riſ.* 72?
adem floribus albis.

RAXINUS excelſior C. P. B. 416. Fraxinus vulgatior *I. B. tom.* 1. *l.* 8. 174.
raxinus Alepenſis.

Superiori minor & humilior eſt, foliisquè rotundioribus. Tranſmiſit DNUS Watſius ex Angliâ,

RITILLARIA præcox purpurea, variegata C. B. P. 64. *Moriſ. Hiſt.* 2. 402. Meleagris ſive Fritillaria ſaturatior & dilutior I. B. *tom.* 2. *l.* 19. 681.
itillaria polyanthos flavo viridis C. B. P. 64. *Moriſ. Hiſt.* 2. 403.
itillaria ramoſa *C. B. P.* 64.
itillaria flore magno pleno C. B. P. 64. *Moriſ. Hiſt.* 2. 403.
itillaria umbellifera C. B. P. 64.
itillaria alba præcox C. B. P. 64. Fritillaria alba altera I. B. *tom.* 2. *l.* 19. 684.
itillaria alba variegata C. B. P. 64.
itillaria ſerotina atro-purpurea C. B. P. 64.
itillaria ſerotina, floribus ex flavo virentibus *C. B. P.* 64. Meleagris ſive Fritillaria aquitanica, reflexis oris *I. B. tom.* 2. *l.* 19. 683.
dem flore pleno *Cat. Hort. Reg. Pariſ.* 72.
itillaria Iſabella dicta, floribus ex pallidè rubicundo-virentibus.

Fritillaria flore ſulcato & anguloſo obſcurè puniceo.

Fritillaria Indica maculato caule Viperinæ [...]cta *Cat. Hort. Reg. Pariſ.* 73.

Fritillaria flava, rubris maculis diſtincta C. [...] 64.

Fritillaria anguſtifolia lutea variegata, ma[...] flore C. B. P. 64. *Moriſ. Hiſt.* 2. 403.

Fritillaria flore minore *C. B. P.* 64. Melea[...] ſive Fritillaria Pyrenæa, flore minore IB [...] *tom.* 2. *l.* 19. 683.

Fritillaria minima pluribus floribus C. B. P. [...] Fritillaria polyanthos non deſcripta Swe[...] *Moriſ. Hiſt.* 2. 403.

Fritillariarum variæ ſpecies, florum colori[...] magnitudine inſignes, vario è ſatu pro[...]ctæ.

*Fritillaria craſſa Prom. Bonæ Spei Sta[...]* *v.* Apocynum.

FRUMENTUM Indicum Mays dictum *C. B. P.* 25. Triticum Peruvianum album longum *I. B. tom.* 2. *l.* 18. 454. Tlaolli ſeu Maiz[...] *Rech. Hiſt. Mexic.* 242. ANN.

Idem granis ruffeſcentibus C. B. P. *Var.* 26. AN[N].

Idem granis crocantibus C. B. P. *Var.* 26. AN[N].

Idem granis nigricantibus C. B. P. *Var.* 26. AN[N].

Idem granis cœruleis *Cat. Hort. Reg. Pa[riſ.]* 73. ANN.

Id[em]

[Fr]umentum idem granis variegatis *Cat. Hort. Reg. Pariſ.* 73. ANN.

[F]rumentum Indicum Mays dictum, alterum *C. B. P.* 26. *I. B. tom.* 2. *l.* 18. 455. ANN.

[F]RUMENTUM Saracenicum Matth. Eryſimum Cereale *C. B. P.* 26 Fagotriticum. *I. B. tom.* 2. *l.* 23. 393. Fagopyrum vulgò. ANN.

[F]rumentum Saracenicum alterum, Convolvuli modo ſcandens, ſemine triangulo minori nigro. *Moriſ. Hiſt.* 2. 590. Convolvulus minor, ſemine triangulo *C. B. P.* 295. Helxine ſemine triangulo *I. B. tom.* 2. *l.* 15. 157. ANN.

[Fr]umentum idem maximum Americanum. ANN.

Amplitudine antedictum vel ſextuplo ſuperat, cœteroquin convenit.

[F]rutex *Pavoninus Breyn.* *v.* Criſta Pavonis.

[F]UMARIA ſiliquoſa ſemper virens *Cornuti Hiſt. Canad.* 57. *Moriſ. Hiſt.* 2. 261. ANN.

[F]umaria ſiliquoſa bivalvis, radice fibroſâ, latifolia perennis humilior ſine claviculis, flore albo *Moriſ. Hiſt* 2. 260.

[F]umaria claviculis donata *C. B. P.* 143. *Moriſ. Hiſt.* 2. 260. Fumaria cum capreolis *I. B. tom.* 3. *l.* 26. 204.

[F]umaria lutea *C. B. P.* 143. Fumaria lutea montana *Park. Moriſ. Hiſt.* 2. 260. Fumaria



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ria, quæ Split dicitur I. B. *tom.* 3. *l.* 26. 20[illegible]
ANN.

Fumaria bulboſa, radice cavâ major *C. B. P.* Fumaria tuberoſa major, radice cavâ *Moriſ. Hiſt.* 2. 261. Fumaria bulboſa, radice cavâ, flore purpuraſcente *I. B. tom.* 3. *l.* 26. 204.

Eadem flore albo *C. B. P. Var.* 261. I. B. *tom.* 3. *l.* 26. 204.

Fumaria bulboſa, radice non cavâ major *C. B. P.* 262. Fumaria tuberoſa minor, radice non cavâ *Moriſ. Hiſt.* 2. 261. Fumaria bulboſa, radice ſolidâ, calcari & folio criſtato *I. B. tom.* 3. *l.* 26. 205.

Eadem flore albo. *Eyſt.*

*Fumaria bulboſa, radice non cavâ minot *C. B. P.* 144.

*FUMARIA Officinarum & Dioſc. *C. B. P.* 143. *Moriſ. Hiſt.* 2. 261. Fumaria vulgaris latifolia, ſiliquis curtis non bivalvibus *Moriſ. Hiſt.* 2. 261. Fumaria vulgaris I. B. *tom.* 3. *l.* 26. 201. ANN.

Eadem circa Monſpelium naſcens, foliis tenuiſſimis, floribus albis C. B. P. *Var.* 261. ANN.

Fumaria minor tenuifolia *C. B. P.* 143. Fumaria vulgaris minor tenuifolia *Moriſ. Hiſt.* 2. 261. Fumaria minor, ſive tenuifolia ſurrecta I. B. *tom.* 3. *l.* 26. 203. ANN.

FUN-

FUNGUS poroſus *C. B. P.* 370. Fungus rugoſus, vel cavernoſus, ſive Merulius niger & albus *I. B. tom.* 3. *l.* 40. 836.

Fungus orbiculatus exalbidus, pratenſis *C. B. P.* 370. Fungus D. Georgii, coloris exalbidi cum paucâ flavitie, eſculentus pratenſis *I. B. tom.* 3. *l.* 40. 824.

Fungus ſemicircularis durus Merett *P. Rer. Nat. Brit.* 42.

Fungus pileo lato orbiculari candicante C. B. P. 370. Fungus piperatus albus, lacteo ſucco turgens *I. B. tom.* 3. *l.* 40. 825.

Fungus pileo lato longiſſimo, pediculo variegato C. B. P. 371. Fungus longiſſimo pediculo candicans, ſed maculatus & eſculentus *I. B. tom.* 3. *l.* 40. 826

Fungus albus, pileo inverſo *I. B. tom.* 3, *l.* 40. 847.

Fungus minor flaveſcens, infundibuli formâ C. B. P. 373. Fungi infundibulum referentes, flaveſcentes, pernitioſi *I. B. tom.* 3. *l.* 40. 847.

Fungus anguloſus & velut in lacinias ſectus C. B. P. 371. Fungus luteus ſive pallidus, Chantarelle dictus, ſe contorquens, eſculentus I. B. *tom.* 3. *l.* 40. 832.

Fungus membranaceus, auriculam referens ſive Sambuccinus *C. B. P.* 372. Fungus Auriculæ Iudæ, coloris ex cineraceo nigricantis, pernitioſus, in Sambucci caudice naſcens *I. B. tom.* 3. *l.* 40. 840.

*Fungus Lariceus, aurei coloris C. B. P. 37[illegible] Fungus Laricum maximus, luteus, eſcule[illegible] tus I. B. *tom.* 3. *l.* 40. 836.

*Fungus Ceraſorum imbricatim alter alteri i[illegible] natus, variegatus C. B. P. 372. Fungus Cer[illegible] ſorum, coloris varii perniciosus *I. B. tom.* [illegible] *l.* 40. 848.

*Fungus Coryleus orbicularis *C. B. P.* 372. Fu[illegible] gus ſub Corylis, orbicularis figuræ *I. B. to[illegible]* 3. *l.* 40. 842.

*Fungus Salignus, Lichenis formâ variegat[illegible] C. B. P. 372. Fungus Salicum, coloris var[illegible] pernitioſus *I. B. tom.* 3. *l.* 40. 842.

*Fungus putridis arborum ramis inhæren[illegible] plurimis ſimul cohærentibus *C. B. P.* 37[illegible] Fungus Spongia lignorum dictus *I. B. tom* [illegible] *l.* 40. 842.

*Fungus durus arborum, ſive igniarius *Par*[illegible] *Th.* 1323.

*Fungus Caſearius Sterbekin. *Theatr. Fung.* 9[illegible]

*Fungus oris laceris, & in lacinias diviſis *C.* [illegible] *P.* 373.

*Fungus clypeiformis major *C. B. P.* 373. Fu[illegible] gi multi, ex uno pede clypeiformes, lut[illegible] & rubri *I. B. tom.* 3. *l.* 40. 835.

*Fungi dumetorum, ex uno pede prodeu[illegible] tes *C. B. P.* 374. Fungi multi, ex unò ped[illegible] pernitioſi *I. B. tom.* 3. *l.* 40. 835.

*Fungus fœtidus, penis imaginem refere[illegible]

C. B.

C. B. P. 374. Fungus Phalloides *I. B. tom.* 3. *l.* 40. 843.

Fungus rotundus orbicularis C. B. P. 374.

Idem capitis pueri magnitudine C. B. P. *Var.* 375. Fungus maximus rotundus pulverulentus, dictus Germanis Poſiſt *I. B. tom.* 3. *l.* 40. 848.

Fungus niger, culicis figuram referens *C. B. P.* 375. Fungus pulverulentus, dictus Crepitus Lupi I. B. *tom.* 3. *l.* 40. 848.

## G.

Gale I. B. *v.* Rhus.

GALEGA vulgaris *C. B. P.* 352. *Moriſ. Hiſt.* 2. 91. *tom.* 2. *l.* 17. 342. Floribus cœruleis *C. B. P. Var.* 352.

Eadem floribus penitus candicantibus C. B. P. *Var.* 352.

Galega Ægyptiaca, ſiliquis propendentibus longiſſimis & anguſtiſſimis. Galega Ægyptiaca, ſiliquis articulatis *C. B. P.* 352. Sesban-Ægyptiacum, ſeu Securidaca Ægyptiaca articulata, *Park. Moriſ. Hiſt.* 2. 79. Taxaco quamoclit Indicum I. B. *tom.* I. *l.* II. 384. ANN.

*Galega nemorenſis verna & huic affines* I. B. *v.* Orobus

Ga-

*Galegæ adfinis Sophera dicta* C. B. P. *v.* Senna
*Galeopſis ejuſquè ſpecies* I. B. *v.* Lamium,
*Gallitrichum ejuſquè ſpecies* I. B. *v,* Horminum.

*GALLIUM luteum *C. B. P.* 335. Gallium verum *I. B. tom.* 3. *l.* 36. 720.
Gallium album latifolium, vel Mollugo montana anguſtfolia *C. B. P.* 334.
Gallium montanum latifolium, ramoſum Mollugo montana latifolia, ramoſa C. B. P 334 Rubia ſylvatica lævis *I. B. tom.* 3. *l.* 36 716.
* Gallium paluſtre album *C. B. P.* 335. Gallium album *I. B. tom.* 3. *l.* 36. 721.
* Gallıum paluſtre, luteo flore *C. B P.* in Tabern. 433. Gallium flore pallido. *I. B. tom.* 3. *l.* 36. 721.
Gallium album minus *C. B. P.* 335.
*Gallium latifolium, Cruciata quibuſdam, flore luteo* I. B. *v.* Rubia.
*Gelſeminum Indicum flavum, odoratiſſimum Ferr. v.* Jaſminum.
*Gelſeminum Ederaceum Indicum Corn. v.* Clematis.
*Gelſeminum Indicum maximum, flore phœniceo Ferr. v.* Clematis.

GENISTA - Spartium ſpinoſum majus primum, flore luteo *C. B. P.* 394. Aſpahaltus

tus ſecunda Monſpelienſis *I. B. tom.* 1. *l.* 11. 402.

Geniſta-Spartium ſpinoſum foliis Polypodii *C. B. P.* 394. Agul & Alhagi Arabibus, Planta ſpinoſa Mannam reſipiens *I. B. tom.* 1. *l.* 11. 405.

Geniſta ſpinoſa major, brevibus aculeis *C. B. P.* 394.

Geniſta ſpinoſa major, longioribus aculeis *C. B. P.* 394. Geniſtellæ ſpinoſæ affinis, Nepa quibuſdam *I. B. tom* 1. *l.* 11. 400.

Geniſta ſpinoſa minor Germanica *C. B. P.* 395. Geniſta aculeata folioſa *I. B. tom.* 1. *l.* 11. 401.

Geniſta minor Aſphalathioides *C. B. P.* 395. Geniſtella minor Aſpalathioides *I. B. tom.* 1. *l.* 11. 401.

Geniſta Hiſpanica, floribus luteis amplis, ſeminibus Lenti ſimilibus. Spartium arboreſcens, ſeminibus Lenti ſimilibus *C. B. P.* 396. Geniſta juncea *I. B. tom.* 1. *l.* 11. 305.

Geniſta Hiſpanica floribus luteis parvis monoſpermos, ſemine reni ſimili *C. B. P.* 396. Spartium Hiſpanicum, lobis rotundiuſculis, flore luteo *I. B. tom.* 1. *l.* 11. 397.

Eadem floribus candidis. Spartium tertium, flore albo *C. B. P.* 396. Spartium Hiſpanicum, flore candido *I. B. tom.* 1. *l.* 11. 398.

Ge-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Geniſta argentea *I. B. tom.* 1. *l.* 11. 398.

Geniſta tinctoria Germanica. *C. B. P.* 395. Ti
ctorius flos *I. B. tom.* 1. *l.* 11. 391.

Geniſta humilis, ſeu Chamægeniſta foliis Ge
niſtæ vulgaris *C. B. P.* 395. Geniſtella piloſ
*I. B. tom.* 1. *l.* 11. 193.

Eadem foliis lucidis glabris.

Geniſta humilis, ſeu Chamægeniſta ſagittal
*C. B. P.* 396. Geniſtella herbacea, ſive Cha
mæſpartium *I. B. tom.* 1. *l.* 11. 393.


*Geniſta anguloſa & Scoparia *C. B. P.* 395. Ge
niſta anguloſa trifolia *I. B. tom.* 1. *l.* 11. 388

GENISTA arboreſcens Africana, Styraci
folio. *Breyn. Prodr.* Cœruleo flore. Ar
bor ſiliquoſa Africana Geniſtæ ſemin
*Barth. Act. Haffn. Ann.* 1673. *obſerv.* 131
Crotalaria arbor Africa Styracis folio moll
incano, flore cœruleo *Amm. Charact. Plant*
241.

Malo Cotoneæ ſeu Styraci arbori ſimi
lis videtur hæc Geniſta; Radice lignoſâ al
bâ, caudice recto pollicem craſſiori, ligno
ſo, cortice in viridi palleſcente, ramuli
frequentibus vimineis obſequioſis ad cacu
mina incanis, quos denſo alternatoquè or
dine ambiunt folia Styracis facie rotund
craſſiuſcula, candidâ ſericeâ lanugine pube
ſcentia, intra quæ erumpunt flores plerun-
què

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*NISTA ARBORESCENS AFRICANA STYRACIS FOLIO, FLORE COERULEO.*



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

què ſingulares raró] bini ternivè papil-
nacei cœrulei, exiguis fulti petiolis. H
excipiunt ſiliquæ bivalves breves rotu-
diuſculæ incanæ, claudentes ſemina re-
formia fuſca depreſſa. Gaudet irriguis
Promontorium Bonæ Spei. Vires æmu-
tur Geniſtæ vulgaris.

GENISTÆ Affinis Arbor Africana mon-
ſpermos, flore cœruleo, foliis pinnat
Geniſta-Spartium cœruleum Africanu
foliis pinnatis *Breyn. Prodr.* 36. Geni
Ruteri vulgò.

In teſquis & marginibus rivulorum P
montorii Bonæ Spei luxuriat hic frutex u
cum Geniſta-Spartio coeruleo Æthiopi
*Breyn. Cent.* 1. 66. à quo & facie & creſce
di modo non multùm abludit. Folia pr
fert in principio terna uni petiolo adſtanti
in progreſſu verò pinnata viridia anguſt
aſperiuſcula, ramulos denſiſſimo ordine v
ſtientia, quibus & ab imo ad ſummum u
què circumſtant flores coacervatim papili
nacei pallidè cœrulei, prodeuntes ex utr
culis oblongis membranaceis quinquifid
ſubhirſutis, claudentibus ſingulis ſeme
unicum nigrum lucidum reniforme, ten
fuſcâ membranâ, quaſi peculiari ſiliculâ, t
ctum.

GEN

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

GENISTÆ AFFINIS ARBOR AFRICANA MONOSPERMOS FLORE COERUL. FOL. PINNATIS.




Psoralea pinnata.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

GENTIANA major lutea *C. B. P.* 187. Ge-
tiana vulgaris major, Ellebori albi fo
I. B. *tom.* 3. *l.* 31. 520.

Gentiana Aſclepiadis folio C. B. P. 187. Ge-
tiana folio Aſclepiadis vulgò creditæ *I*
*tom.* 3. *l.* 31. 523.

* Gentiana Cruciata *C. B. P.* 188. Gentiana m
nor, ſeu vulgi Cruciata *I. B. tom.* 3. *l.* 31. 5

Gentianella Alpina anguſtifolia, magno fl
*C. B. P.* 187. Gentiana Alpina magno fl
*I. B. tom.* 3. *l.* 31. 523

* Gentianella Alpina verna major C. B. P. 1
Gentianula quæ Hippion I. B. *tom.*
*l.* 31. 527.

* Gentiana anguſtifolia autumnalis major C
*P.* 188. Gentianæ ſpecies, Calathiana quib
dam, radice perpetuâ ſive paluſtris I. B. *t*
3. *l.* 31. 524.

* Eadem minor floribus ad latera piloſis C. B
188. Gentianula lanugine ad ſingulor
foliorum floris lacinias donata, flore qua
partito I. B. *tom.* 3. *l.* 31. 525.

Gentiana paluſtris latifolia flore punct
C. B. P. 188. Aliſma folio glabro C. B. P. Ph
520. Gentiana punctato flore ſubcœru
Pennæi I. B. *tom.* 3. *l.* 31. 528.

*Gentiana folio convoluto* I. B. *v.* Lychnis.

GERANIUM Africanum arboreſcens, Ib
folio rotundo, Carlinæ odore.

ANIUM AFRICANUM ARBORESCENS, IBISCI FOLIO ROTUNDO, CARLINÆ ODORE.



Pelargonium cucullatum

Ad radices montis Tabulati Promontorii Bonæ Spei fruteſcit hoc Geranium radice lignoſâ albente craſsâ fibroſâ, caule rotundo hirſuto tres & ampliùs pedes alto, aliquando ſtatim à radice in complures ramos diviſo, quibus ex longis poſis craſſisquè petiolis circumſtant folia in ambitu rotunda, leviter crenata, modò plana modò ſinuata, craſſiuſcula mollia hirta Ibiſci inſtar, dilutè virentia, odoris fragrantis Carlinam æmulantis; Circa faſtigia prodeunt palmares ramuli, quibus oblongis quinquifidis ſubhirſutis calicis inſident flores ex incarnato rubentes, ampli, quinis petalis conſtructi, duobus ſuperioribus amplioribus galeæ inſtar erectis tinisquè ſanguineis in baſi ſtriis inſignitis, tribus inferioribus minoribus quaſi labiat, prominentibus è medio aliquot ſtaminibus cum ſtilo longiori in quinquè ſanguineas lingulas divaricato. His defluxis, ſuccedunt more congenerum quinquè capſulæ membranaceæ, arctè ſibi invicem annexæ & in longum acutum mucronem terminantes, ex quibus, præ maturitate dehiſcentibus, proſiliunt totidem ſemina oblonga ſpadicea, roſtrata, contorta, incanâ lanugine pubeſcentia, cum ſtilo intermedio nutritivo, è cujus apici ſemina hærent. Tota planta imprimis folia ſubacrem & aromaticu

ticum præbent ſaporem cum levi viſciditate; Hinc reponi meretur inter carminantia & emollientia. Folia leviter exiccata non infelici effectu adjeci clyſteribus contra ventris tormina, paſſionem Colicam, Iliacam, Nephriticam præſertim Calculum, cœteraſquè Urinæ difficultates. In Belgia de facili propagatur ſeminibus, ramulis, & viviradicibus.

Geranium Africanum fruteſcens, Malvæ folio laciniato odorato. Geranium Malvæ folio odoratum, flore purpuraſcente Capitis Bonæ Spei. *Breyn. Prodr. p.* 36.

Fundit radicem craſſam candicantem fibroſam, cauliculos cubitales geniculatos nodoſos reſupinos, folia digitalibus petiolis Malvæ paria ſubrotunda anguloſa crenata undulata nonnunquam laciniata odoris grati & aromatici, flores facie antecedentis, niſi paulò minores ſex ſeptemvè plures vel pauciores quaſi in capitulo ſeu umbellâ ſimul junctos, cui ſubjiciuntur quinquè in orbem radiata hirſuta ſubrotunda foliola ambitu rubente & in exiguum molleculum mucronem abeunte. Sequuntur ſemina ſuperiora tenuiora. Tota planta piloſâ hirſutaquè facie eſt, gaudens cum præcedenti iiſdem natalibus culturâ & virtutie remiſſiori.

## *GERANIUM AFRICANUM FRUTESCENS, MALV FOLIO LACINIATO ODORATO.*



Pelargonium capitatum

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Geranium Africanum Coriandri folio, floribus incarnatis, majus. Geranium Æthiopicum, Myrrhidis folio tertium, flore magno ſtriato *Breyn. Cent.* 1. 129.


Idem flore incarnato minus.

Hujus & præcedentis folia prima ſeminalia ſunt ſubrotunda, brevia, modicè laciniata, in progreſſu verò elongantur, & frequentioribus ſegmentis diſſecantur, quæ in hâc minori ſpecie apparent tenuiora anguſtiora haud quaquam hirſuta. Flores prodeunt paulò minores, ſemina cœteraquè omnia ſuperiori ſimillima.

Geranium Africanum, Betonicæ folio laciniato & maculato, floribus incarnatis.

Prioribus accedit & hæc ſpecies, cujus folia inferiora radici proxima referunt effigiem foliorum Betonicæ, quæ verò in progreſſu cauli adſtant, ſunt majora, profundioribus laciniis inciſa, & medio ſinu ex fuſco rubenti maculâ inſignita, aliquando omnino viridia. Cauliculos ſpargit ſphithamum longos geniculatos, ex viridi nonnihil rubentes, reſupinos, ſuſtinentes flores pentapetalos in carnatos Geranio Africano Coriandri folio majori perquàm ſimiles, quos excipiunt ſemina quina roſtellis contortis lanuginoſis, ritu priorum & ſubſequentium.

GERANIUM AFRICANUM, CORIANDRI FOLIO, FLORIBUS INCARNATIS MINUS.



Pelargonium coriandrifolium.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*RANIUM AFRICANUM BETONICÆ FOLIO MACULATO ET LACINIATO.*



Pelargonium myrrhifolium

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Geranium Africanum, Alchimillæ hirſut folio, floribus albidis.

Cauliculos emittit bicubitales ex virid rubentes piloſos geniculatos procumbente & ex ſingulis nodis novas radiculas demit tentes, quibus ex longis pediculis adſtan folia rotunda, Alchimillæ foliis nonnih paria, piloſa, in viridi candicantia, me diâ ſui parte nonnunquam maculata, i ambitu crenata & laciniata; Flores edi multos ſimul junctos ſuperioribus ſpe ciebus minores albidos & pro ingeni ſoli & climatis in pallido vel flaveſcen tes vel in carnatos, ſubſequentibus ſe minibus quinis diſpoſitione & facie con generum.

Geranium Americanum, noctu olens, radice tuberoſâ, triſte Cornuti. 109. *Moriſ. Hiſt.* 2. 517.

Geranium Africanum, noctu olens, radice tuberoſâ, foliis Paſtinacæ incanis lanuginoſis latioribus, flore pallidè flaveſcente. Geranium Æthiopicum, noctu olens, radice tuberoſâ, foliis Myrrhidis latioribus. *Breyn. Cent.* 1. 126.

Idem foliis anguſtioribus *Breyn. Cent.* 1. 127.

Ge-

## RANIUM AFRICANUM, ALCHIMILLÆ HIRSUTO FOLIO, FLORIBUS ALBIDIS.



Pelargon. alchimilloides

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Geranium Africanum, noctu olens tuberoſu
& nodoſum, Aquilegiæ foliis. Geraniu
Æthiopicum noctu olens, radice tuber
sâ, Aquilegiæ foliis. *Breyn. Cent.* 1. 127.

Conſtat radice longâ tuberosâ craſsâ non nihil lignosâ ex viridi palleſcente, ſubind aliquot fibris capillatâ; Caulibus ſurrect bipedalibus cineraceis glabris lignoſis, a genicula craſſeſcentibus; Foliis utrinqu oppoſitis, Aquilegiæ facie, craſſiuſculi ſegmentis tamen paucioribus & amplior bus diſſectis; Floribus pentapetalis in um bellam congeſtis, nunc ſurſum nunc deor ſum ſpectantibus, coloris buxei, nonnun quam obſoletè purpuraſcentis veſperâ a auroram uſquè jucundiſſimum ſpirantibu odorem; Seminibus antecedentium rit quinis roſtratis, candidâ ſericeâ modicâ lanugine pubeſcentibus. propagatur ſeminibus, tuberibus ſeu geniculis.

Geranium Bartrachiodes, Gratia Dei Germanorum C. B. P. 318. Geranium Batrachoides *Moriſ. Hiſt.* 2. 514. *I. B. tom.* 3. *l.* 30. 113. Grandius floribus cœruleis *C. B. P. Var.* 318.

Idem floribus albis *C. B. P. Var.* 318.

Idem flore variegato *C. B. P.* 318. Ex albo cum cœruleo colore varium *I. B. tom.* 3. *l.* 30. 476. *Moriſ. Hiſt.* 2. 514.

Geranium Batrachiodes odoratum C. B. P. 318. *Moriſ.*

RANIUM AFRICANUM, NOCTU OLENS, TUBEROSUM ET NODOSUM, AQUILEGIÆ FOLIIS.



Pelargon. gibbosum

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Moriſ. Hiſt.* 2. 514. Geranium Batrachoides longiùs radicatum, odoratum *I. B. tom.* 3. *l.* 30. 477.

Geranium Batrachoides, folio Aconiti *C. B. P.* 318. *Moriſ. Hiſt.* 2. 514. Geranium Batrachoides aliud, folio Aconiti nitente Cluſ. *I. B. tom.* 3. *l.* 30. 476.

Geranium ſanguineum, maximo flore *C. B. P.* 318. *Moriſ. Hiſt.* 514. Geranium ſanguineum ſive Hæmathodes, craſsâ radice *I. B. tom.* 3. *l.* 30. 478. Cauliculis procumbentibus.

Idem cauliculis erectis, flore minore.

Diſcrepat ab antecedente cauliculis rectè aſſurgentibus, foliis obſcurè virentibus & floribus paulò minoribus.

Geranium Phœum ſive fuſcum, petalis reflexis *Moriſ. Hiſt.* 2. 515. Geranium montanum fuſcum *C. B. P.* 318. Geranium phœum flore reflexo *I. B. tom.* 3. *l.* 30. 477. Folio maculato.

Idem folio non maculato.

Geranium phœum ſeu fuſcum, petalis rectis ſeu planis *Moriſ. Hiſt.* 2. 515. Geranium phœo ſive pullo flore Cluſii *I. B. tom.* 3. *l.* 30. 477. Folio non maculato.

Idem folio maculato.

Geranium radice Aſphodeli *Moriſ. Hiſt.* 2. 515. Geranium nodoſum *C. B. P.* 318. Gera-

Geranium magnum, folio trifido *I. B. tom.* 3. *l.* 30. 478.

Geranium tuberoſum majus *C. B. P.* 318. *Moriſ. Hiſt.* 2. 516. Geranium tuberoſum *I. B. tom.* 3. *l.* 30. 474.

Geranium argenteum Alpinum longiùs radicatum Ponæ *Moriſ. Hiſt.* 2. 516. *C. B. P.* 318. Geranium argenteum montis Baldi *I. B. tom.* 3. *l.* 30. 474.

Geranium Romanorum verſicolor, ſive ſtriatum *Park. Moriſ. Hiſt.* 2. 516.

Geranium Muſcoviticum purpureum *Park. Moriſ. Hiſt.* 2. 516.

Geranium fœtidum *Park. Moriſ. Hiſt.* 2. 517.

Geranium Africanum, Uvæ criſpæ folio, cauliculis procumbentibus, floribus exiguis rubellis.

Germinavit nobis ex ſeminibus Africis hæc puſilla Geranii ſpecies, radice tenui fibroſâ, cauliculis plurimis ramoſis gracilibus geniculatis humi jacentibus, pronâ parte rubicundis, ſupinâ viridantibus, ſingulis geniculis adſtant folia, interdum bina è regione, glabra lætè viridia, Uvæ criſpæ foliis ſimilia, ſed quadruplo minora & frequentiùs inciſa. Penes eorum exortum exit tenuis pedunculus circiter longitudine digiti, ſuſtinens floſculos unum tres quatuorvè exiguos pentapetalos rubellos, quibus ſingulis ſubjicitur

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tur pediculus tenuis cum caliculo quinq; partito, includente vaſculum pentacocc roſtratum, in quo quina ſemina exigua m re congenerum.

Geranium annuum minus Batrachiodes B. hæmicum purpuro-violaceum *Moriſ. Hi.* 2. 511. ANN.

*Geranium folio Malvæ rotundo majus *Mor. Hiſt.* 2. 511. Geranium folio Malvæ rotu do *C. B. P.* 318. Geranium folio rotun multùm ſerrato, ſive columbinum *I. B. to* 3. *l.* 30. 473. ANN.

*Idem minus *C. B. P. Var.* 318. ANN.

Geranium columbinum majus, foliis imis lo gis uſquè ad pediculum diviſis *Moriſ. Hi* 2. 511. ANN.

*Idem flore minore cœruleſcente *Raji Ca* 130. ANN.

*Geranium columbinum tenuiùs laciniatu *C. B. P.* 318. *Moriſ. Hiſt.* 2. 512. ANN.

*Idem flore albo *Cat. Hort. Reg. Pariſ.* 7 ANN.

Idem flore pediculo longiſſimo inſiſtente *Mo riſ. Hiſt.* 2. 512. Geranium columbinum diſſectis foliis, pediculis florum longiſſimi *Raji Cat.* 130. ANN.

Geranium annuum rotundifolium montanum ſaxatile lucidum *Moriſ. Hiſt.* 2. 512. Gera nium lucidum ſaxatile *C. B. P.* 318. Gera nium lucidum *I. B. tom.* 3. *l.* 30. 481. ANN

Ge-

RANIUM AFRICANUM, UVÆ CRISPÆ FOLIO, FLORIBUS EXIGUIS RUBELLIS.



T

Pelargon. grossularoides.

Geranium Althææ folio *C. B. P.* 310. *Mori*
*Hiſt.* 2. 512. Geranium Malvaceum I. 
*tom.* 3. *l.* 30. 472. Floribus dilutiùs ruben
tibus. Ann.

Idem floribus ſaturatiùs rubentibus. Ann.

Flores ſaturatiori & lætiori rubore ſplen
dent, folia verò virore dilutiore, laciniis
què profundioribus donata ſunt.

Geranium minimum procumbens, foliis Be
tonicæ *Moriſ. Hiſt.* 2. 512. Geranium puſi
lum ſupinum maritimum, Betonicæ foli
*Raji Catal.* 131. Ann.

Geranium Cicutæ folio, acu longiſſimâ *C. B.* 
319. Ann.

Geranium latifolium annuum, cœruleo flo
re, acu longiſſimâ *Moriſ. Hiſt.* 2. 51
Geranium latifolium longiſſimâ acu C. B. 
319. Geranium ſpecioſum annuum, longi
ſimis roſtris, Creticum I. B. *tom.* 3. *l.* 3
479. Ann.

* Geranium Cicutæ folio, moſchatum C. B. 
319. Geranium moſchatum *Eyſt. Mori*
*Hiſt.* 2. 513. Geranium moſchatum foli
ad Myrrhidem accedente majus *I. B. tom*
3. *l.* 30. 479. Ann.

* Idem minus. Geranium moſchatum, folio a
Myrrhidem accedente, minus *I. B. tom.* 
*l.* 30. 479. Ann.

* Idem inodorum *C. B. P.* 319. Geranium an
nuu

nuum, Cicutæ folio, inodorum *Moriſ. Hiſt.* 2. 512. ANN.

Geranium Cicutæ folio, minus & ſupinum *C. B. P.* 319. Flore breſilici coloris *C. B. P. Var.* 319. ANN.

Idem flore albo *C. B. P. Var.* 319. ANN.

Geranium Robertianum, flore dilutè rubello *Moriſ. Hiſt.* 2. 513. Geranium Robertianum murale *I. B. tom.* 3. *l.* 30. 480.

Geranium Robertianum, flore rubello majori, folio tenuiter diſſecto. Geranium gruinale, folio tenuiter diviſo *I. B. tom.* 3. *l.* 30. 474. ANN.

Geranium Coriandri folio odorum *C. B. P.* 319. Geranium Apulum, Coriandri folio, alterum odorum *Colum. Moriſ. Hiſt.* 2. 513. ANN.

GINGIDIUM umbellâ longâ *C. B. P.* 151. Viſnaga ſeu Gingidium *Moriſ. Umbell.* 6. Gingidium Matth. *I. B. tom.* 3. *l.* 27. 79. ANN.

*Gingidium foliis Paſtinacæ latifoliæ* C. B. P. *v.* Tordilium.

GLADIOLUS maximus Indicus C. B. P. 41. *Moriſ. Hiſt.* 2. 343.

Gladiolus major Byzantinus C. B. P. 41. *Moriſ. Hiſt.* 2. 344.

Gladiolus major, radice oblongâ, flore albo

*Moriſ. Hiſt.* 2. 343.

Gladiolus floribus uno verſu diſpoſitis, maj C. B. P. 41. *Moriſ. Hiſt.* 2. 343. Gladiolus ſi Xyphion *I. B. tom.* 2. *l.* 19. 701.

Idem flore candicante C. B. P. *Var.* 41.

Idem Narbonenſis, flore incarnato C. B. P. *V* 41.

Gladiolus utrinquè floridus C. B. P. 41. *Mor Hiſt.* 2. 443. Flore rubro.

Idem flore incarnato *C. B. P. Var.* 41.

Gladiolus floribus uno verſo diſpoſitis, min *C. B. P.* 41. Floribus eleganter rubellis.

Idem floribus incarnatis.

Gladiolus Æthiopicus, flore miniato *Ca Hort. Reg. Pariſ.* 78.

Gladiolus Æthiopicus, flore coccineo Cornu *Moriſ. Hiſt.* 2. Icon.

*Gladiolus fœtidus C. B. P.* *v.* Iris.

*Glaſtum ſativum, & ſpontaneum I. B.* *v.* Iſ tis.

*Glaſtifolia Cichoroides I. B.* *v.* Braſſica.

*GLAUX maritima *C. B. P.* 215. Glaux ex gua maritima I. B. *tom.* 3. *l.* 29. 373.

GLYZYRRHIZA ſiliquoſa vel Germanic *C. B. P.* 352. *Moriſ. Hiſt.* 2. 89. Glyzyrrh za, radice repente, vulgaris Germanica *I. tom.* 2. *l.* 17. 328.

*Gly*

*yzyrrhiza capite echinato* C. B. P. *v.* Onobrychis.

*yzyrrhiza ſylveſtris, flore luteo palleſcente* C. B. P. *v.* Aſtragalus.

GNAPHALIUM maritimum *C. B. P.* 263. *I. B. tom.* 3. *l.* 26. 157.

naphalium latifolium Americanum C. B. P. 263. Gnaphalium Americanum I. B. *tom.* 3. *l.* 26. 162.

naphalium vulgare majus C. B. P. 263. Gnaphalium Germanicum I. B. *tom.* 3. *l.* 26. 158. ANN.

naphalium medium *C. B. P.* 263. Gnaphalio vulgari ſimilis *I. B. tom.* 3. *l.* 26. 159. ANN.

naphalium minus repens *C. B. P.* 263. Gnaphalium minimum I. B. *tom.* 3. *l.* 26. 159. ANN.

naphalium roſeum ſylveſtre *C. B. P.* 263. Gnaphalium umbellatum minimum *I. B. tom.* 3. *l.* 16. 162.

naphalium majus, lato oblongo folio *C. B. P.* ANN.

naphalium majus, anguſto oblongo folio C. B. P. 263. Gnaphalium vulgare tenuifolium *I. B. tom.* 3. *l.* 26. 159. ANN.

naphalium majus, anguſto oblongo flore alterum *C. B. P.* 263. Gnaphalium rectum *I. B. tom.* 3. *l.* 26. 160. ANN.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Gnaphalium montanum, flore rotundiore
*B. P. Var.* 263. Piloſella minor quibuſda,
aliis Gnaphalii genus *I. B. tom.* 3. *l.* 16. 1(
Floribus candidis *C. B. P. Var.* 263.
Idem floribus ſubpurpureis C. B. P. *Var.* 2(
*I. B. tom.* 3. *l.* 16. 162. *deſc.*
Idem floribus ex candido & rubro mixtis
*B. P. Var.* 263. I. B. *tom.* 3. *l.* 16. 162. *deſc.*
Idem floribus luteis.
Idem floribus ſulphureis.
*Gnaphalium Veterum* I. B. *v.* Dictamnus.
*Gnaphalium Tragi* I. B. *v.* Gramen.

GNAPHALIO affinis Ocymaſtri folio, flo
ex purpureo violaceo. Amarantho affin
Indiæ Orientalis, floribus conglomera
tis, Ocymoidis folio *Breyn. Cent.* 1. 10
ANN.

GOSSIPIUM arboreum Orientale, foliis S
licis digitatis latioribus. Goſſipium Jav
nenſe, Salicis folio *C. B. P.* 430. Lanige
arbor peregrina *I. B. tom.* 3. *l.* 3. 347. Arb
lanigera *Bont. Hiſt. l.* 6. *c.* 14. Panja, Pa
jala *Hort. Malab. tom.* 3. 59.
Idem foliis anguſtioribus Javanenſe.
Goſſipium arboreum, flore atro purpure
Goſſipium arboreum, caule levi *C. B. P.* 43
Xylon arboreum *I. B. tom.* 3. *l.* 3. 346.
Idem flore flavo.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

...ipium herbaceum ſive Xylon I. B. *tom.* I. ... 3. 343.

...RAMEN caninum arvenſe, ſive Gramen ...I Dioſc. C. B. P. I. Gramen repens Officina-...um fortè Triticeæ ſpicæ aliquatenus ſimile ... B. *tom.* 2. *l.* 18. 457.

...amen caninum longiùs radicatum majus ... B. P. I. Gramen canarium longiùs radi-...atum, latiore paniculâ I. B. *tom.* 2. *l.* 18. 457.

...em minus *C. B. P.* I. Gramen canarium, la-...iore paniculâ minus *I. B. tom.* 2. *l.* 18. 457.

...amen caninum ſupinum paniculatum dul-...e C. B. P. I. I. B. *tom.* 2. *l.* 18. 459.

...amen caninum ſupinum minus *C. B. P.* I. ...Gramen parvum repens, purpureâ ſpicâ *I. B. tom.* 2. *l.* 18. 459.

...amen caninum maritimum ſpicatum *C. B. P.* I. & *I. B. tom.* 2. *l.* 18. 467. Et Gramen repens ...marinum, ſpicâ exiguâ *I. B. tom.* 2. *l.* 18. 478.

...amen caninum maritimum, ſpicâ foliaceâ ... B. P. 2. Gramen longiùs radicatum mari-...num, utriculos pro ſpicâ gerens *I. B. tom.* 2. ... 18. 978.

...amen murorum, radice repente C. B. P. 2. ... *B. tom.* 2. *l.* 18. 468.

...amen nodoſum Avenaceâ paniculâ C. B. P. 2. ...Gramen nodoſum *I. B. tom.* 2. *l.* 18. 456.

...amen nodoſum, ſpicâ parvâ C. B. P. 2. Gra-...men cum parvâ caudâ muris, radice nodo-

sà, repens *I. B. tom.* 2. *l.* 18. 472.
Gramen bulboſum ex Alepo C. B. P. 2. *I. B. to[m.]* 2. *l.* 18. 431.
Gramen tremulum maximum *C. B. P.* 2. I. *tom.* 2. *l.* 18. 470. ANN.
Gramen tremulum majus *C. B. P.* 2. Gram[en] tremulum I. B. *tom.* 2. *l.* 18. 469. ANN.
Idem perenne.
Gramen tremulum minus paniculâ parvâ *C.* [B.] *P.* 2. Gramen tremulum minus I. B. *tom.* [2.] *l.* 18. 470. ANN.
Gramen paniculis elegantiſſimis, ſive ἐραγρα-ςις, majus *C. B. P.* 2. Gramen amoris dictu[m] I. B. *tom.* 2. *l.* 18. 470.
* Gramen pratenſe paniculatum molle *C. B. P.* Gramen lanatum Dalechampii *I. B. tom.* 2 *l.* 18. 466.
* Gramen pratenſe paniculatum majus, latior[e] folio: πόα Theoph. C. B. P. 2. Gramen pra-tenſe vulgare, ſpicâ ferè arundinaceâ I. B. *tom.* 2. *l.* 18. 461.
Gramen pratenſe paniculatum majus, angu-ſtiore folio *C. B. P.* 2. I. B. *tom.* 2. *l.* 18. 461.
* Gramen pratenſe paniculatum medium *C. B. P.* 2.
* Gramen pratenſe paniculatum minus C. B. P. 2. Paniculâ & culmis purpuraſcentibus C. B. *Var.* 3. Gramen paniculatum minus ru-brum I. B. *tom.* 2. *l.* 18. 465.
* Idem paniculâ & culmis albis C. B. P. *Var.* 3.

Gra-

Gramen paniculatum minus album *I.B.tom.* 2. *l.* 18. 465

Gramen arvenſe, paniculâ criſpâ C. B. P. 3.

Gramen ſegetum altiſſimum, paniculâ ſparsâ *C. B. P.* 3. Gramen capillatum I. B. *tom.* 2. *l.* 18. 462.

Gramen ſegetum paniculâ Arundinaceâ *C.B.P.* 3. Gramen agrorum Lob. I. B. *tom.* 2. *l.* 18. 461.

Gramen paniculatum odoratum C. B. P. 3. Gramen Mariæ odoratum *I. B. tom.* 2. *l.* 18. 478.

Gramen paluſtre paniculatum, altiſſimum *C. B. P.* 3. Gramen aquaticum Harundinaceum, paniculatum Tab. *I. B. tom.* 2. *l.* 18. 488. & *tom.* 2. *l.* 18. 542.

Gramen aquaticum paniculatum, latifolium *C. B P.* 3. Gramen majus aquaticum Lobelii I. B. *tom.* 2. *l.* 18. 481.

Gramen aquaticum fluitans, multiplici ſpicâ *C. B. P.* 3. Gramen aquaticum cum longiſſimâ paniculâ *I.* B. *tom.* 2. *l.* 18. 490.

Gramen aquaticum geniculatum ſpicatum *C. B. P.* 3.

Gramen pratenſe criſtatum, ſive Gramen ſpicâ criſtatâ, læve *C. B. P.* 3. Gramen criſtatum *I. B. tom.* 2. *l.* 18. 468.

Gramen Typhoides maximum, ſpicâ longiſſimâ *C. B. P.* 4. Gramen cum caudâ muris majoris longâ, majus I. B. *tom* 2. *l.* 18. 472.

* Gramen Typhoides molle *C. B. P.* 4. I. B. *to*
2. *l.* 18. 442. Gramen Alopecuroidi acc-
dens, & Phalaridi, ſpicâ longiuſculâ, fo
lanuginoſo I. B. *tom.* 2. *l.* 18. 474.

* Gramen Typhoides aſperum, primum *C. B.*
4. Gramen cum caudâ muris minus I.
*tom.* 2. *l.* 18. 471.

* Gramen Typhoides ſpicâ anguſtiore C. B. P.
Gramen cum caudâ muris purpuraſcen
*I. B. tom.* 2. *l.* 18. 473. ANN.

* Gramen Typhoides, culmo reclinato *C. B. P.*

Gramen Alopecuroides, ſpicâ rotundiore C.
P. 4. Gramen Alopecuros altera Lobel. I.
*tom.* 2. *l.* 18. 475. ANN.

Gramen Alopecuros minor, ſpicâ longio
C. B. P. 4. Gramen Alopecuros, ſpicâ br
vi I. B. *tom.* 2. *l.* 18. 474. ANN.

* Gramen pratenſe tomentoſum, paniculâ ſpa
sâ C. B. P. 4. Gnaphalium Tragi, ſive ju
cus Bombycinus I. B. *tom.* 2. *l.* 18. 514.

* Gramen Sparteum ſpicatum, foliis mucron
tis longioribus, vel ſpicâ Secalinâ C. B. P.
Spartium ſpicatum pungens, Oceanicu
I. B. *tom.* 2. *l.* 18. 511.

* Gramen Sparteum ſpicatum, foliis mucron
tis brevioribus C. B. P. 5. Gramen Spart
um, primum Tab. I. B. *tom.* 2. *l.* 18. 513.

* Gramen Sparteum ſpicatum, latifolium C.
P. 5. Spartum maritimum, ſive Ocean
cum latifolium I. B. *tom.* 2. *l.* 18. 512.

Gra-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Gramen Sparteum juncifolium *C. B. P.* 5. Spartum parvum Lobel. *I. B. tom.* 2. *l.* 18. 513.

Gramen Sparteum minus, vel Hollandicum *C. B. P.* 5. *I. B. tom.* 2. *l.* 18. 513.

Gramen Sparteum pennatum *C. B. P.* 5. Gramen pennatum, aliis Spartum *I. B. tom.* 2. *l.* 18. 512.

Gramen Sparteum variegatum *C. B. P.* 5. *I. B. tom.* 2. *l.* 18. 512.

Gramen foliis junceis oblongis, radice albâ *C. B P.* 5.

Gramen foliis junceis brevibus, minus *C. B. P.* 5. Gramen tenue duriusculum & pene junceum *I. B. tom.* 2. *l.* 18. 463.

Gramen junceum polyſtachion *C. B. P.* 5. Gramen junceum aquaticum, majus, Tab. *I. B. tom.* 2. *l.* 18. 543.

Gramen junceum, folio articulato, ſylvaticum *C. P. B.* 5. Gramen junceum ſylvaticum Tab. *I. B. tom.* 2. *l.* 18. 543.

Gramen junceum, folio articulato, aquaticum *C. B. P.* 5. Juncus foliaceus capſulis triangulis *I. B. tom.* 2. *l.* 18. 521.

Gramen junceum, foliis & ſpicâ junci *C. B. P.* 5. Juncus parvus cum pericarpiis rotundis *I. B. tom.* 2. *l.* 18. 522.

Gramen junceum, foliis, & ſpicâ junci, minus *C. B. P.* 6. Gramen junceum marinum den- ſtipatum *I. B. tom.* 2. *l.* 18. 508.

* Gramen junceum minimum maritimu
C. B. P. 6.

* Gramen junceum ſpicatum ſeu trigloch
C. B. P. 6. Gramen triglochin *I. B. tom.* 2.
18. 508.

* Gramen ſpicatum cum pericarpiis rotunc
*I. B. tom* 2. *l.* 18. 508. Gramen ſpicatu
alterum *C. B. P.* 6.

* Gramen Cyperoides latifolium, ſpicâ ru
ſive caule triangulo *C. B. P.* 6. Gramen C
peroides cum paniculis nigris *I. B. tom* 2.
18. 494.

* Gramen Cyperoides anguſtifolium, ſpic
longis erectis *C. B. P.* 6. *I. B. tom.* 2. *l.* 18. 49

* Gramen Cyperoides ſpicâ pendulâ brevio
C. B. P. 6. Graminis Cyperoidis genus, Pſeu
docyperus Lobelio, ſpicis vel pannicul
pendentibus ex longis pediculis *I. B. tom.*
*l.* 18. 496

* Gramen Cyperoides, paniculâ ſparsâ, maj
C. B. P. 6. Gramen Cyperoides vulgati
aquaticum *I. B. tom.* 2. *l.* 18. 495.

* Gramen Cyperoides paluſtre majus, ſpi
compactâ *C. B. P.* 6. Gramen Cyperoid
paluſtre triquetrum, ſpicâ integrâ *I. B. tom*
2. *l.* 18. 497.

* Gramen Cyperoides paluſtre majus, ſpicâ d
viſâ *C. B. P.* 6. Gramen Cyperoides ex mo
te Ballon, ſpicâ divulſâ *I. B. tom.* 2. *l.* 1
497.

* Gr

men nigro-luteum vernum *I. B. tom.* 2. *l.* 18. 494. Gramen Caryophyllatæ foliis, ſpicâ divulsâ *C. B. P.* 3:

men Cyperoides minus, paniculâ ſparſâ ſubflaveſcente *C. B. P.* 6.

men Cyperoides Miliaceum *C. B. P.* 6.

men Arundinaceum, ſpicâ multiplici καλαμογρώστις Dioſc. *C. B. P.* 6. Gramen Harundinaceum majus Tabern. *I. B. tom.* 2. *l.* 18. 480.

men Arundinaceum, ſpicatum *C. B. P.* 6. Gramen Harundinaceum minus cum ſpicâ *I. B. tom.* 2. *l.* 18. 481.

men Arundinaceum, paniculâ molli ſpadiceâ majus *C. B. P.* 7. Gramen plumoſum Lobelii ſpicâ candidâ & Serici modo lucente *I. B. tom.* 2. *l.* 18. 476.

men nemoroſum, caliculis paleaceis *C. B. P.* 7. Gramen Matthioli junceum *I. B. tom.* 2. *l.* 18. 510.

men nemoroſum hirſutum latifolium majus *C. B. P.* 7. Gramen rore lucidum nemorenſe, ſive Luzulæ *I. B. tom.* 2. *l.* 18. 492. ANN.

men hirſutum, capitulis Pſyllii *C. B. P.* 7. Gramen exile hirſutum Cyperoides Lobellii *I. B. tom.* 2. *l.* 18. 493. ANN.

men paluſtre aculeatum Germanicum, vel minus *C. B. P.* 7. Gramen paluſtre echinatum *I. B. tom.* 2. *l.* 18. 497.

* Gra-

* Gramen dactylon maximum Americanu *Cat. Hort. Reg. Pariſ.* 82. Gramen dact. lon Indicum eſculentum, ſpicâ articula Ambroſin. Phytol. 546. Seſamum pere ne Indicum *Zanon. Hiſt. Baton.* 181.

* Gramen dactylon folio Arundinaceo, acule tum fortè Plinii C. B. P. 7. Gramen repe cum paniculis Graminis Mannæ *I. B. tom. l.* 18. 459.

* Gramen dactylon, folio latiore *C. B. P.* 8.

Gramen dactylon anguſtifolium, ſpicis vill ſis C. B. P. 8. Gramen digitatum hirſutum B. *tom.* 2. *l.* 18. 445.

Gramen dactylon ſcoparium C. *B.* P. 8. Gra men ſcoparium, Iſchæmi paniculis Gall cum I. *B. tom.* 2. *l.* 18. 460.

Gramen dactylon eſculentum C. *B.* P. 8. Gra minis genus Dens caninus tertius, ſive gra men primum vel Galli crus *I. B. tom.* 2. *l.* 18 444. Gramen Mannæ vulgo. Ann.

Gramen dactylum Ægyptiacum C. *B.* P. 7. Gra men crucis, ſive Neiemelm ſalib. I. *B. tom.* 2 *l.* 18. 460.

* Gramen Paniceum, ſpicâ diviſâ C. *B.* P. 8. Gra minis genus quibuſdam, Gallis Dens cani nus 2. ſive Panicum ſylveſtre, ſpicâ divulſâ *I. B. tom.* 2. *l.* 18. 443.

* Gramen Paniceum, ſpicâ ariſtis longis armat C. B. P. 8.

* Gramen Paniceum ſpicâ ſimplici: Ελυμάγρω-

C. B. P. 8. Panicum ſylveſtre dictum, & ...ens caninus I. I. B. *tom*. 2. *l*. 18. 443.
...men Paniceum, ſpicis nigris C. B. P. 8. Gra... minis Dentis canini, ſpicâ divulsâ tenuiori ...grâ, ſpecies. I. B. *tom*. 2. *l*. 18. 491.
...men ſylvaticum, paniculâ Miliaceâ ſpar..., C. B. P. 8. Gramen Miliaceum Lobelii I. B. ...*m*. 2. *l*. 18. 462.
...men Sorghi paniculâ erectâ C. B. P. 8. Gra...en Sorghi effigie Lobelii I. B. *tom*. 2. *l*. 18. ...57.
...men latifolium, ſpicâ triticeâ latiore com...ctâ C. B. P. 8. I. B. *tom*. 2. *l*. 18. 477.
...men ſpicâ Brizæ majus C. B. P. 9. I. B. *tom*. 2. ... 18. 477.
...men incanum marinum ſpicâ Secalinâ.
...men Hordeaceum minus & vulgare C. B. P. ... Hordeum murinum I. B. *tom*. 2. *l*. 18. ...I. ANN.
...men Loliaceum, ſpicâ longiore C. B. P. 9. ...olium Gramineum ſpicatum, caput ten...ns, I. B. *tom*. 2. *l*. 18. 437. ANN.
...men Loliaceum anguſtiori folio & ſpicâ ...B. P. 9. Phœnix Lolio ſimilis I. B. *tom*. 2. ...18. 436. ANN.
...men Loliaceum Vlielandicum. ANN.
...men Loliaceum ſupinum C. B. P. 9. Gra...en Phalaroides exile, ſupinum, humi ſpar...ſum, Danicum Lobelii I. B. *tom*. 2. *l*. 18. ...8. ANN.

Gra-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Gramen montanum Avenaceum, locuſtis ru-
bris C. B. P. 10. Gramen locuſtis rubris
*tom.* 2. *l.* 18. 434. ANN.

*Gramen Avenaceum capillaceum, mino bu
glumis C. B. P. 10 ANN.

*Gramen nemorale Avenaceum alterum
fuſco xerampelinum & lucidum Dan
*I. B. tom.* 2. *l.* 18. 463. ANN.

*Gramen Fuchſii ſeu Leucanthemon ejuſquè ſpe-
cies* I. B. *v.* Lychnis.

*Gramen Gros Mompelgardenſium* I. B. *v.* Fe-
ſtuca.

*Gramen Parnaſſi, albo ſimplici flore* C. B.
Ciſtus humilis in App.

*GRATIOLA Centauroides C. B. P.
Gratiola I. B. *tom.* 3. *l.* 30. 435. Digitalis
nima, Gratiola dicta *Moriſ. Hiſt.* 2. 479.

*Gratiola cærulea.* C. B. P. *v.* Scutellaria.

*GRATIOLÆ affinis Americana, pur-
rea Perſicæ folio ſerrato. Digitalis Ameri-
cana purpurea, folio ſerrato Dodart. 78.
cocæphalon Americanum Brein. Prodr.
Pſeudo digitalis Perſicæ foliis Bocc. Sic.

*Granata vulgò v.* Malus Punica.

*GROSSULARIA ſimplici acino, vel
noſa ſylveſtris C. B. P. 455. Uva criſpa
Groſſularia I. B. *tom.* 1. *l.* 6. 47.

Groſſularia ſpinoſa ſativa, C. B. P. 455.

Gro

Groſſularia ſpinoſa ſativa altera, foliis latioribus C. B. P. 455. Groſſularia ſpinoſa, fructu obſcurè purpuraſcente. *I. B. tom.* 1. *l.* 6. 48.

Eadem hirſuto fructu C. B. P. Var. 455.

Groſſularia multiplici acino, ſive non ſpinoſa hortenſis rubra, ſive Ribes Officinarum C. B. P. 455. Ribes vulgaris acidus ruber *I. B. tom.* 2. *l.* 15. 97.

Eadem majore fructu rubro C. B. P. 455. Ribes flore rubente *I. B. tom.* 2. *l.* 15. 98.

Groſſularia hortenſis, fructu margaritis ſimili C. B. P. 455. Ribes vulgaris acidus, albas baccas ferens *I. B. tom.* 2. *l.* 15. 98.

Eadem majore fructu albo *Cat. Hort. Reg. Pariſ.* 83

Eadem fructu albo, acinis rubentibus.

Groſſularia vulgaris, fructu dulci *C. B. P.* 455. Ribes Alpinus dulcis *I. B. tom.* 2. *l.* 15. 98.

Groſſularia non ſpinoſa, fructu nigro *C. B. P.* 455. Ribes nigrum vulgò dictum, folio olente I. B. *tom.* 2. *l.* 15. 98.

*Guajacum Patavinum. v.* Lotus Arbor.

*Guajacana* I. B. *v.* Lotus Africana latifolia.

GUAJANA alba dulcis. Guajabo pomifera Indica C. B. P. 437. Guajaba *Piſon. Hiſt.* 152. Xalxochotl, ſeu Pomum arenoſum *Hern. Hiſt.* 84. Pela *Hort. Mal. tom.* 3. 31. Pyra Indica ſeu Granatenſia vulgò.

Eadem rubra acida.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

## H.

Hæmanthus Africanus. Tulipa Ca-
penſis, ſive Promontorii Bonæ Sp
*Bod. à Stapel.* 334. Narciſſus In-
cus puniceus, gemino latiori fo
*Ferr. Flor. Cult.* 137. Narciſſus Indicus S-
pentarius παχύφυλλος & πιλύκαρπος *F.*
*Column. in Hern.* 885. *&* 899.

*Halicacabum peregrinum multis* I. B. *v.* Cr
Indum.

*Hædipnois* Monſpeſſulana I. B. *v.* Hieraciu

*Halimus latifolius ſive fruticoſus* C. B. P. *v.*
triplex.

*Halimus ſeu Portulaca marina* C. B. P. *v.*
triplex.

*Halimus anguſtifolius procumbens* C. B. P.
Atriplex.

*Harmala* I. B. *v.* Ruta.

* HEDERA arborea C. B. P. 305. Hede
communis major I. B. *tom.* 2. *l.* 15. 111.

* Hedera major ſterilis C. B. P. 305. Hede
communis minor I. B. *tom.* 2. *l.* 15. 111.

Hedera Virginiana Clementis facie radice f-
veſcente. Clementis Hederæ folio *Mor.*
*Hort. Bleſ.* 255.

Hedera quinquefolia Canadenſis Cornuti Ic
Vitis Hederacea Indica *Bod. à Stap.* 364.

Hedera trifolia Canadenſis Cornuti. Apoc-
num trifolium Indicum vulgo Epimediu
*Bod. à Stap.* 364. Virgultis procumbentib
E-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Eadem virgultis erectis. An Hederæ trifoliæ Canadenſi affinis planta Indica: Arbor venenata quorundam *Cat. Hort. Reg. Pariſ.* 84?

HEDERA terreſtris vulgaris *C. B. P.* 306. Chamæciſſus ſive Hedera terreſtris *I. B. tom.* 3. *App.* 853.

Eadem minor elegantior *C. B. Var.* 306.

*Hedypnois, ſive Dens Leonis Fuchſi* I. B. *v.* Dens Leonis.

*Hedyſarum clypeatum, ſiliquâ aſperâ* I. B. *v.* Onobrychis.

*Hedyſarum triphyllum Canadenſe Corn. v.* Onobrychis.

HELENIUM vulgare *C. B. P.* 276. Helenium, ſive Enula campana *I. B. tom.* 3. *l.* 26. 208.

*Helenium Indicum maximum ejuſquè ſpecies* C. B. P. *v.* Chryſanthemum.

*Helenium Indicum tuberoſum* C. B. P. *v.* Chryſanthemum.

*Helenium Canadenſe ejuſquè ſpecies Cat. Hort. Reg. Pariſ. v.* Chryſanthemum.

*Helianthemum ejuſquè ſpecies* I. B. *v.* Ciſtus humilis.

*Helichryſum. v.* Elichryſum.

HELIOTROPIUM Americanum cœruleum, foliis Hormini *Dodart. Mem.* 83. Latifolium. ANN.

Idem foliis anguſtioribus. Jacua-Acanga *Piſ.*

V 2 *l.* 4.

*l.* 4. *c.* 31. *p.* 229. ANN.

Heliotropium majus Dioſcoridi *C. B. P.* 25. Heliotropium majus, flore albo *I. B. tom.* 3. *l.* 33. 604. ANN.

Heliotropium tricoccon C. *B.* P. 253. I. *B. tom.* 3. *l.* 33. 406. ANN.

* HELLEBORINE latifolia montana C. B. P. 186. Helleborine Dodonæi *I. B. tom.* 3. *l.* 31. 416.

* Helleborine anguſtifolia paluſtris, ſive pratenſis *C. B. P.* 187. Damaſonium flore herbaceo intus nonnihil candicante I. B. *tom.* 3. *l.* 31. 517.

* Helleborine flore carneo *C. B. P.* 187. Elleborine flore carneo *I.* B. *tom.* 3. *l.* 31. 518.

* Helleborine montana anguſtifolia purpuraſcens C. B. P. 187. Damaſonium purpureum dilutum, ſive Elleborine IV. Cluſ. *I. B. tom.* 3. *l.* 31. 517.

HELLEBORINE flore rotundo, ſive Calceolus C. B. P. 187. Damaſonii ſpecies quibusdam ſive Calceolus D. Mariæ *I. B. tom.* 3. *l.* 31. 518.

Eadem flore duplo majore C. B. P. *Var.* 187.

*Helleborine Saniculæ folio minor* C. B. P. *v.* Aſtrantia.

HE-

HELLEBORUS albus, flore ſubviridi *C.B.P.* 186. *I. B. tom.* 3. *l.* 34. 633.

Idem flore atro rubente *C. B. P.* 186. Elleborus albus, flore nigro *I. B. tom.* 3. *l.* 34. 634.

HELLEBORUS niger trifoliatus *Aldin. Hort. Farneſ.* 93.

Helleborus niger fœtidus *C. B. P.* 185. Helleborus niger ſylveſtris adulterinus, etiam hyeme virens *I. B. tom.* 3. *app.* 880.

Helleborus niger hortenſis, flore viridi *C. B. P.* 185. Elleborus niger vulgaris, flore viridi vel herbaceâ radice diuturnâ *I. B. tom.* 3. *l.* 34. 636.

Helleborus niger, flore roſeo *C. B. P.* 186. Elleborus niger, flore albo, interdum etiam valde rubente *I. B. tom.* 3. *l.* 34. 634.

Idem minor Belgicus *Moriſ. Hort. Bleſ.* 92.

HELLEBORUS Ranunculoides hyemalis, radice tuberoſâ, flore in medio folio. Aconitum unifolium luteum bulboſum *C. B. P.* 183. Ranunculus cum flore in medio folio, radice tuberosâ *I. B. tom.* 3. *l.* 30. 414.

Helleborus Ranunculoides, flore globoſo. Ranunculus Aconiti folio, flore globoſo *C. B. P.* 182. Ranunculus flore globoſo, quibuſdam Trollius flos *I. B. tom.* 3. *l.* 30. 419.

Helleborus Ranunculoides, flore albo multiplici. Ranunculus Aconiti folio, flore albo multiplici *C. B. P.* 179.

*Helleborus niger, Saniculæ folio C. B. P. v.* Aſtrantia.

*Helleborus niger tenuifolius, Bupthalmi flore C. B. P. v.* Adonis.

*Helxine ciſſampelos I. B. v.* Convolvulus.

*Hemerocallis Chalcedonica quibuſdam I. B. v* Lilium.

HEPATICA nobilis, flore ſimplici cœruleo. Trifolium hepaticum flore ſimplici *C. B. P.* 330. *Moriſ. Hiſt.* 2. 433. Trifolium hepaticum ſive Trinitatis herba, flore cœruleo *I. B tom.* 2. *l.* 17. 389.

Eadem flore pleno. *C. B. P.* 330. *I. B. tom.* 2. *l* 17. 390. *Moriſ. Hiſt.* 2. 433.

Eadem flore rubro ſimplici *C. B. P. Var.* 330 *Moriſ. Hiſt.* 2. 433.

Eadem flore pleno.

Eadem flore albo ſimplici *C. B. P* 330. *Moriſ. Hiſt.* 2. 433. *I. B. tom.* 2. *l.* 17. 390.

Eadem flore carneo ſimplici *Cat. Hort. Reg. Pariſ.* 180.

Eadem flore cinereo *Cat. Hort. Reg. Pariſ.* 108.

*Hepatica ſtellaris I. B. v.* Rubia.

*Hepaticus flos quibuſdam I. B. v.* Ciſtus humilis in App.

*Hepatorium. v.* Eupatorium.

HERBA Mimoſa major fruteſcens ſpinoſa foliis anguſtis & pediculis non per paria ſtan-

ſtantibus, ſed in orbem collectis *Moriſ. Hiſt.* 2. 199. An Mimoſa altera ſpinis horridiuſcula & ſenſitiva magis *Cat. Hort. Reg. Pariſ.* 122? Æſchinomene ſpinoſa tertia, ſive foliis Acaciæ anguſtioribus, ſiliquis parvis echinatis *Breyn. Cent.* 1. 40.

Herba Mimoſa λεπτομακροκέρατος, caulibus & ſiliquis ſpinoſis *Moriſ. Hiſt.* 2. 199. Mimoſa ſpinoſa di Pernambuco *Zanon. Hiſt. Bot.* 144.

Herba Mimoſa non ſpinoſa λεπτομακροκέρατος ſive ſpuria de Pernambuca *Moriſ. Hiſt.* 2. 200. Mimoſa ſpuria de Pernambuce, dicta Mimoſa Italica *Zan. Hiſt. Bot.* 151. Mimoſa Italica ſive Herba viva ſpuria. *Ambroſin. Phyt.* 360. Æſchynomene mitis Americana, foliis Acaciæ anguſtioribus, ſiliquis longis anguſtis, ſemine quadrangulari *Breyn. Cent.* 1. 48.

Herba Mimoſa, non ſpinoſa πλατυκέρατος ſeu βραχυπλατίλοβος de Jamaica Patavina dicta *Moriſ. Hiſt.* 2. 200. Mimoſa de Jamaica dicta Patavina *Zanon. Hiſt. Bot.* 149.

*Herba Mimoſa non ſpinoſa major Zeylanica Breyn.* v. Onobrychis.

*Herniaria glabra Moriſ.* v. Polygonum.

*Herniaria I. B.* v. Polygonum.

*Herva di Bidſcho Luſitanis Piſon.* v. Senna.

HESPERIS hortenſis C. B. P. 202. *Moriſ. Hiſt.* 2. 251. Heſperis flore albo I. B. *tom.* 2. *l.* 21. 877. Viola matronalis vulgo.

Eadem flore purpureo C. B. P. *Var.* 202. *Moriſ. Hiſt.* 2. 251. I. B. *tom.* 2. *l.* 21. 877.

Eadem flore vario I. B. *tom.* 2. *l.* 21. 877.

Eadem flore pleno albo odoratiſſimo *Moriſ. Hiſt.* 2. 251. *Cat. Hort. Reg. Pariſ.* 8 Viola matronalis flore multiplici *Corn.* 21.

Eadem flore purpureo pleno odoratiſſimo *Moriſ. Hiſt.* 2. 251. *Cat. Hort. Reg. Par.* 86.

Eadem flore vario pleno.

Heſperis hortenſis, flore viridi C. B. 202. I. *tom.* 2. *l.* 21. 879. Heſperis hortenſis, flore viridi ſeu abortivo *Moriſ. Hiſt.* 2. 251.

Heſperis montana pallida odoratiſſima C. B. 202. *Moriſ. Hiſt.* 2. 252. Heſperis colore i eleganti I. B. *tom.* 2. *l.* 21. 879. ANN.

Heſperis peregrina, ſiliquis corniculatis tor ſis, Melancholica dicta. Heſperis peregri na, ſiliquis articulatis C. B. P. 202. *Mori Hiſt.* 2. 252. Heſperis Syriaca I. B. *tom.* 2. 21. 879. ANN.

* Heſperis Allium redolens *Moriſ. Hiſt.* 2. 20 Alliaria C. B. P. 110. *I. B. tom.* 2. *l.* 21. 88 ANN.

HIERACIUM Dentis leonis folio, flore ſua vè rubente C. B. P. 127. ANN.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ieracium Dentis leonis folio monoclonon glabrum C. B. P. 126.

ieracium Dentis leonis folio, monoclonon ſubaſperum C. B. P. 127.

ieracium Dentis leonis folio, hirſutie aſperum minus laciniatum C. B. P. 127.

dem magis laciniatum C. B. P. 127.

ieracium Dentis leonis folio obtuſo majus C. B. P. 127. Hieracium Macrocaulon junceum, ſive minus, primum Dodonæo *I. B. tom.* 2. *l.* 24. 1031.

eracium minus Dentis leonis folio oblongo glabro C. B. P. 127. Hyeracii parva ſpecies, Hyoſeris anguſtifolia aſpera *I. B. tom.* 2. *l.* 24. 1032.

eracium minus, folio ſubrotundo C. B. P. 127. ANN.

eracium maximum, Chondrillæ folio, aſperum C. B. P. 127.

eracium Chondrillæ folio glabrum, radice ſuccisâ majus C. B. P. 127. Hieracium minus, præmorsâ radice, ſive Fuchſii I. B. *tom.* 2. *l.* 24. 1031.

em minus C. B. P. 127.

eracium hirſutum, foliis caulem ambientibus: Cichoreum pratenſe luteum, hirſutie aſperum C. B. P. 126. Hieracium multis, aliis. Cichoreum luteum hirſutum *I. B. tom.* 2. *l.* 24. 1025. & Hieracium aſperum, ma-

jori flore, in agrorum limitibus *I. B. tom.* [illegible] *l.* 24. 1029.

* Idem lævius. Cichorium pratenſe lute[illegible] lævius *C. B. P.* 126. Hieracium luteum g[illegible] brum, ſeu minus hirſutum *I. B. tom.* 2. *l.* [illegible] 1029.

Hieracium lanatum, Sonchi ſeu Erigero[illegible] facie. Sonchus villoſus luteus major *C. B. P.* 124. Sonchus lanatus Dalechampii *I. B. to[illegible]* 2. *l.* 24. 1026.

Hieracium incanum, lanuginoſum, ramoſu[illegible] Luſitanicum. An Hieracium pulchrum [illegible] moſum Sprengerianum *I. B. tom.* 2. *l.* [illegible] 1025?

Hieracium Intybaceum, flore magno albi[illegible] *C. B. P.* 128. Chondrillæ Creticæ nomi[illegible] miſſa, ſemine criſpo *I. B. tom.* 2. *l.* 24. 10[illegible]

Hieracium Caſtorei odore Monſpelienſib[illegible] *Raji Catal.* 161. Hieracium foliis Cicho[illegible] ſylveſtris villoſis, odore Caſtorei *Mogn.* *Botan.* 129. ANN.

• Hieracium barbatum medio-nigrum *C[illegible]* *Hort. Reg. Pariſ.* 87. Majus. ANN.

Idem minus. Hieracium proliferum falcatu[illegible] *C. B. P.* 128. Hieracium calyce barbato C[illegible]lumnæ Ecphr. 2. 27. ANN.

Hieracium Echioides, capitulis Cardui benedicti *C. B. P.* 128. Hieracium capitulis Ca[illegible]dui benedicti maximum, Bugloſſum Echio[illegible]des quibuſdam *I. B. tom.* 2. *l.* 24. 1029. AN[illegible]

Hi[illegible]

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Hieracium Echioides, capitulis Cardui benedicti majus Arabicum, folio ſinuato *Hort. Edinburg. Sutherl.* 152. ANN.

Hieracium Alpinum latifolium villoſum, flore magno C. B. P. 128. Hieracium Alpinum, hirſuto folio quodammodo incano Cluſio I. B. *tom.* 2. *l.* 24. 1027.

Hieracium montanum latifolium glabrum minus C. B. P. 129. Hieracium latifolium glabrum, ex valle Griesbachianâ *I. B. tom.* 2. *l.* 24. 1033.

Hieracium murorum, folio piloſiſſimo C. B. P. 129. Piloſella major quibuſdam, aliis Pulmonaria, flore luteo I. B. *tom.* 2. *l.* 24. 1033.

Item folio minus piloſo non maculato *Cat. Hort. Reg. Pariſ.* 89. *Hort. Bleſ. Moriſ. Hiſt.* 2. 95. & 271.

Item anguſtiore folio.

Hieracium murorum laciniatum minus piloſum C. B. P. 129. Piloſellæ majoris ſive Pulmonariæ luteæ ſpecies magis laciniata I. B. *tom.* 2. *l.* 24. 1034.

Hieracium latifolium piloſum coccineum umbellatum Indicum. Piloſella Indica *Cornuti* 209.

Hieracium fruticoſum latifolium, foliis dentatis, glabrum C. B. P. 129. Hieracii Sabaudi varietas altera *I.* B. *tom.* 2. *l.* 24. 1030.

Hieracium fruticoſum latifolium hirſutum

C. B. P.

C. B. P. 129. Hieracii Sabaudi varietas I. ... rinus quibusdam Matthioli dicta I. B. *tom.* 2. *l.* 24. 1000.

*Hieracium fruticoſum anguſtifolium ma... C. B. P. 129. Hieracium rectum rigidu... quibuſdam Sabaudum *I. B. tom.* 2. *l.* 2... 1030.

Hieracium fruticoſum, anguſtiſſimo inca... folio.

Ex fibroſis candidis radicibus frutica... ſingulis annis novi ſurculi ſeſquicubita... tenues in viridi albentes lacteſcentes, fol... concoloribus longis anguſtis pene ſetac... ab uno ad ſummum uſquè densè ſtipa... quorum faſtigia in complures abeunt ram... los, ſuſtinentes è calyce oblongo inca... modicè hirſuto & ſquamato flores luteos... multis petalis planis, in gyrum diſpoſiti... confarctos, qui marcidi faceſſunt in ſemi... atro-rubentia, gracili pappo criſtata.

Hieracium perfoliatum, flore ſulphureo. H... dipnois Monſpeſſulana, ſive Dens Leon... Monſpeſſulanus *I. B. tom.* 2. *l.* 24. 1036. A... Hieracium perfoliatum ſingulare Creticu... *Cat. Hort. Patav. Turr.* 45?

*Hieracium majus, folio Sonchi* C. B. P. *v.* Son... chus.

*Hieracium majus, foliis Sonchi, ſemine cur...* C. B. P. *v.* Sonchus.

*Hieracium capitulum inclinans, ſemine adun...* *C. B. ...*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

HIERACIUM FRUTICOSUM, ANGUSTISSIMO INCANO FOLIO.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*C.B.P. & florem inclinans I.B. v.* Calendula.
*Hieracium ſiliquâ falcatâ* C.B.P. *v.* Calendula.
*Hieracium ſtellatum* I.B. *v.* Calendula.
*Hipoſelinum Theophr. C.B.P. v.* Smyrnium.
*Hippoglоſſum Matth. v.* Laurus Alexandrina.
*Hirundinaria vulgò. v.* Aſclepias.

HOLOSTEUM hirſutum albicans majus *C.B.P.* 190. Holoſtium Plantagini ſimile *I.B. tom. 3. l. 3 l.* 508.
Holoſteum hirſutum albicans minus C.B.P. 190. Holoſtium Monſpeſſulanum *I. B. tom.* 3. *l.* 3 *l.* 508.
* Holoſteo affinis, caudâ muris C.B.P. 190. Myoſuros *I. B. tom.* 3. *l.* 31. 512. ANN.

HORDEUM polyſtichum hybernum *C.B.P.* 22. *I. B. tom.* 2. *l.* 18. 429. ANN.
Hordeum polyſtichum vernum C.B.P. 22. Hordeum hexaſtychum pulchrum *I. B. tom.* 2. *l.* 18. 429. ANN.
Hordeum diſtichon C.B.P. 23. *I. B. tom.* 2. *l.* 18. 429. ANN.
* Hordeum nudum *Cat. Hort. Edinb. Suther.* 156. ANN.
*Hordeum murinum I.B. v.* Gramen.

HORMINUM Æthiopicum incanum, foliis ſinuoſis, Æthiopis dictum. Æthiopis fol-

olio ſinuoſo *C. B. P.* 241. Æthiopis multis *B. tom.* 3. *l.* 28. 107. ANN.
m foliis in profundas lacinias diviſis *C. B.* P. 241. ANN.
rminum Syriacum C. B. P. 238. Gallitri-hum exoticum, flore magno albo *I. B. tom.* *l.* 28. 310. ANN.
rminum majus, amplo flore violaceo lobis orum punctis aureis notatis *Moriſ. Hort. leſ.* 272. An Horminum Indicum maxi-num, flore variegato *Cat. Hort. Reg. Pariſ.* 9? ANN.
rminum ſativum C. B. P. 238. Horminum omâ purpureo-violaceâ *I. B. tom.* 3. *l.* 28. 09. ANN.
n comâ rubrâ *I. B. tom.* 3. *l.* 28. 309. ANN.
n foliis totis viridibus *Cat. Hort. Reg. Pariſ.* 8. ANN.
rminum Sclarea dictum C. B. P. 238. Galli-richum ſativum *I. B. tom.* 3. 28. 309.
minum luteum glutinoſum C. B. P. 238. alliopſis ſpecies lutea, viſcida, odorata emorenſis I. B. *tom.* 3. *l.* 28. 304.
minum ſylveſtre latifolium verticillatum .B P. 238. Gallitricho affinis planta, Hor-inum ſylveſtre latifolium Cluſio I. B. *tom.* *l.* 28. 14.
minum pratenſe, foliis ſerratis C. B. P. 238. allitrichum ſylveſtre vulgo, ſive ſylve-ris Scralea, flore purpureo, cœruleove ma-

gno

gno *I. B. tom.* 3. *l.* 28. 311.

Idem flore albo *Cat. Hort. Reg. Pariſ.* 89.

Idem flore minore rubro *C. B. P. Var.* 238

Horminum pratenſe, foliis ſerratis, floribus lutè cœruleis omnium minimis. An Ga trichi varietas *I. B. tom.* 3. *l.* 28. 311.

Horminum folio Betonicæ *Cat. Hort. Edib. Sutherl.* 157. An Horminum parvum, fo Betonicæ, floſculis exiguis cœruleis, Hiſ nicum *Mentz. pugil.*

Horminum ſylveſtre Lavendulæ flore *C. B.* 239. Gallitrichis affine Maru, ſi non ge aliquod, Sclarea Hiſpanica Tabernæm tani *I. B. tom.* 3. *l.* 28. 313. Horminum S tellarię folio vulgò.

Idem folio craſſiori & rugoſiori.

HYACINTHUS comoſus major purpure *C. B. P.* 42. *Moriſ. Hiſt.* 2. 371. Hyacint maximus Botryoides, comâ cœruleâ *I. tom.* 2. *l.* 19. 574.

Idem ruber *C. B. Var.* 42. *Moriſ. Hiſt.* 2. 371.

Idem albus Belgicus *C. B. P.* 42. *Moriſ. Hiſt.* 371.

Hyacinthus comoſus paniculâ cœruleâ *C. B.* 42. *Moriſ. Hiſt.* 2. 371.

Hyacinthus calamiſtratus comâ panicul breviore *Cat. Reg. Pariſ.* 89. Hyacint

C.

comoſus calamiſtratus *Cornut.* 210. Comâ ampliori.

yacinthus comâ racemoſâ ſtrictiori. An Hyacinthus calamiſtratus comâ racemoſâ breviori *Cat. Hort. Reg. Pariſ.* 89.

HYACINTHUS racemoſus, major latifolius ſpetioſior, Arbuteo flore cœruleo *Moriſ. Hiſt.* 2. 372. Hyacinthus racemoſus cœruleus major *C. B. P.* 42.

em minor *Moriſ. Deſcr. Hiſt.* 2. 372. Hyacinthus racemoſus cœruleus minor latifolius C. B. P. 43. Hyacinthus Botryoides vernus: minor latifolius cœruleus inodorus . B. *tom.* 2. *l.* 19. 572.

m flore albo *Cat. Hort. Reg. Pariſ.* 89. Flore niveo aut lacteo *Moriſ. Deſcr. Hiſt.* 2. 372.

acinthus racemoſus cœruleus, minor uncifolius C. B. P. 43. *Moriſ. Hiſt.* 2. 372. Hyacinthus vernus Botryoides minor cœruleus, anguſtioribus foliis, odoratus I. B. *om.* 2 *l.* 19. 571.

dm flore exalbido C. B. P. *Var.* 43.

m flore carneo *Cat. Hort. Reg. Pariſ.* 89.

cinthus racemoſus moſchatus C. B. P. 43. Hyacinthus racemoſus ſeu Botryoides major, ſeu Muſcari majus obſoleto albo flore *Moriſ. Hiſt* 2. 372. Hyacinthus odoratiſſimus, dictus Tibcadi & Muſcari I. B. *tom.* 2. 19. 578. Dipcadi vulgò.

Idem gryſeo flore obſoleto *Cat. Hort. R. Pariſ.* 89.

Hyacinthus racemoſus Moſchatus lute[us] C. B. P. 43. Hyacinthus odoratiſſimus. Ti[b]cadi luteus I. B. *tom.* 2. *l.* 19. 579.

Hyacinthus luteus, prçcox. C. B. P. 43. Hyaci[n]thi Tibcadi lutei varietas, ſive Muſcari lu[teum] præcox I. B. *tom.* 2. *l.* 19. 579.

Hyacinthus oblongo cœruleo pendulo flo[re] *Moriſ. Hiſt.* 2. 373. Hyacinthus oblongo f[lo]re, cœruleus major C. B. P. 43. Hyacinth[us] Anglicus ſive Belgicus I. B. *tom.* 2. *l.* 19. 1[8]

Idem flore incarnato C. B. P. *Var.* 43.

Idem flore rubro *Moriſ. Deſcr. Hiſt.* 2. 373.

Idem flore albo. Hyacinthus Anglicus alb[us] *Cat. Hort. Edinb. Sutherl.* 160.

Idem flore Amethyſtino C. B. P. *Var.* 43.

Idem flore ex cœruleo & albo mixto.

Hyacinthus ſerotinus albicans, facie Orienta[lis] C. B. P. 44.

Hyacinthus obſoleto flore æſtivus. Hyaci[n]thus obſoleto flore C. B. P. 44. Hyacinth[us] obſoletior Hiſpanicus, Anglico ſimilis I. [B.] *tom.* 2. *l.* 19. 587.

Hyacinthus oblongo cœruleo flore, min[or] C. B. P. 44. Hyacinthus minor Hiſpanic[us] anguſtifolius cœruleus I. B. *tom.* 2. *l.* 19. 58[.]

Hyacinthus floribus Campanulæ utrinquè c[on]ſpoſitis C. B. P. 44. *Moriſ. Hiſt.* 2. 373.

HY[ACINTHUS]

HYACINTHUS Orientalis, caule maculato *C. B. P.* 44. *Moriſ. Hiſt.* 2. 373.

Idem flore argentei coloris *Cat. Hort. Reg. Pariſ.* 90.

Idem flore violaceo *Cat. Hort. Reg. Pariſ.* 90.

Hyacinthus Orientalis purpureus C. B. P. 44. Hyacinthus Orientalis, flore majore *I. B. tom.* 2. *l.* 19. 575.

Hyacinthus Orientalis exalbidus *C. B. P.* 44.

Hyacinthus Orientalis albus, primus *C. B. P.* 44.

Idem albore ſplendido *Cat. Hort. Reg. Pariſ.* 90.

Hyacinthus Orientalis Brumalis, flore cœruleo, foliis infernâ parte maculis purpureis notatis.

Idem flore albo. Hyacinthus Orientalis albus, alter C. B. P. 44. Hyacinthus Brumalis albus I. B. *tom.* 2. *l.* 19. 577.

Hyacinthus Orientalis maximus C. B. P. 44. Hyacinthus minor πολυάνθες *I. B. tom.* 2. *l.* 19. 576.

Idem flore albo *Cat. Hort. Reg. Pariſ.* 91.

Idem flore incarnato.

Idem caliculis ſuavè rubentibus *Cat. Hort. Reg. Pariſ.* 91.

Idem polyanthes, flore cinerei coloris *Cat. Hort. Reg. Pariſ.* 91.

Idem flore argenteo *Cat. Hort. Reg. Pariſ.* 91.

Idem flore violaceo odoratiſſimo *Cat. Hort. Reg. Pariſ.* 91.

Ejuſdem multiplices, quoad florum colore, ſeriem, figuram, magnitudinem & odore differentiæ.

Hyacinthus præcox albus *C. B. P.* 45.

Hyacinthus Orientalis latifolius *C. B. P.* 4 Hyacinthus Orientalis, polyanthes foliis *I. tom.* 2. *l.* 19. 576.

Hyacinthus Orientalis latifolius, Polyanth maximus, flore in cœruleo purpuro-vi laceo.

Ejuſdem quoad floris colorem magnitudine & elegantiam miræ varietates, cultorum i duſtriâ vario è ſatu productæ.

Hyacinthus Orientalis ramoſus *C. B. P.* 45.

Hyacinthus Orientalis, caule folioſo *C. B. P.* 4

Hyacinthus Orientalis, flore duplici, ſeu alt ro alteri innato, ex colore albo & cœrule ad pediculum parùm vireſcenti *Moriſ. Hi* 2. 474. Hyacinthus Orientalis, flore dupli *C. B. P.* 46.

Hyacinthus Orientalis, flore cœruleo, dupli oblongo.

Idem flore duplici cœruleo, Romanus dictu

Hyacinthus Orientalis, flore cœruleo plen *C. B. P.* 45.

Idem flore purpureo pleno.

Hyacinthus Orientalis, flore ſubcœruleo pl no, maximus Belgarum *Cat. Hort. Re Pariſ.* 91.

Idem flore purpuro violaceo, caliculis turgidi

Hy

Hyacinthus Orientalis albus, multiplici flore *C. B. P.* 45.
Idem pallidè incarnatus.
Hyacinthus Orientalis roſeus, Italicus dictus, multiplici flore candidiſſimo.
Idem flore duplici, Capucinus dictus.
Idem flore elegantiori.

HYACINTHUS ſtellaris Germanicus, præcox bifolius *Moriſ. Hiſt.* 2. 474. Hyacinthus bifolius ſtellaris Germanicus *C. B. P.* 45. Hyacinthus ſtellatus vernus dumetorum, flore cœruleo *I. B. tom.* 2. *l.* 29. 579.
Idem ex albido flore *C. B P. Var.* 45. Flore albo *I. B. tom.* 2. *l.* 19. 579.
Idem flore ſuaviter rubente *C. B. P. Var.* 45.
Idem flore ad carneum vergente *C. B. P. Var.* 45.
Hyacinthus ſtellaris Germanicus præcox trifolius *Moriſ. Hiſt.* 2. 474. Hyacinthus ſtellaris trifolius *C. B. P.* 46. Hyacinthus ſtellatus trifolius vernus dumetorum, flore cœruleo *I. B. tom.* 2. *l.* 19. 584.
Hyacinthus ſtellatus monophyllos Luſitanicus *Cat. Hort. Edinb. Sutherl.* 162.
Hyacinthus ſtellaris albus *C. B. P.* 46. Hyacinthus ſtellaris albicans ſerotinus *I. B. tom.* 2. *l.* 19. 584.
Hyacinthus ſtellaris ſpicatus ſeu faſtigiatus, latâ depreſsâ ſpicâ *Moriſ. Hiſt.* 2. 474. Hyacin-

cinthus ſtellaris ſpicatus cinereus *C. B. P.* 4
Hyacinthus ſtellatus multiflorus, cinera
coloris *I. B. tom.* 2. *l.* 19. 583.

Hyacinthus ſtellaris, caulibus pluribus ex e
dem bulbo ortis, ſingulis pluribus florib
oneratis *Moriſ. Hiſt.* 2. 474. Hyacinthus ſt
laris cœruleus amœnus *C. B. P.* 46. Hyaci
thus ſtellatus Bizantinus alter, elegantiſ
mus ſerotinus bullatus *I.B. tom.* 2. *l.* 19. 58

Hyacinthus ſtellaris Byzantinus, Borragin
flore *Cat. Hort. Reg. Pariſ.* 91.

Hyacinthus ſtellaris obſoletè cœruleus, vel m
jor *C. B. P.* 46.

Hyacinthus ſtellaris æſtivus cœruleo-purp
raſcens, major *C. B. P.* 46. Hyacinthus ſte
latus æſtivus *I. B. tom.* 2. *l.* 19. 583.

Hyacinthus ſtellaris autumnalis major *Mori*
*Hiſt.* 2. 474. *C. B. P.* 46. Hyacinthus aut
mnalis major *I. B. tom.* 2. *l.* 19. 574.

Idem minor *C. B. P.* 47. *Moriſ. Hiſt.* 2. *Deſcr.* 37

Hyacinthus ſtellatus Peruvianus multifloru
floribus cœruleis, in rotundum metam faſt
giatus *Moriſ. Hiſt.* 2. 375. Hyacinthus Ind
cus bulboſus ſtellatus *C. B. P.* 47 Hyacin
thus Peruvianus *I. B. tom.* 2. *l.* 19. 585.

Idem flore albicante *Cat. Hort. Reg. Pariſ.* 9
Floribus niveis, viſu per amœnis *Moriſ. Hiſt.*
2. *deſc.* 375.

HYACINTHUS Eriophorus Orientalis *Mori*
*Hiſt.* 375. Bulbus Eriophorus orientali
*C. B. P.*

*C. B. P.* 47. *I. B. tom.* 2. *l.* 19. 585.
yacinthus ſtellaris, foliis & radice Lilii *C. P. B.* 46. *Moriſ. Hiſt.* 2. 375. Hyacinthus Lilifolius ſtellatus *I. B. tom.* 2. *l.* 19. 489. Floribus cœruleis.
é flore niveo *Mor. Hiſt.* 2. 376. *C. B. P. Var.* 46.

YACINTHUS Indicus tuberoſus, flore Hyacinthi Orientalis *C. B. P.* 47. Hyacinthus Indicus, tuberoſâ radice *Mor. Hiſt.* 2. *l.* 376. *I. B. tom.* 2. *l.* 19. 588.
yacintho affinis Africana, tuberoſâ radice, umbellata cœrulea inodora.
*dropiper I. B. v.* Perſicaria urens.

YDROPHYLLON Morini *Jonqu. Hort.* 43. Dentariæ affinis, Echii flore, capſulâ rotundâ *Moriſ. Hort. Bleſ.* 259. Dentariæ affinis Echii flore, capſulâ Anagallidis *Dod. Mem.* 77. Echio affinis, Dentariæ foliis *vulgò*

HYOSCYAMUS vulgaris vel niger *C. B. P.* 169 *Moriſ. Hiſt.* 2. 494. *I. B. tom.* 3. *l.* 34. 627.
roſcyamus albus major vel 3. Dioſc. & 4. Plinii *C. B. P.* 169. *Moriſ. Hiſt.* 2. 494. Hyoſcyamus albus *I. B. tom.* 3. *l.* 34. 627.
roſcyamus albus minor *C. B. P.* 169. *Moriſ. Hiſt.* 2. 494. I. B. *tom.* 3. *l.* 34. 628.
roſcyamus Creticus luteus major C. B. P. 169. *Moriſ. Hiſt.* 2. 494. I. B. *tom.* 3. *l.* 34. 628. *deſc.*
*oſiris anguſtifolia aſpera* I. B. *v.* Hieracium.

YPECOUM ſiliquis erectis articulatis incurvis *Mor. Hiſt.* 2. 579. Hypecoum C. B. P. 172.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Hypecoum ſiliquoſum I. B. *tom.* 2. *l.* 21. 89.

*HYPERICUM vulgare C. B. P. 179. *Mor. Hi*. 2. 469. Hypericum vulgare, ſive Per- rata caule rotundo, foliis glabris *I. B. to.* 3. *l.* 29. 381.

*Hypericum minus ſupinum, vel ſupinu- glabrum C. B. P. 279. *Moriſ. Hiſt.* 2. 569. H- pericum minimum ſupinum I. B. *tom.* 3. 29. 384.

Hypericum ſeu Coris legitima Ericæ ſimi- *Moriſ. Hiſt*, 2. 469. Coris lutea C. B. 28 Hypericoides Coris quorundam, & Co- Cretica I. B. *tom.* 3. *l.* 29. 384.

Hypericum ſupinum tomentoſum majus, v- Hiſpanicum C. B. P. 279. *Moriſ. Hiſt.* 2. 47

Hypericum ſupinum tomentoſum minus, v- Monſpeliacum C. B. P. 279. Hypericum t- mentoſum I. B. *tom.* 3. *l.* 29. 384.

* Hypericum ſeu Androſæmum perfoliatu- & perforatum C. B. P. 280. *Moriſ. Hiſt.* 470.

Hypericum minus glabrum erectum pu- chrum *Moriſ. Hiſt.* 2, 470. Hypericum mi- nus erectum C. B. P. 179. Hypericum pu- chrum Tragi I. B. *tom.* 3. *l.* 29. 383.

Hypericum ſeu Androſæmum fœtidum, ca- pitulis longiſſimis filamentis donatis C. B. *Moriſ. Hiſt.* 2. 471. Ruta Hypericoide- quibuſdam Sicilianæ affinis, ſive Tragiu- I. B. *tom.* 3. *l.* 29. 384.

*Hypericum ſeu Androſæmum bifolium gl- bru-

brum perfoliatum, non perforatum *Moriſ. Hiſt.* 2. 471. Aſcyrum ſive Hypericum bifolium glabrum non perforatum *C. B. P.* 280. Hypericum elegantiſſimum non ramoſum, folio lato *I. B. tom.* 3. *l.* 29. 383.

ypericum ſeu Androſæmum Aſcyrum dictum, caule quadrangulo glabro *Moriſ. Hiſt.* 2. 471. Androſæmum hirſutum C. B. P. 280. Hypericum Aſcyrum dictum caule quadrangulo I. B. *tom.* 3. *l.* 29. 132.

pericum ſeu Androſæmum Aſcyrum dictum, caule rotundo hirſuto *Moriſ. Hiſt.* 2. 471. Hypericum Androſæmum dictum *I. B. tom.* 3. *l.* 29. 382.

ypericum ſeu Androſæmum maximum quaſi fruteſcens) bacciferum *Moriſ. Hiſt.* 2. 72. Androſæmum maximum fruteſcens *C. B. P.* 280. Siciliana, aliis Ciciliana vel Androſæmon I. B. *tom.* 3. *l.* 29. 385.

pericum ſeu Androſæmum flore & thecâ quinquecapſulari omnium maximis *Moriſ. Hiſt.* 2. 472. Aſcyrum magno flore C. *B. P.* 280.

*ericum fruteſcens Americanum fl. albo.* . Pruno affinis.

YSSOPUS Officinarum cœrulea ſive ſpicata C. B. P. 217. Hyſſopus vulgaris ſpicatus anguſtifolius, flore cœruleo I. B. *tom.* 3. 28. 274.

Idem flore rubro C. B. P. 217. I. B. *tom.* 3 *l.* 28. 274.

Idem flore purpureo I. B. *tom.* 3. *l.* 28. 274.

Idem flore albo. Hyſſopus vulgaris a[...] C. B. P. 218

Hyſſopus Anglica *C. B. P.* 218. ab unâ parte [...] tea alterâ viridis.

Hyſſopus hirſuta *C. B. P.* 219.

Hyſſopus umbellata *C. B. P.* 219.

Hyſſopus anguſtifolia ſpicata C. B. P. 219.

Hyſſopus Auſtriacus, magno flore, foliis Ch[...] mæpitydis. Chamæpitys cœrulea Auſtria[...] C. B. P. 250.

*Hyſſopifolia* C. B. P. *v.* Lyſimachia.

## I.

* JACÆA nigra pratenſis, latifolia C. B. [...] 271. Jacæa nigra pratenſis vulgar[...] & ſquammoſa I. B. *tom.* 3. *l.* 25. 27.

* Eadem flore albo C. B. P. 271.

Jacæa nigra, ſquammoſo capite, major C. B. 271. Jacæa montana ſquammoſa major, [...] mine nigro I. B. *tom.* 3. *l.* 25. 29.

Jacæa latifolia, capite hirſuto C. B. P. 271. J[...] cæa cum ſquamis pennatis, ſive capite v[...] loſo, elatior I. B. *tom.* 3. *l.* 25. 29.

Jacæa Luſitanica ſemper virens *Moriſ. Hor[...] Bleſ.* 276. Jacæa elatior Luſitanica ſemp[...] virens *Boccon. Ic. & Deſc.* 72. Jacæa L[...]

viren[...]

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tanica maxima, ſemper virens *Dod. Mem.* 5.

ea integri folia humilis C. B. P. 271.

ea nigra laciniata C. B. P. 271. Centaurium ollinum Geſneri, flore purpureo *I. B. tom.* *l.* 25. 32.

dem flore albo.

ea incana, Cyani folio, fibris in capite nigris.

cea humilis alba, Hieracii folio C. B. P. 271.

cæa Monſpeſſulana, cui in ſquammis fi- æ nigre, interdum acaulis *I. B. tom.* 3. *l.* 25. Flore purpureo.

ea latiſſimo laciniato folio C. B. P. 272.

ea Arborea argentea Raguſina *Zan. Hiſt.* *onon.* 107. Floribus luteis.

ea montana candidiſſima, Stoebes foliis B. P. 272. Floribus purpureis, foliis an- uſtioribus.

em foliis latioribus.

a montana incana, capite Pini C. B. P. 272.

cæa montana, capite magno ſtrobili *I. B.* *m.* 3. *l.* 25. 30.

capite longis aculeis ſpinoſo C. B. P. 272.

m capite brevioribus aculeis ſpinoſo.

cæa ſpinoſa Cretica *Zanon. Hiſt. Bo-* *n.* 105.

laciniato Sonchi folio, ſive Jacæa lati- ia purpurea, capitulo ſpinoſo C. B. P. 2.

Ja-

Jacea Sphærocephala ſpinoſa Tingitana *C.*
*Hort. Edinb. Suntherl.* 167.

Planta eſt Jaceæ ſpinoſæ Creticæ Zano. perſimilis; Aſt omnibus partibus major amplior, raraque hirſutie pubeſcens; Rad rectâ craſsâ albidâ ventrioſâ aliquando b chiatâ; Caulibus cubitalibus neutiquam a tis; Foliis in profundiores lacinias rigid què crenas diviſis, formâ ad Sonchi folia a cedentibus; Capitulis Sphœricæ rotundi tis, quorum ſpinoſis ſquamis interjacet ſu albidum tomentum, telis aranearum ſimi Floribus purpureis magis expanſis; Semi bus cinereis, congenerum more barbâ c ſtatis. Collegi ex Horto Dni Petri Wolff Plantarum rariorum cultoris exim qui ex ſeminibus, Tingide acceptis, ed caverat.

Jacea lutea capite ſpinoſo C. B. P. 272. Majo Centaurium Collinum, ſive Jacæa ſpino flore luteo *I. B. tom.* 3. *l.* 25. 34. Ann.

Jacea lutea, capite ſpinoſo minori. Cardu ſtellatus luteus, foliis Cyani *C. B.* 387. Sp na ſolſtitialis I. B. *tom.* 3. *l.* 25. 90. Ann.

Jacea Sicula Erucæ folio lutea echinata *Do Mem.* 87. Ann.

Jacea Melitenſis capitulis conglobatis *Bocc.* 1 *& Deſc.* 65. Spinis erectis longioribus. Ann

Eadem ſpinis recurvis brevioribus. Ann.

Jacea lutea ſpinoſa Centauroides *C.B.P.* 272.

J

*EA SPHOEROCÆPHALA SPINOSA TINGI-
TANA SUTHERL.*



Jacea incana Cretica, flore luteo medio pur-
reo, ſquamis in molliores ſpinas abeuntib
Levi tomento in viridi caneſcit tota h
Planta, attollens ex radice craſsâ brachi
caules plures, ſeſquicubitum exceden
anguloſos, lignoſos, duros, valde ramo
Folia radici proxima conſpiciuntur palm
lata, ſpithamum longa, modo per ambit
leviter crenata, modo profundis aliquot
ciſuris præcipuè verſus pediculum diſſec
ſuperiora verò minora & omnino integ
ſuaquè baſi caulem amplectentia. Sing
rami ſuſtinent capitulum ex ſquamis hiſ-
dis in breviſſimas aliquot flaveſcentes c
ſpides deſinentibus compactum, cui inſide
flores vulgari ſimiles, exteriores rubent
interiores flaveſcentes, ſequentibus ſem
nibus cœteris hujus tribus ſimilibus. Ha
ex Cretâ delatam nobis conceſſit Dnus J
cobus Zanoni, Vir, dum viveret, in natur
lium ſcientia pertiſſimus.

Jacea Cyanoides, echinato capite *C. B. P.* 27
Flore purpuraſcente.

Eadem flore albo *C. B. P. Var.* 272.

JACEÆ & Serratulæ affinis, capitulis Ba
charidis, foliis Trachelii, Zeylanica *Brey*
*Prodr.* 39.

*Jacea Oleæ folio ejuſquè ſpecies* *C. B. P. v.* X
ranthemum.

*Ja*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

[illegible] S INCANA CRETICA, FLORE LVTEO MEDIO PVRPV-
[illegible] O, SQVAMIS IN MOLLIORES SPINAS ABEVNTIBVS.



*Jacea tricolor ejuſquè ſpecies* I. B. *v.* Viola

JACOBÆA maritima C. B. P. 131. Jacobæa marina ſive Cineraria *I. B. tom.* 3. *l.* 24. 105[illegible]

*Jacobæa vulgaris laciniata C. B. P. 131. Jacobæa vulgaris *I. B. tom.* 3. *l.* 24. 1057.

Eadem foliis, Quercus tenuifoliæ inſtar, [illegible] viſis C. B. P. *Var.* 131.

Jacobæa Alpina, laciniato flore Bupthalmi [illegible] B. P. 131. Jacobæa Pannonica latifolia [illegible] *tom.* 3. *l.* 24. 1057.

Jacobæa Senecionis folio incano; peren[illegible] *Raji Catal.* 170.

Jacobæa montana lanuginoſa anguſtifol[illegible] non laciniata C. B. P. 131. Jacobæa Pann[illegible]nica, folio non laciniato *I.* B. *tom.* 3. *l.* [illegible] 1056.

JASMINUM flavum odoratum *Cat. Hor[illegible] Reg. Pariſ.* 94. *Moriſ. Hort. Bleſ.* 13[illegible] Gelſeminum Indicum flavum odorati[illegible]mum *Ferrar. Flor. Cultur.* 393.

Jaſminum humilius luteum C. B. P. 397. Ja[illegible]minum luteum *I. B. tom.* 2. *l.* 15. 102.

Jaſminum luteum, vulgò dictum bacciferu[illegible] C. B. P. 398. Trifolium fruticans quibuſda[illegible] Polemonium flore luteo *I. B. tom.* 3. [illegible] 11. 575.

Jaſminum Virginianum *Cat. Hort. Edin[illegible] Sutherl.* 169.

Jaſm

…minum vulgatius, flore albo C. B. P. 397.
…aſminum ſive Jelſeminum flore albo I. B.
tom. 3. *l.* 15. 101.
…minum humilius, magno flore C. B. P. 398.
…aſminum Hiſpanicum, flore majore exter-
…nè rubente I. B. *tom.* 2. *l.* 15. 101.
…*ſminum Arabicum Clus. v.* Syringha.
…*ſminum Indicum, flore phœniceo Ferrar.*
*v.* Clematis.
…*ſminum Millefolii folio* I. B. *v.* Convolvulus.
…*ſminum Perſicum Cat. Hort. Edinb. Sutherl.*
*v.* Syringha.
…*ſminum Mexicanum* I. B. *v.* Mirabilis Pe-
…uviana.

…ERIS latiore folio ſerrato *Moriſ. Hiſt.* 2. 311.
…beris latiore folio *C. B. P* 97. Iberis *I. B. tom.*
… *l.* 22. 918.
…ris humilior annua Virginiana ramoſior.
…*oriſ. Hiſt.* 2. 311. ANN.
…ris Naſturtii folio *C. B. P.* 97. *Moriſ. Hiſt.*
… 311.
…*is Fuchſii* I. B. *v.* Naſturtium.
…*idi Fuchſii adfinis* I. B. *v.* Naſturtium.
…*aculeata baccifera, folio ſinuato* C. B. P. *v.*
…quifolium.

…x oblongo ſerrato folio C. B. P. 423. Ilex
…borea I. B. *tom.* 1. *l.* 7. 95.
… folio rotundiore molli modiceque ſi-

Y nua-

nuato, ſive Smilax Theophraſti C. B. P. 4[...]
Ilex aculeata Cocci glandifera C. B. P. 425. I[...] coccigera *I. B. tom.* 1. *l.* 7. 106.

IMPERATORIA major *C. B. P.* 56. Impe[...]toria *I. B. tom.* 1. *l.* 7. 106
Imperatoriæ affinis umbellifera maritima S[...]tica *Cat. Hort. Edinb. Sutherl.* 366.
*Indigo Indica Moriſ. v.* Colutea.

INTYbus ſativa latifolia, ſive Endivia vulga[...] *C. B. P.* 125. Intybum ſativum latifolium I[...] *tom.* 2. *l.* 24. 1011. ANN.
Intybus ſativa anguſtifolia C. B. P. 125. In[...]bum ſativum anguſtifolium *I. B. tom.* 2[...] 24. 1011. ANN.
Intybus criſpa C. B. P. 125. Intybum ſativ[...] criſpum *I. B. tom.* 2. *l.* 24. 1011. ANN.

IRIS tuberoſa, folio anguloſo, flore obſc[...] viridi colore *Moriſ. Hiſt.* 2. 348. Iris tuber[...]ſa, folio anguloſo C. B. P. 40. Iris tuber[...] Belgarum *I. B. tom.* 2. *l.* 19. 730.
Iris agria fœtida vel Xyris *Moriſ. Hiſt.* 2. 3[...] Gladiolus fœtidus C. B. P. 30. Spatula f[...]tida, pleriſquè Xiris *I. B. tom.* 2. *l.* 19. 73[...]
Iris vulgaris Germanica, ſive ſylveſtris *C. B*[...] 30. *Moriſ. Hiſt.* 2. 350. Iris vulgaris violac[...] ſive purpurea ſylveſtris *I. B. tom.* 2. *l.* 19. 7[...]
Iris hortenſis latifolia C. B. P. 31. Iris vulga[...]

v[...]

violacea, ſive purpurea hortenſis *I. B. tom.* 2. *l.* 19. 709.

is hortenſis pallidè cœrulea C. B. P. 31.

is hortenſis alba Germanica C. B. P. 31. Iris flore albo I. B. *tom.* 2. *l.* 19. 719.

is alba Florentina C. B. P. 31. *Moriſ. Hiſt.* 2. 351. Iris flore albo I. B. *tom.* 2. *l.* 19. 719.

is Suſiana, flore maximo ex albo nigricante C. B. P. 31. *Moriſ. Hiſt.* 2. 351. Iris latifolia major Suſiana, vel Chalcedonica, flore majore variegato, Cluſio prima *I. B. tom.* 2. *l.* 19. 721.

s Aſiatica cœrulea polyanthos C. B. P. 31. Iris Aſiatica cœrulea ſive 2. Cluſii *Moriſ. Hiſt.* 2. 352. Iris Aſiatica cœrulea omnium Iridum ampliſſima, Dalmaticæ affinis I. B. *tom.* 2. *l.* 19. 716.

s Dalmatica major C. B. P. 30. Iris Dalmatica major, flore vulgari minus violaceo *I. B. tom.* 2. *l.* 19. 715.

s latifolia Germanica ochroleucos C. B. P. 31. Iris major latifolia ochroleucos Cluſ. *I. B. tom.* 2. *l.* 19. 721.

dem labris dilutè purpureis, bifidis & erectis obſoletè flaveſcentibus.

s latifolia glorioſa Belgarum, labris candidis, oris purpuraſcentibus, petalis erectis violaceis.

s latifolia Pannonica, colore multiplici C. B. P. 31.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Iris latifolia Belgica, odore Sambucci *C. B. P.* 3
Iris Luſitanica verna violacea & Cluſio m-
jor latifolia nona, cum venis purpureis *I.*
*tom.* 2. *l.* 19. 717.
Iris biflora, flore minore, odore Lilii conv-
lium *C. B. P.* 32. Iris biflora Luſitanica, flo
violaceo Cluſio 22. *I. B. tom.* 2. *l.* 19. 722.
* Iris paluſtris lutea, ſive Acorus adulterin
*I. B. tom.* 2. *l.* 17. 732. *Moriſ. Hiſt.* 2. 35
Acorus adulterinus *C. B. P.* 34. Foliis lo
gioribus viridibus.
* Eadem foliis glaucis brevioribus.
Iris lutea ſativa *C. B. P.* 32. Iris lutea, foli
florum repandis variegatis *I. B. tom.* 2.
19. 721.
Iris lutea variegata Lobelii *C. B. P.* 32.
Iris media, longiſſimis foliis, lutea *C. B. P.* 3
Iris Tripolitana, foliis longiſſimis, flore aure
*I. B. tom.* 2. *l.* 19. 730.
Iris tuberoſa pratenſis anguſtifolia, folio fœt
do *Moriſ. Hiſt.* 2. 353. *C. B. P.* 32.
Iris tuberoſa pratenſis anguſtifolia non fœtid
altior *Moriſ. Hiſt.* 2. 254. *C. B. P.* 32. Iris te
nuifolia major flore cœruleo & ſtriato, angu
ſtifolia 2. *I. B. tom.* 2. *l.* 19. 727.
Iris anguſtifolia Prunum redolens major *C.*
*B. P.* 33.
Iris anguſtifolia hortenſis verſicolor *C. B. P.* 33
Iris anguſtifolia, flore violaceo, reflexis fo
liis lacteis, & purpureis venis variis Cluſi
5. *I. B*

5. *I.B. tom. 2. l. 19. 731.*
is humilis, ſeu Chamæiris variegata *C. B. P.* 2.
is humilis, ſeu Chamæiris, flore ſaturo-violaceo *C. B. P.* 32.
is humilis, ſeu Chamæiris minor, flore purpureo *C. B. P.* 33. *Moriſ. Hiſt.* 2. 354. Iris humilis latifolia minor *I. B. tom. 2. l.* 725.
dem flore atro-purpureo.
dem flore variè picto *C. B. P.* 33. Iris humilis latifolia minor elegantiſſimè variè picta, Cluſio Chamæiris 7. *I. B. tom. 2. l. 19.* 725.
dem flore purpureo flaveſcente *C. B. P.* 33. Iris humilis latifolia minor, flore vario, ejus foliis valde incurvis: Cluſio Chæmæiris 8. *I. B. tom. 2. l. 19.* 725.
dem flore pallido & albo *C. B. P.* 33.
dem flore ochroleuco.
uſdem variæ ſpecies, floris colore inter ſe diſcretæ.
s humilis ſeu Chamæiris anguſtifolia Graminea. Chamæiris Tab. *Moriſ. Hiſt.* 2. 355. Iris anguſtifolia, Prunum redolens minor *C. B. P.* 33. Iris Graminea, cui quotannis pereunt folia. *I. B. tom. 2. l. 19.* 727.

RIS bulboſa latifolia præcox, acaulos odora *Moriſ. Hiſt.* 2. 357. *C. B. P.* 38. Iris bulboſa latifolia, flore cœruleo *I. B. tom. 2. l. 19.* 703.
dem flore lactei coloris *C. B. P. Var.* 38. Iris bul-

bulboſa latifolia, flore candido I. B. *tom.* 2 *l.* 19. 703.

Iris bulboſa præcox minus odora, Perſica variegata *Moriſ. Hiſt.* 2. 357. Iris Perſica variegata præcox *Ferr. Flor. Cult.* 152. Iris Perſica bulboſa variegata præcox *Dodon. Mem.* 83.

Iris bulboſa latifolia ſerotina, caule donata *Moriſ. Hiſt.* 2. 357. C. B. P. 38.

Iris bulboſa latifolia candida C. B. P. 38.

Eadem Porcellana dicta.

Iris bulboſa major, flore cœruleo, variegata ſive Chamoletta Joh. Rea. *Cat. Hort. Edinb. Sutherl.* 174.

Eadem flore Lavendulaceo. Chamoletta Lavendulacea Belgarum.

Eadem flore purpureo verſicolor Joh. Rea *Cat. Hort. Edinb. Sutherl.* 174. Chamoletta purpurea Belgarum.

Iris bulboſa latifolia Hiſpanica, caule inſtar Serpentariæ maculato *Cat. Hort. Reg. Pariſ.* 96. Serpentina Americana Belgarum, vulgò

Iris bulboſa anguſtifolia tricolor *C. B. P.* 38. *Moriſ. Deſc. Hiſt.* 2. 358.

Eadem foliis albis, ligulâ luteâ, velis ſub cœruleis *Cat. Hort. Reg. Pariſ.* 96.

Iris bulboſa anguſtifolia, foliis repandis ex luteo vireſcentibus, velis obſoletè xerampelinis *Cat. Hort. Reg. Pariſ.* 96.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

s bulboſa anguſtifolia, labris vireſcentibus, maculâ aureâ, bifidis pallidè cœruleis, erectis, ſaturatè cœruleis *Cat. Hort. Edinb. Sutherl.*

s bulboſa cœruleo-violacea *C. B. P.* 40.

s bulboſa anguſtifolia alba *C. B. P.* 40.

s bulboſa alba, oris cœruleis Swertii.

s Bulboſa lutea inodora major *C. B. P.* 39. *Moriſ. Hiſt.* 2. 358. Iris bulboſa lutea *I. B. tom.* . *l.* 19. 705.

bulboſa lutea verſicolor major & elatior *C. B. P.* 39. *Moriſ. Hiſt.* 2. 358. Iris bulboſa verſicolor flavo-varia, prima Cluſio *I. B. tom.* . *l.* 19. 706.

bulboſa anguſtifolia tota aurea *Cat. Hort. Edinb. Sutherl.* 175.

bulboſa anguſtifolia, labris luteis, maculâ ureâ bifidis & erectis pallidè cœruleis *Cat. Hort. Edinb. Sutherl.* 175.

bulboſa tricolor ſurrecta major, multiplici ore *Cat. Hort. Reg. Pariſ.* 97.

bulboſa anguſtifolia, pleno flore cœruleo atavorum *Cat. Hort. Reg. Pariſ.* 97.

um Bulboſarum vario è ſatu educatarum arietates plures, verſicolore in floribus picurâ mirificè laſcivientes.

*Uvaria Prom. Bonæ Spei Stap. v.* Apoynum. Aloë.

ISATIS ſativa vel latifolia *C. B. P.* 113. *Mori* *Hiſt.* 2. 286. Iſatis, ſive Glaſtum ſativu *I. B. tom.* 2. *l.* 21. 909.

Iſatis ſylveſtris vel anguſtifolia *C. B. P.* 11 Iſatis ſylveſtris *Moriſ. Hiſt.* 2. 286. Iſatis, ſiv Glaſtum ſpontaneum *I. B. tom.* 2. *l.* 21. 909

*Iſatis Indica, foliis Roriſmarini, Glaſto affin.* C. P. B. *v.* Colutea.

*Iſchæmum vulgò. v.* Gramen dactylum.

*Iva moſchata Monſpelienſium* I. B. *v.* Chama pitys.

JUJUBÆ majores oblongæ *C. B. P.* 446. Z zipha ſativa I. B. *tom.* 1. *l.* 6. 40.

* JUNCUS acutus maritimus, capitulis rotundi C. B. P. 11.

Juncus acutus, paniculâ ſparsâ C. B. P. 11. Jun cus foliaceus I. B. *tom.* 2. *l.* 18. 228.

* Juncus maximus, ſive Scirpus major *C. B. P* 12. Juncus maximus holoſchænos I. B. *tom* 2. *l.* 18. 525.

* Juncus ſive Scirpus medius C. B. P. 12.

* Juncus lævis, paniculâ ſparsâ major C. B. P. 12 Juncus paniculâ arundinaceâ I. B. *tom.* 2. *l.* 18 520

* Juncus lævis paniculâ non ſparsâ C. B. P. 12 Juncus Matthioli I. B. *tom.* 2. *l.* 18. 520.

* Juncus capitulis Equiſeti major *C. B. P.* 12. Juncus capitulis longis, ſive clavatus I. B *tom.*

*tom.* 2. *l.* 18. 525.

...ncellus capitulis Equiſeti minor & fluitans C. B. P. 12. *I. B. tom.* 2. *l.* 18. 525.

...*ncus Bombycinus* I. B. *v.* Gramen.

...UNCUS floridus major C. B. P. Juncus floridulus I. B. *tom.* 2. *l.* 18. 525.

...UNIPERUS vulgaris fruticoſa C. B. C. 488. ...Juniperus vulgaris, baccis parvis purpureis ...B. *tom.* 2. *l.* 9. 293.

...iperus minor montana, folio latiore fructuquè anguſtiore C. B. P. Juniperus Alpina ...B. *tom.* 1. *l.* 9. 301.

...iperus major, baccâ ruffeſcente C. B. P. 489. Cedrus Phœnicea Bellonio, ſive Oxycedrus, quibuſdam Juniperus major baccâ rubrâ *I. B. tom.* 1. *l.* 9. 297.

...iperus foliis Cupreſſi major, fructu flaveſcente. Cedrus foliis Cupreſſi major, fructu flaveſcente C. B. P. 487. Cedrus Lycia, ...etuſa Bellonio dicta *I. B. tom.* 1. *l.* 9. 300.

...iperus Bormudiana.

In metam faſtigiatam ſuâ ſponte excreſcit hæc arbor junipero vulgari tàm facie quàm virtutibus ſimilis; Eſt verò foliis anguſtioribus tenuioribus in rigidas & leviter pungentes cuſpides deſinentibus, denſo ele-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

gantiquè ordine ramulos ambientibus
pernè glaucis, infernè hilari perpetuo v
re nitentibus ; Flores fert exiles ame
ceos purpuro-croceos; Baccas rotunda
vellanæ magnitudine, ex fuſco phœni
ſquamatis aliquot tuberculis obſitas, in
bus tres quatuorvè anguloſi arilli, ritu
generum, continentur. Excrevit in A
ſeminibus ex Bormudos Inſulâ delatis.
Belgia feliciter propagatur per ſubme
nem, circumpoſitionem vel ramulos a
ſos, & terræ infixos.

Juniperus Virginiana.

Eandem requirit culturam, quam
mudiana, cui & formâ & creſcendi m
reſpondet; Aſt folia edit anguſtiora n
liora & omnino viridia. Hanc acceptam
ferimus munificentiæ maximè Revere
Epiſcopi Londinenſis, ſtirpium rario
æſtimatoris incomparabilis, cui ob i
gnia hortenſia munera in nos collata m
tùm debemus.

Juniperus ex Goa.

Hujus propaginem hoc ipſo menſe tr
miſit ad nos ex Angliâ Dnus Watſius
mine, Cedri ex Goa. Ramis eſt magis
panſis gracilibus foliis glaucis, tenuiſſi
& breviſſimis. Cœteroquin ſuperiori
detur ſimilis.

Ka

NIPERUS BORMUDIANA.



Juniperus bermudiana

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

# K.

KALI majus, cochleato ſemi C.B.P.289. *Moriſ.Hiſt.* 2.609. C li vulgare *I. B. tom.* 3. 35. 70 ANN.

Kali minus album, ſemine ſplendente C.B. 289. *Moriſ. Hiſt.* 2. 607. Cali minus, ſi Sedum minus arboreſcens vermiculatu *I.B. tom.* 3. *l.* 35. 705. ANN.

* Kali geniculatum majus C. B. P. 289. *Moriſ. Hi* 2.611. Cali geniculatum, ſive Salicorn I. B. *tom.* 3. *l.* 35. 704. ANN.

Kali fruticoſum minus, flore minore *Mor Hiſt.* 2.611. Sedum minus fruticoſum C. *P.* 284. Sedum minimum arboreſcens ve miculatum, flore luteo *I.B. tom.* 3. *l.* 35. 69

* Kali ſpecies, ſive Vermicularis marina arb reſcens *I. B. tom.* 3. *l.* 35. 705.

* Kali ſpinoſo affinis C. B. P. 289. Kali affin ſpinoſa Planta *Moriſ. Hiſt.* 2. 611. Tragu ſpinoſus Matthioli, ſive Kali ſpinoſum *I. I tom.* 3. *l.* 35. 706. Anthyllis Chamæpity des fruteſcens C. B. P. 282.

*Kali Craſſulæ minoris folio* C. B. P. & *Mori v.* Ficoides.

*Kapamava Hort Mal. v.* Anacardium.

*Katmer Bouhour Turcarum Corn. v.* Cycl men.

*Ketm*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*tmia Syrorum Moriſ. & I. B.* v. Althæa.
*awel Tragi Moriſ.* v. Polygonum.

## L.

L*ablab Alpini.* v. Phaſeolus.
*Labrum Veneris* I. B. v. Dipſacus.
*Luburnum* I. B. v. Anagyris.
*Laburnum Zeylanicum.* v. Cro-
alaria.
*hryma Jobi multis, ſive Milium Arundina-
eum* I. B. v. Milium.

ACTUCA ſativa C. B. P. 122. Lactuca ſativa
vulgaris non capitata I. B. *tom.* 2. *l.* 24. 997.
ANN.
tuca foliis Endiviæ C. B. 122. ANN.
tuca maculoſa C. B. P. 123. Lactuca rubra
B. *tom.* 2. *l.* 24. 998. ANN.
uca folio obſcurius virente ſemine nigro
B. P. 123. Lactuca Romana longa dulcis
B. *tom.* 2. *l.* 24. 998.
uca Italica laciniata C. B. P. 123. ANN.
uca capitata C. B. P. 123. Lactuca ſativa
ulgaris capitata I. B. *tom.* 2. *l.* 24. 997. ANN.
uca ſativa maxima Auſtriaca capitata va-
egata Lactuca Caryophyllacea vulgò.
NN.
Refert variegato colore Caryophyllum
ortenſem.
uca criſpa C. B. P. 123. Lactuca criſpa &
nuiter diſſecta *I. B. tom.* 2. *l.* 24. 999. ANN.

Lactuca

Lactuca criſpa altera C. B. P. 123. Lactuca criſpa laciniata I. B. *tom.* 2. *l.* 24. 999. ANN.

* Lactuca ſylveſtris, coſtâ ſpinoſâ *C. B. P.* 1
Lactuca ſylveſtris, ſive Endivia multis dicta, folio laciniato, dorſo ſpinoſo I. B. *to.* 2. *l.* 24. 1003. ANN.

Lactuca ſylveſtris, odore viroſo C. B. P. 12
Lactuca ſylveſtris, lato folio, ſucco viro *I. B. tom.* 2. *l.* 24. 1002. ANN.

*Lactuca montana purpuro-cærulea C. B. P.* Sonchus.

*Ladanum ſegetum, flore rubro quorundam I.* *v.* Sideritis.

*Lagopus ejuſquè ſpecies I. B.* *v.* Trifolium.

LAMIUM Arboreum perenne Canaden *Zan. Hiſt. Botan.* 112.

* Lamium purpureum fœtidum, folio ſubrotundo, ſive Galeopſis Dioſcoridi C. B. 230. Galeopſis ſive Urtica iners, flore purpuraſcente majore, folio non maculato *I. tom.* 3. *l.* 28. 321. ANN.

* Idem minus. ANN.

* Lamium album non fœtens, folio oblong *C. B. P.* 231. Galeopſis, ſive Urtica iner floribus albis *I. B. tom.* 3. *l.* 28. 324.

* Idem minus *Cat. Hort. Reg. Pariſ.* 99.

Lamium folio oblongo luteum C. B. P. 23
Galeopſis, ſive Urtica iners, flore luteo I. *tom.* 3. *l.* 28. 325.

Idem

tem maculis albis reſperſum. An Lamium luteum folis maculatis *Sutherl. Cat. Edinb.* 181.

Lamium albâ lineâ notatum *C.B.P.* 231. Galeopſis folio maculato *I.B. tom.* 3. *l.* 28. 324.

Lamium foliis caulem ambientibus, majus *C.B.P.* 231. Galeopſis, ſive Urtica iners minor, folio caulem ambiente *I.B. app. tom.* 3. 853. Ann.

Lamium folio caulem ambiente minus *C.B.P.* 231. Ann.

Lamium maximum ſylvaticum fœtidum *C.B. P.* 231. Galeopſis, ſive Urtica iners magna fœtidiſſima *I.B. App. tom.* 3. 853.

Lamium maximum ſylvaticum alterum *C.B. P.* 223. Galeopſis maxima, flore magno rubro *I.B. tom.* 3. *App.* 853.

Idem folio variegato.

Lamium paludoſum Belgicum, Meliſſæ folio. Ann.

Exilem albicantem fibroſam gerit radicem, cauliculum palmarem aliquando longiorem, quadrangulum, geniculatum, ſubhirſutum, in ramos diviſum, quorum geniculis adſtant folia ex longioribus petiolis bina ex adverſo, Meliſſæ foliis paria, ſed graciliora. Summitates ambiunt verticillatâ ſerie floſculi exigui, pallide purpuraſcentes, galeâ anguſtiori minori & integrâ, labello majori latiori & trilobato. Hos excipiunt ſemina

mina fuſca quaterna in utriculis foliace quinquifidis. Sponte ſuâ luxuriat in palu doſis Belgiæ, fœtido & gravi odore ad con generes ſpecies accedens.

*Lamium* montanum Meliſſæ folio *C. B. P.* v Meliſſa.

*Lamium* Aſtragalodes Corn. V. Scutellaria

*Lamium peregrinum C. B. P.* Scutellaria.

*Lanigera arbor peregrina I. B. v.* Goſſampinus

*Lantana I. B. v.* Viburnum.

LAPATHUM præſtantiſſimum, Rhabarba rum Officinarum dictum *Moriſ. Hiſt.* 2 677. Rhabarbarum Officinarum *C. B. P.* 116 Rhaponticum folio Lapathi majoris gla bro, Rha & Rheum Dioſcoridis *C. B. P.* 116 Rhabarbarum *I. B. tom.* 2. *l.* 23. 989. Ra ponticum *I. B. l.* 23. 984. Rha & Rhaponti cum *I. B. App. tom.* 2. 1069.

Lapathum Alpinum, folio ſubrotundo *Moriſ Hiſt.* 2. 578. Lapathum hortenſe rotundifo lium, ſive montanum *C. P. B.* 115. Lapathum folio rotundo Alpinum *I. B. tom.* 2. *l.* 23. 987

Lapathum hortenſe latifolium *C. P. B.* 115 Lapathum majus, ſive Rhabarbarum Mo nachorum *I. B. tom.* 2. *l.* 23. 985.

*Lapathum folio acuto plano *C. B. P.* 115. La pathum acutum. *Moriſ. Hiſt.* 2. 578. La pathum acutum, ſive Oxylapathum *I. B. tom.* 2 *l.* 23. 983.

*Lapathum folio minùs acuto *C. B. P.* 125. La pa-

MIUM MELISSÆ FOLIO, PALUDOSUM BELGICUM.



pathum vulgare, folio obtuſo *I. B. tom.* *l.* 23. 984.

Lapathum hortenſe, folio oblongo, ſive ſecundum Dioſcoridis *C. B. P.* 114. *Moriſ. Hiſt.* 579. Lapathum ſativum Lapas *I. B. tom.* *l.* 23. 985.

* Lapathum aquaticum, folio cubitali C. B. 116. Lapathum maximum aquaticum, ſ Hydrolapathum I. B. *tom.* 2. *l.* 23. 986. A Britannica antiquorum vera *Muntingii* *Vera Herba Britan.* 1.

* Lapathum folio acuto rubente *C. B. P.* 11 Lapathum ſanguineum, ſive Sanguis Draconis, Herba *I. B. tom.* 2. *l.* 23. 988.

* Lapathum folio acuto criſpo C. B P. 115. *Moriſ. Hiſt.* 2. 579. Lapathum acutum criſpum I. *tom.* 2. *l.* 23. 988. & Lapathum aquaticum minus C. B. P. 116. I. B. *tom.* 2. *l.* 23. 987.

* Lapathum minimum C. B. P. 115. *Moriſ. Hiſt.* 2. 579. Lapathum acutum minimum *I.* *tom.* 2. *l.* 23. 985.

* Lapathum ſylveſtre, folio ſubrotundo, ſeminis involucris dentatis *Moriſ. Hiſt.* 2. 580.

* Idem folio oblongo paludoſum Belgicum.

* Lapathum ramis procumbentibus, ſeminis involucro dentato, foliis inferioribus fidiu inſtar *Moriſ. Hiſt.* 2. 580. Lapathum pulchrum Bonienſe ſinuatum *I. B. tom.* 2. *l.* 688. Lapathum Pariſienſe ſinuatum *C* *Hort. Reg. Pariſ.* 100.

*pathum hortenſe, ſemine ſpinoſo, non ſpinoſo & ſterile.* v. Spinachia.
*pathum unctuoſum folio triangulo* C. B. P. v. Blitum.

APPA major C. B. P. 198. Perſonata, ſive Lappa major. An Bardana? *I. B. tom.* 3. 32. 570. ANN.
pa major montana, capitulis tomentoſis, ve Arctium C. B. P. 198. Perſonata altera, im capitulis villoſis I. B. *tom.* 3. *l.* 32. 571. NN.
*pa minor* C. B. P. v. Xanthium.
*pula canaria latifolia, ejusquè ſpecies* I. B. Caucalis.

RIX C. *B.* P. 493. Larix folio deciduo, coifera *I. B. tom.* 1. *l.* 9. 265.

SERPITIUM foliis latioribus lobatis *Moſ. Umbell.* 28. Libanotis latifolia altera, e vulgatior 157. Libanotis Theophraſti orundam, ſive Seſeli Æthiopicum Matolo, Cervaria alba *I. B. tom.* 3. *l.* 27. 164.
pitium Daucoides Prutenicum, viſcoſo nine *Breyn. Cent.* 167. *Prodr.* 40.
pitium foliis anguſtioribus ſaturatè vitibus & lucidis *Moriſ. Umbell.* 28.
pitium foliis anguſtioribus dilutè virenus *Moriſ. Umbell.* 28. Laſerpitium Gal-

Z 2 licum

licum *C. B. P.* 156. Laſerpitium è regio[ne]
Maſſiliæ allatum I. B. *tom.* 3. *l.* 27. 137.

Laſerpitio Lobelii ſimilis, anguſtifolia *I. B. to.*
3. *l.* 27. 137.

*Lathyris major* C. B. P. *& minor I. B. v.* T[i]-
thymalus.

*LATHYRUS radice tuberoſâ repente *Mor[iſ.]*
*Hiſt.* 2. 51. Lathyrus arvenſis repens tu[be]-
roſus C. B. P. 344. Chamæbalanus legum[i]-
noſa *I. B. tom.* 1. *l.* 17. 324.

*Lathyrus ſylveſtris & dumetorum, flore lut[eo]
*Moriſ. Hiſt.* 2. 344. Lathyrus luteus ſylv[e]-
ſtris dumetorum *I. B. tom.* 2. *l.* 17. 304.

Lathyrus latifolius C. B. P. 344. *Moriſ. Hiſt.*
51. Lathyrus major latifolia, flore majo[re]
purpureo ſpecioſior *I. B. tom.* 3. *l.* 17. 303

Lathyrus anguſtifolius Narbonenſis major I. [B.]
*tom.* 3. *l.* 1. 735. 4. *Moriſ. Hiſt.* 2. 50. Lathyr[us]
anguſtifolius, alter *Moriſ. Hiſt.* 2. 51. An L[a]-
thyrus major ſylveſtris, alter C. B. P. 344?

Lathyrus ἀμφίκαρπος, ſeu ſupra infraquè te[r]-
ram ſiliquas gerens *Moriſ. Hiſt.* 2. 51. Vic[ia]
ſimilis ſupra infraquè terram fructum ede[ns]
*C. B. P.* 345. Arachidna vulgò.

Lathyrus ſativus minor, ſemine anguloſo M[o]-
*riſ. Hiſt.* 2. 52. Lathyrus ſativus, flore fr[u]-
ctuquè albo *C. B. P.* 343. Lathyrus angulo[ſo]
ſemine I. B. *tom.* 2. *l.* 17. 307. ANN.

Idem flore purpureo *Moriſ. Hiſt.* 2. 54. Lath[yrus]



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

…ſativus, flore purpureo *C.B.P.* 344. Ann.

La…yrus Narbonenſi ſimilis annuus. Ann.

La…yrus arvenſis, ſiliquis Piſi minoris *Moriſ. …ſt.* 2. 52. Ann.

La…yrus arvenſis annuus luteus, ſiliquis hir…is *Moriſ. Hiſt.* 2. 52. Lathyrus ſiliquâ hir…â *I. B. tom.* 2. *l.* 17. 305. Lathyrus angu…folius ſiliquâ hirſutâ *C. B. P.* 394. Ann.

La…yrus annuus flore cœruleo Ochri ſiliquâ. A…N.

La…yrus Boeticus, flore luteo *Moriſ. Hiſt.* 2. … Ann.

La…yrus Hiſpanicus, flore luteo. Ann.

La…yrus luteus annuus, foliis Convolvuli minoris *Moriſ. Hiſt.* 2. 52. Vicia ſylveſtris lu…te, foliis Convolvuli minoris *C. B. P.* 345. V…ia quæ Pitina Anguillaræ, latâ ſiliquâ, fl…e luteo *I. B. tom.* 2. *l.* 17. 317. Aphaca vi…gò. Ann.

La…yrus Tingitanus, ſiliquis Orobi, flore a…olo ruberrimo *Moriſ. Hiſt.* 2. 55. Ann.

La…yrus Vicioides, floris vexillo phœniceo, f…is labialibus ſubalbeſcentibus, ſiliquis O…bi *Moriſ. Hiſt.* 2. 55. Ann.

La…yrus Vicioides vexillo rubro, labialibus p…ilis roſtrum ambientibus cœruleis *Moriſ.* … 2. 56. Ann.

La…yrus anguſtifolius leptomacrolobus, ſe…m…e rotundo, flore rubello *Moriſ. Hiſt.* 2. 56 Ann.

Lathyrus anguſtifolius leptomacrolobus, ſemine anguloſo, flore cœruleo *Moriſ. H.* 2 56. ANN.

Lathyrus ſylveſtris *C. B. P.* 344. *Moriſ. Hi.* 2. 56. Catanance leguminoſa quorunda *I. B. tom.* 2. *l.* 17. 309. ANN.

Lathyrus folio integro, producente bina f liola, capreolos emittentia *Moriſ. Hiſt.* 58. Ochrus folio integro, capreolos emi tente C. B. P. 343. Lathyri ſpecies quæ E vilia ſylveſtris Dodonæi *I. B. tom.* 2. *l.* 1 305. ANN.

Idem fructu hiſpido ex cœruleo nigricant ſemine pullo *Cat. Hort. Reg. Pariſ.* 13 Semine pullo C. B. P. *Var.* 343. ANN.

LAVANDULA latifolia *C. B. P.* 216. Pſeud nardus, quæ vulgo Spica I. B. *tom.* 3. *l.* 2 280.

Lavandula anguſtifolia *C. B. P.* 216. Pſeud nardus, quæ Lavendula vulgò *I. B. tom.* 28. 281. Flore violaceo.

Eadem flore albo *C. B. P.* 217. *I. B. tom.* 3. 28. 381.

Lavandula folio diſſecto C. B. P. 216. Lavendu la multifido folio I. B. *tom.* 3. *l.* 28. 281. AN

LAUREOLA ſemper virens, flore viridi, qui buſdam Laureola Mas C. B. P. 462. Laureo la ſemper virens, flore luteolo *I. B. tom.* *l.* 5. 564.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

...reola folio deciduo, flore purpureo *C. B. P.* ...62. Laureola folio deciduo, ſive Mezereum Germanicum *I. B. tom.* 1. *l.* 5. 566.

...dem flore ſub purpureo *C. B. P. Var.* 462.

...dem flore albo *C. B. P. Var.* 462.

...dem folio deciduo variegato *Cat. Hort. E-dinb. Suntherl.* 189.

LAURUS Indica *Hort. Farneſ. Aldin.* 60. Laurus Americana *Sterb. Citr. cultur.* 257. Laurus Regia *Cat. Hort. Pariſ.* 102.

...rus latifolia πλατυτέρα Dioſc. *C. B. P.* 460.

...rus vulgaris *C. B. P.* 460. Laurus *I. B. tom.* ... *l.* 4. 405.

...rus vulgaris, folio undulato *Cat. Hort. Reg. Pariſ.* 102.

...rus tenuifolia mas Tab. 1361.

*...ro ſerratæ odoratæ Stapelianæ ſimilis in-...lora Capitis Bonæ Spei Breyn. Prodr.* v. Evonymo adfinis.

*...ro Ceraſus* I. B. v. Ceraſus.

*...rus non odora fructu globoſo Africana Ster-...ck.* v. Evonymo adfinis.

LAURUS ſylveſtris, Corni Fœminæ foliis ſubhirſutis *C. B. P.* 461. Laurus Tinus ſive ſylveſtris *I. B. tom.* 1. *l.* 4. 419.

...rus ſylveſtris, foliis venoſis *C. B. P.* 461. Tinus altera *I. B. tom.* 1. *l.* 4. 419.

...rus ſylveſtris, folio minori *C. B. P.* 461.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

LAURUS Alexandrina, fructu pediculo i ſidente C. B. P. 304. Bonifacia ſive Bisli gua *I. B. tom.* 1. *l.* 5. 557.

Laurus Alexandrina, fructu folio inſidente B. P. 305. Laurus Alexandrina *I. B. tom.* *l.* 5. 574. Hippogloſſum Matth.

Laurus Alexandrina ramoſa, fructu è ſumm tate caulium prodeunte *Cat. Reg. Pariſ.* 10

*Ledon ejuſquè ſpecies* I. B. *v.* Ciſtus.

LENS vulgaris minor *Moriſ. Hiſt.* 2. 5 Lens vulgaris C. B. P. 346. Lens *I. B. tom* 2. *l.* 17. 317. ANN.

Lens major C. B. P. 346. *Moriſ. Hiſt.* 2. 59. I. *tom.* 2. *l.* 17. 317. ANN.

Lens monanthos. ANN.

*LENTICULA paluſtris vulgaris C. B. P. 36 Lens paluſtris I. B. *tom.* 3. *l.* 38. 785.

*Lenticula paluſtris major *Cat. Plant. Hollan Camel.* 63.

*Lenticula aquatica triſulca *C. B. P.* 362. I. *tom.* 3. *l.* 38. 786.

*Lenticula paluſtris quadrifolia C. B. P. 36 Lens paluſtris quadrifolia I. B. *tom.* 3. 38. 385.

LENTISCUS vulgaris C. B. P. 399. Lent ſcus I. B. *tom.* 1. *l.* 3. 283. Foliis amplior bus & viridioribus.

Eadem foliis minoribus & pallidioribus.

Lentiſcus Peruana C. B. P. 399. Molle *I. tom.* 1. *l.* 5. 535.

LEON

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

LEONTOPETALON *C. B. P.* 324. *Moriſ. Hiſt.* 2. 285. I. B. *tom.* 3. *l.* 30 489.
…onurus *Breyn.* v. Cardiaca.
…onurus *annuus Americanus vulgò.* v. Cardiaca.

LEPIDIUM latifolium ſerratum *Moriſ. Hiſt.* 2. 312. Lepidium latifolium C. B. P. 97. Lepidium Pauli *I. B. tom.* 2. *l.* 22. 941.
…pidium Glaſtifolium C. B. P. 97. Lepidium Glaſtifolium perenne *Moriſ. Hiſt.* 2. 312. Lepidium non repens I. B. *tom.* 2. *l.* 22. 941. ANN
…pidium *Dentillaria dictum* C. B. P. v. Dentillaria.
…ucanthemum *Dioſcoridis* C. B. P. *& vulgare* …marum I. B. v. Chamæmælum.
…ucanthemum I. B. v. Lychnis.
…ucanthemo *Affinis* I. B. v. Lychnis.

LEUCOJUM bulboſum minus præcox, tribus petalis albis minoribus, cingentibus terna minora herbacei coloris *Moriſ. Hiſt.* 2. 364. Leucojum bulboſum trifolium minus C. B. P. 56. Leucojum bulboſum minus, triphyllon I. B. *tom.* 2. *l.* 19. 591.
…ucojum bulboſum majus præcox, Bizantinum, tribus petalis albis majoribus, terna minora herbacea ſeu viridia cingentibus *Moriſ. Hiſt.* 2. 364. Leucojum bulboſum trifolium, majus *C. B. P.* 56. Leucojum bul-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

boſum præcox, Byzantinum I. B. *tom.* 2 *l.* 19. 591.

Leucojum bulboſum præcox majus, ſex petalis æqualibus & albis *Moriſ. Hiſt.* 2. 364. Leucojum bulboſum vulgare C. B. P. 55. Leucojum bulboſum hexaphyllon cum unico flore, rariùs bino I. B. *tom.* 2 *l.* 19. 590.

Leucojum bulboſum ſerotinum majus, multiflorum *Moriſ. Hiſt.* 2. 364. Leucojum bulboſum majus, ſive multiflorum, quod iis qui Acrocorion Plinii ſtatuunt C. B. P. 5 Leucojum bulboſum polyânthemum tardiùs florens, floribus minoribus I. B. *tom.* 2 *l.* 19. 562. Floribus ſimplicibus.

Idem floribus plenis.

LEUCOJUM incanum majus C. B. P. 200. *Moriſ. Hiſt.* 2. 240. Leucojum hyemale, diu durans album *I.* B. *tom.* 2. *l.* 21. 874. ANN.

Idem roſeum I. B. *tom.* 2. *l.* 21. 874. ANN.

Idem purpureum *I. B. tom.* 2. *l.* 21. 874. Leucojum purpureum vel rubrum *C. B. P.* 200. ANN.

Idem coccineum *Moriſ. Hiſt.* 2. 240. ANN.

Idem variegatum. Leucojum incanum majus variegatum, ſimplici flore *Moriſ. Hiſt.* 2. 240. C. B. P. 240. Vario colore. ANN.

Leucojum incanum majus multiplex *C. B. P.* 200. flore multiplici plenovè *Moriſ. Hiſt.* 2. 240. Purpuro-violaceo C. B. P. *Var.* ANN.

Idem

[I]dem flore rubro *C. B. P. Var.* 200. *Moriſ. Hiſt.* 2. 240. ANN.

[I]dem flore purpureo *C. B. P.* 200. *Moriſ. Hiſt.* 2. 240. ANN.

[I]dem flore albo *C. B. P. Var.* 200. Flore candido *Moriſ. Hiſt.* 2 240. ANN.

[I]dem flore variegato. Leucojum incanum majus variegatum, pleno flore *C. B. P.* 201. *Moriſ. Hiſt.* 2. 241. Vario colore. ANN.

[I]dem foliis in ambitu argenteis. ANN.

[L]eucojum maritimum latifolium, annuum *Moriſ. Hiſt.* 2. 241. Leucojum maritimum latifolium *C. B. P.* 201. Leucojum maritimum latifolium, flore cœruleo-purpurante *I. B. tom.* 2. *l.* 21. 880. ANN.

[L]eucojum maritimum, ſinuato folio *C. B. P.* 201. *Moriſ. Hiſt.* 2. 241. Leucojum maritimum magnum latifolium *I. B. tom.* 2. *l.* 21. 875. ANN.

[L]eucojum maritimum anguſtifolium *C. B. P.* 201. *Moriſ. Hiſt.* 2. 241. Leucojum maritimum anguſtifolium *I. B. tom.* 2. *l.* 21. 876. ANN.

[L]eucojum maritimum, foliis & ſiliquâ hirſutis, eaquè tribus in ſummo apicibus donatâ *Moriſ. Hiſt.* 2. 242. Leucojis affine Tripolium Anguillaræ, & Leucojum maritimum Camerarii *I. B. tom.* 2. *l.* 21. 876. ANN.

[L]eucojum flore albo, ſiliquis uno verſu diſpoſitis & reflexis *Moriſ. Hiſt.* 2. 243. Braſſica ſylveſtris, foliis integris per terram ſtratis,

& in

& in caulibus hiſpidis *Moriſ. Hiſt.* 2. 21.
Braſſica ſylveſtris hiſpida, non ramoſa *C.*
*P.* 112. Turritis vulgatior *I. B. tom.* 2.
21. 836.

Leucojum Africanum cœruleo flore, lati-
lium hirſutum. ANN.

Ex radiculâ tenui albente fibroſâ exoriu-
tur caules ſingulares vel ramoſi, bipalm-
graciles hirſuti, atro-virentes, quibus ad
morum ſinus adſtant folia non nihil ſinuo-
piloſa, craſſiuſcula, integra, raro laciniis in-
ſa, digitum lata, unguem nunc latiora nu-
anguſtiora, nervis venisvè nullis inſcrip-
Flores brevibus inſident petiolis formâ
colore Lini ſativi floribus æmuli, aſt q-
tuor tantùm petalis conſtructi, totidemq-
ſubtus viridantibus parvis foliolis muni-
Hos excipiunt ſiliquæ digitum longæ, a-
guſtæ, compreſſæ, bivalves & bicapſular-
quarum ſepto intermedio ab utraquè pa-
hærent ſemina exigua, ruffeſcentia, oblo-
ga, paululùm compreſſa. Incola eſt P-
montorii Bonæ Spei, amans ſaxoſa, inculi,
ſole illuſtrata. Seminum ſapor deprehe-
ditur ſubacris; Odor florum nullus.

Leucojum Africanum, cœruleo flore, angu-
Coronopi folio, majus. ANN.

Hoc altiùs aſſurgit, cauliculis, foliiſq-
glabris, anguſtis, Coronopi in modum d-
ſectis, raro integris; Floribus amplio-
bu-

## *EUCOIUM AFRICANUM COERULEO FLORE, LATIFOLIUM HIRSUTUM.*



Cardamine latifolia

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

bus; Siliquis toroſis anguſtiſſimis; Cætra ſuperiori reſpondent. Nacti ſumus ex libe ralitate ſupra laudati Petri de Wolff inu jus viridario ex ſeminibus Africis proa tum, retro acto anno offendimus.

Idem minus. ANN.

Ab antecedente differt partium omi um exilitate.

*Leucojum maritimum parvum folio vireta craſſiuſculo I. B.* v. Draba.

LEUCOJUM flore albo odoratiſſimo, fo lucidè virente *Moriſ.* 243. Leucojum h bum odoratiſſimum, folio viridi C. B. P. 20. Leucojum hyemale diu durans, flore alb folio viridi & livido glabro *I. B. tom.* 2 *l.* 21. 875. ANN.

* Leucojum luteum vulgare C. B. P. 202. *Mor Hiſt.* 2. 243. Leucojum luteum vulgò, Chei flore ſimplici. *I. B. tom.* 2. *l.* 21. 874.

Leucojum luteum ſylveſtre anguſtifolium. *B. P.* 202. *Moriſ. Hiſt.* 244. Leucojum l teum ſylveſtre Cluſii *I. B. tom.* 2. *l.* 21. 873.

Leucojum luteum, pleno flore majus C. B. 202.

Idem flore ex purpuro colore & aureo variu *Cat. Hort. Reg. Pariſ.* 114.

Leucojum pleno flore minus C. B. P. 202. *M riſ. Hiſt.* 2. 244. Leucojum luteum, plen flore *I. B. tom.* 2. *l.* 21. 873.

LEU

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*UCOIUM AFRICANUM, COERULEO FLORE, CORONOPI ANGUSTO FOLIO, MINUS.*



Heliophila coronopifolia.

Leucojum lunatum ſeu lunarium [illegible] folium majus annuum, ſiliquâ rotundâ, flore violaceo ſeu ſubcœruleo *Moriſ. Hiſt.* 2.2[illegible] Viola lunaria major, ſiliquâ rotundâ C. [illegible] 203. Lunaria major, ſiliquâ rotundiore *I. B. tom.* 2. *l.* 21. 881. Flore purpureo. Ann.

Idem flore variegato. Ann.

Leucojum majus perenne ſiliquâ lunatâ lo[illegible] Coronatâ *Moriſ. Hiſt.* 2. 246. Viola lunaria major, ſiliquâ oblonga. *C. B. P.* 203. Lunaria major, ſiliquâ longiore *I. B. tom.* 2. *l.* 21. 8[illegible] Flore ex albo ſubcœruleo.

Idem flore purpureo.

Leucojum aſperum, ſiliquis aſperis clypei[illegible] mibus *Moriſ. Hiſt.* 2. 246. Leucojum A[illegible] ſoides clypeatum majus. *C. B. P.* 201. A[illegible] ſon ſiliquâ latâ aſperâ, quibuſdam Luna[illegible] flore luteo *I. B. tom.* 2. *l.* 22. 934. Ann.

Leucojum montanum flore pedato, *Col. Mo[illegible] Hiſt.* 2. 247. Thlaſpi biſcutatum villoſu[illegible] flore calcari donato. *C. B. P.* 107. Ann.

Leucojum incanum, ſiliquis tumidis ſubrotu[illegible] dis *Moriſ. Hiſt.* 2. 247. Leucojum incanum ſiliquis rotundis *C. B. P.* 202.

Leucojum biſcutatum aſperum, Hieracifoliu[illegible] majus *Moriſ. Hiſt.* 2. 249. Thlaſpi biſcu[illegible] tum aſperum Hieracifolium & majus. *C. B. P.* 107. Lunaria biſcutata. *I. B. tom.* 2. *l.* [illegible] 935. Ann.

Leucojum biſcutatum aſperum minus *C. B*[illegible]

*M*-

*Moriſ. Hiſt.* 2. 249. Ann.
*evisticum vulgò. v.* Liguſticum.

ibanotis nigra, ſeu Saxifragia Venetorum. *Lob. Moriſ. Umbell.* 42. Daucus montanus, Apii folio, major C.B.P. 150. Libanotis altera quorundam, aliis dicta Cervaria nigra I.B. *tom.* 3. *l.* 27. 165.
*ibanotis latifolia altera ſive vulgatior* C. B. P. *v.* Laſerpitium.
*ibanotis latifolia, Aquilegiæ foliis* C. B. P. *v.* Siler.
*ibanotis Ferulæ folio, ſemine anguloſo.* C. B. P. *v.* Cachrys.
*ibanotis Ferulæ folio & ſemine* C. B. P. *v.* Ferula.
*banotis cachryophoros quibuſdam floribus luteis I. B. v.* Cachrys.
*banotis quibuſdam flore luteo, ſemine Ferulæ I. B. v.* Ferula.

ichen petræus latifolius, ſive Hepatica fontana C. B. P. 362. Lichen ſive Hepatica fontana *I. B. tom.* 3. *l.* 37. 758.
chen petræus ſtellatus C. B. P. 362.
chen petræus umbellatus *C. B. P.* 362.
chen petręus, caliculo calceato *C. B. P.* 362.
chen petrætus minimus, fructu Orobi C. B. P. 362.
chen cinereus terreſtris *J. Raii Cat. Plant. Angl.* 185.

* Lichen capillaceus, ex plurimis capillamentis nigricantibus conſtans *Merett. Pin.* 72.

*Lichen Arboreus* I. B. *v.* Muſcus.

*LIGUSTICUM *Moriſ. Umb.* 7. Liguſticum vulgare, an Libanotis fertilis C. B. P. 157? Liguſticum vulgare, foliis Apii I. B. *tom.* 3. *l.* 27. 122. Leviſticum vulgò.

*Liguſticum quod Seſeli Officinarum* C. B. P. *v.* Siler.

*Liguſticum Rauwolffi, foliis Aquilegiæ* I. B. *v.* Siler.

LIGUSTRUM Germanicum C. B. P. 475. Liguſtrum I. B. *tom.* 1. *l.* 5. 529.

Idem foliis argentatis *Breyn. Prodr.* 41.

Idem foliis auratis *Breyn. Prodr.* 41.

*Liguſtrum foliis laciniatis* C. B. P. *v.* Syringa.

*Idem foliis integris* C. H. R. P. *v.* Syringha.

LILIUM Perſicum C. B. P. 79. *Moriſ. Hiſt.* 2. 406. Lilium Perſicum ſive Suſianum I. B. *tom.* 2. *l.* 19. 699.

Lilium, ſive Corona Imperialis C. B. P. 9[illegible] *Moriſ. Hiſt.* 2. 406. Corona Imperialis [illegible] Tuſai aliis I. B. *tom.* 2. *l.* 19. 697.

Idem foliis variegatis *Moriſ. Hiſt.* 2. 407. Lilium ſive Corona Imperialis Sinenſium [illegible] foliis variegatis *Cat. Hort. Reg. Pariſ.* 1[illegible]

Lilium ſive Corona Imperialis flore rubeſc[illegible]

te aut Sandaracæ Sandycisve colorem refe-
rens, inſtar aſtaci elixi chelarum ferè *Moriſ. Hiſt.* 2. 402.

Lilium ſive Corona Imperialis, flore multiplici *Joh. Rea. Flor. Cat. Hort. Edinb. Sutherl.* 199. Lilium ſive Corona Imperialis, flore pleno *Cat. Hort. Reg. Pariſ.* 107.

Lilium ſive Corona Imperialis, flore luteo *Joh. Rea. Flor. Cat. Hort. Edinb. Sutherl.* 199.

Idem flore luteo ſtriato *Cat. Hort. Edinb. Sutherl.* 199.

Lilium, ſive Corona Imperialis duplici corona C. B. P. 79. *Moriſ. Hiſt.* 2. 407.

Idem triplici corona, ſeu triplici florum ordine *Cat. Hort. Lugd. Schuyli* 23.

Lilium, ſive Corona Imperialis multiflora latoquè caule C. B. P. 69. *Moriſ. Hiſt.* 2. 407.

Lilium, ſive Corona Imperialis ramoſa C. B. P. 97. *Moriſ. Hiſt* 2. 407.

Lilium, ſive Corona Imperialis per omnia major *Cat. Hort. Reg. Pariſ.* 106.

LILIUM Martagon montanum majus floribus reflexis *Moriſ. Hiſt.* 2. 408. Lilium flore nutante maximum I. B. *tom* 2. 19. 694.

Idem minus. Lilium floribus reflexis montanum *C. B. P.* 77. Lilium flore nutante ferrugineo majus *I. B. tom.* 2. *l.* 19. 692.

Idem flore carneo *Cat. Hort. Reg. Pariſ.* 106.

flore albicante *C.B.P.* 77. *Moriſ. Hiſt.* 2. *deſ*. 408.

Lilium Martagon, floribus reflexis rubr., punctatum *Moriſ. Hiſt.* 2. 408. Lilium flo- bus reflexis alterum, lanugine hirſutum.

Idem non punctatum *Moriſ. Hiſt.* 2. 408. Fl- ribus dilutè purpuraſcentibus, maculis c- rentibus *C. B. P. Var.* 78.

Lilium Martagon, floribus reflexis albis pu- ctatis *Moriſ. Hiſt.* 2. 408. *C. B. P.* 78.

Idem non punctatis *Moriſ. Hiſt.* 2. 408. *C. B.* 78. Lilium flore nutante albo *I. B. tom. l.* 19. 694.

Lilium floribus reflexis polyanthos albu punctatum *C. B. P.* 78. *Moriſ. deſcr. Hi* 2. 408.

Lilium Martagon Canadenſe maculatu *Park. Moriſ. Hiſt.* 2. 408.

Lilium anguſtifolium purpuro-ſanguineu, flore reflexo *Moriſ. Hiſt.* 2. 408. Liliu purpuro-ſanguineum, flore reflexo *C. B.* 78. Lilium flore miniato nutante, ſive H- merocallis Chalcedonica quibuſdam *I. tom.* 2. *l.* 19. 695. Præcox.

Idem ſerotinum *Moriſ. Hiſt.* 2. 409.

Lilium Byzantinum miniatum *C. B. P.* 78. *M- riſ. Hiſt.* 2. *deſcr.* 408.

Lilium brevi & Gramineo folio *C. B. P.* 7 Lilium præcox, nutante flore rubro, tenuiſ- lium *I. B. tom.* 2. *l.* 19. 696.

Lilium miniatum anguſtifolium odorum *C. B P.* 79. Martagon Pomponii Cluſii *Moriſ. Hiſt.* 2. 409.

Lilium Martagon flavum anguſtifolium *C. B. P.* 79. *Moriſ. Hiſt.* 2. 409. Martagon flore luteo præcox *I. B. tom.* 2. *l.* 19. 697.

Idem ſerotinum, foliis latioribus, atro-virentibus, flore ſaturè phœniceo Lob. *C. B. P. Var.* 79.

LILIUM album vulgare & odoratum, flore erecto *Moriſ. Hiſt.* 2. 409. Lilium album vulgare, flore erecto & vulgare *C. B. P.* 76. Lilium album vulgare *I. B. tom.* 2. *l.* 19. 685.

Lilium lato caule, multiflorum *Cat. Hort. Reg. Pariſ.* 405. Lilium album Syriacum Rauwolfii *I. B. tom.* 2. *l.* 19. 697.

Lilium album, flore pleno *Cat. Hort. Lugd. Schuyl.* 42.

Lilium album floribus dependentibus ſive peregrinum *C. B. P.* 76. Lilium album peregrinum, floribus albis, & foliis anguſtioribus *Moriſ. Hiſt.* 2. 409. Lilium album Conſtantinopolitanum, Sultan Zambach dictum Cluſii *I. B. tom.* 2. *l.* 19. 697.

Lilium Canadenſe, imperfectis floribus & irregularibus multis albis *Moriſ. Hiſt.* 2. 410.

Lilium purpuro croceum majus *C. B. P.* 76. *Moriſ. Hiſt.* 2. 411. Lilium rubens croceum majus *I. B. tom.* 2. *l.* 19. 688.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Idem flore pleno C.B P. 77.

Lilium purpuro-croceum minus *C. B. P.* 7

Lilium rubens vel croceum minus I. B. *tom.* 2. *l.* 19. 689.

Lilium bulbiferum latifolium majus C. B. P. 7 *Moriſ. Hiſt.* 2. 411.

Idem bulbiferum minus C. B. P. 77. *Moriſ. Hiſ* 2. 411. Lilium bulbiferum repens I. B. *tom* 2. *l.* 19. 691.

Lilium bulbiferum incanum C. B. P. 77. *Mori Hiſt.* 2. *deſcr.* 411. I. B. *tom.* 2. *l.* 19. 691.

Lilium Africanum, Narciſſinis foliis, polya-thos ſaturo colore purpuraſcens. Liliona-ciſſus Indicus, ſaturato colore purpuraſce *Moriſ. Hiſt.* 2. 367. Narciſſus Indicus Lili-ceus, ſaturo colore purpuraſcens *Fer. Fl cult.* 119.

Idem diluto colore purpuraſcens. Narciſſ Indicus liliaceus, diluto colore purpur ſcens *Fer. Flor. cult.* 121.

Lilium Indicum, Narciſſinis foliis, monanth rubrum. Lilio-narciſſus Jacobæus latif lius Indicus, rubro flore *Moriſ. Hiſt.* 2. 36 Narciſſus Indicus totus ruber C. B. P. 4 Narciſſus Indicus latifolius, rubro flore I. *tom.* 2. *l.* 19. 609.

Idem ex albo rubrum. Narciſſus ex albo rub ſcens C. B. P. 49.

Lilium Africanum ſphœricum, floribus pho niceis majoribus, bulbo rotundo Lilio-na

ciſſus Indicus maximus ſphœricus, floribus plurimis rubris Liliaceis *Moriſ. Hiſt.* 2. 368. Narciſſus Indicus, flore Liliaceo, ſphœricus *Ferr. Flor. cult.* 129.

Lilium Africanum ſphœricum, floribus obſoletè puniceis minoribus, foliis guttatis, ad margines cilii inſtar piloſis, bulbo oblongo. Bulbus oblongus Æthiopicus, foliis guttatis & cilii inſtar piloſis *Breyn. Cent.* 1. 89.

LILIUM luteum, radice Aſphodeli C. B. P. 80. *Moriſ. Hiſt.* 2. 412. Lilium Aſphodeli radice luteum, ſive Lilio-aſphodelus quorundam, flore luteo I. B. *tom.* 2. *l.* 19. 700.

Idem minus *Moriſ. Hiſt.* 2. *deſcr.* 412.

Lilium rubrum Aſphodeli radice C. B. P. 80. *Moriſ. Hiſt.* 2. 412. Lilium radice Aſphodeli, phœniceum, ſive Lilio-aſphodelus quibusdam I. B. *tom.* 2. *l.* 19. 701.

Idem minus.

*Lilium Indicum puniceum, gemino latiori folio. Moriſ. v.* Hæmanthus Africanus.

*Lilium Alexandrinum I. B. v.* Ornithogalum.

*Lilionarciſſus albus maritimus minor. Moriſ. v.* Narciſſus.

*Lilionarciſſus albus maritimus major. Moriſ. v.* Narciſſus.

*Lilio-narciſſus jacobæus latifolius Indicus, rubro flore. Moriſ. v.* Lilium.

*Lilio-narciſſus Indicus, ſaturo colore purpur-ſcens Moriſ.* *v.* Lilium.

*Lilio-narciſſus Indicus maximus Sphæric- Moriſ.* *v.* Lilium.

* LILIUM convallium album *C. B. P.* 3[illegible] Lilium convallium vulgò *I. B. tom.* 3[illegible] 31. 531.

* Idem flore rubente. *C. B. P.* 304. *I. B. tom.* [illegible] *l.* 31. 533.

* Lilium convallium minus *C. B. P.* 304. U[illegible] folium ſive Ophris unifolia *I. B. tom.* 3. *l.* [illegible] 535.

Lilium convallium Virginianum, Polygo[illegible] ti foliis, racemoſum. Polygonatum ra[illegible] moſum. *Corn.* 36.

*Limonia malus* C. B. P. *ſeu Limon ejuſquè ſ[illegible] cies* I. B. *v.* Malus Limonia.

* LIMONIUM maritimum majus C. B. 192. Limonium majus multis, aliis B[illegible] hen rubrum *I. B. tom.* 3. app. 876.

Limonium maritimum minus, Oleæ folio *B. P.* 192. Limonium minus *I. B. tom.* 3. *a[illegible]* 877.

Limonium peregrinum, foliis Aſplenii *C. B.* 192. Limonium quibuſdam rarum *I. B. to[illegible]* 3. *app.* 877. ANN.

LINARIA Americana maxima, purpur[illegible] flore.

*NARIA AMERICANA MAXIMA PURPUREO FLORE.*



Antirrhinum Triornithophorum

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Triplex conſtituitur Linariarum cla
deſumpta à triplici ſeminum formâ. Pr
exhibet ſemina orbiculata compreſſa fo
cea; ſecunda anguloſa vel rugoſa; tertia
tunda. Priori annúmeratur Linaria Ame
cana, cui ſunt caules rotundi læves &
moſi, humanâ altitudine quandoque ſu
riores; Folia quina quaterna ternavè ex
verſo, abſque petiolis ordinatim diſpoſ
conſimili ferè facie Gentianæ cruciatæ,
baſi latâ in acutum mucronem tenden
ſupernè glabra lætè viridia, infernè pa
da aliquot per longitudinem excurren
bus nervis inſcripta: Summas virgas oc
pant flores monopetali, in fundo inte
purpurei, reliquis omnibus Linariæ ſpec
bus ampliores, anterius rictum, poſter
calcar habentes; His defluxis ſucced
vaſcula rotunda, ſurſum verſus bifari
dehiſcentia, in quibus ſemina nigra orbi
lata compreſſa foliacea, quæ globulo fu
goſo pallido tanquam ſepto interme
imbricato ordine circumſtant. Radix ſ
eſt alba, tenuis, fibroſa, vario reptatu lo
latèque ſeſe diffundens, & ſingulis an
nova germina protrudens. Ex America
nos transfluxit curâ & operâ Dni Philip
de Flines.

* Linaria vulgaris, luteo flore majore *Mor*
*Hiſt.* 2. 499. C. B. P. 212. Linaria lu

vulgaris *I. B. tom.* 3. *l.* 30. 456.

naria flore pallido, rictu purpureo C. B. P. 213. *Hiſt. Moriſ.* 2. 500. Linaria Pannonica, flore luteo, minore quàm in vulgari I. B. *tom.* 3. *l.* 30. 458.

naria flore pallido, rictu aureo C. B. P. 213. *Moriſ. Hiſt.* 2. 500.

dem foliis incanis, Maldavica dicta.

naria purpurea major odorata C. B. P. 213. *Moriſ. Hiſt.* 2. 500. Linaria purpurea magna I. B. *tom.* 3. *l.* 30. 460.

naria triphylla minor lutea C. B. P. 212. *Moriſ. Hiſt.* 2. 502. Linaria trifolia *I. B. tom.* 3. *l.* 30. 458. Ann.

naria annua Chalepenſis minor erecta, flore albo, lineis violaceis notato, calyci, ex quinis foliolis uncialibus conſtructo, inſidente *Moriſ. Hiſt.* 2. 502. Ann.

dem flore omnino albo. Ann.

naria minima, foliis hirſutis, floribus obſoletè fuſci coloris *Moriſ. Hiſt.* 2. 502. Anthirrhinum arvenſe minus C. B. P. 212. Anthirrhinum minimum *I. B. tom.* 3. *l.* 30. 465. Ann.

dem foliolis brevibus reflexis. Ann.

naria hirſuto folio ſubrotundo, flore ex herbido flaveſcente *Moriſ. Hiſt.* 2. 503. Elatine folio ſubrotundo C. B. P. 212. Elatine Mas folio ſubrotundo *I. B. tom.* 3. *l.* 29. 372. Ann.

Li-

Linaria hirſuto folio acuminato, in baſi au[...] lato *Moriſ. Hiſt.* 2. 503. Elatine folio [...] minato, in baſi auriculato, flore luteo [...] *P.* 253. Elatine Fœmina, folio anguloſo [...] *tom.* 3. *l.* 29. 372. ANN?

* Linaria folio glabro ſubrotundo, Hederæ [...] lio Clematitis *Moriſ. Hiſt.* 2. 503. Cym[...] laria C. B. P. 306. Cymbalaria floſculis [...] puraſcentibus I. B. *tom.* 3. *l.* 35. 685. AN[...]

*Linaria Scoparia* C. B. P. *v.* Atriplici affini[...]

*Linaria folioſo capitulo luteo maj.* C. B. P. [...] Virga aurea.

LINGUA cervina Officinarum C. B. P. 3[...] Phillitis, ſive Lingua cervina vulgi I. B. *t.* 3. *l.* 37. 756.

Lingua cervina, majore folio, in duas tre[...] lacinias & profundiùs diſſecto *Cat. H*[...] *Reg. Par.* 108.

Lingua cervina maxima, undulato folio, [...] riculato per baſin *Cat. Hort. Reg. Par.* 1[...] Phyllitis criſpa I. B. *tom.* 3. *l.* 37. 357.

Lingua cervina multifido folio C. B. P. 3[...] Phyllitis polyſchides I. B. *tom.* 3. *l* 37. 35[...]

Eadem laciniis ſingulis cruciatim decuſſatis.[...]

Hujus copiam nobis fecit DNus Jacob[...] Bobartus à quo in ſylvis Angliæ repe[...] eſt.

Lingua cervina anguſtifolia major, ſuâ lan[...] gine foliorum lacinias involvente *Ca*[...]

*Hor*[...]

Hort. Reg. Pariſ. 109.

Lingua cervina, medio folii nervo in aculeum deſinente *Cat. Hort. Reg. Pariſ.* 109.

Lingua cervina minima Anglica Bobarti.

Lingua cervina, ſeu Phyllitis minima, undulato folio *Cat. Hort. Reg. Par.* 109.

Lingua cervina ramoſa Cretica, anguſtiſſimo folio. Phyllitis ramoſa *Alpin. in Eoxt.* 67.

*Lingua Plinii I. B.* v. Ranunculus.

LINUM annuum cœruleum ſativum *Moriſ. Hiſt.* 2. 572. Linum ſativum *C. B. P.* 214. Linum *I. B. tom.* 3. *l.* 30. 450. ANN.

Linum arvenſe *C. B. P.* 214. *Moriſ. Hiſt.* 2. 573. Linum ſylveſtre, ſativum planè referens *I. B. tom.* 3. *l.* 30. 452. ANN.

Linum perenne majus cœruleum, capitulo majore *Moriſ. Hiſt.* 2. 573.

Linum perenne minus cœruleum, capitulò majore.

Partium omnium teneritate & parvitate à Præcedente cognoſcitur. Provenit ex ſeminibus à DNO Jacobo Bobarto tranſmiſſis.

Linum maritinum luteum *C. B. P.* 214. *Moriſ. Hiſt.* 2. 374. Linum luteum Narbonenſe *I. B. tom.* 3. *l.* 30. 454.

Linum ſylveſtre anguſtifolium, flore magno *C. B. P.* 214. *Moriſ. Hiſt.* 2. 574.

Li-

Linum ſylveſtre anguſtifolium, floribus di-
tè purpuraſcentibus vel carneis *C. P. B*, 2
*Moriſ. Hiſt.* 2. 214. Linum ſylveſtre angu
folium album, lineis in umbilico purpu
*I. B. tom.* 3. *l.* 30. 455. ANN.

*Linum umbilicatum Park.* *v.* Cynogl
ſum.

*Liliaſphodelus I. B.* *v.* Lilium.

*Liquiritia vulgò.* *v.* Glyzyrhiza.

LITHOSPERMUM majus erectum *C. B*
258. Lithoſpermum, ſive Milium ſo
*I. B. tom.* 3. *l.* 33. 590.

*Lithoſpermum Arundinaceum C. B. P.* *v.* M
lium.

*Lithoſpermum Arundinaceum aliud Hernan*
*v.* Milium.

*Lithoſpermum Gramineum ſpicatum I. B.*
Gramen.

*Locuſta herba I. B.* *v.* Valerianella.

LONCHITIS aſpera *C. P. B.* 359. Lonch
tis altera cum foliis denticulatis, ſive Lo
chitis altera Matthioli *I. B. tom.* 3. *l.* 3
745.

Lonchitis minor *C. B. P.* 359. Lonchitis
tera, foliis Polypodi *I. B. tom.* 3. *l.* 3
745.

L

LOTUS fructu Ceraſi *C. B. P.* 447. Lotus, arbor, fructu Ceraſi *I. B. tom.* 1. *l.* 2. 229. Lotus Africana latifolia *C. B. P.* 447. Guaiacana *I. B. tom.* 1. *l.* 2. 238. Guajacum Patavinum vulgò.

LOTUS annua ὀλιγοκέρατος, ſiliquis ſingularibus binis terniſvè *Moriſ. Hiſt.* 2. 175. Lotus corniculata, ſiliquis ſingularibus binis terniſvè *I. B. tom.* 2. *l.* 17. 356. ANN.

Lotus ὀλιγοκέρατος τετραγωνόλοβος perennis Monſpelienſis flore luteo *Moriſ. Hiſt.* 2. 176. Lotus pratenſis ſiliquoſus luteus *C. B. P.* 332. ſiliquoſa lutea Monſpelienſis *I. B. tom.* 2. *l.* 17. 359.

Idem maritima, folio pingui glabro. Lotus maritima ſiliquoſa, folio pingui glabro. *Magnol.*

Lotus ὀλιγοκέρατος τετραγωνόλοβος annua Cretica flore ſaturate rubro ſeu holoſerico coccineo *Moriſ. Hiſt.* 2. 176. Lotus ruber ſiliquâ angulosâ *C. B. P.* 332. Lotus ſiliquoſa, flore fuſco tetragonolobus *I. B. tom.* 2. *l.* 17. 359. ANN.

Lotus πολυκέρατος annua procumbens latifolia, ſiliquis Ornithopodii *Moriſ. Hiſt.* 2. 176. Lotus ſiliquis Ornithopodii *C. B. P.* 332. *I. B. tom.* 2. *l.* 17. 359.

Lotus πολυκέρατος, ſiliquis recurvis, pedes corvinos referentibus *C. B. P.* 332. *Moriſ. Hiſt.*

*Hiſt.* 2. 177. Loto ſiliquoſo aliquomo ſimilis, Coronopus ex Cod. Cæſ. *I. B. to* 2. *l.* 17. 359.

Lotus πολυκέρατος lutea minor, foliis & ſiliq glabris brevioribus, & craſſioribus *Mo Hiſt.* 2. 177. Lotus ſive Melilotus pen phyllos minor glabra *C. B. P.* 332. Lotus co niculata glabra minor *I. B. tom.* 2. *l.* 17. 35

Eadem major, flore ſplendente. Lotus pe taphyllos, flore majore luteo ſplende *C. B. P.* 332. Loti corniculatæ major ſpec *I. B. tom.* 2. *l.* 17. 355.

* Lotus πολυκέρατος lutea minor, foliis & ſ quis hirſutis longioribus & tenuioribus *M riſ. Hiſt.* 2. 177. An Lotus corniculata h ſuta minor *I. B. tom.* 2. *l.* 17. 355.

Lotus πολυκέρατος fruticoſa Cretica argente ſiliquis longiſſimis propendentibus re *Moriſ. Hiſt.* 2. 177.

Lotus πολυκέρατος fruteſcens hirſuta alba m jor latifolia, ſiliquis curtis tenuibus ere *Moriſ. Hiſt.* 2. 177. An Lotus pentaphyll ſiliquoſus villoſus *C. B. P.* 332? ſive Lot ſiliquoſus glaber, flore rotundo *C. B. P.* 33 An Trifolium rectum Monſpeſſulanum *B. tom.* 2. *l.* 17. 359. Lotus Lybica Dal champii vulgò.

Lotus πολυκέρατος fruteſcens incana alba, ſi quis curtis craſſioribus & brevioribus er ctis *Moriſ. Hiſt.* 2. 177. Trifolium album r

ctu

ſtum hirſutum valdè *I. B. tom.* 2. *l.* 17. 360.

Lotus hæmorrhoidalis major, ſive Trifolium hæmorrhoidale majus *Park. Theatr.* 1102.

dem minor.

tus πολυκέρατος frutescens incana, ſiliculis ſubrotundis erectis *Moriſ. Hiſt.* 2. 178. Trifolium album anguſtifolium, floribus velut n capitulum congeſtis C. B. P. 329. Doycnium Monſpelienſium vulgò.

*tus hortenſis odora C. B. P.* v. Melilotus.

*tus ſativa odorata annua, flore cæruleo I. B.* . Melilotus.

*tus pentaphyllos veſicaria C. B. P.* v. Anhyllis.

*o affinis vulneraria pratenſis C. B. P.* v. Anthyllis.

*dem flore ſuavè rubente Moriſ.* v. Anthyllis.

*o affinis major veſicaria Hiſpanica Moriſ.* Anthyllis.

*o affinis Ægyptiaca C. B. P.* v. Senna.

*a Arabum Veſling.* v. Pepo.

NARIA racemoſa minor, vel vulgaris C. *. P.* 354. Lunaria Botrytis *I. B. tom.* 3. 35. 709.

aria racemoſa, multifido folio *C. B. P.* 355. unaria Botrytis racemoſa Sileſiaca *I. B. m.* 3. *l.* 35. 711.

*aria radiata Robini I. B.* v. Aſtragalus.

*aria flore luteo I. B.* v. Leucojum.

*aria major ejusquè ſpecies I. B.* v. Leucojum.

LUPINUS peregrinus major, vel villſu coeruleus major *C. B. P.* 348. *Moriſ. Hiſ* 87. Lupinus exoticus hirſutiſſimus I. B. *to* 2.*l.*17.289. Lupinus Indicus *Corn.*207 A
Idem incarnatus. ANN.
Lupinus ſativus, flore albo *C. B. P.* 347. Lu nus vulgaris, ſeu ſativus albus *Moriſ. Hiſ* 86. Lupinus vulgaris, ſemine & flore a ſativus I. B. *tom.* 2. *l.* 17. 288. ANN.
Lupinus flavo flore *Moriſ. Hiſt.* 2. 87. Lupi ſylveſtris, flore luteo *C. B. P.* 348. Lup luteo flore, ſemine compreſſo vario I. B. *t* 2. *l.* 17. 291. ANN.
Lupinus ſylveſtris anguſtifolius *Moriſ. Hiſt.* Lupinus ſylveſtris, flore coeruleo *C. B. P.* Lupinus ſylveſtris, purpureo flore, ſe ne rotundo vario I. B. *tom.* 2. *l.* 17. 291. A
Lupinus Indicus, anguſtiſſimo folio. An pinus Indicus minor *Cat. Hort.* I *Pariſ.* 111. ANN.
*Lupinus Ægyptius ſylveſtris Veſlingi* Sinapiſtrum.

LUPULUS Mas *C. B. P.* 298. *I. B. tom.* 2. 151. Convolvulus perennis heterocl floribus herbaceis, capſulis foliaceis ſtr inſtar *Moriſ. Hiſt.* 2. 37.
Lupulus Foemina *C. B. P.* 298. I. B. *tom.* 2. 152. Lupulus ſylveſtris minor ſine fr *Moriſ. Hiſt.* 34.

LUTEOLA *herba, Salicis folio* C. B. P. *v.* Reſeda.

Luteola *Cretica* C. B. P. *v.* Reſeda.

LYCHNIS ſylveſtris perennis, quæ Been album vulgo *Moriſ. Hiſt.* 2. 535. Lychnis ſylveſtris, quæ Been album vulgò C. B. P. 205. Been album Officinarum *I. B. tom.* 3. *l.* 29. 357. Papaver ſpumeum vulgò.

Lychnis ſylveſtris perennis latifolia hirſuta *Moriſ. Hiſt.* 2. 535. Lychnis Papaver ſpumeum latifolium vulgare hirſutum *Moriſ. Hort. Bleſ.* 284. An Lychnis ſylveſtris, quæ Been album vulgò, foliis hirſutis *Cat. Hort. Edinb. Sutherl.* 211?

Lychnis ſylveſtris perennis anguſtifolia glabra, flore albo, ſeu foliis acutioribus & anguſtioribus C. B. P. *Var.* 205.

Eadem flore pallidè incarnato. An Lychnis Papaver ſpumeum anguſtifolium, glabrum, flore purpureo *Moriſ. Hort. Bleſ.* 124?

Eadem flore ex luteo palleſcente.

Eadem flore ex viridi rubente. An Eadem montana flore ex viridi purpuraſcente C. B. P. *Var.* 205?

Lychnis ſylueſtris perennis anguſtifolia glabra, flore pleno odorato albo *Cluſ. Hiſt.* *l.* 1. *c.* 3. *p.* 239.

Lychnis perennis anguſtifolia marina Anglica procumbens *Moriſ. Hiſt.* 2. 535. Lychnis ma-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ritima repens C. P. B. 205. Lychnis mari
Anglicana *I. B. tom.* 3. *l.* 29. 357.

Lychnis ſylveſtris, plurimis foliis ſimul ju-
ctis C. B. P. 205. *Moriſ. Hiſt.* 2. 535. Lychi
ſylveſtris, foliis anguſtis, & pluribus ex p
niculis ſingulis Cluſio I. B. *tom.* 3. *l.* 29. 34

Lychnis ſylveſtris ſeu montana latifolia viſc
ſa, florum petalis ſuprà albis, ſubtus vi
ſcentibus interdiu ſe contrahentibus *Mor*
*Hiſt.* 2. 535. Lychnis montana viſcoſa a
latifolia C. B. P. Polemonium Petræum G
neri I. B. *tom.* 3. *l.* 29. 351.

Eadem florum petalis ſuprà albis, ſubtus pu
puraſcentibus.

*Lychnis viſcoſa, flore muſcoſo C. B. P. 20
*Moriſ. Hiſt.* 2. 536. Muſcipula muſcoſo flo
ſive Ocymoides belliforme *I. B. tom.* 3. *l.* 2
350. Otites vulgò.

*Lychnis pratenſis, flore laciniato ſimplici M
*riſ. Hiſt.* 2. 537. Caryophyllus pratenſ
flore laciniato ſimplici, ſive Flos cuculi C.
*P.* 210. Flos cuculi, Odontis quibusdam I.
*tom.* 3. *l.* 29. 347.

*Eadem flore albo C. B. P. *Var.* 210.

Lychnis pratenſis, flore laciniato pleno *Mor*
*Hiſt.* 2. 537. Caryophyllus pratenſis, flo
pleno C. B. P. 210. Flos cuculi, flore mul
plicato purpureo I. B. *tom.* 3. *l.* 29. 348.

Eadem flore albo I. B. *tom.* 3. *l.* 29. 348.

Lychn

Lychnis foliis glabris, calyce duriore *Boccon. Ic. & Deſc.* 27. *Moriſ. Hiſt.* 2. 537.

Lychnis fruteſcens noctiflora *Moriſ. Hiſt.* 2. 538. Lychnis noctiflora C. B. P. 205. Ocymoides non ſpecioſum I. B. *tom.* 3. *l.* 29. 344.

Lychnis fruteſcens Myrtifolia, Been albo ſimilis C. B. P. 205. *Moriſ. Hiſt.* 2. 538. Flore carneo.

Idem flore albo.

Lychnis Chalcedonica, flore miniato ſeu aurantiaco ſimplici *Moriſ. Hiſt.* 2. 338. Lychnis major hirſuta, flore coccineo C. B. P. 203. Flos Conſtantinopolitanus miniatus I. B. *tom.* 3. *l.* 29. 344.

Eadem flore incarnato *Moriſ. Hiſt.* 2. 538. C. B. P. *Var.* 203.

Eadem flore albo *Moriſ. Hiſt.* 538. C. B. P. *Var.* 203.

Eadem flore vario I. B. *tom.* 3. *l.* 29. 344.

Lychnis Chalcedonica, flore pleno miniato ſeu aurantiaco *Moriſ. Hiſt.* 2. 538. Flos Conſtantinopolitanus, flore pleno C. B. P. 203.

Lychnis coronaria ſativa, flore rubro *Moriſ. Hiſt.* 2. 540. Lychnis coronaria Dioſcoridis ſativa C. B. P. 203. Lychnis coronaria vulgò I. B. *tom.* 3. *l.* 29. 340.

Eadem flore ruberrimo ſeu coccineo.

Eadem flore albo *Moriſ. Hiſt.* 2. 540. C. B. P. *Var.* 203.

Eadem flore incarnato *Moriſ. Hiſt.* 2. 540.

Eadem flore albo, lineis vel punctis rub
variegato *C. B. P.* 203. Flore punctato *Mor.*
*Hiſt.* 2. 540.

Eadem flore ex carneo candidoquè mixto *Mo-*
*riſ. Hiſt.* 2. 540. Eadem incarnato puncta
*C. B. P.* 203.

Eadem flore intus rubro, extus albo.

Lychnis coronaria ſativa, flore coccineo plen
*Moriſ. Hiſt.* 2. 540. Lychnis coronaria ſat-
va multiplex *C. B. P.* 204. Lychnis coron-
ria, flore pleno *I. B. tom.* 3. *l.* 29. 341.

Lychnis coronaria ſylveſtris *C. B. P.* 204. *Mor.*
*Hiſt.* 2. 540. Lychnis umbellifera monta
Helvetica *Zan. Hiſt. Bon.* 128. An Ve-
baſcum acuto Salviæ folio *C. B. P.* 240?
Verbaſcum Lychnites Syriacum incanu
ſummitate floris Hieroſolymitani *I. B. Ap.*
*tom.* 3. 876?

*Lychnis ſylveſtris hirſuta perennis alba ſin
plex *Moriſ. Hiſt.* 2. 541. Lychnis ſylveſtr
alba ſimplex *C. B. P.* 204. Ocymoides albu
multis *I. B. tom.* 3. *l.* 29. 342. Ocymaſtru
vulgò.

Eadem multiplex *Moriſ. Hiſt.* 2. 541. Lychn
alba multiplex *C. B. P.* 204. Ocymoides al
bum, flore pleno *I. B. tom.* 3. *l.* 29. 343.

*Lychnis ſylveſtris minus hirſuta, flore rubell
ſimplici *Moriſ. Hiſt.* 2. 541. Lychnis ſylve
ſtris ſive aquatica purpurea ſimplex *C. B.*
204. Ocymoides purpureum multis *I.*
*tom.*

*tom.* 3. *l.* 29. 343.

Eadem flore rubello eleganter multiplici *Moriſ. Hiſt.* 2. 541. Lychnis purpurea multiplex C. B. P. 204.

Lychnis Chalepenſis annua, foliis parùm hirtis & anguſtis, floſculis carneis pediculis infirmis biuncialibus inſiſtentibus, capſulis ferè rotundis *Moriſ. Hiſt.* 2. 541. ANN.

Lychnis viſcoſa purpurea latifolia lævis *C. B. P.* 205. *Moriſ. Hiſt.* 2. 542. Centaurium minus adulterinum, quibusdam Lychnidis viſcidæ genus *I. B. tom.* 2. *l.* 29. 355. Muſcipula vulgò. ANN.

Eadem flore albido *Moriſ. Hiſt.* 2. 542. Seu albo C. B. P. *Var.* 205. ANN.

Lychnis ſegetum, Vaccaria dicta *Moriſ. Hiſt.* 2. 542. Lychnis ſegetum rubra, foliis Perfoliatæ *C. B. P.* 204. Vaccaria *I. B. tom.* 3. *l.* 29. 357. ANN.

Lychnis ſylveſtris lanuginoſa major C. B. P. 206. *Moriſ. Hiſt.* 2. 543. Lychnis ſylveſtris lanugine caneſcens, flore majuſculo rubeſcente Cluſii 5. *I. B. tom.* 3. *l.* 29. 348.

Lychnis hirſuta ſegetum major *Moriſ. Hiſt.* 2. 543. Lychnis ſegetum major C. B. P. 204. Pſeudomelanthium I. B. *tom.* 3. *l.* 29. 341. Nigellaſtrum vulgò. ANN.

Eadem flore albo *C. B. P. Var.* 204. ANN.

Lychnis Pſeudomelanthio ſimilis Africana glabra anguſtifolia. Lychnis ſegetum

Nigellaſtrum minus glabrum dicta, flo
eleganter rubello *Moriſ. Hiſt.* 2. 543. Ann
Collegimus in Promontorio Bonæ Spe
& Clariſſimo Moriſonio, qui eandem
Hiſtoriâ Oxonienſi deſcripſit tranſmiſim

*Lychnis ſylveſtris latifolia, caliculis ſtria
turgidis *C. B. P.* 205. *Moriſ. Hiſt.* 2. 5
Muſcipula major, calyce turgido ventrico
*I. B. tom.* 3. *l.* 29. 349. Ann.

Lychnis ſylveſtris lanuginoſa minor *C. B.*
206. *Moriſ. Hiſt.* 2. 544. Ann.

Eadem flore rubro *Moriſ. Hiſt.* 2. 544. Ann

Eadem flore mixto, ex albo & pulcherrim
rubro *Moriſ. Hiſt.* 2. 544. Ann.

Eadem flore variegato, ſeu maculis rubellis
nigredinem vergentibus notato *Moriſ. H*
2. 544. Lychnis hirſuta minor, flore vari
gato *Dodart. Mem.* 99. Ann.

Lychnis ſegetum meridionalium annua hirſ
ta, floribus albis uno verſu diſpoſitis *Mor.*
*Hiſt.* 2. 544. Ann.


Lychnis vel Ocymoides montanum hirſutu
procumbens *Moriſ. Hiſt.* 2. 544. Lychn
Ocymoides repens montanum *C. B. P.* 20
Saponaria minor quibuſdam *I. B. tom.* 3
*l.* 29. 344.

Lychnis minima rigida Cherleri *I. B. tom.* 3
*l.* 29. 352. *Moriſ. Hiſt.* 2. 544.

*Lychnis arvenſis minor vulgaris hirſuta *Moriſ.*
*Hiſt.* 2. 545. Caryophyllus arvenſis hirſu
tu

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*LYCHNIS PSEUDOMELANTHIO SIMILIS AFRIC. GLAB. ANGUSTIF.*



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tus flore majore *C. B. P.* 210.

Lychnis incana & tomentoſa cauliculis pro-cumbentibus, foliis latioribus & brevio-ribus. Lychnis incana repens *C. B. P.* 20 *Moriſ. Hiſt.* 2. 537. Ocymoides Lychni reptante radice *I. B. tom.* 3. *l.* 29. 353.

Lychnis maritima incana & tomentoſa *Mo Hiſt.* 2. 546. Caryophyllus holoſtius tom toſus latifolius *C. B. P.* 210. Caryophy holoſtius tomentoſus *I. B. tom.* 3. *l.* 29. 3 Foliis longioribus & anguſtioribus.

Lychnis caulibus ad genicula folioſis *Mo Hiſt.* 2. 546. Auricula muris, pulchro fl albo *I. B. tom.* 3. *l.* 29. 360.

Lychnis Graminea hirſuta umbellifera *Mo Hiſt.* 2. 546. Caryophyllus arvenſis umb latus, folio glabro *C. B. P.* 210. Car phyllus arvenſis umbelliferus *I. B. tom l.* 29. 361.

* Lychnis arvenſis glabra, flore majore *Mo Hiſt.* 2. 546. Caryophyllus arvenſis glab flore majore *C. B. P.* 210. Gramen Fuch ſive Leucanthemon *I. B. tom.* 3. *l.* 29. 361.

* Eadem flore minore *Moriſ. Hiſt.* 2. 546. C ryophyllus arvenſis glaber, flore minore *B. P.* 210. Gramini Fuchſii Leucanthe affinis, & ſimilis herba *I. B. tom.* 3. *l.* 29. 36

Lychnis minima muralis *Moriſ. Hiſt.* 2. 5 Caryophyllus minimus muralis *C. B. P.* 2 ANN.

Lych

ychnis, Saponaria dicta major vulgaris ſimplex *Moriſ. Hiſt.* 2. 547. Saponaria major lævis C. B. P. 206. Saponaria vulgaris, I. B. *tom.* 3. *l.* 29. 346.

dem multiplex *Moriſ. Hiſt.* 2. 547. Saponaria flore pleno *Cornut.* 209.

ponaria concava Anglica C. B. P. 206. *Moriſ. Hiſt.* 2. 548. Gentiana folio convoluto I. B. *tom.* 3. *l.* 21. 521.

YCIUM Hiſpanicum, folio oblongo C. B. P. 478.

cium Hiſpanicum, folio Buxi C. B. P. 478. Lycium quorundam, folio Myrti Tarentinæ aut Buxi I. B. *tom.* 1. *l.* 6. 61.

*copſis ejuſquè ſpecies* C. B. P. *v.* Echium.

*copſis Africana. v.* Echium.

YSIMACHIA latifolia, dicta Chamænerion C. B. P. 245. *Moriſ. Hiſt.* 2. 269. Lyſimachia ſpecioſa, quibuſdam Onagra dicta, ſiliquoſa *I. B. tom.* 2. *l.* 21. 906. Flore purpureo ſive cœruleo C. B. P. *Var.* 245.

dem flore albo C. B. P. *Var.* 245.

ſimachia, Chamænerion dicta anguſtifolia C. B. P. 245. *Moriſ. Hiſt.* 2. 270. Lyſimachia ſpecioſa ſiliquoſa anguſtifolia I. B. *tom.* 2. *l.* 21. 907.

ſimachia ſiliquoſa hirſuta, magno flore C. B. P. 245. *Moriſ. Hiſt.* 2. 270. Lyſimachia

ſili-

ſiliquoſa hirſuta, majore flore purpure *I. B. tom.* 2. *l.* 21. 905.

* Lyſimachia ſiliquoſa hirſuta, parvo flore C. B. P. 245. *Moriſ. Hiſt.* 2. 270. Lyſimachia ſiliquoſa hirſuta, flore minore *I. B. tom.* 2. *l.* 21. 906.

* Lyſimachia ſiliquoſa glabra major *C. B. P.* 245. *Moriſ. Hiſt.* 2. 270. Lyſimachia lævis *I. B. tom.* 2. *l.* 21. 907.

* Lyſimachia ſiliquoſa glabra minor *C. B. P.* 245. *Moriſ. Hiſt.* 2. 271.

* Lyſimachia ſiliquoſa glabra minor latifolia *I. Raj. Catal.* 194.

* Lyſimachia ſiliquoſa glabra anguſtifolia C. B. P. 245.

LYSIMACHIA lutea corniculata non papposa Virginiana major *Moriſ. Hiſt.* 2. 27 Lyſimachia lutea corniculata *C. B. P.* 24 ANN.

Eadem flore ſulphureo. ANN.

Lyſimachia lutea corniculata non pappoſa Virginiana minor *Moriſ. Hiſt.* 2. 27 ANN.

Lyſimachia Indica non pappoſa, flore luteo minimo ſiliquis Caryophyllum aromaticum æmulante. Carambu. *Hort. Malab. tom.* 2. 95.

L

YSIMACHIA lutea major, quæ Dioſc. *C. B.* *P.* 245. Lyſimachia lutea *I. B. tom.* 2. *l.* 21. 903. Blattariæ affinis planta major, flore uteo *Moriſ. Hiſt.* 2. 491.

ſimachia lutea minor, foliis nigris punctis notatis C. B. P. 245. Lyſimachia lutea minor I. B. *tom.* 2. *l.* 21. 904. Blattariæ affinis lanta minor, flore luteo, foliis nigris punctis notatis *Moriſ. Hiſt.* 2. 491.

imachia ſemper virens ſpicata, Ephemeon dicta, Blattariæ flore. Ephemeron Matthioli vel potius Ephemeron ſpurium *. B.* P. 244. Blattariæ affinis, planta bifolia ævis, flore albo, Ephemeron *Moriſ. Hiſt.* 491.

ſimachia bifolia, flore globoſo luteo *C. B. P.* 45. Lyſimachia lutea altera Lobelio, flore uaſi ſpicato *I. B. tom.* 2. *l.* 21. 904.

ſimachia ſpicata purpurea fortè Plinii *C.* *P.* 246. Lyſimachia purpurea quibusam ſpicata I. B. *tom.* 2 *l.* 21. Blattaria rura ſpicata major glabra communis, folio cuto *Moriſ. Hiſt.* 2. 490.

em folio ſubrotundo Ocymi facie.

Omnibus notis præcedenti reſpondet, xceptis foliis ſubrotundis Ocymi facie. Haemus ex Angliâ ubi ſponte naſcitur.

machiæ ſpicatæ purpureæ affinis Hyſſopi lia. Hyſſopifolia *C. B. P.* 219. Hyſſopi lia aquatica *I. B. tom.* 3. *l.* 38. 792.

*Lyſi-*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Lyſimachia ſpicata cœrulea C.B.P. v.* Veroni
*Lyſimachia cœrulea galericulata C. B. P.* v
Scutellaria.

M.

Mahaleb *I.B. v.* Ceraſo affinis.

MAJORANA tenuifolia *C.B.P.* 224. I
jorana tenuior & lignoſior *I. B. tom.*
28. 241.
Majorana vulgaris *C. B. P.* 224.
Majorana latifolia aurea *Park. Theatr.* 12.
Majorana ſylveſtris perennis *C.B.P.* 224. (
ganum Heracleoticum Ruellii, ſive M
rana major *I. B. tom.* 3. *l.* 28. 257.
Majorana rotundifolia ſcutellata exotica (
*Hort. Reg. Pariſ.* 114. Origano cogn
Zatarhendi *C.B.P.* 223. Zatarhendi He
*I. B.* Zatarhendi Origanum Indicum *Veſl*
*Obſerv.* 31.
*Majorana Syriaca vel Cretica. v.* Marum.

MALVA hirſuta, folio cordato *Moriſ. H*
2. 520. ANN.
Malva annua trimeſtris, flore cum ungui
purpureis, ſeminibus multis nigris rot
dis, ſubter membranaceis duplicatis orbi
lis latentibus *Moriſ. Hiſt.* 2. 320. Malva
meſtris, flore cum unguibus purpureis *I.*
*to*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*tom.* 2. *l.* 23. 950. Ann.

[M]alva annua, foliis criſpis *Moriſ. Hiſt.* 2. 520. Malva foliis criſpis *C. B. P.* 314. Malva criſpa *I. B. tom.* 2. 23. 952. Ann.

[M]alva annua rotundifolia, floribus omnium minimis albis, pentapetalis, verticillatim genicula ambientibus, & ſeminibus arctè iisdem verticillatim adhærentibus *Moriſ. Hiſt.* 2. 521. Ann.

[M]alva annua hirſuta, foliis Hederæ inſtar anguloſis *Moriſ. Hiſt.* 2. 521. Ann.

[M]alva ſylveſtris perennis procumbens, flore minore albo, folio rotundo *Moriſ. Hiſt.* 2. 521. Malva ſylveſtris, folio rotundo *C. B. P.* 314. Malva vulgaris, flore minore, folio rotundo *I. B. tom.* 2. *l.* 23. 949.

[E]adem variegato folio *Cat. Hort. Reg. Pariſ.* 114.

[M]alva ſylveſtris procerior ſeu elatior rectavè, flore majore ſubrubente aut purpureo, venis ſaturatè purpureis picto, folio ſinuato *Moriſ. Hiſt.* 2. 521. Malva ſylveſtris, folio ſinuato *C. B. P.* 314. Malva vulgaris, flore majore, folio ſinuato *I. B. tom.* 2. *l.* 23. 949.

[E]adem flore albo *Cat. Edinb. Sutherl.* 219.

[M]alva perennis Hiſpanica, flore carneo amplo *Moriſ. Hiſt.* 2. 522.

[E]adem flore incarnato, vel eleganter rubello colore *Moriſ. Hiſt.* 2. 522. *deſcr.*

[M]alva ſylveſtris Betonicæ folio *Boccon. deſc. & Ic.*

*& Ic.* 15. *Zanoa. Hiſt. Botan.* 130. *Mor. Hiſt.* 2. 522.

Malva ſylveſtris, vel paluſtris, aut Ibiſcus *Moriſ. Hiſt.* 2. 523. Althæa Dioſcoridis & Plinii *C. B. P.* 315. Althæa, ſive Bismalva *I. B. tom.* 2. *l.* 23. 954.

Eadem folio rotundiori, ſive minus acuminato *Cat. Hort. Edinb. Sutherl.* 19.

Eadem folio anguloſiori.

Malva Hiſpanica, foliis mollibus undulatis, in margine ſuperiùs micis ſulphureis ad ſolem ſplendentibus donatis *Moriſ. Hiſt.* 2. 523.

Malva maritima Arborea Veneta dicta, parvo flore *Moriſ. Hiſt.* 2. 523. Malva Arborea Veneta dicta, parvo flore *C. B. P.* 315. An Malva Arborea *I. B. tom.* 2. 952? ANN.

Malva maritima Arborea Britannica *Moriſ. Hiſt.* 2. 523. ANN.

Malva fruteſcens, folio auriculato, Hederæ inſtar *Moriſ. Hiſt.* 2. 523. Althæa fruteſcens folio acuto, parvo flore *C. B. P.* 316.

Malva Roſea, folio ſubrotundo, flore ſimplici *Moriſ. Hiſt.* 2, 524. Malva Roſea, folio ſubrotundo *C. B. P.* Malva Roſea, ſive hortenſis *I. B tom.* 3. *l.* 23. 951. Floribus candidis *C. B. P. Var.* 315.

Eadem floribus ſaturatiùs rubentibus *C. B. P. Var.* 315.

Eadem floribus dilutiùs rubentibus *C. B. P. Var.* 315.

Eadem

..dem floribus purpuræ modo relucentibus ..B. P. *Var.* 315.
..dem floribus ex rubro nigricantibus C. B. P. *Var.* 315.
..dem floribus incarnatis C. B. P. *Var.* 315.
..dem floribus ſulphureis *Moriſ. Hiſt.* 2. 524.
..dem floribus luteis *Cat. Hort. Reg. Pariſ.* 115.
..dem floribus violaceis *Cat. Hort. Reg. Pariſ.* 115.
..lva Roſea, folio ſubrotundo, flore pleno ..B. P. 315. *Moriſ. Hiſt.* 2. 524. Flore albo ..B. P. *Var.*
..dem flore incarnato C. B. P. *Var.* 315.
..em flore rubro C. B. P. *Var.* 315.
..em flore puniceo C. B. P. *Var.* 315.
..em flore nigricante C. B. P. *Var.* 315.
..em flore luteo *Cat. Hort. Reg. Par.* 115.
..em flore ſubluteo *Cat. Hort. Reg. Par.* 115.
..va Roſea peregrina, folio Ficus obſcure vi..di *Moriſ. Hiſt.* 2. 524. Malva Roſea, folio ..icus C. B. P. 315. Flore ſimplici atro-pur..ureo.
..em flore luteo *Cat. Hort. Reg. Pariſ.* 115.
..em flore violaceo *Cat. Hort. Reg. Par.* 115.
..em flore carneo *Cat. Hort. Reg. Pariſ.* 115.
..em flore nigricante *Cat. Hort. Reg. Pa..ſ.* 115.
..va peregrina folio Ficus flore pleno atro-..urpurante *Jonqu. Hort.* 81.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Eadem flore incarnato pleno *Cat. Hort. A-*
*torf. Hoffm.*
Eadem flore luteo pleno *Cat. Hort. Alt. Ho-*
Eadem flore albo pleno *Cat. Hort. Alt. Ho-*
Malva Roſea, folio Ficus altera C. *B. P.* 3
Flore nigricante.
Eadem flore rubro.

MALUS ſylveſtris major, fructu a-
*Ionſton. de Arbor.* 2. Mala ſylveſtria a-
majora C. B. P. 435.
Eadem fructu rubente *Ionſt. de Arbor.* 2. M-
ſylveſtria rubra majora C. B. P. 435.
Malus ſylveſtris minor *Ionſt. de Arbor.* 3. M-
ſylveſtria minora *C. B. P.* 435. Malus ſyl-
ſtris, fructu parvo flaveſcente *I. B. tom*
*l.* 1. 26. *deſcr.*
Eadem fructu rubente I. B. *tom.* 1. *l.* 1. 26. *de-*
Malus domeſtica vulgaris *Ionſt. de Arbor*
Pomus ſive Malum C. B. P. 434. Malus *I-*
*tom.* 1. *l.* 1. 1.
Eadem flore pleno C. B. P. 435.
Malus prægrandis præcox tenerrima *C-*
*Hort. Med. Pariſ.* 115.
Mala Porſtorfiana *I. B. tom.* 1. *l.* 1. 5. Cu-
pendula I. B. *tom.* 1. *l.* 1. 21. Redolen-
vulgò.
Mala Praſomela *C. B. P. deſcr. I. B. tom.* 1. *l.* 1.
Renetica vulgò.
Mala Oenomela vinoſa I. B. *tom.* 1. *l.* 1. 9.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

[Ma]la pentagona perelegantia acido dulcia [u]trinque ſeſſilia *I. B. tom.* 1. *l.* 1. 10.
[Ma]la duracina alba *I. B. tom.* 1. *l.* 1. 5.
[Mal]a duracina ſtriata ſeu Mala D. Matthiæ [I.] *B. tom.* 1. *l.* 1. 14.
[M]a Preſiliana *I. B. tom.* 1. *l.* 1. 6.
[M]a Vitrea *I. B. tom.* 1. *l.* 1. 6.
[Ma]a turbinata dulcia *I. B. tom.* 1. *l.* 1. 19.
[Malo]rum domeſticorum, præcocium, medio[ru]m, ſerotinorum, dulcium, acidorum, vi[n]oſorum, variæ diverſitates, multiplicæ in[ſit]ionis ingenio productæ.
[Mal]us pumila, quæ potiùs frutex, quàm ar[bo]r C. *B. P.* 435.
[Ead]em fructu candido C. *B. P. Var.* 435.
[Eju]sdem aliæ differentiæ, fructuum magnitu[di]ne, figurâ, colore, ſapore & tempore ma[tu]reſcendi inter ſe diſcretæ.
[Malu]s non florens fructificans tamen *C. B. P.* [43]5. Malus fructifera, fugaci flore *Cat. [H]ort. Reg. Pariſ.* 115. Malus non florida [di]cta *I. B. tom.* 1. *l.* 1. 21.

[M]ALUS Cydonia, fructu breviore & rotun[di]diorè *Cat. Hort. Reg. Pariſ.* 115. Mala [Co]tonea minora *C. B. P.* 434.
[Malu]s Cydonia, fructu oblongo & læviori [Cat]. *Hort. Reg. Pariſ.* 116. Mala Cotonea [ma]iora *C. B. P.* 434. Cotonea malus *I. B.* [to]m. 1. *l.* 1. 27.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Malus Cotonea ſylveſtris *C. B. P.* 435. Co-
nea ſylveſtris *I. B. tom.* 1. *l.* 1. 35.

MALUS Citria, fructu mediocri *I. B. to*
*l.* 1. 94. Malus Medica *C. B. P.* 435.
lum Citreum vulgare *Ferr. Heſp.* 56. Ci
vulgò.

Malus Citria, fructu magno *I. B. tom.* 1. *l.* 1.
Malus Medica, fructu ingenti tuberoſo
*P.* 435.

Malus Citrea, dulci medullâ *Fer. Heſp.* 7

MALUS Limonia acida *C. B. P.* 436. Li-
nia malus *I. B. tom.* 1. *l.* 1. 96. Limon v
garis *Fer. Heſper.* 191.

Malus Limonia major dulcis *C. B. P.* 436.
mon dulci medullâ *Ferr. Heſp*, 227.

Malus Limonia, fructu rotundo orbiculat
*B. P.* 436.

Malus Limonia Sbardonii. Limon Sbardo
*Fer. Heſp.* 251.

Malus Limonia puſilla Calabrica. Limon
ſillus Calaber. *Fer. Heſp.* 209.

Eadem minor, foliis Phillyreæ *Fer. H*
*deſc.* 209.

Malus Limonia Spatafora dicta *Cat. H*
*Reg. Par.* 116. Limon Spartafora Rheg
*Fer. Heſp.* 239.

Malus Limonia Liguſtica. Limon Liguſti
ſeu St. Remi *Fer. Heſp.* 195.

Malus Limonia, fructu pyriformi. Lim
Fr

Pyri effigie, vulgò Peretta, ſive Spatafora *Fer. Heſp.* 231.

dem fructu longiori. Limon Perettæ con-ſimilis *Fer. Heſp.* 237.

alus Limonia, fructu ſuperficie Aurantii. Adami pomum *Fer. Heſp.* 313 Malus Adami C. B. P. 437. Poma Adami I. B. *tom.* 1. *l.* 1. 99.

alus Limonia minor acida *Cat. Hort. Reg. Par.* 331. Limon, qui Lima nuncupatur, acris *Ferr. Heſp.* 331.

dem dulcis. Limon, qui Lima nuncupatur, dulcis *Ferr. Heſp.* 331.

lus Limonia Citrata. Limon Citratus pri-mæ notæ lævior *Ferr. Heſp.* 265.

dem fructu fructum includente. Limon Ci-tratus alterum includens *Fer. Heſp.* 269. Limones prægnantes, alium fructum mino-rem in ſe continentes *C. B. P.* 436.

MALUS Arantia Indica, fructu omnium maximo, Pumpelmus dicto medullâ pal-leſcente.

em medullâ ruffeſcente.

Utraque hæc Arantia partium omnium rodigioſâ magnitudine à cœteris conge-eribus diſcriminatur, imprimis fructu hu-anum caput aliquando excedente, pulpâ tus vinoſâ ſapidiſſimâ, coloris vel ruffe-entis vel palleſcentis. Colitur in Poma-is Javæ Zeylonæ aliarumque Indiæ O-

 rien-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

rientalis regionum. Sub noſtro climate li-
cet ex ſatis ſeminibus facili negotio in ie
gantem arborem adoleſcat, hactenus ta-
men fructus nullos peperit, quicquid et
artis & induſtriæ à nobis adhibitum.

Malus Arantia major *C. B. P.* 436. Arati
malus *I. B. tom.* 1. *l.* 1. 97. Aurantium
gare *Fer. Heſp.* 474. Medulla acida.

Eadem acri dulciquè medullâ. Aurant
acri dulciquè medullâ vulgare *Fer. H*
377.

Malus Arantia ſylveſtris *I. B. tom.* 1. *l.* 1. *et*
Aurantium ſylveſtre, medullâ acriori
*Heſp.*

Malus Arantia, folio criſpo. Aurantium cr
folio *Fer. Heſp.* 387.

Malus Arantia, fructu ſtellato & roſeo.
rantium ſtellatum & roſeum *Fer. Heſp.*

Malus Arantia, foliis & fructu variegatis
*Hort. Reg. Par.* 116. Aurantium virga
ſtriatumquè *Fer. Heſp.* 397. Foliis la
ribus.

Eadem foliis anguſtioribus.

Malus Arantia, fructu corniculato. Aur
tium Hermaphroditum dictum, ſive co
culatum *Fer. Heſp.* 407. Fructu major

Eadem fructu minori *Cat. Hort. Reg.*
*riſ.* 116.

Malus Arantia Luſitanica *Cat. Hort. Reg. Par.*
116. Aurantium Olyſſiponenſe *Fer. H*

4

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

425. Pomum Sinenſe Belgis.

Malus Arantia, fructus cortice dulci. Aurantium dulci cortice *Fer. Heſp.* 430.

Malus Arantia, Lauri anguſtis foliis *Boccon. Ic. & deſcr.* 3.

Malus Arantia, fructu Arantii malo Citrio prægnantis. Malum Aurantium malo Citrio prægnans *Bocc. Ic. & deſcr.* 3.

Malus Arantia hermaphrodita, fructu medio Citrio, medioquè Arantio, odoratiſſimo.

Inter hortenſia miracula, multivario cultu & inſitionis artificio producta, annumerandum eſt hoc Arantium, quod tàm fructus ſuaviſſimâ fragrantiâ, quam mirificâ conformatione ſeſe commendat. Arbor eſt ramosâ denſitate, ſtaturâ ab Arantia non multùm abhorrens. Ramorum duplex conſpicitur facies. Alii foliis floribus & fructubus Arantiam omnino æmulantur; Alii mediam obtinent naturam inter Citrum & Arantiam: Folia anguſta longula, ſuperficie inæquali ſcabrâ, viridi ſulphureoque colore ſubinde maculata, marginibus aliquando leviter in criſpatis aut nonnihil ſerratis: Flores ex albo modeſtè rubent: Fructus gemello partu fœcundi parte altera Arantium alterâ Citrum exprimunt, diſtinguente hunc geminum fœtum commiſſurâ utribiquè callosâ ſcabrâ productiori.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Malus Arantia humilis *C.B.P.* 436. Aurant[illegible]
Sinenſe *Fer. Heſp.* 430.

MALUS Punica ſativa *C.B.P.* 438. Malus [illegible]
nica I. B. *tom.* 1. *l.* 1. 76. Granata vu[illegible]
Eadem fructu dulci *Cat. Hort. Reg. Pariſ.* [illegible]
Malus Punica, flore pleno *Cat. Hort.* [illegible]
*Par.* 117. Balauſtia flore pleno majore [illegible]
P. 438. Balauſtia Hiſpanica I. B. *tom.* [illegible]
*l.* 82.
Malus Punica, flore pleno majore varieg[illegible]
*Cat. Hort. Reg. Par.* 117.
*Malus Perſica* C. B. P. *v.* Perſica.
*Malus Armeniaca* C. B. P. *v.* Armeniaca.
*Mamœra Fœmina Cluſ.* *v.* Pepo arboreſcen[illegible]

MANDRAGORA, fructu rotundo C. [illegible]
169. Mandragora Mas *I.B. tom.* 3. *l.* 34. 6[illegible]
Mandragora, fructu Pyri C. B. P. 169. Manda[illegible]
gora Fœmina *I. B. tom.* 3. *l.* 34. 618.
*Mannæ Gramen.* *v.* Gramen dactylon.
*Maracot Indicum Aldin.* *v.* Cucumis.
*Maragoſa Luſitan.* *v.* Cucumis.

* MARRUBIUM paluſtre glabrum C. B. [illegible]
230. Marrubium aquaticum quorunda[illegible]
*I. B. tom.* 3. *l.* 28. 318.
* Idem foliis tenuiùs diſſectis *Moriſ. Hiſt.* B[illegible]
131. & 286.
* Idem foliis profundiſſimè diſſectis.

M.

Marrubium nigrum fœtidum. Ballote Dioſcoridis C. B. P. 230. Marrubium nigrum ſive Balote I. B. *tom.* 3. *l.* 28. 318.

Marrubium nigrum, rotundifolium C. B. P. 230.

Marrubium nigrum longifolium C. B. P. 230. Herba venti Monſpelienſibus vulgò.

Marrubium album vulgare C. B. P. 230. Marrubium album I. B. *tom.* 3. *l.* 28. 316.

Marrubium album latifolium peregrinum C. B. P. 230. Marrubium candidum, folio ſubrotundo I. B. *tom.* 3. *l.* 28. 317.

Marrubium album anguſtifolium peregrinum C. B. P. 230. Marrubium album, anguſtiore folio I. B. *tom.* 3. *l.* 28. 317.

Marrubium Alyſſon dictum, foliis profundè inciſis. Alyſſon verticillatum, foliis profundè inciſis C. B. P. 232.

MARUM Syriacum vel Creticum. Majorana Syriaca vel Cretica C. B. P. 224.

*Marum Maſtichen redolens* C. B. P. *v.* Clinopodium.

*Maſtichi a Gallorum* I. B. *v.* Clinopodium.

MATRICARIA ſylveſtris, flore toto luteo C. B. P. 133.

Matricaria vulgaris, ſeu ſativa C. B. P. 133. Matricaria vulgo, minus Parthenium I. B. *tom.* 3. *l.* 26. 129.

Eadem caulibus rubentibus.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Eadem floribus nudis bullatis. Matricaria in-
da *Moriſ. Hort. Bleſ.* 131. Matricaria flo-
aphyllo *Cat. Hort. Reg. Pariſ.* 118.
Eadem florum petalis fiſtuloſis.
Matricaria flore pleno C. B. P. 134. *I. B. tom.*
*l.* 26. 130. Petalis planis.
Eadem petalis fiſtuloſis. Matricaria foliis
rum fiſtuloſis *Cat. Hort. Reg. Par.* 118.
Eadem petalis marginalibus planis, diſco
bus fiſtuloſis.
*Maizio ſeu Mays.* *v.* Frumentum Indicum

Medica cochleata major δίκαρπος, fructu
capſulâ compreſsâ orbiculatâ, nigrâ
nâ, oris criſpis *Moriſ. Hiſt.* 2. 152. Trifolium
cochleatum vel ſcutellatum, fructu latio-
folio minuto obtuſo C. B. P. 329. Medica
biculata I. B. *tom.* 2. *l.* 17. 384. ANN.
Eadem capſulâ lævi ſine oris criſpis *Moriſ. Hiſt.*
2. 152. ANN.
Medica cochleata major δίκαρπος, fructu ca-
pſulâ compreſsâ orbiculatâ rugosâ albâ *Mo-*
*riſ. Hiſt.* 2. 152. ANN.
Medica cochleata major δίκαρπος, fructu ca-
pſulâ rotundâ globoſâ ſcutellatâ *Moriſ. Hiſt.*
2. 152. Trifolium cochleatum fructu latio-
re C. B. P. 329. Medica ſcutellata I. B. *tom.*
*l.* 17. 384. ANN.
Medica cochleata major δίκαρπος, fructu ca-
pſulâ turbinatâ planâ *Moriſ. Hiſt.* 2. 343. ANN.

M-

Medica cochleata major δίκαρπ☉, fructus capſulâ turbinatâ rugoſâ *Moriſ. Hiſt.* 2. 153. Medica magna turbinata *I. B. tom.* 2. *l.* 17. 385. An Trifolium cochleatum turbinatum, ſive fructu compreſſo oblongo *C. B. P.* 329? ANN.

Medica cochleata major δίκαρπος ſpinoſa, ſeu capſulâ rotundiore majore, ſpinis paucioribus & rigidioribus *Moriſ. Hiſt.* 2. 153. ANN.

Medica cochleata major δίκαρπος ſpinoſa, capſulâ ſeu ſpinis longioribus, ſursùm & deorsûm tendentibus *Moriſ. Hiſt.* 2. 153. ANN.

Medica cochleata, echinis omnibus erectis *Park. Ic. Cat. Hort. Reg. Par.* 129. ANN.

Medica cochleata δίκαρπος, capſulâ ſpinoſâ rotundâ minore, rariùs ſpinis craſſioribus & levioribus armatâ *Moriſ. Hiſt.* 2. 153. Medica hirſuta, echinis rigidioribus I. B. *tom.* 2. *l.* 17. 385. Trifolium fructu compreſſo, ſpinis horrido C. B. P. 329? ANN.

Medica cochleata δίκαρπος, capſulâ ſpinoſâ craſſiore, & ſpinulis brevibus & rarius diſpoſitis armata *Moriſ. Hiſt.* 2. 154. Medica echinata magna hirſuta I. B. *tom.* 2. *l.* 17. 385. ANN.

Medica cochleata πολύκαρπος, capſulâ ſpinoſâ minore, perennis, incana maritima *Moriſ. Hiſt.* 2. 154. Trifolium cochleatum maritimum tomentoſum C. B. P. 329. Trifolium cochleatum maritimum, ſive medica mari-

na *I. B. tom.* 2. *l.* 17. 378. Ann.

Medica cochleata δύκαρπος, capſulâ rotun[illegible] ſpinoſâ, foliis eleganter diſſectis. Trifoliu[illegible] echinato capite *Dod. Mem.* 123. Trifoliu[illegible] cochleatum ſpinoſum Syriacum, foliis la[illegible] niatis *Breyn. Cent.* 1. 81. Ann.

Medica cochleata minor πολύκαρπος annu[illegible] capſulâ majore albâ, folio cordato macu[illegible] fuſcâ notato *Moriſ. Hiſt.* 2. 144. Trifoliu[illegible] cochleatum, folio cordato maculato *C. B.* [illegible] 329. Medica echinata glabra cum macu[illegible] nigricantibus *I. B. tom.* 2. *l.* 17. 384. Ann[illegible]

Eadem ſine maculis nigricantibus *I. B. tom.* [illegible] *l.* 17. 384. *& deſcr.* 385.

Medica cochleata minor πολύκαρπος annua ca[illegible] pſulâ nigrâ hiſpidiore *Moriſ. Hiſt.* 2. 14[illegible] Trifolium cochleatum, fructu nigro hiſp[illegible] do *C. B. P.* 329. Ann.

Medica cochleata πολύκαρπος annua, capſu[illegible] lâ minimâ rotundâ *Moriſ. Hiſt.* 2. 144. Tr[illegible] folium echinatum arvenſe *C. B. P.* 329. M[illegible] dica echinata minima *I. B. tom.* 2. *l.* 17 38[illegible] Ann.

Medica cochleata πολύκαρπος annua, capſul[illegible] minima, coronatâ *Moriſ. Hiſt.* 2. 154. Tr[illegible] folium echinatum arvenſe *C. B. P.* 230. M[illegible] dica echinata minima *I. B. tom.* 2. *l.* 17. 38[illegible] Ann.

Medica cochleata πολύκαρπος annua, capſu[illegible] lâ minima coronatâ *Moriſ. Hiſt.* 2. 145. Me[illegible]

dic

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

dica coronata Cherleri parva *I. B. tom. 2. l.* 17. 386. ANN.

Medica ſylveſtris fruteſcens, ſiliquâ cornutâ tortili *Moriſ. Hiſt.* 2. 157. Trifolium ſylveſtre luteum, ſiliquâ cornutâ, vel Medica fruteſcens *C. B. P.* 330. Medica ſylveſtris *I. B. tom.* 2. *l.* 17. 383.

Eadem flore cœruleo *C. B. P. Var.* 330.

Eadem flore violaceo *C. B. P. Var.* 330.

Eadem flore fuſco.

Eadem flore viridi.

Eadem flore ex luteo & violaceo mixto *C. B. P. Var.* 330.

Medica ſativa, ſiliquâ cornutâ magis tortili *Moriſ. Hiſt.* 2. 158. Trifolium ſiliquâ cornutâ ſive Medica *C. B. P.* 330. Medica major erectior, floribus purpuraſcentibus *I. B. tom.* 2. *l.* 17. 382. Fœnum Burgundiacum vulgò.

Medica annua ſiliquâ falcatâ, crenatâ *Moriſ. Hiſt.* 2. 258. Trifolium ſiliquâ falcatâ *C. B. P.* Medica lunata *I. B. tom.* 2. *l.* 17. 386. ANN.

Medica fruteſcens incana, ſeu Trifolium fruteſcens incanum, ſiliquâ falcatâ planâ *Moriſ. Hiſt.* 2. 158. Cytiſus incanus, ſiliquis falcatis *C. B. P.* 389. Cytiſus ſiliquâ incurvâ, folio candicante *I. B. tom.* 1. *l.* 11. 366.

*Medium I. B. v.* Campanula.

* ME-

*MELAMPYRUM purpuraſcente com C. B. P. 234. Melampyrum multis, ſi Triticum vaccinium I. B. tom. 3. l. 40. 439

Melampyrum cœruleâ comâ *C. B. P.* Mela pyro affinis, Parietaria cœrulea quoru dam I. B. *tom.* 3. *l.* 30. 440. Parietaria L pſienſium vulgò. ANN.

Melampyrum luteum latifolium *C. B. P.* 23 Melampyrum ſylvaticum, flore luteo, ſi Satureia lutea ſylveſtris *I. B tom.* 3. *l.* 3 441. ANN.

Melampyrum criſtatum, flore albo & purp reo *I. B. tom.* 3. *l.* 30. 440. ANN.

*Melanthium ejuſque ſpecies* I. B. *v.* Nigella.

*Meleagris I. B. v.* Fritillaria.

MELIANTHUS Africanus. Pimpinella ſp cata maxima Africana Barthol. Act. Haf. An. 1673. Vol. 2. p. 58.

Mellifera hæc Africana planta, cujus ſ bolem Anno M. DC. LXXII. ex Promontor Bonæ Spei Hafniam ad Cl. Bartholinu transmiſeram, ſuperiori demum anno op râ Cl. Viri Petri Hotton inde in Belgia reducis huc delata & Corioſorum Hort familiaris facta eſt, Radice nititur viva lignoſâ craſsâ pallidâ brachiatâ longo pr fundoquè reptatu hinc inde diffuſa. Scap multiplici ſupra viri altitudinem aſſurgent viroris & vigoris perpetui, pollicem craſ

r

HELIANTHUS AFRICANUS.



Melianthus major.

rotundo, ſtriato, ſcabro, geniculato, c
radicem lignoſo, ſolido, in progre
ex ruffo virente, &, ubi in florifer
ſpicam faſtigiatur, punicante, facilè
geniculis in terram demiſſis ſeſe propag
te. Foliis pinnatis, facie Pimpinellæ,
ſextuplo amplioribus, rigentibus, nervo
per ambitum profundiùs ſerratis, colore
glauco virente, coſtâ mediâ ad ſummu
uſque, cui folia ex adverſo ſtrictiùs adh
rent, alatâ & crenatâ, parte verò imâ & p
nâ contectâ folio, digitum longo concol
integro, latâ ſuâ carinataquè baſi, quâ ad ſ
pi genicula prorumpit, in mucronem p
recto, & coſtæ, inſtar lingulæ, incumben
Odore fœtido narcotico gravi, ſapore h
baceo parùm adſtringente. Floribus in ſu
mo numeroſis, nudis, ex nigro puniceis,
ſpicam congeſtis, hærentibus ex petio
longulis punicantibus tenui rarâquè con
lori lanugine pubeſcentibus, quibus ſing
lis ſubjicitur foliolum nunc puniceum nu
ex puniceo vireſcens, unguem adæquans
in deldoideam effigiem gracileſcens. F
utplurimum quinque conſtruitur petal
ex floris fundo ampliori, cui arctè jungu
tur, in longum protenſis, duobus ſuperi
latioribus & longioribus, binis laterali
brevioribus & anguſtioribus, unico inf
no breviſſimo carinato, Hoc in flore co
ſta-

ſtantur deprehenditur, reliquorum verò numerus & amplitudo variant. Ex his profluunt decem ſtamina punicei ſaturati coloris, quinquè longiora & tenuiora apicibus flaveſcentibus parvis, totidemquè breviora apicibus rubuſtioribus, leviſſimâ concuſſione deciduis. Inferiori petalo includitur receptaculum cartilagineum cariniforme, refertum liquore melleo diluto puniceo, ſaporis vinoſi juncundiſſimi. Hunc à Belgis ad Bonæ Spei Promontorium degentibus non inepto nomine Melianthus ſive Flos mellis apellatur. Mellea verò hæc ſubſtantia, neutiquam videtur productum roris ſeu aëris in flore collecti, ſed eo ipſo, quo flos perficitur, incipit ex porulis & villulis internæ floris baſeos, inſtar ſubtiliſſimi vaporis emanare & in hiantem hanc carinulam deponi. Sive enim plantam mox flores parituram aëre liberiori expoſueris, ſive in conclavi diligenter cuſtodiveris, æquam mellis proportionem obſervabis, tantâ utrobique ubertate, ut in ſubjecta folia ſtillatim defluat. Melle floreque exareſcente ſequitur vaſculum ventrioſum membraneum, facie & magnitudine Nigellæ fructum adæquans, tetragonum, quaternis diſſepimentis diſtinctum, quaſi ex totidem vaſculis eſſet compactum, ſingula continent ſemen ovale nigrum lucidum, ſemini Pæoniæ ſup-

par. Sponte ſua luxuriat locis udoſis & ... ludoſis ad Promontorium Bonæ ſpei. Tra... ſpoſita in hortos mirum in modum m... plicatur, brumam rigidiuſculam qua... patienter ferat, tamen cuſtodienda ... commodo hybernaculo, ne flores, quo... diâ ſæpe hyeme ſuppetere ſolet, vitiu... piant & pereant. Floris Nectar uti v... & ſuavi ſuo ſapore melli vulgari nihil ... ita virtutibus, ni illud ſuperet, ſalte... æquat. Eo adeò delectantur Hotte... & nunc quoque Belgæ, ut Melianthum... quam prætereant, quin Melleam ejus... cedinem avidè reſorbeant.

*MELILOTUS fruticoſa candida ... jor. *Moriſ. Hiſt*.2. 161. Melilotus ... narum Germaniæ, flore albo. *C. B. P*... Trifolium odoratum ſive Melilotus ... ris, flore candido *I. B. tom*. 2. *l*. 17... ANN.

*Melilotus fruticoſa lutea vulgaris, vel ... narum. *Moriſ. Hiſt*. 2. 161. Melilotus ... narum Germaniæ *C. B. P*. 331. Trif... odoratum, ſeu Melilotus vulgaris, fl... teo *I. B. tom*. 2. *l*. 17. 370. ANN.

Eadem humilior, foliis & floribus min... pallidè flaveſcentibus. ANN.

Eadem ſiliculis longioribus. Dodonæi ... *Hiſt*. 2, 161. ANN.

[M]elilotus lutea, ſeminis pericarpio magno rugoſo rotundo albo. *Moriſ. Hiſt.* 2.161. Melilotus Italica, folliculis rotundis *C. B. P.* 331. Melilotus magno ſemine rotundo rugoſo. *I. B. tom.* 2. *l.* 17. 371. ANN.

[M]elilotus lutea minor, floribus & ſiliculis minoribus, ſpicatim & densè diſpoſitis *Moriſ. Hiſt.* 2. 161. ANN.

[M]elilotus lutea minima procumbens palmaris & ſeſquipalmaris, folio minore & anguſtiore *Moriſ. Hiſt.* 2. 162. Meliloto vulgari [n]oſtrati affinis, folio minore & anguſtiore [I]. *B. tom.* 2. *l.* 17. 371. ANN.

[M]elilotus lutea minima hirſuta procumbens, [ſ]picâ breviori denſiſſimè diſpoſita, ſeminis [p]ericarpio renali nigro *Moriſ. Hiſt.* 2. 162. [T]rifolium pratenſe luteum capitulo brevio[r]i *C.B.P.* 328. Trifolium pratenſe luteum [mi]nas, flore minore ſemine multo *I. B. tom.* 2. [l.] 17. 380. ANN.

[Me]lilotus minima recta lutea, ſiliquis craſſis, [c]urtis, in capitulum congeſtis, ſemine Fœ[n]ugræci *Moriſ. Hiſt.* 2. 162. ANN.

[Me]lilotus major odorata violacea *Moriſ. Hiſt.* [2].162. Lotus hortenſis odora *C. B. P.* 331. [L]otus ſativa odorata annua, flore cœruleo [I]. *B. tom.* 2. *l.* 17. 368.

[Me]lilotus lutea major, corniculis inflexis ex [e]odem centro ortis *Moriſ. Hiſt.* 2. 162. Melilo-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tus corniculis reflexis major C. B. P. 3
Trifolium Italicum, ſive Melilotus Ita
corniculis incurvis *I. B. tom.* 2. *l.* 17. 3
ANN.

MELISSA hortenſis C. B. P. 229. Meliſſa vulgaris odore Citri *I. B. tom.* 3. *l.* 28. 2
Meliſſa peregrina, folio oblongo C. B. P. 2
Meliſſa Turcica multis dicta I. B. *tom.* 3. *l.*
234. Flore cœruleo C. B. P. *Var.* 229. A
Eadem flore albo C. B. P. *Var.* 229. I. B. *d*
*tom.* 3. *l.* 28. 234. ANN.
*Meliſſa Moluccana odorata.* C. B. P. *v.*
lucca.
*Meliſſa Moluccana fœtida* C. B. P. *v.* Moluc

MELO Hiſpanicus *I. B. tom.* 2. *l.* 16.
*Moriſ. Hiſt.* 2. 29. ANN.
Melo vulgaris C. B. P. 310. *Moriſ. Hiſt.* 2
Melones I. B. *tom.* 2. *l.* 16. 242. ANN.
Idem reticulatus *I. B. tom.* 2. *l.* 16. 244. A
Idem turbinatus I. B. *tom.* 2. *l.* 16. 244. A
Idem ſeſſilis C. B. P. *Var.* 310. ANN.
Ejusdem aliæ varietates fructus formâ co
ſapore & odore diſcretæ.
Melo Moſchatellinus rotundus parvus ſeu
lo ſacharinus dictus I. Bauhino *Moriſ.*
2. 40. Melo rotundus parvus C. B. P.
Melo Moſchatellinus rotundus parvus
*tom.* 2. *l.* 16. 244. ANN.
Idem pyriformis I. B. *tom.* 2. *l.* 16. 244. A

*Melo-pepo clypeiformis* C. B. P. *v*. Pepo.
*Melo-pepo compreſſus* C. B. P. *v*. Pepo.
*Melochia* I. B. *v*. Corchorus.
*Melocotonea quorundam* I. B.. *v*. Perſica.

MENTHA hortenſis verticillata, Ocymi odore C. B. P. 227. Mentha verticillata minor acuta non criſpa, odore Ocymi *I. B. tom*. 3. *l*. 28. 216.

Mentha arvenſis verticillata hirſuta *I. B. tom*. 3. *l*. 28. 217. Calamintha arvenſis verticillata *C. B. P*. 229.

Mentha criſpa verticillata *C. B. P*. 227. Mentha criſpa verticillata, folio rotundiore *I. B. tom*. 3. *l*. 28. 216.

Mentha criſpa Danica aut Germanica ſpecioſa *Parkinſ. Theatr*. 32.

Mentha rotundifolia criſpa ſpicata *C. B. P*. 227. *I. B. tom*. 3. *l*. 28. 218.

Eadem foliis rotundioribus rugoſis. Mentha rotundifolia ſpicata altera C. B. P. 227. Menthaſtrum ſpicatum cultum, folio rotundiore rugoſo I. B. *tom*. 3. *l*. 28. 219.

Mentha ſpicata, folio variegato C. P. B. 227. Menthaſtrum ſpicatum, folio criſpo rotundiore, colore partim albo, partim cinereo vel virente I. B. *tom*. 3. *l*. 28. 219.

Mentha anguſtifolia ſpicata *C. B. P*. 227. Mentha ſpicata, folio longiore, acuto glabro nigriori I. B. *tom*. 3. *l*. 28. 220.

* Mentha ſylveſtris, rotundiore folio C. B. P. 2
Menthaſtrum folio rugoſo rotundiore ſpo-
taneum, flore ſpicato odore gravi, I. B. to
3. *l.* 28. 219.

* Mentha ſylveſtris longiore folio C. B. P. 27.
Menthaſtrum ſpicatum, folio longiore ca-
dicante *I. B. tom.* 3. *l.* 28. 221.

* Mentha rotundifolia paluſtris, ſeu aquat
major C. B. P. 227. Mentha aquatica ſive
ſymbrium *I. B. tom.* 3. *l.* 28. 223. Foliis g
bris.

Eadem floribus conglomeratis, Foliis hirſu
Mentha aquatica, ſive Siſymbrium hi
tius *I. B. tom.* 3. *l.* 28. 224.

* Mentha paluſtris, folio oblongo. C. B. P. 2
Menthaſtri aquatici genus hirſutum, ſpic
tiore *I. B. tom.* 3. *l.* 28. 222.

*Mentha hortenſis corymbifera C. B. P. v.*
nacetum.

*Mentha tuberoſâ radice* C. B. P. *v.* Calam
tha.

*Mentha cattaria ejuſquè ſpecies C. B. P. C*
*B. v.* Calamintha.

*Menthaſtrum ejuſquè ſpecies I. B. v.* Men

*Menthaſtrum tuberoſâ radice I. B. v.* Calam
tha.

* MERCURIALIS teſticulata, ſive
Dioſcoridis & Plinii C. B. P. 121. *M*
*I*

*Hiſt.* 2. 612. Mercurialis Mas *I. B. tom.* 2. *l.* 23. 677. ANN.

Mercurialis ſpicata, ſive Fœmina, Dioſcoridis & Plinii *C. B. P.* 121. *Moriſ. Hiſt.* 2. 612. Mercurialis Fœmina *I. B. tom.* 2. *l.* 23. 677. ANN.

Mercurialis montana teſticulata *C. B. P.* 122. Cynocrambe Mas, ſive Mercurialis repens. *I. B. tom.* 2. *l.* 23. 979.

Mercurialis montana ſpicata *C. B. P.* 122. *Moriſ. Hiſt.* 2. 613. Cynocrambe Fœmina, ſive Mercurialis repens. *I. B. tom.* 2. *l.* 23. 979.

Mercurialis perennis maritima incana, Phyllon dicta teſticulata. *Moriſ. Hiſt.* 2. 613. Phyllon teſticulatum. *C. B. P.* 122. Phyllon Arrhenogonon, folio incano Monſpeſſul. *I. B. tom.* 2. *l.* 23. 981.

*Merulius I. B. v.* Fungus.

MESPILUS Germanica, folio Laurino non ſerrato *C. B. P.* 453. Meſpilus vulgaris *I. B. tom.* 1. *l.* 1. 69.

Meſpilus folio Laurino major *C. B. P.* 453.

Meſpilus ſpinoſa ſive Oxyacantha maxima Virginiana.

Meſpilus ſpinoſa ſive Oxyacantha Virginiana nigra.

Meſpilus Apii folio laciniato *C. B. P.* 453. Meſpilus Aronia Veterum *I. B. tom.* 1. *l.* 1. 67. Spinoſa flore ſimplici.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Eadem flore pleno.
Meſpilus Apii folio ſylveſtris non ſpinoſa, ſe Oxyacantha C. B. P. 454. Sorbus tormin lis & Crat cus Theophraſti I. B. tom. 1. l. 1. c
* Meſpilus Apii folio ſylveſtris ſpinoſa ſe Oxyacantha C. B. P. 454. Oxyacantha v garis ſive Spinus albus I. B. tom. 1. l. 6. 44.
Meſpilus ſpinoſa Pyri folio. Oxyacantha D ſcoridis ſive Spina acuta Pyri folio C. B. 454. Pyracantha quibuſdam I. B. tom. l. 6. 51.
Meſpilus Alni lanato folio minor. Alni effi lanato folio minor C. B. P. 452. Dyopſy I. B. tom. 1. l. 1. 75.
Meſpilus Alni lanato folio major. Alni effi lanato folio major C. B. P. 452. Sorbus pina I. B. tom. 1. l. 1. 65. Aria Theophra vulgò.
Meſpilus humilis, folio mali Cydoniæ rotund non ſerrato. Cotoneaſter folio rotundo n ſerrato C. B. P. 452. Chamæmeſpilus Co C. B. P. 432. Cotoneaſter I. B. tom. 1. l. 1. 7
Idem folio oblongo ſerrato C. B. P. Cham meſpilus I. B. tom. 1. l. 1. 72.

MEUM foliis Anethi C. B. P. 148. Meu Athamanticum *Moriſ. Umbell.* 4. Meu vulgare, ſive Radix urſina I. B. tom. 3. 27. 11.
Meum ſpurium *Moriſ. Umbell.* 5. Meum lat foliu

folium adulterinum C. B. P. 148. Meum Alterum Italicum quibuſdam *I. B. tom.* 3. *l.* 27. 15.

*Mezereum Germanicum* I. B. *v.* Laureola.

MILIUM ſemine luteo C. *B.* P. 26. Milium ſemine fulvo vel aureo *I. B. tom.* 2. *l.* 18. 446. *deſcr.* ANN.

Milium ſemine albo *C. B. P.* 26. I. B. *tom.* 2. *l.* 18. 446. *deſcr.* ANN.

Milium ſemine nigro C. *B.* P. 26. *I. B. tom.* 2. *l.* 18. 446. ANN.

Milium Indicum Arundinaceo caule, granis flaveſcentibus. ANN.

In ſeptenum pedum altitudinem aſſurgit, culmo Arundineo, digitum craſſo, quem à geniculo ad geniculum involvunt folia frumento Indico anguſtiora & longiora, lineâ albâ per mediam longitudinem notata. In ſummitate erigitur juba dodrantalis pugni craſſitudine, multis paniculis ſtrictiùs invicem junctis coacervata, flores lanugineos pendulos Milii inſtar flaveſcentes proferens, quibus defluentibus ſuccedunt grana copioſa rotunda nitida dura pallida farinacea magnitudine Orobi, ſingula inſident caliculis bifidis, parvis nigris ſplendentibus. Conſulatur Caſparus Bauhinus, qui hoc in *Theatro Botanico* 488. ex Hiſtoriâ Indiæ Orientalis, nomine Frumenti



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Indici, quod Milium Indicum vocant, v-
detur propoſuiſſe.

Milium Indicum, Arundinaceo caule, grani
nigris. ANN.

Hoc cum priori convenit creſcendi m-
do & formâ, ita tamen, ut grana ferat nig
lucida, in ſummo non nihil tomento
Utrumquè Milium, quanquam in Vtraq
India omnium frugum fertiliſſimum ſit,
tum tamen in hortis noſtris difficulter a
frugem perducitur.

Milium Arundinaceum, ſubrotundo ſemin
Sorgo nominatum C.B.P. 2. Sorghi I. B. to
2. l. 18. 447. ANN.

Milium Arundinaceum, plano alboquè ſem-
ne C. B. P. 26. Sorghi album, Milium In-
dicum. Dora I. B. tom. 2. l. 18. 448. ANN.

Milium Arundinaceum, ſemine Lithoſperm
facie maximo duriſſimo. Lithoſpermum
Arundinaceum fortè Dioſcoridis & Pli
C. B. P. 258. Lachryma Iobi multis ſi
Milium Arundinaceum I. B. tom. 2. l. 3
449. ANN.

MILLEFOLIUM maximum, umbellâ
bâ C. B. P. 140.

* Millefolium vulgare album C. B. P. 140. M-
lefolium Stratiotes pennatum terreſtre I. B.
tom. 3. l. 26. 136.

* Millefolium purpureum majus C. B. P. 140

M-

Millefolium purpureum minus *C. B. P.* 140.
Millefolium Alpinum incanum, carneo flore. *C. B. P.* 140.
Millefolium tomentoſum luteum *C. B. P.* 140. *I. B. tom.* 3. *l.* 26. 131.
Millefolium incanum Creticum *C. B. P.* 140. Millefolium Creticum *I. B. tom.* 3. *l.* 26. 139.
Millefolium odoratum minus, Monſpelienſium *Cat. Hort. Reg. Pariſ.* 122.
Millefolium majus album, odore Camphoræ. Tanacetum minus album odore Camphoræ, ſive Achyllæa Dioſc. *C. B. P.* 132. Achillæa Millefolia odorata *I. B. tom.* 3. *l.* 26. 140.

MILLEFOLIUM aquaticum umbellatum, cappillaceo brevique folio *C. B. P.* 141. Millefolium aquaticum, Fœniculo ſimile, umbelliferum *I. B. tom.* 3. *l.* 27. 8.
Millefolium aquaticum, floſculis ad foliorum nodos *C. B. P.* 141. Millefolium aquaticum minus *I. B. tom.* 3. *l.* 38. 783.
Millefolium aquaticum, ſive Viola aquatica, caule nudo *C. B. P.* 141. Millefolium aquaticum dicta Viola aquatica *I. B. tom.* 3. *l.* 38. 782.
Millefolium aquaticum, Equiſeti folio, caule nudo *C. B. P.* 141. Millefolium aquaticum, dictum Viola aquatica, ſecundum, *I. B. tom.* 3. *l.* 38. 783.

* Millefolium aquaticum pennatum ſpicatum *C. B. P.* 141. Millefolium pennatum aquaticum *I. B. tom.* 3. *l.* 38. 783.

* Millefolium aquaticum cornutum C. B. P. 141. I. B. *tom.* 3. *l.* 38. 784.

*Millefolium aquaticum, foliis Abrotani, Ranunculi flore & capitulo* C. B. P. *v.* Ranunculus.

*Millefolium aquaticum, foliis Fœniculi flore & capitulo* C. B. P. *v.* Ranunculus.

*Millegrana major Moriſ. v.* Polygonum.

*Mimoſa ejuſquè ſpecies. v.* Herba viva.

*Mimoſa non ſpinoſa major Zeylanica Brey. v.* Onobrychis.

MIRABILIS Peruviana, purpureo flore. Solanum Mexiocanum, flore magno C. B. P. 168. Jeſminum Mexicanum, ſive Flos Mexicanus multis *I. B. tom.* 2. *l.* 2. 814. Atzoyatl vel Mirabilis Mexicana *Hernand. p.* 176. ANN.

Eadem flore flavo *C. B. P. Var.* 168. ANN.

Eadem flore ex albido C. B. P. *Var.* 168. ANN.

Eadem flore ex rubro luteo & albo tàm virgatim quàm punctatim mixto C. B. P. *Var.* 168. ANN.

Mirabilis Peruviana, flore parvo. Solanum Mexiocanum, flore parvo C. B. P. 168. Mirabilis Peruviana minor *Muntingh.* 21. ANN.

*Mo-*

*Molle* I. B. *v.* Lentiſcus.
*Mollugo montana latifolia ramoſa* C. B. P. *v.* Gallium.
*Mollugo montana anguſtifolia* C. B. P. *v.* Gallium.
*Molon Plinii* C. B. P. *v.* Filipendula.

MOLUCA I. B. *tom.* 3. *l.* 28. 234. Meliſſa Moluccana odorata C. B. P. 228 ANN.
Moluca aſperior fœtida I. B. *tom.* 3. *l.* 28. 235. Meliſſa Moluccana fœtida *C. B. P.* 229. ANN.

MOLY Hiſpanicum purpureum *Moriſ. Hiſt.* 2. 392. Moly latifolium Hiſpanicum *C. B. P.* 75.
Moly latifolium luteum, odore Allii primum C. B. P. 75. *Moriſ. Hiſt.* 2. 393. Moly luteum Botanicorum latifolium, Allii odore I. B. *tom.* 2. *l.* 19. 562.
Moly anguſtifolium umbellatum C. B. P. 75. *Moriſ. Hiſt.* 2. 393. Moly Dioſcoridis parvum quibuſdam I. B. *tom.* 2. *l.* 19. 568.
Idem flore carneo.
Moly album anguſtifolium Peſarenſe parvum, caule triangulo *Moriſ. Hiſt.* 2. 394. Moly parvum, caule triangulo C. B. P. 75.
*Moly Virginianum* C. B. P. *v.* Ephemerm.
*Moly latifolium Liliflorum* C. B. P. *v.* Ornithogalum.
*Momordica vulgò. v.* Cucumis.
*Monarakudimbija Zeylonenſibus. v.* Criſta Pavonis.

*Mor-*

*Morſus Diaboli I. B.* *v.* Scabioſa.
*Morſus gallinæ I. B.* *v.* Alſine.
*Morſus ranæ I. B.* *v.* Nymphæa.

MORUS fructu nigro *C. B. P.* 459. Mo[rus] nigra *I. B. tom.* 1. *l.* 1. 118.
Morus fructu albo *C. B. P.* 459. Morus alba *I. [B.]* *tom.* 1. *l.* 1. 118. *deſcr.*
*Muralis minor repens I. B.* *v.* Draba.
*Murariæ ſimilis I. B.* *v.* Draba.
*Murucuja Marcgr.* *v.* Cucumis.
*Muſa I. B.* *v.* Ficoides.
*Muſcari I. B.* *v.* Hyacinthus.
*Muſcipula major, calyce turgido ventricoſo I. [B.]* *v.* Lychnis.
*Muſcipula muſcoſo flore I. B.* *v.* Lychnis.

* MUSCUS vulgatiſſimus *C. B. P.* 360. Muſc[us] terreſtris & hortenſis *I. B. tom.* 3. *l.* 38. 76[.]
* Muſcus Filicinus major *C. B. P.* 360. Muſc[us] Filicinus *I. B. tom.* 3. *l.* 37. 764.
* Muſcus Abietis facie *C. B. P.* 360. *I. B. tom.* [3.] *l.* 37. 765.
* Muſcus denticulatus major *C. B. P.* 360. Mu-ſcus pulcher parvus repens *I. B. tom.* 3. [*l.*] 37. 765.
* Muſcus denticulatus minor *C. B. P.* 360. Mu-ſcus terreſtris Luſitanicus *I. B. tom.* 3. [*l.*] 37. 765.
* Muſcus terreſtris clavatus *C. B. P.* 360. Mu-ſc[us]

ſcus terreſtris repens, à Trago pictus *B. I. tom.* 3. *l.* 37. 766.

Muſcus pyxioides terreſtris *C. B. P.* 361. Muſcus pyxidatus *I. B. tom.* 3. *l.* 37. 767.

Muſcus terreſtris capillaris, capſulâ longâ *Commelyn. Catal.* 75.

Muſcus ſaxatilis Sericoides *Commel. Cat.* 75.

Muſcus Coralloides, ſive cornutus montanus *C. B. P.* 361.

Muſcus Coralloides ſaxatilis, cervi cornu referens *C. B. P.* 361.

Muſcus Arboreus, Uſnea Officinarum *C. B. P.* 361. Muſcus arboreus villoſus *I. B. tom.* 3. *l.* 37. 763.

Muſcus Arboreus Coralloides *C. B. P.* 361.

Muſcus Arboreus cum orbiculis *C. B. P.* 361. Muſcus arboreus peltatus & ſcutellatis *I. B. tom.* 3. *l.* 37. 764.

Muſcus pulmonarius *C. B. P.* 361. Lichen Arboreus, ſive Pulmonaria arborea. *I. B. tom.* 3. *l.* 37. 759.

Muſcus cruſtæ modo Arboribus adnaſcens *C. B. P.* 361.

Muſcus amarus, Abſinthii folio *I. B. tom.* 3. *l.* 37. 764.

Muſcus ex cranio *I. B. tom.* 3. *l.* 37. 764.

Muſcus aureus capillaris medius. Polytrychon aureum majus *C. B. P.* 356. Polytrichum Apuleji majus quibuſdam *I. B. tom.* 3. *l.* 37. 760.

Mu-

* Muſcus aureus capillaris minor. Polytrichon aureum minus C. B. P. 357. Polytrichum Apuleji minus quorundam I. B. *tom.* 3. *l.* 37. 760.

* Muſcus aureus capillaris minimus, capitulo longo ſubflavo. Polytrichon aureum minimum, capitulo longo, ſubflavi coloris *Commeleyn. Cat.* 89.

* Muſcus aureus capillaris minimus, capitulo oblongo rotundo ſubviridi. Polytrichon aureum minimum capitulatum oblongo rotundum, colore ſubviridi *Commel. Cat.* 8.

MYAGRUM majus, ſeu ſativum *Moriſ. Hiſt.* 2. 315. Myagrum ſativum *C. B. P.* 10. Myagrum dictum Camelina *I. B. tom.* 2. *l.* 21. 892. ANN.

*Myagrum ſiliquâ longâ* C. B. P. *v.* Eruca.

*Myagrum monoſpermum latifolium* C. B. P. *v.* Raphaniſtrum.

*Myagro ſimilis ſiliquâ rotundâ C. B. P. v.* Raphaniſtrum

*Myoſuros I. B. v.* Holoſteo affinis.

*Myrica vulgò. v.* Tamariſcus.

MYRRHIS annua, ſemine roſtrato ſtriato aſpero oblongo, nodoſa. *Moriſ. Umbell.* 44. & 67. ANN.

* Myrrhis annua, ſemine ſtriato aſpero breviore *Moriſ. Hiſt.* 44. Myrrhis ſylveſtris ſeminibus aſperis C. B. P. 160. ANN.

My-

yrrhis annua, ſemine ſtriato lævi *Moriſ. Umbell.* 44. & 67. Chærophyllum ſylveſtre C. B. P. 152. Antriſcus Plinii quibuſdam, ſemine longo Cicutariæ vel Chærephylli. *I. B. tom.* 3. *l.* 27. 71. ANN.

yrrhis annua, ſemine ſtriato lævi, tuberoſa, nodoſa, coniophyllon. *Moriſ. Umbell.* 44. & 67. Cicutaria bulboſa C. B. P. 161. Cicutaria odorata bulboſa *I. B. tom.* 3. *l.* 27. 183. ANN.

yrrhis annua, ſemine ſtriato villoſo incano *Moriſ. Umbell.* 44. & 67. Daucus Alpinus multifido longoquè folio, ſive montanus umbellâ candidâ *C.B.P.* 150. Daucus Creticus ſemine hirſuto *I.B. tom.* 3. *l.* 27. 57. ANN.

yrrhis perennis, ſemine ſtriato, alba major odorata. *Moriſ. Umbell.* 44. Myrrhys major vel Cicutaria odorata C. B. P. 160. Myrrhis magno ſemine longo ſulcato *I. B. tom.* 3. *l.* 27. 77.

yrrhis perennis, alba minor foliis hirſutis, ſemine ſtriato aureo. *Moriſ. Umb.* 44. & 66.

dem foliis hirſutiſſimis *Moriſ. Umb.* 44. & 66.

*yrrhis ſylveſtris ſeminibus lævibus* C. B. P. *v.* Chærephyllum.

MYRTUS communis Italica *C.B.P.* 468.
Myrtus latifolia Romana C. B. P. 468.

Myrtus latifolia Belgica, fortè Romana *I. B. tom.* 1. *l.* 5. 512.

yrtus latifolia Boetica 1. vel foliis Laurinis

*C.B.P.* 469. Myrtus Boetica latifolia do-
ſtica *I. B. tom.* 1. *l.* 5. 511.
Myrtus latifolia Belgica *C. B. P.* 469. My-
vulgaris *I. B. tom.* 1. *l.* 5. 510.
Eadem foliis in acumen luteum deſinent-
Myrtus foliis odore Nucis moſchatæ, caul-
rubentibus, vulgò odore Citri *Schuyl. Ca-*
Myrtus flore pleno *Corn.* 203.
Myrtus folio Buxi. *Schuyl. Cat.* 49.
Myrtus balſamica, folio mali Granatæ.

Tres perpulchras Myrti varietates n-
in Angliâ detectæ ſunt curâ Dni W-
Myrtus foliis Buxi contortis, minima -
ſplendentibus, & balſamica foliis mali -
natæ, quæ à congeneribus diſtinguit-
liis, facie mali Granatæ, craſſiuſculis, -
guibus, lucidis.

Myrtus foliis minimis & mucronatis. C-
469. vulgò Rorismarini foliis *Schuyl.*
49. Myrtus anguſtifolia minor. *I. B. to-*
*l.* 5. 513.
Myrtus minor vulgaris. *C. B. P.* 469. M-
Tarentina *I. B. tom.* 1. *l.* 5. 512.
Eadem foliis ex luteo variegatis.
Myrthus Africana humilis, foliis Myrtil-
natis, cauliculis nigricantibus. Frute-
thiopicus baccifer, foliis Myrtilli *I*-
*Cent.* 1. 9.
Myrtus Zeylanica odoratiſſima, baccis -
monococcis. Maranda Zeylanenſibus -

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*MYRTUS ZEYLANICA ODORATISSIMA, BACCIS NIVEIS MONOCOCCIS.*



Myrtus Zeelanicus

Locis glareoſis & ſabuloſis Inſulæ Ze
lan frequens eſt hoc ſpecioſiſſimum M
genus, quod fragranti ſuo Citrato od
prætereuntibus ſeſe commendat. To
verò habitu Myrtum pleno flore Canaden
ſem Cornuti æmulatur; Ligno eſt can
diſſimo nitido Eboris inſtar, ſolido pon
roſo; Cortice ſcabro tenui; Ramis nu
roſis, fornicato ambitu perpulchrè orbi
latis; Foliis rigidis mucronatis digi
longis, jucundo viridi levore nitenti
odore Citri fragrante, ſapore aromatic
viter adſtringente. Ad ſummos ramos p
deunt urceoli candidi diaphani globoſi, fl
rum Unedonis inſtar, è quorum umb
profluunt innumera apiculata concol
ſtamina. His emarcidis urceoli tranſeun
baccas Piſi majoris magnitudine, moll
las, niveas, dulcis aromatici ſaporis, in
dentes acinum unicum fuſcum anguloſ
Baccas pueruli eſitant. Foliorum de
ctum, obſervatâ tenui diætâ, Luem Ga
cam vigoroſè expugnat. Lignum ad ca
ſcrinia aliaquè utenſilia expetitur.

*Myxa domeſtica I. B. v.* Sebeſtena.

## N.

*Napellus ejuſquè ſpecies C. B. P. v.* A
nitum.

NAPUS ſativa *C. B. P.* 95. Napus ſativus Bunias *Moriſ. Hiſt.* 2. 114. Napus *I. B. tom.* 2. *l.* 21. 842. ANN.

ſapus ſylveſtris. *C. B. P.* 95. *Moriſ. Hiſt.* 2. 114. *I. B. tom.* 2. *l.* 21. 843. ANN.

*apobraſſica* C. B. P. *v.* Braſſica.

NARCISSUS albus, magno odorato flore, circulo pallido *C. B. P.* 48. Narciſſus medio-purpureus, magno flore: folio latiore *I. B. tom.* 2. *l.* 19. 601.

ırciſſus niveus odoratus, circulo rubello *C. B.* ?. 48. Narciſſus medio-purpureus minor *I. B. tom.* 2. *l.* 19. 601.

rciſſus albus, circulo purpureo *C. B. P.* 48. Narciſſus flore ſimplici uno, medio purpureo *Moriſ. Hiſt.* 2. 361. Narciſſus medio-purpureus. *I. B. tom.* 2. *l.* 19. 600.

rciſſus albus, circulo croceo vel luteo *C. B.* ?. 49. Narciſſus medio croceus tenuifolius . *B. tom.* 2. *l.* 19. 602.

rciſſus albus circulo croceo minor *C. B. P.* 49. Narciſsus medio-purpureus minor. *I. B. tom.* 2. *l.* 19. 601.

rciſſus Orientalis major polyanthos totus lbus Eyſt. *Moriſ. Hiſt.* 2. 362. Narciſſus Drientalis major albus *C. B. P.* 49.

m medius. Narciſſus Orientalis medius alus. *C. B. P.* 49.

Narciſſus Orientalis albus, calice ſtellato c[illegible] *P.* 49.

Narciſſus totus albus major C. B. P. 49. Narciſſus cum pluribus floribus totus albus, ma[illegible] jor. I. B. *tom.* 2. *l.* 19. 606.

Idem minor C. B. P. 49. Narciſſus foliis c[illegible] dicantibus cum pluribus floribus totus al[illegible] bus, minor I. B. *tom.* 2. *l.* 19. 606.

Narciſſus albus flore minore, jaſmini od[illegible] C. B. P. 50.

Narciſſus Orientalis albus, calice luteo, ca[illegible] panulæ ſimili maximus C. B. P. 50. Narci[illegible] campanularis vulgò.

Narciſſus Orientalis albus calice luteo me[illegible] C. B. P. 50.

Narciſſus Orientalis albus, calice luteo mi[illegible] C. B. P. 50.

Narciſſus Orientalis calice aureo, pluribus [illegible] liolis pleno, ſeu pluribus foliolis tortil[illegible] pleno C. B. P. 50.

Narciſſus pallidus medio-croceus C. B. P. [illegible] Narciſſus medio-luteus Piſanus, plures [illegible] res ferens. I. B. *tom.* 2. *l.* 19. 608.

Narciſſus pallidus medio-aureus *C. B. P.* 50

Narciſſus albus, circulo croceo polyant[illegible] C. B. P. 50. Narciſſus medio-croceus ſer[illegible] nus cum aliquot floribus I. B. *tom.* 2. *l.* [illegible] 604.

Narciſſus pallidus, circulo luteo C. B. P. [illegible] Narciſſus albidus medio-luteus cum aliq[illegible]

fl[illegible]

floribus *I. B. tom.* 2. *l.* 19. 504.
rciſſus pallidus, circulo aureo alter C. B. P. 50. Narciſſus pallido flore medio-aureus I. B. *tom.* 2. *l.* 19. 607.
rciſſus ſerotinus montanus Muſart dictus *Fer. Fl. Cult.* 113. Flore niveo, calice croceo fimbriato.
rciſſus medio-luteus, copioſo flore, odore gravi *C. B. P.* 50. Narciſſus Conſtantinopolitanus minor, calyce fimbriato medio-croceus Eyſt. *Moriſ. Hiſt.* 2. 392. Narciſſus multos ferens flores, medio luteus Narbonenſis *I. B. tom.* 2. *l.* 19. 603.
rciſſus medio-luteus, majoribus floribus C. B. P. 50. Narciſſus plures ferens flores majores præcocior, medio-luteus *I. B. tom.* 2. *l.* 19. 603.
rciſſus niveus, calyce flavo, odoris fragrantiſſimi C. B. P. 50.
rciſſus luteus polyanthos Luſitanicus *C. B. P.* 50. Narciſſus de Argiers polyanthos totus luteus Eyſt. *Moriſ Hiſt.* 2. 362.
rciſſus anguſtifolius flavus, magno calice C. B. P. 51. Narciſſus juncifolius flavus amplo calice *I. B. tom.* 2. *l.* 19. 608.

rciſſus juncifolius oblongo calice luteus major C. B. P. 55. Narciſſus major juncifolius Eyſt. *Moriſ. Hiſt.* 2. 362. Narciſſus juncifolius, flore luteo I. B. *tom.* 2. *l.* 19. 607.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Narciſſus juncifolius luteus minor C. B. P.
*Moriſ. Hiſt.* 2. 362. *I. B. tom.* 2. *l.* 19. 607.

Narciſſus juncifolius, flore pallidiore cal
flavo C. B. P. 51. Narciſſus anguſtifolius
nor, flore pallido *I. B. tom.* 2. *l.* 19. 609.

Narciſſus juncifolius, flore rotundo Ro
C. B. P. 51.

Narciſſus juncifolius totus albus C. B. P.
Narciſſus juncifolius omnino albus, cal
oblongo I. B. *tom.* 2. *l.* 19. 598.

Narciſſus latifolius maximus albus, calice b
vi luteo C. B. P. 51. *Hiſt. Moriſ.* 2. 362.

Narciſſus latifolius, pallidus calice amplo
aureo, caule ſtriato C. B. P. 51.

Idem calice amplo alter C. B. P. 52.

Narciſſus latifolius ſulphureus vel albus, bre
calice C. B. P. 52.

Narciſſus maximus pallidè luteus C. B. P. 52.

Narciſſus ſubflavus, tubo ſexangulo C. B. P. 5
*Moriſ. Hiſt.* 2. 362.

Narciſſus flavus, tubo rotundo *C. B. P.* 52.

Narciſſus albus, tubo luteo *C. B P.* 52.

Narciſſus latifolius pallidus, calice longo a-
reo creanto *Moriſ. Hiſt.* 2. 362. Narciſſus a
bus, calice flavo Moſcari odore *C. B. P.* 52

Idem alter C. B. P. 52. Præcocior.

Narciſſus ſylveſtris pallidus, calice luteo C.
*P.* 52. *Moriſ. Hiſt. Ic.* Bulbocodium vulg-
tis

tius *I. B. tom.* 2. *l.* 19. 593.

Narciſſus major totus luteus, calice prælongo *C. B. P.* 52. Bulbocodium Hiſpanicum *I. B. tom.* 2. *l.* 19. 594.

Narciſſus totus luteus, foliis florum reflexis *C. B. P.* 53.

Narciſſus parvus totus luteus *C. B. P.* 53. Bulbocodium minus *I. B. tom.* 2. *l.* 19. 59. Calice ſimplici.

Idem calice pleno. Narciſſus minor luteus, calice oblongo pleno *Cat. Hort. Reg. Pariſ.* 127. Pſeudonarciſſus pleno flore *Fer. Flor. Cult.* 110.

Narciſſus albus, oblongo calice *C. B. P.* 53. Pſeudonarciſſus albo flore Cluſii *I. B. tom.* 2. *l.* 19. 597. Altior flore longiore & tubo anguſtiore *C. B. P. Var.* 53.

Idem humilior, flore breviore & tubâ laxiore *C. B. P. Var.* 53.

Narciſſus albus, foliis reflexis, calice brevi aureo *Cat. Hort. Reg. Pariſ.* 127.

Narciſſus totus albus petalis reflexis *Moriſ. Hiſt.* 2. 263. Narciſſus anguſtifolius albus, calice oblongo floreque reflexo *C. P. B.* 53. Narciſſus foliis floris albis, oblongo calice luteo *I. B. tom.* 2. *l.* 19. 597.

Narciſſus minimus, calice amplo plano *Moriſ. Hiſt.* 2. 422. Narciſſus montanus juncifolius, calice flavo *C. B. P.* 53. Bulbocodium tenuifolium, flore luteo *I. B. tom.* 2. *l.* 19. 596.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Narciſſus montanus alter, flore fimbriato (
*B. P.* 53. Bulbocodium tenuifolium aliuc
flore luteo fimbriato I. B. *tom.* 2. *l.* 19. 597.

Narciſſus juncifolius omnium minimus, flor
omnino albo, calice fimbriato *Moriſ. Hiſt.*
421. Narciſſus montanus albus minimus (
*B. P.* 53. Bulbocodium minimum tenuifc
lium album *I. B. tom.* 2. *l.* 19. 598.

Narciſſus montanus juncifolius, calice aure
C. B. P. 53. *Moriſ. Hiſt.* 2. 363.

Narciſſus minimus, calice pleno, petalis fe
reflexis luteis *Moriſ. Hiſt.* 2. 422. Narciſſu
montanus coronatus C. B. P. 53. Bulboco
dium minimum coronatum *I. B. tom.* 2.
19. 596.

Narciſſus Orientalis flore multiplici & plen
albo luteo C. B. P. 53. *Moriſ. Hiſt.* 2. 363.

Narciſſus Conſtantinopolitanus polyantho
major, melino pleno flore *Cat. Hort. Reg*
*Par.* 128.

Narciſſus latifolius albus medio-luteus C. B. 1
53. Narciſſus cum pluribus floribus pleni
corollâ luteâ I. B. *tom.* 2. *l.* 19. 605.

Narciſſus albus coronâ multiplici luteâ *C. B.* 1
53. Narciſſus amplo flore, coronâ aure
plenâ I. B. *tom.* 2. *l.* 19. 605.

Narciſſus bulbo anguloſo C. B. P. 54. Narciſſu
Conſtantinopolitanus, quem Ziden Sari vo
cant I. B. *tom.* 2. *l.* 19. 606.

Na

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Narciſſus multiplex totus flavus *C.B. P.* 54. *Moriſ. Hiſt.* 2. 363.

Narciſſus incomparabilis flore pleno, partim flavo, partim croceo *Cat. Hort. Reg. Par.* 127.

Narciſſus totus niveus multiplex C. B. P. 54. *Moriſ. Hiſt.* 2. 363. Narciſſus flore ſingulari albo pleno I. B. *tom.* 2. *l.* 19. 602.

Narciſſus ſylveſtris multiplex, calice carens C. B. P. 54. *Moriſ. Hiſt.* 2. 363. Bulbocodium flore pleno *I. B. tom.* 2. *l.* 19. 594.

Idem involucro incluſus permanens C. B. P. *Var.* 54. Seu flore clauſo vireſcente *Schuyl. Cat. Lugd.* 49.

Narciſſus flore pleno variegato C. B. P. 54. *Moriſ. Hiſt.* 2. 363.

Narciſſus luteus ſylveſtris duplici & triplici, tubo aureo C. B. P. 54. *Moriſ. Hiſt.* 2. 363.

Narciſſus luteus, tubo diviſo C. B. P. 54. Bulbocodii pleno flore ſpecioſum genus Venerii *I. B. tom.* 2. *l.* 19. 595.

Narciſſus latifolius luteus multiplex *C.B.P.* 54.

Narciſſus juncifolius aureus multiplex, Anemones formâ C. B. P. 54. Narciſſus juncifolius luteus, flore pleno Eyſt. *Moriſ. Hiſt.* 2. 363. Narciſſus Cyprius luteus polyanthes, flore pleno I. B. *tom.* 2. *l.* 19. 595.

Narciſſus maritimus C. B. P. 54. Lilionarciſſus albus maritimus minor *Moriſ. Hiſt.* 2. 365. Pancratium Monſpeſſulanum multis Scylla

alba

alba parva *I. B. tom.* 2. *l.* 19. 611.

Narciſsus Illyricus Liliaceus C. B. P. 55. Lili- narciſsus albus maritimus major *Moriſ. Hi* 2. 366. Pancratii Monſpeliani, vel Hem- rocallidis Valentinæ facie Lilio-narciſsu vel Narciſsus tertius Matth. I. B. *tom.* 2. 19. 613.

• *Narciſſus Indicus Liliaceus, ſaturo colore pu- puraſcens Fer.* v. Lilium.

*Narciſſus Indicus Liliaceus, diluto colore purp- raſcens Fer.* v. Lilium.

• *Narciſſus Indicus, flore Liliaceo Sphoericus Fe* v. Lilium.

*Narciſſus bifolius Promontorii Bonæ Spei.* Hæmanthus.

*Narciſſus Jacobeus latifolius Indicus.* v. Li- lium.

*Narciſſus Indicus totus ruber* C. B. P. v. Liliun

*Narciſſus ex albo rubeſcens C. B. P.* v. Lilium.

*Narciſſo-colchicum.* v. Colchicum.

*Nardus Celtica Dioſcoridis* C. B. P. v. Vale- riana.

*Narthecium Theophraſti* I. B. v. Ferula.

NASTURTIUM minimum annuum, flore al- bo *Moriſ. Hiſt.* 2. 221. Sium minimum *Proſ Alpin.* Exot. 321. An Siſymbrii Cardami- nes ſpecies quædam inſipida *I. B. tom.* 2. 21. 886. ANN.

* Naſturtium ſylveſtre tenuiſſimè diviſum ſe

Naſtur

Naſturtium μυελόφυλλον, flore luteo minimo *Moriſ. Hiſt.* 2. 223. Naſturtium ſylveſtre tenuiſſimè diviſum C. B. P. 105. Seriphium Germanicum, Sophia quibuſdam *I. B. tom.* 2. *l.* 21. 886. Foliis anguſtioribus C. B. P. *Var.* 105. Ann.

Idem foliis latioribus *C. B. P. Var.* 105. Ann.

Naſturtium pumilum Belgicum. Ann.

Naſturtium pratenſe, magno flore ſimplici *Moriſ. Hiſt.* 2. 223. Naſturtium pratenſe, magno flore C. B. P. 104. Iberis Fuchſi, ſive Naſturtium pratenſe I. B. *tom.* 2. *l.* 21. 889.

Idem flore prorſus albo C. B. P. *Var.* 104.

Naſturtium pratenſe, flore pleno C. B. P. 104. *Moriſ. Hiſt.* 2. 223. *Deſcr.* Iberis Fuchſii, ſive Naſturtium pratenſe, flore pleno *I. B. tom.* 2. *l.* 21. 889.

Naſturtium aquaticum ſupinum, flore albo *Moriſ. Hiſt.* 2. 223. Naſturtium aquaticum ſupinum C. B. P. 104. Siſymbrium Cardamine, ſive Naſturtium aquaticum I. B. *tom.* 2. *l.* 21. 884.

Naſturtium aquaticum majus & amarum *C. B. P.* 104. *Moriſ. Hiſt.* 2. 224. Siſymbrium Cardamine, ſive Naſturtium aquaticum *I. B. tom.* 2. *l.* 21. 884.

Naſturtium aquaticum majus & amarum *C. B. P.* 104. *Moriſ. Hiſt.* 2. 224. Siſymbrium Cardamine, ſive Naſturtium aquaticum, flore majore elatius I. B. *tom.* 2. *l.* 22. 885.

* Na-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Naſturtium aquaticum minus *C. B. P.* 104. *Moriſ. Hiſt.* 2. 224. Siſymbrium Cardamine hirſutum minus, flore purpureo *I. B. tom.* .. *l.* 21. 888.

Naſturtium Alpinum trifoliatum *Moriſ. Hiſt.* 2. 224. Naſturtium Alpinum trifolium *C. B.* .. 104. Iberidi Fuchſii affinis trifolia Cardamine *I. B. tom.* 2. *l.* 21. 800.

NASTURTIUM vulgare, ſive hortenſe tenuiter diviſum *Moriſ. Hiſt.* 2. 300. Naſturtium hortenſe vulgatum *C. B. P.* 102. Naſturtium vulgare *I. B. tom.* 2. *l.* 22. 912. ANN.

Naſturtium hortenſe latifolium *C. B. P.* 10.. *Moriſ. Hiſt.* 2. 301. ANN.

Naſturtium hortenſe criſpum latifolium *Moriſ. Hiſt.* 2. 301. *C. B. P.* & *Var.* 104. Naſturtium criſpum *I. B. tom.* 2. *l.* 22. 913. ANN.

Idem anguſtifolium *C. B. P. Var.* 104. ANN.

*Naſturtium pumilum vernum *C. B. P.* 10.. *Moriſ. Hiſt.* 2. 301. ANN.

*Naſturtium ſylveſtre, Oſyridis folio, capſulis minimis *Moriſ. Hiſt.* 2. 301. Naſturtium ſylveſtre, Oſyridis folio *C. B. P.* 105. Thlaſpi anguſtifolium Fuchſi, Naſturtium ſylveſtre *I. B. tom.* 2. *l.* 22. 914. ANN.

Naſturtium ſylveſtre, Erucæ affine *Moriſ. Hiſt.* 2. 301. *C. B. P.* 105. Naſturtium ſylveſtre Valentinum Cluſio *I. B. tom.* 2. *l.* 22. 9.. ANN.

Naſturtium verrucoſum, capſulâ bivalvi aſperâ ſeu hirſutâ *Moriſ. Hiſt.* 2. 302. Ambroſia campeſtris repens *C. B. P.* 138. Coronopus Ruellii, ſive Naſturtium verrucoſum *I. B. tom.* 2. *l.* 22. 919. ANN.

*Naſturtium Indicum majus* C. B. P. *v.* Viola Indica.

*Nejemelimſalib* I. B. *v.* Gramen.

*Nepa quibuſdam* I. B. *v.* Geniſta.

*Nepeta ejuſquè ſpecies* C. B. P. *v.* Calamintha.

NERION floribus rubeſcentibus C. B. P. 464. Nerium, ſive Rhododendron, flore rubro *I. B. tom.* 2. *l.* 15. 140. Oleander vulgò.

Nerion floribus albis C. B. P. 464. Nerion ſive Rhododendron flore albo *I. B. tom.* 2. *l.* 15. 140.

Nerion Indicum anguſtifolium, floribus odoratis ſimplicibus.

Huic ſunt folia anguſta, flores incarnati, nonnunquam rubentes, odoris grati, cœtera vulgari Nerio omnino paria. In Belgiam advexit Vir Nobiliſſimus DNS de Reede cui ob publica in Rem Botanicam merita immenſum debet noſter orbis.

Nerion Indicum latifolium, floribus odoratis plenis.

Vulgare Nerium per omnia æmulatur, niſi

NERIUM INDICUM ANGUSTIFOLIUM FLORIBUS ODORATIS SIMPLICIBUS.



ERIUM INDICUM LATIFOLIUM, FLORIBUS PLENIS ODORATIS.



niſi quod flores multiplici petalorum ſ[illegible]
ſint conſtructi, ad amplitudinem R[illegible]
Moſchatæ, coloris incarnati, propiti[illegible]
cœlo, dilutè rubelli, odoris ſuaviſſimi [illegible]
quem de collo geſtantur ab Indis. Colit[illegible]
hortis Zeylonenſium aliorumquè Or[illegible]
talium, ex quibus hûc transferri cur[illegible]
Illuſtriſſimus Beverningius, in cujus [illegible]
diſſimo viridario inter cœtera ornam[illegible]
luxuriat.

*Nerium Alpinum ejuſquè ſpecies I. B.* [illegible]
Ciſtus.

NICOTIANA major latifolia C. *B.* P. [illegible] *Moriſ. Hiſt.* 2. 492. Nicotiana major[illegible] Tabacum majus *I. B. tom.* 3. *l.* 34. [illegible] ANN.

Nicotiana major lato & rotundofolio. Py[illegible] ſeu Tabacum *Hernand.* 173. ANN.

Nicotiana major anguſtifolia C. *B.* P. 170. [illegible]*riſ. Hiſt.* 2. 492. Nicotiana ſive Taba[illegible] folio anguſtiore *I. B. tom.* 3. *l.* 34. [illegible] ANN.

Nicotiana minor C. *B.* P. 170. *Moriſ. Hiſt.* 2. [illegible] Nicotiana latifolia, ſeu folio ſubrotu[illegible] minor, capſulâ rotundâ Priapi formâ, f[illegible] bus luteis, minoribus, foliis rotundis, ol[illegible] re virentibus, glutinoſis *Moriſ. Hiſt.* 2. [illegible] Priapeja quibuſdam Nicotiana minor [illegible] *tom.* 3. *l.* 34. 630. ANN.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

NIGELLA arvenſis cornuta *C. B. P.* 145. Melanthium ſylveſtre, ſive arvenſe *I. B. tom.* 3. *l.* 26. 205. ANN.

Nigella latifolia, flore majore ſimplici cœruleo *C. B. P.* 145. ANN.

Nigella anguſtifolia, flore majore ſimplici cœruleo *C. B. P.* 145. Melanthium capite & flore majore *I. B. tom.* 3. *l.* 26. 207. ANN.

Nigella flore majore pleno cœruleo *C. B. P.* 145. Melanthium capite vel calice & flore majore pleno *I. B. tom.* 3. *l.* 26. 209. ANN.

Nigella flore minore ſimplici candido *C. B. P.* 145. Melanthium calice & flore minore ſemine nigro & luteo *I. B. tom.* 3. *l.* 26. 208. ANN.

Nigella flore minore pleno & albo *C. B. P.* 146. Melanthium capite minore, flore multiplicato *I. B. tom.* 3. *l.* 26. 209. ANN.

*Nigellaſtrum vulgò.* v. Lychnis.

*Nil Arabum I. B.* v. Convolvulus.

*Nocheznopalli Hernand.* v. Ficus.

*Noli me tangere vulgo.* v. Balſamine.

NUMMULARIA lutea major *C. B. P.* 309. Nummularia major, flore luteo *Moriſ. Hiſt.* 2. 567. Nummularia ſive Centimorbia *I. B. tom.* 3. *l.* 229. 370.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Nummularia minor, flore purpuraſcente (
P. 309. *Moriſ. Hiſt.* 2. 567. Nummularia
bra I. B. *tom.* 3. *l.* 29. 371.
*Nux Avellana vulgò.* *v.* Corylus.

NUX JUGLANS, ſive Regia vulgaris
P. 417. Nux juglans I. B. *tom.* 1. *l.* 3.
Nux juglans, fructu maximo C. B.
417.
Nux juglans, fructu tenero, fragili putam
C. B. P. 417.
Nux juglans, fructu ſerotino *C. B. P.* 417
Nux juglans Virginiana nigra.

Caudice vaſto, cortice per ſenium
co, lignoquè nitido & criſpatim undu
Nuci juglandi Europææ haud abſimilis
Foliis autem anguſtioribus brevioribus
ambitum leviter crenatis, ſuperficie
nihil rugoſa, odorequè debiliori. Fl
quoque & julos, quos quidem hacte
nondum licuit conſpicere, nec quicq
à vulgari diſcrepare accepi. Nuces à
verendiſſimo Epiſcopo Londinenſi n
tranſmiſſæ, Nucem juglandem com
nem adæquant, duplici tectæ m
mento, exteriori craſſo fungoſo vi
interiori ligneo nonnihil depreſſo,
riſſimo, craſſiſſimo, nigricante,
bribus profundiſquè ſulcis ſeu ſcrobi

NUX JUGLANS VIRGINIANA NIGRA.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

per longitudinem inſcripto, & ex duab
carinis preſſiſſimè junctis, nullâ apparer
commiſſurâ, compacto. Nucleus inclui
tur dulcis, edulis, quadripartitus, jugla
di nuci per omnia ſimilis, intercuſſate
tamen membranâ lignoſâ, durâ, cra
Patriam agnoſcit Virginiam, ex quâi
Angliam indequè in Belgiam eſt ad
cta.

*NYMPHÆA alba major *C. B. P.* 193. Ny
phæa alba *I. B. tom.* 3. *l.* 28. 771.

*Nymphæa alba minor *C. B. P.* 193. *I. B. tom*
*l.* 38. 773.

*Nymphæa alba minima *C. B. P.* 193. Ny
phæa minor, ſive Morſus ranæ *I. B. tom*
*l.* 38. 773.

*Nymphæa lutea major *C. B. P.* 193. N
phæa lutea *I. B. tom.* 3. *l.* 38. 771.

*Nymphæa lutea minor, parvo flore *C. B*
193. Nymphæa minor lutea *I. B. tom.*
38. 772.

O.

O*chrus folio integro, capreolos emit*
*te C. B. P. v.* Lathyrus.

C

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Ocimum latifolium maculatum, vel criſpum *C.B.P.* 225. Ocymum Sancto, Mauritanum, latum, criſpum, maximum *I. B. tom.* 3. *l.* 28. 249. Baſilicum vulgò. Ann.

cimum viride, foliis bullatis *C. B. P.* 225. Ann.

cimum foliis fimbriatis viridibus *C.B.P.* 225. Ann.

dem foliorum fimbriis ad Endiviam accedentibus maximum. Ann.

cimum Caryophyllatum maximum *C. B. P.* 225. Ocimum Ægyptium, longioribus foliis, Rihau dictum *I. B. tom.* 3. *l.* 28. 250. Ann.

cimum Caryophyllatum majus *C. B. P.* 226. Ocimum odoratum, ſive Baſilicum *I. B. tom.* 3. *l.* 28. 245. Ann.

cimum Citri odore *C. B. P.* 226. Ocimum magnum *I. B. tom.* 3. *l.* 28. 246. Ann.

cimum vulgatius *C. B. P.* 226. *I. B. tom.* 3. *l.* 28. 247. Ann.

cimum foliis ex nigro vireſcentibus, flore albo *Cat. Hort. Reg. Par.* 131. Ann.

em violaceo flore *Cat. Hort. Reg. Par.* 131. Ann.

cimum nigrum majus, acuto Rutæ odore. Ann.

mum medium criſpum, conglomeratâ brevique ſpicâ *Cat. Hort. Reg. Pariſ.* 131. Ann.

Idem bullatis foliis *Cat. Hort. Reg. Par.*
131. Ann.

Ocimum tricolor *Cat. Hort. Reg. Par.* 1
Ann.

Ocimum anguſtifolium, foliis ſerratis. Ann.

Ocimum minimum *C. B. P.* 226. *I. B. tom.* 3 *l.*
28. 247. Ann.

Idem criſpum Brunſf. Ann.

*Oculus Criſti* I. B. *v.* Aſter.

*Ocymaſtrum vulgò. v.* Lychnis.

*Ocymaſtrum verrucarium I. B. v.* Circæa.

*Ocymaſtrum Valentinum Cluſii vulgò, v.* M
rubium.

*Ocymoides ejuſquè ſpecies* C. B. P. & I. B. *v.* L
chnis.

*Ocymoides repens montanum* C. B. P. *v.* L
chnis.

*Odontis quibuſdam I. B. v.* Lychnis.

OENANTHE Apii folio maxima, ſucco,
roſo, Cicutæ facie *Moriſ. Umbell.* 16.
20. Oenanthe Cherephylli foliis *C.B.P.* 1

Eadem latiori folio Cretica prolifera. Oena-
the prolifera Apula *C. B. P.* 163.

Oenanthe Apii folio, caule firmiori *Mor.*
*Umbell.* 16. Oenanthe Apii folio *C. B.*
162. Oenanthe ſive Filipendula Monſpe-
ſulana, folio Apii *I. B. tom.* 3. *l.* 27. 190.

Eadem caule flexuoſo & fiſtuloſo *Moriſ. U-
bell.* 16.

Oenanthe aquatica *C. B. P.* 162. Oenanthe, ſive Filipendula aquatica *I. B. tom.* 3. *l.* 27. 191. Radice bulbillis donatâ.

Eadem radice bulbillis carente *C. B. P. Var.* 162. An Oenanthe ſive Filipendula folio Rutæ *I. B. tom.* 3. *l.* 27. 192.

Oenanthe Millefolii aquatici foliis *Moriſ. Hiſt.* 16. Daucus pratenſis, Millefolii paluſtris folio *C. B. P.* 150.

*Oenanthe Hederæ foliis C. B. P. v.* Ranunculus.

*Oenanthe Myconii I. B. v.* Ranunculus.

OLEA ſativa *C. B. P.* 472. *I. B. tom.* 1. *l.* 6. 1.

Olea maxima Hiſpanica *C. B. P.* 472.

Olea ſylveſtris, folio duro ſubtus incano *C. B. P.* 472. Oleaſter, ſive Olea ſylveſtris *I. B. tom.* 1. *l.* 6. 21.

Olea ſylveſtris, folio molli incano *C. B. P.* 472. Zizyphus Cappadocia, quibuſdam Olea Bohæmica *I. B. tom.* 1. *l.* 6. 27.

*Oleander ejuſquè ſpecies vulgò. v.* Nerium.

ONOBRYCHIS major perennis, ſiliculis articulatis aſperis clypeatis rectà jùnctis, flore ruberrimo *Moriſ. Hiſt.* 2. 129. Onobrychis ſemine clypeato aſpero major *C. B. P.* 350. Aſtragalus Romanus, ſive Hedyſarum clypeatum ſiliquâ aſperâ *I. B. tom.* 3. *l.* 17. 315.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Eadem flore albo *Moriſ. Hiſt.* 2. 129. *Bocco.*
*Epiſt.*

Onobrychis major annua, ſiliculis articulat
aſperis clypeatis undulatim, id eſt, antro-
ſum & retrorſum junctis flore purpuro ru-
bente *Moriſ. Hiſt.* 2. 130. ANN.

Onobrychis annua Zeylanica, Mimoſæ folii
ſiliquis articulatis aſperis major. Mimo
non ſpinoſa major Zeylanica *Breyn. Cen*
51. ANN.

Eadem minor. ANN.

Onobrychis major perennis Canadenſis tri-
phylla, ſiliculis articulatis aſperis triangu-
laribus *Moriſ. Hiſt.* 2. 130. Hedyſarum tri-
phyllum Canadenſe *Corn.* 44.

Onobrychis major, ſiliculis echinatis criſtat
in ſpicâ digeſtis *Moriſ. Hiſt.* 2. 131. Onobry-
chis foliis Viciæ, fructu echinato majo
*C. B. P.* 350. Polyganon Geſneri *I. B. tom.*
2. *l.* 17. 315.

Onobrychis minor, ſiliculis echinatis, criſta-
tis, majoribus & craſſioribus aculeis præd-
tis, donata *Moriſ. Hiſt.* 2. 131. Onobrychi
fructu echinato minor *C. B. P.* 350.

Onobrychis flore cœruleo, ſiliculis hirſutis ſe
aſperis, ad imum Platani pilulæ modo jun-
ctis *Moriſ. Hiſt.* 2. 133. Glyzyrrhiza capit
echinato *C. B. P.* 352. Glyzyrrhiza Dioſco-
ridis echinata, non repens *I. B. tom.* 2. *l.* 1
327.

On-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Onobrychis ſpicata, floribus pallidis, nigris radiis notatis* C. B. P. *v.* Aſtragalus.
*Onobrychs arvenſis C. B. P. v.* Campanula.
*Onobrychis pentagonia peregrina perfoliata, folio rotundiori Hort. Reg. Par. v.* Campanula.
*Ononis. v.* Anonis.
*Onopordum I. B. v.* Carduus.

OPHIOGLOSSUM vulgatum C. B. P. 187. Ophiogloſſon *I. B. tom.* 3. *l.* 35. 708.
*Ophioſcorodon quibuſdam I. B. v.* Allium.
*Ophris bifolia C. B. P. v.* Orchis.
*Ophris minima C. B. P. v.* Orchis.
*Opuntia, ejuſquè ſpecies. v.* Ficus.
*Oquichtli Cocaxochitl Hern. v.* Tagetes.

ORCHIS ſeu Cynoſorchis latifolia, hiante cucullo major *C. B. P.* 80. Cynoſorchis galeâ & alis ferè cinereis *I. B. tom.* 2. *l.* 19. 735.
Orchis ſeu Cynoſorchis latifolia, hiante cucullo altera C. B. P. 81. Cynoſorchis prior Dodonæi *I. B. tom.* 2. *l.* 19. 759.
Orchis morio Mas, foliis maculatis C. B. P. 81. Orchis major tota purpurea, maculoſo folio *I. B. tom.* 2. *l.* 19. 763.
Orchis morio Fœmina *C. B. P.* 82. Orchis minor purpurea cum alis virentibus *I. B. tom.* 2. *l.* 19. 761.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

* Eadem flore niveo *Cat. Hort. Reg. Par.* 13
* Eadem flore roſeo *Cat. Hort. Reg. Par.* 13
Eadem flore verſicolore *Cat. Hort. Reg. Pa-riſ.* 132. Exalbo & rubro variegato.

Orchis flore nudi hominis effigiem repræſe-tans, Mas C. B. P. 82. Orchis antropopho-, Oreades altera *Columm. Ecphr.* 316.

Orchis flore nudi hominis effigiem repræſe-tans, Fœmina C. B. P. 82. Orchis antroph-ra, Oreades *Columm. Ephr.* 318.

Orchis barbata, odore hirci, breviore latior-què folio *C. B. P.* 82. Orchis barbata fœti-I. B. *tom.* 2. *l.* 19. 754.

* Orchis alba bifolia minor, calcare oblongo *B. P.* 83. Orchis alba, calcari longo *I. B. to-* 2. *l.* 19. 771.

Orchis muſcæ corpus referens minor, vel g-leâ & alis herbidis *C. B. P.* 83. Orchis my-des, galeâ & alis herbidis *I. B. tom.* 2. *l.* 1-757.

Orchis fucum referens major, foliolis ſup-rioribus candidis, & purpuraſcentibus *C.* *P.* 83. Orchis fuciflora, galeâ & alis purp-raſcentibus I. B. *tom.* 2. *l.* 19. 756.

Orchis muſcam referens lutea *C. B. P.* 82. O-chis myodes lutea *I. B. tom.* 2. *l.* 19. 768.

Orchis apem referens Luſitanica *Breyn. Cen.* 1. 98.

Orchis muſcam majorem cœruleam repræſe-tans *Breyn. Cent.* 1. 100.

Orch

Orchis ſcarabæum exprimens *Breyn. Cent.* 1. *Breyn. Cent. Ic.* 45.

Orchis ſpiralis alba odorata I. B. *tom.* 2. *l.* 19. 769. Triorchis alba odorata *C. B. P.* 84.

Orchis Lilifolia minor Zabuletorum Zelandiæ & Bataviæ *I. B. tom.* 2. *l.* 19. 770.

Orchis palmata pratenſis latifolia, longis calcaribus C. B. P. 85. Palmata non maculata I. B. *tom.* 2. *l.* 19. 774.

Orchis palmata pratenſis maculata *C. B. P.* 85. Palmata maculata *I. B. tom.* 2. *l.* 19. 775.

Orchis palmata paluſtris latifolia C. B. P. 86. Palmata ſive Serapias paluſtris latifolia, flore albo ſubpurpuraſcente I. B. *tom.* 2. *l.* 19. 775.

Orchis bifolia, herbaceo flore major. Ophris bifolia *C. B. P.* 87. Bifolium majus, ſive Orchis major quibuſdam I. B. *tom.* 2. *l.* 31. 533.

Eadem minima. Ophris minima C. B. P. 87. Bifolium minimum *I. B. tom.* 2. *l.* 31. 534.

OREOSELINUM *Moriſ. Umb.* 41. Apium montanum, folio ampliore C. B. P. 153. Apium montanum Dalechampii I. B. *tom.* 3. *l.* 27. 103.

ORIGANUM ſylveſtre: Cunila bubula Plinii C. *B.* P. 223. Origanum vulgare ſpontaneum I. *B. tom.* 3. *l.* 28. 236.

Origanum ſylveſtre album C. B. P. 223.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Origanum ſylveſtre, foliis variegatis *Suthe[r]*
*Cat.* 253.

Origanum Heracleoticum: Cunila gallinac[ea]
Plinii *C. B. P.* 223. Origanum Heracleo[ti]cum Matthioli, aliis fortè Creticum *I.[B.]*
*tom.* 3. *l.* 28. 257.

Origanum Onites *C. B. P.* 223. Origanum Mo[n]ſpelienſium pulchrum Camerarii *I. B. to[m.]*
3. *l.* 68. 238.

Origanum montis Sipyli.

Perpulchrum hoc Origanum, Sipy[li] montis incola, nunc quoquè ſedem fix[it] in noſtro Horto. Hujus radicula, numer[o]ſis fibrata capillamentis, emittit caulicul[os] ramoſos dodrantales nonnunquam alti[o]res, quadrangulos infrâ ſubhirſutos & pu[r]puraſcentes, ſuprà glabros, in glauco vir[i]dantes. Hos veſtiunt foliola, bina ex a[d]verſo, Origano vulgari minora, gracilio[ra] glauca, glabra, penes radicem nonnih[il] hirſuta, odoris jucundi languidi. Ramo[]rum ſummitates gracileſcunt in capitu[la] ſquamoſa ex parvis foliolis, preſſius inv[i]cem junctis, & Dictamni Cretici aceta[]bula mentientibus, compacta, è quibu[s] exeunt floſculi purpurei quinquifidi Or[i]gano ampliores cum prominentibus ſt[a]minibus longulis concoloribus. Semina ſ[e]quuntur quaterna fuſca in utriculis ex [un]guis quinquifidis apertis more congen[e]run

RIGANUM MONTIS SIPYLI.



Origanum sipylum.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

rum. Quamvis tenella hæc planta per a… ſciſſos ramulos de facili propagetur, … tamen imbribus & cœleſtibus injuriis … nùs oportuna diligentem expoſcit cult… ram.

*Origano cognata* C. B. P. *v.* Majorana.

*Origanum fiſtuloſum Canadenſe Corn. v.* Clin… podium.

ORLEANA ſeu Orellana folliculis lapp… ceis. Urucu *Piſon. l.* 4. 133. Achio… ſeu Medicina tingendo apta. *Hern.* 74.

ORNITHOGALUM umbellatum maximu… Arabicum, umbilico interiore nigro *M… riſ. Hiſt.* 2. 378. Ornithogalum umbellatu… maximum *C. B. P.* 69. Lilium Alexandr… num, ſive Ornithogalum magnum Syri… cum *I. B. tom.* 2. *l.* 19. 629.

*Ornithogalum umbellatum minus candidu… vulgare *Moriſ. Hiſt.* 2. 378. Ornithogalu… umbellatum medium anguſtifolium C. B. … 70. Ornithogalum pallido flore *I. B. tom.* … *l.* 19. 625.

Ornithogalum ſpicatum maximum, floribu… albis innumerabilibus *Moriſ. Hiſt.* 2. 378. O… nithogalum latifolium & maximum C. B. … 70. Ornithogalum maximum, floribus pro… ſus niveis *I. B. tom.* 2. *l.* 19. 628.

Ornithogalum ſpicatum majus anguſtifoliu…

flo…

floribus exalbo vireſcentibus *Moriſ. Hiſt.* 2. 379. Ornithogalum anguſtifolium majus, floribus exalbo vireſcentibus C. B. P. 70. Aſphodelus bulboſus Dodon, ſive Ornithogalum flore virente *I. B. tom.* 2. *l.* 19. 627.

rnithogalum ſpicatum majus, lacteo flore *Moriſ. Hiſt.* 2. 379. Ornithogalum majus ſpicatum, flore albo C. B. P. 70. Ornithogalum ſpicatum, albo flore Monſpeſſulanum *I. B. tom.* 2. *l.* 19. 628.

rnithogalum ſpicatum majus Pannonicum, flore albo; lineâ viridi in dorſo prædita *Moriſ. Hiſt.* 2. 379. Ornithogalum ſpicatum, flore viridi lacteſcente C. B. P. 70.

nithogalum exoticum, ſeu Neapolitanum flore minore, majori innato *Moriſ. Hiſt.* 2. 379. Ornithogalum exoticum, magno flore, minore innato C. B. P. 70. Ornithogalum Neapolitanum I. B. *tom.* 2. *l.* 19. 631.

nithogalum Neapolitanum, flore pendente, priori valde affine *Moriſ. Hiſt.* 2. 380. Hyacinthus arvorum, Ornithogali flore *Column.*

rnithogalum Indicum latifolium floriferum Sphœricum, colore coloſſino aut albo *Moriſ. Hiſt.* 2. 380. Moly Latifolium Liliflorum C. B. P. 75. Moly Theophraſti magnum I. B. *tom.* 2. *l.* 19. 569.

nithogalum ſpicatum album Æthiopicum ſeu Promontorii Bonæ Spei. Ornithogalum latifolium alterum C. B. P. 70.

Ornithogalum Africanum luteum odoratu
foliis Cepaceis, radice tuberoſâ.

Huic ſubeſt radix ampla, tuber
nonnihil depreſſa, ſeſſilis, pugni magi
dine], coloris flaveſcentis, Folia pro
longa, fiſtuloſa, Cepacea, flores in ſpi
congeſtos, hexapetalos, luteos, odor
à quibus profluunt ſtamina concolori
nuginoſo tomento, obſita. Sequuntu
mina more congenerum in vaſculis
capſularibus. Tranſtuli in Hortum ex
dis petroſis Promontorii Bonæ Spei.

*Ornithogalum luteum majus floriferum *Mo-*
*riſ. Hiſt.* 2. 381. Ornithogalum luteu
*B. P.* 91. Bulbus ſylveſtris Fuchſi, flo
teo, ſive Ornithogalum luteum *I. B. to*
*l.* 19. 623.

Ornithogalum luteum minus C. B. P. 71.
*tom.* 2. *l.* 19. 624.

*ORNITHOPODIUM majus C. B. P. 350. *M*
*Hiſt.* 2. 124. Ornithopodium flore
veſcente *I. B. tom* 2. *l.* 17. 350. ANN.

*Idem minus C. B. P. 350. ANN.

Ornithopodium αἰγοκέρατον *Moriſ. Hi*
125. Ornithopodio affinis hirſuta Scor
des C. B. P. 350. Scorpioides legumi
I. B. *tom.* 2. *l.* 17. 349. ANN.

*Ornithopodio affinis hirſuta, fructu ſte*
C. B. P. *v.* Stella leguminoſa.

## NITHOGALUM AFRICANUM LUTEUM ODORATUM, FOL. CEPACEIS, RADICE TUBEROSA.



Albuca minor

*Ornithopodio affinis I.B.* v. Ferrum equinum

*OROBANCHE major, Caryophyllum o... C.B.P. 87. Orobanche flore majore ... *tom.* 2. *l.* 13. 780.

*Orobanche ramoſa C.B.P. 88. Orobanche ... nor, purpureis floribus, ſive ramoſa ... *tom.* 2. *l.* 19. 781.

OROBUS ſativus, ſive Ervum ſemine ... guloſo, ſiliquis inter grana & grana ... ctis *Moriſ. Hiſt.* 2. 74. Orobus ſiliquis ... culatis, ſemine majore C.B.P. 346. Oro... ſive Ervum multis *I.B. tom.* 2. *l.* 17. 321.

Orobus Creticus, ſemine minore *Moriſ. Hiſt.* 74. Orobus ſemine minore *C.B.P.* 346.

Orobus ſylvaticus latifolius, ſiliquis pro... dentibus, parvo flore purpureo *Moriſ. Hiſt.* 2. 77. Orobus latifolius, parvo flore pur... reo 351. Galegæ nemorenſi vernæ ſimi... multiflora, flore purpureo *I.B. tom.* 2. *l.* ... 345.

Orobus ſylvaticus, Viciæ foliis, ſiliquis ... pendentibus, floribus purpuraſcent... *Moriſ. Hiſt.* 2. 78. Orobus ſylvaticus V... foliis *C.B.P.* 352. Aſtragalus major Fu... *I.B. tom.* 2. *l.* 17. 334.

Idem cauliculis rubentibus.

Orobus ſylvaticus perennis vernus, ſili... erectis, flore purpureo *Moriſ. Hiſt.* 29...

Orobus ſylvaticus purpureus vernus C. B. P. 351. Galega nemorenſis verna *I. B. tom.* 2. *l.* 7. 343.

[O]robus ſylvaticus annuus, ſiliquis erectis, flore pallido *Moriſ. Hiſt.* 2. 93. Orobus ſylvaticus, pallido flore C. B. P. 351. Galegæ nemorenſi vernæ ſimilis, flore albo I. B. *tom.* 2. *l.* 17. 344.

[O]robus ſylvaticus & Boeticus lanuginoſus, radice ampliſſimâ *Moriſ. Hiſt.* 2. 96. Aſtragalus Boeticus lanuginoſus, radice ampliſſimâ C. P. B. 351.

ORYZA Italica *C. B. P.* 24. Oryza *I. B. tom.* 2. *l.* 18. 451.

[Os]*munda vulgò.* *v.* Filix.

[Ost]*ria Ulmo ſimilis, fructu in umbilicis foliaceis* C. B. P. *v.* Carpinus.

[Ost]*rys Theophraſti* I. B. *v.* Carpinus.

[Ocim]*ites vulgò.* *v.* Lychnis.

[Ox]*alis ejuſquè ſpecies* I. B. *v.* Acetoſa.

OXYS, ſive Trifolium acetoſum vulgare *Moriſ. Hiſt.* 2. 183. C. B. P. 330. Oxis, ſive Trifolium acidum, flore albo *I. B. tom.* 2. *l.* 17. 387. Acetoſella vulgò.

[E]dem flore purpuraſcente I. B. *tom.* 2. *l.* 387. C. B. P. *Var.* 330.

[Ox]ys Africana, flore purpureo magno, radice bulboſâ. Oxys affinis planta bulboſa Africana,

cana, flore purpureo magno *Breyn.* ... 102. Trifolium bulboſum, flore albo ... montorii Bonæ Spei. *Stapel. in Th...* 336.

Oxys, ſive Trifolium acetoſum cornicula... luteum minus repens & etiam procum... *Moriſ. Hiſt.* 2. 183. Oxis lutea *I. B. to...* *l.* 17. 387. Trifolium acetoſum corni... tum *C. B. P.* 330.

Oxys, ſive Trifolium acetoſum cornicul... majus rectum, ſeu Virginianum *Moriſ. H...* 184.

*Oxya Græcorum* I. B. *v.* Fagus.

*Oxyacantha Dioſcoridis* C. B. P. *v.* Meſ...

*Oxyacantha vulgaris* I. B. *v.* Meſpilus.

*Oxyacantha Virginiana.* *v.* Meſpilus.

*Oxycedrus* I. B. *v.* Juniperus.

## P.

Padus *I. B.* *v.* Ceraſus.

Pœonia folio nigricante ſplen... quæ Mas C. B. P. 323. Pœonia Mas pr... rior I. B. *tom.* 3. *l.* 30. 492.

Eadem foliis in latiora ſegmenta diviſis C... 323.

Eadem flore incarnato C. B. P. *Var.* 323.

Pœonia communis vel Fœmina C. B. P. ...

Pœonia Fœmina vulgatior *I. B. tom.* 3. *l.* 30. 492.

œonia Fœmina altera C. B. P. 323. Pœonia promiſcua ſtrictiore folio *I. B. tom.* 3. *l.* 30. 493.

œonia tenuius laciniata ſubtus pubeſcens, flore purpureo C. *B.* P. 323.

œonia folio ſubtus incano, flore albo C. B. P. 323.

œonia peregrina, flore ſaturatè rubente *C. B. P.* 324. *I. B. tom.* 3. *l.* 30. 494. *deſcr.*

adem flore dilutè rubente C. B. P. 324. I. B. *tom.* 3. *l.* 30. 494. *deſcr.*

œonia Fœmina, flore pleno rubro majore C. B. P. 324. Pœonia flore pleno rubro *I. B. tom.* 3. *l.* 30. 493.

œonia flore pleno rubro minore C. B. P. 324. I. B. *tom.* 3. *l.* 30. 494.

œonia flore exalbido pleno major C. *B.* P. 324. Pœonia albo flore pleno, ſive Polyanthos alba Fœmina *I. B. tom.* 3. *l.* 30. 494.

adem minor C. B. P. 324.

*ajomarioba ejuſquè ſpecies Piſon.* v. Senna.

PALIURUS Dodonæi. Rhamnus folio ſubrotundo, fructu compreſſo C. B. P. 477. Rhamnus ſive Paliurus, folio Jujubino *I. B. tom.* 1. *l.* 6. 35.

PALMA major *C. B. P.* 506. Palma *I. B. tom.* 1. *l.* 3. 351. Palma Dactylifera ſeu Dacty lus vulgò,

PALMA prunifera Japponica. Todda pana *Hort. Mal. tom.* 3. 9.

PALMA Indica Coccifera anguloſa *C. B. P.* 508. Palma Indica nucifera *I. B. tom.* 1. *l.* 3. 375. Tenga *Hort. Mal. tom.* 1. 1.

Palma minor *C. B. P.* Chamæriphes ſeu Palma humilis Hiſpanica ſpinoſa *I. B. tom.* 1. *l.* 3. 370.

*Palma humilis longis latiſquè foliis C. B.* v. Muſa.

*Palmata ejuſquè ſpecies I. B.* v. Orchis.

*Paludapium.* v. Apium.

*Panaces* κάρπιμον *Corn.* v. Chriſtophoriana.

PANAX Paſtinacæ folio, an Syriacum Theophr. *C. B. P.* 156. Panax ſeu Panaces peregrinum *Moriſ. Umbell.* 40. Sphondylio vel potius Paſtinacæ Germanicæ affini Panax ſeu Pſeudocoſtus flore luteo *I. B. tom.* 3. *l.* 27. 156.

Panax Sphondylii folio, ſive Heracleum *C. B. P.* 157. Sphondylium majus ſive Panax Heracleum quibuſdam *I. B. tom.* 3. *l.* 27. 161.

*Panax Aſclepium Moriſ.* v. Ferula.

*Pancratium Monſpelianum I. B.* v. Narciſſus.

*Pancratii Monſpeliani facie I. B.* v. Narciſſus.

*Panja Hort. Mal.* v. Goſſampinus.

PA

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

PANICUM Germanicum, ſive paniculâ minore *C.B.P.* 27. Panicum vulgare *I. B. tom.* 2. *l.* 18. 440.

Panicum Italicum ſive paniculâ majore *C. B. P.* 27. Panicum ſpicâ divulsâ *I.B.tom.*2.*l.*18.440

*Panicum ſylveſtre, ſpicâ divulsâ I. B. v.* Gramen.

*Papas Americanum I. B. v.* Solanum.

PAPAVER corniculatum luteum, *C. B. P.* 171. *Moriſ. Hiſt.* 2.273. *I.B. tom.* 3. *l.*30.398.

Papaver corniculatum phœniceum hirſutum *C.B.P.* 171. *Moriſ. Hiſt.* 2. 273. *I. B. tom.* 3. *l.* 30. 399

Papaver cornutum violaceum *C. B. P.* 172. *Moriſ.Hiſt.* 2. 274. *I. B.tom.* 3. 30. 399.

PAPAVER capitatum vulgare, ſeu ſpontaneum ſimplex, ſemine incano, vigens in ſegetibus *Moriſ. Hiſt.* 2. 274. Papaver vulgare, cujus capitula foraminibus hiant, ſemine incano ἀργυρότερον Dioſcoridi *C. B. P.* 170.

Papaver hortenſe ſimplex, ſemine albo *Moriſ. Hiſt.* 2. 275. Papaver hortenſe ſemine albo *C.B.P.*170. Papaver album *I.B.tom.*3*l.*30.390.

Papaver hortenſe flore cinero, ungue purpureo *C. B. P.* 170.

Papaver hortenſe ſimplex, ſemine nigro *Moriſ. Hiſt.* 2. 275. Papaver hortenſe, nigro ſemine *C. B. P.* 170.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Papaver flore pleno albo *Moriſ. Hiſt.* 275. *C. B.* *P.* 171.

Papaver flore pleno nigro *Hiſt. Moriſ.* 275 C. B. P. 171.

Papaver hortenſe, flore pleno violaceo *Cat. Hort. Reg. Pariſ.* 136.

Papaver flore dilutè violaceo *Cat. Hort. Reg. Pariſ.* 136.

Papaver criſtatum, flore & ſemine album *Moriſ. Hiſt.* 2. 275. C. B. P. 171. Papaver fimbriatum, flore albo I. B. *tom.* 3. *l.* 30. 391.

Papaver criſtatum, floribus rubris, ſemine nigro *Moriſ. Hiſt.* 275. C. B. P. 171. Papaver fimbriatum, flore purpureo I. B. *tom.* 3. *l.* 30. 391.

Idem floribus ex albo & rubeo mixtis C. B. P. *Var.*

Idem flore ſimplici purpuraſcente, unguibus plumbeis *Cat. Hort. Reg. Pariſ.*

Idem flore multiplici incarnato C. B. P. *Var.* 171.

Idem flore multiplici purpuraſcente C. *B.* P. *Var.* 171.

Idem flore miniato pleno C. B. P. *Var.* 171.

Idem flore argentei coloris C. *B.* P. *Var.* 171.

Idem multiplex album, oris rubicundis *C. B.* P. *Var.* 171.

Papaver laciniatis floribus C. *B.* P. 171.

Papaver flore pleno laciniato eleganter ſtriato *Sutherl. Cat. Edenburg.* 260.

Pap-

Papaver ſpinoſum luteum, foliis albis venis notatis *Hiſt. Moriſ.* 2. 277. Papaver ſpinoſum *C. B. P.* 171. *I. B. tom.* 3. *l.* 30. 397. Chicallotl ſeu Papaver ſpinoſum *Hernand.* 215.

PAPAVER erraticum, majus ſive ῥοίας *Moriſ. Hiſt.* 2. 277. C.B.P. 171. Papaver erraticum rubrum campeſtre *I. B. tom.* 3. *l.* 30. 395.
Idem florum unguibus albis *Sutherl. Cat. Edinburg.* 260.
Idem flore carneo *Sutherl. Cat. Edinb.* 260.
Papaver erraticum, pleno flore *Moriſ. Hiſt.* 2. 277. C.B.P. 171.
Papaver erraticum, flore phœniceo pleno, unguibus albis *Cat. Hort. Reg. Pariſ.* 137.
Idem flore miniato *Cat. Hort. Reg. Pariſ.* 137.
Idem flore igneo *Cat. Hort. Reg. Par.* 137.
Idem flore igneo marginibus candidis.
Idem flore purpuraſcente *Cat. Hort. Reg. Pariſ.* 137.
Papaver erraticum minus *Moriſ. Hiſt.* 2. 277. C. B. P. 171.

PAPAVER erraticum Pyrenaicum, flore flavo *C. B. P.* 171.
Papaver erraticum majus, capitulis oblongis hirſutis.

Papaver Argemone dictum, capitulo hirſuto rotundo torulis canaliculato *Moriſ. Hiſt.* 2. 278. Argemone capitulo breviore C. B. P. 172.

172. Argemone capitulo breviore hiſpido
I. B. *tom*. 3. *l*. 3. 396.

Papaver Argemone dictum, capitulo tenuiore longiore hirſuto *Moriſ. Hiſt*. 2. 278. Argemone capitulo longiore C. B. P. 172. Argemone capitulo longiore ſpinoſo I. B. *tom* 3. *l*. 30. 396.

Papaver Argemone dictum, capitulo longiore glabro *Moriſ. Hiſt*. 2. 279.

Papaver Argemone dictum Cambrobritannicum luteum, capite longiore glabro, pauci ſpinulis ad loculamentorum juncturas ornato *Moriſ. Hiſt*. 2. 279.

PAPAVERI affinis montana Aconitifolia, Ranunculi nemorenſis radice. Aconitum humile bifolium, ſive Aconitifolia flore albo unico Leucoji campanulato, fructu Cynosbati *Menz. pugil.*

*Papaver ſpumeum, vulgò ejuſquè ſpecies.* *v* Lychnis.

*Papaya Hernand.* *v*. Pepo arboreſcens.

PARIETARIA Dioſcoridis & Officinarum C. B. P. 121. *Moriſ. Hiſt*. 2. 600. Parietaria I. B. *tom*. 2. *l*. 23. 976.

Parietaria minor Ocymi folio C. B. P. 121. Parietaria Sicula, Alſines folio *Boccon*. 47. *Moriſ. Hiſt*. 2. 600.

*Parietaria cœrulea quorundam I. B. v.* Melampyrum.

*Paro-*

*Parietaria Lipſienſium vulgò.* *v.* Melampyrum
*Paronychia Hiſpanica Cluſii* I. B. *v.* Polygonum.
*Paronychia Alſinefolia incana I. B.* *v.* Polygonum.
*Parthenium I. B.* *v.* Matricaria.

PASTINACA tenuifolia ſativa ſeu hortenſis, radice albâ *Moriſ. Umbell.* 31. C. B. P. 151. Paſtinaca ſativa, ſive Carota alba *I. B. tom.* 3. *l.* 27. 64. Daucus vulgò.

Eadem radice luteâ *Moriſ. Umb.* 31. C. B. P. 151. Paſtinaca ſativa, ſive Carota lutea *I. B. tom.* 3. *l.* 27. 64.

Eadem radice rubrâ *Moriſ. Umbell.* 31. Paſtinaca tenuifolia ſativa, radice atrorubente C. B. P. 151. Paſtinaca ſativa, ſive Carota rubra *I. B. tom.* 3. *l.* 27. 64.

Paſtinaca tenuifolia ſylveſtris genuina Dioſcoridis vel, Daucus Officinarum *Moriſ. Umb.* 31. C. B. P. 151. Paſtinaca ſylveſtris, ſive Staphylinus Græcorum *I. B. tom.* 3. *l.* 27. 62.

Paſtinaca tenuifolia ſylveſtris lucida *Moriſ. Umbell.* 31. & 56.

Paſtinaca tenuifolia ſylveſtris, radice & umbellâ luteâ *Moriſ. Umb.* 31. & 56. *Cat. Hort. Reg. Pariſ.* 137.

Paſtinaca tenuifolia Cretica, capitulis globoſis *Moriſ. Umb.* 31. 32. Cuminum ſylveſtre, capitulis globoſis C. B. P. 146. Cuminum ſyl-

ſylveſtre primum, valdè odoratum globuloſum *I. B. tom.* 3. *l.* 27. 23.

PASTINACA latifolia ſativa *Moriſ. Umbell* 38. C. B. P. 155. Paſtinaca ſativa latifoli: Germanica, luteo flore *I. B. tom.* 3. *l.* 27. 151

*Paſtinaca latifolia ſylveſtris *Moriſ. Umbell.* 39 *C. B. P.* 155. Paſtinaca Germanica ſylveſtris, quibuſdam Elaphoboſcum I. B. *tom.* 3 *l.* 27. 149.

*Pecten Veneris* I. B. *v.* Scandix.

*PEDICULARIS pratenſis purpurea C. B. P 163. Pedicularis quibuſdam, Criſta galli flore rubro & albo I. B. *tom.* 3. *l.* 30. 437 ANN.

*Pedicularis pratenſis lutea, vel Criſta Gall C. B. P. 193. Criſta Galli Fœmina I. B. *tom* 3. *l.* 30. 436. ANN.

Pedicularis paluſtris rubra elatior *I. Raj. Cat* 226. ANN.

Pedicularis bulboſa I. B. *tom.* 3. *l.* 30. 438. Filipendula montana, flore Pediculariæ C. B. P 163.

PENTAPHYLLOIDES majus erectum, flore albo, foliis alatis & hirſutis ternis *Moriſ Hiſt.* 2. 192. Pentaphylloides erectum I. B. *tom.* 2. *l.* 17. 398. Quinquefolium Fragiferum *C. B. P.* 326.

Pentaphylloides majus erectum flore luteo ternis foliis Fragariæ inſtar hirſutis *Moriſ Hiſt.*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Hiſt.* 2. 193. Pentaphylloides Fragariæ folio *Moriſ. Hort. Bleſ.* 292. Fragaria Pentaphylli fructu *Moriſ. Hort. Bleſ.* 265.

Pentaphylloides minus ſupinum ſeu procumbens, foliis alatis Geranii ſupini inſtar *Moriſ. Hiſt.* 2. 193. Quinquefolio Fragifero adfinis *C. B. P.* 326. Pentaphylloides ſupinum *I. B. tom.* 2. *l.* 17. 398.

* Pentaphylloides minus ſupinum ſeu procumbens, foliis alatis argenteis & ſerratis, flore luteo *Moriſ. Hiſt.* 2. 193. Potentilla *C. B. P.* 321. Potentilla ſive Argentina *I. B. tom.* 2. *l.* 17. 398. Anſerina vulgò.

Pentaphylloides rectum fruticoſum Eboracenſe *Moriſ. Hiſt.* 2. 193. Pentaphylloides fruticoſum *Raji Cat.* 228.

PENTAPHYLLUM, ſeu potius Heptaphyllum majus luteum montanum, flore majore *Moriſ. Hiſt.* 2. 188. Pentaphyllum rectum majus *I. B. tom.* 2. *l.* 17. Quinquefolium rectum luteum *C. B. P.* 325.

Pentaphyllum, ſeu Heptaphyllum albo-pallidum, ſeu flore ochroleuco, petalis ſingulis cordatis *Moriſ. Hiſt.* 2. 188. Quinquefolium rectum ſubluteum *C. B. P. Var.* 325.

* Pentaphyllum, ſeu Heptaphyllum majus erectum rubrum paluſtre *Moriſ. Hiſt.* 2. 189. Quinquefolium paluſtre rubrum *C. B. P.* 326. Pentaphyllum vel potius Heptaphyllum

lum flore rubro *I. B. tom.* 2. *l.* 17. 398.

Pentaphyllum minus rectum ſubtus incanum flore albo *Moriſ. Hiſt.* 2. 189. Quinquefolium album majus alterum *C. B. P.* 325. Pentaphyllon album *I. B. tom.* 2. *l.* 19. 398.

Pentaphyllum minus erectum hirſutum, flore albo *Moriſ. Hiſt.* 2. 189. Quinquefolium album minus alterum C. B. P. 325.

*Pentaphyllum minus procumbens, flore luteo, vulgare, radiculas emittens ex geniculis *Moriſ. Hiſt.* 2. 189. Quinquefolium majus repens *C. B. P.* 325. Pentaphyllum, ſive Quinquefolium vulgare repens I. B. *tom.* 2. *l.* 17. 397.

Pentaphyllum foliis profundè ſectis ſubtus argenteis, flore luteo *Moriſ. Hiſt.* 2. 190. Pentaphyllum rectum, foliis profundè ſectis, ſubtus argenteis, flore luteo *I. B. tom.* 2. *l.* 17. 398. Quinquefolium folio argenteo *C. B. P.* 325.

*Pentaphyllum aut potiùs Heptaphyllon, flore aureo tetrapetalo Tormentilla dictum *Moriſ. Hiſt.* 2. 190. Tormentilla ſylveſtris C. B. P. 236. Tormentilla *I. B. tom.* 2. *l.* 17. 598.

*Idem minus, flore pentapetalo.

*Peplios Lutetianorum* I. B. *v.* Capparis.

*Peplus* C. B. P. *v.* Tithymalus.

PEPO

PEPO Indicus compreſſus maximus *Moriſ. Hiſt.* 2. 25. Pepo compreſſus major *C. B. P.* 311. Cucurbita aſpera folio non fiſſo, fructu albo maximo ſeſſili *I. B. tom.* 2. *l.* 16. 221. ANN.

[Pe]po compreſſus minor *Moriſ. Hiſt.* 2. 25. *C. B. P.* 311. ANN.

[Pe]po oblongus *Moriſ. Hiſt.* 311. ANN.

[Pe]po major rotundus, flore luteo, folio aſpero. Cucurbita major rotunda, flore luteo, folio aſpero C. B. P. 312. Cucurbita foliis aſperis, ſive Zucha flore luteo I. B. *tom.* 2. *l.* 16. 218. ANN.

[Pe]po minor verrucoſus *Moriſ. Hiſt.* 2. 26. Cucurbita verrucoſa C. B. P. 313. *I. B. tom.* 2. *l.* 16. 222. ANN.

[Pe]po ſeu Melopepo latus clypeiformis absque capreolis *Moriſ. Hiſt.* 2. 39. Melopepo clypeiformis C. B. P. 312. Cucurbita clypeiformis ſive Siciliana, Melopepo latus à nonnullis vocata *I. B. tom.* 2. *l.* 16. 224. ANN.

[Pe]po clypeatus minor *Moriſ. Hiſt.* 2. 26. C. B. P. 310. Cucurbita capitata Tabernæmontani, ſive clypeiformis I. B. *tom.* 2. *l.* 16. 225. ANN.

[Pe]po Pyriformis *Moriſ. Hiſt.* 2. 26. An Cucurbita aſpera Pyriformis parva alba *I. B. tom.* 2. *l.* 16. 223? ANN.

[Pe]po Pomiformis *Moriſ. Hiſt.* 2. 26. Pepo rotundus Arantii formâ C. B. P. 311. Cucurbita aſpera, cortice molli, alba, magnitudine



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Arantii I. B. *tom.* 2. *l.* 16. 226. ANN.

Pepo Indicus minor anguloſus Tabernæm-
tani I. B. *tom.* 2. *l.* 16. 226. *Moriſ. Hiſt.* 2.
Pepo minor angulosſus C. B. P. 311. AN.

Pepo Indicus reticulatus, ſeminibus albis
jor. Cucumis Ægyptius reticulatus,
Luffa Arabum *Veſling. in Alpin.* 48. M
*Hiſt.* 2. 35. Wæthakolu Zeylonenſibus

Idem minor Tittawætha Zeylonenſi
ANN.

Idem ſeminibus nigris, minor. ANN.

Reticulati Peponis, ſemininibus rh
boideis depreſſis, in ambitu membran
alâ fimbriatis, ſpecies tres ex Oriente
vexi, quæ flores & fructus perfecerun
Horto. Prima à Veſlingio in obſervati
bus ad Alpinum eleganter eſt expreſſa.
cunda & tertia priori accedunt, ſed
ferunt integra & fructus triplo minores
ſunt ſemina alba; Huic nigra. Licet
Veſlingius Peponem ſuum cibis inut
pronunciaverit, tamen prioris utriu
fructus, antequam ad maturitatem pe
nerunt, adſumuntur in India ad rem
nariam. Dempto enim cortice, coqu
interior tenella pulpa in aquâ, exempta
in butyro ſeu oleo frigitur, vel cum
aliiſquè juſculis paratur. Hunc in u
conſeruntur in hortis. Poſterior ſemin
nigris ſylveſtris eſt, in declivibus hum

I

provenit & ob intenſam ſuam amaritiem è culinis proſcribitur.

EPO arboreſcens *Columm. in Hernand.* 870. Arbor Platani folio, fructu Peponis magnitudine eduli *C. B. P.* 431. Ficuum ſpecie fructus Peruanus *C. B. P.* 457. Papaye Peruvianis *I. B. tom.* 1. *l.* 1. 147. Mamæra Fœmina *Cluſ. Cur. poſt.* 79. Papaya *Hernand.* 99. Papayamaram *Hort. Mal. tom.* 1. 23. Pinoguaçu Fœmina *Piſ.* 159. Fanyaycu *Boym. Flor. Sinenſ. Ionston. Mantiſ. de Arbor* 174.

rchepier *Anglorum* I. B. *v.* Alchimilla.

ERFOLIATA vulgatiſſima, ſive arvenſis C. B. P. 277. *Moriſ. Umb.* 26. Perfoliata ſimpliciter dicta vulgaris annua I. B. *tom.* 3. *l.* 7. 298. ANN.

foliata annua longioribus foliis *Moriſ. Umb.* 26. *I. B. tom.* 3. *l.* 27. 298. Perfoliata montana latifolia *C. B. P.* 277. ANN.

foliata minima, Bupleuri folio *Moriſ. Umb.* 26 Perfoliata minor anguſtifolia, Bupleuri folio *C. B. P.* 277.

ERICLYMENUM non perfoliatum Germanicum *C. B. P.* 322. Periclymenum, ſive Caprifolium non perfoliatum *I. B. tom.* 2. *l.* 15. 104.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Periclymenum perfoliatum *C. B. P.* 302. I. *tom.* 2. *l.* 15. 104.

Periclymenum perfoliatum Virginian ſemper virens & florens.

Frutex hic Virginianus eleganti perp comâ viget & floret. Periclymeno perfo to præcedenti videtur conformis, ſed o nibus partibus minor & gracilior. Fl ſunt paulo rotundiora, lucida, infernà p te magis incana. Flores ad ſummos v culos ordine quaſi verticillato prodeun odore equidem nullo evidenti ſunt; aſt lore amœniſſimo, fulgenti cocco ſplend te, effigieque tubum venatorium perb exprimunt, orificio in quinquè æqu crenas laciniato. E medio profluunt ſtam lutea apiculata cum ſtylo pallido longi Singulis floribus ſubjicitur capitulum p vum herbaceum lucidum, fructus inch mentum, quod in baccam abit more c generum.

Periclymenum rectum Alpinum, fructu ru gemino duobus punctis notato. Cham ceraſus Alpina, fructu rubro gemino, d bus punctis notato *C. B. P.* 451. Cham ceraſus Geſneri, vel Chamæpericlyme quoddam Alpinum I. B. *tom.* 2. *l.* 15. 1

Periclymenum rectum, fructu cœruleo *tom.* 2. *l.* 15. 106. Chamæceraſus monta fructu ſingulari cœruleo C. B. P. 451.

Pr

PERICLYMENUM PERFOLIATUM VIRGINIANUM SEMPER VIRENS ET FLORENS.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Periclymenum rectum, fructu rubro I. B. *to*. 2. *l*. 15. 107. Chamæceraſus dumeto... fructu gemino rubro C. B. P. 451.

PERSICA malus I. B. *tom*. 1. *l*. 2. 157. ... ſica molli carne & vulgaris & alba C. ... 440.

Perſica malus vulgaris, flore pleno *Cat. Ho... Reg. Pariſ.* 117.

Perſica malus, fructu ſucco quaſi ſangu... turgente. Perſica fructu quaſi ſangu... *C. B.* P. 440.

Perſica malus Duracina Ruell. *Cat. Hort.* ... *Pariſ*. 117.

Perſica malus odoro fructu, ſanguineo ... turgente *Cat. Hort. Reg. Pariſ*. 177.

Perſica malus, Amygdalo inſita *Cat. Ho... Reg. Pariſ*. 117. Perſica Amygdaloide...

Perſica malus juglandi inſita *Cat. Hort.* ... *Pariſ*. 117. Nuci-Perſica *Matth.*

Perſica malus, Pruno inſita, Pruno-pe... vulgò.

Perſica malus fructu rubro & viridi eleg... variegato *Munting. prax. l*. 1. 43.

Perſica malus fructu ex viridi luteo *Mun... Prax. l*. 1. 43.

Perſica malus fructu toto luteo *Munting. P... l*. 1. 43. Perſica Hiſpanica, Melaco... quorundam I. B. *tom*. 1. *l*. 2. 162.

Perſica malus montana *Munting. Prax. l*...

Perſica malus Swollana *Munting. Prax. l.* 1. 43.
Perſica malus nana, fructu præcoci odorato *Munting. Prax. l.* 1. 43. An malus Perſica præcoci fructu, Præcoqua dicta *Cat. Hort. Reg. Pariſ.* 117.
Perſica malus Africana nana, flore incarnato ſimplici. Amygdalus Africana vulgò.
Eadem flore incarnato pleno.

Complures emittit virgulas lignoſas flexiles rubentes, quibus alternatim hærent folia ſemidigitalia in obtuſum tendentia mucronem, Malo Perſicâ anguſtiora, pallidè virentia per ambitum leviter ſerrata, crebrioribus venis & rugis inſcripta, prodeuntibus ad ſingulorum exortum binis ex adverſo tenuiſſimis corniculatis villis, velut in communi Perſicâ. Ad ſummitates virgularum oriuntur flores parvi incarnati roſei coloris, inſidentes quinquè radiatis calicibus modo multiplici, aliquando ſimplici petalorum ſerie referti, coloris incarnati roſei jucundiſſimi, odoris languidi. Hos excipiunt fructus rotundi ſubhirſuti Perſicæ quidem haud abſimiles, ſed triplo minores, ſaporis non adeò grati. Reperi hoc Arbuſtum ſponte luxurians ad Promontorium Bonæ Spei; Inde vero in Europam redux, offendi in Anglorum hortis frequens, ex quibus in Belgiam adferri curavi. Virgulis

junioribus ſolo ſubmerſis, de facili propagatur.

PERSICARIA mitis non maculoſa *Moriſ. Hiſt.* 2. 588. *C. B. P.* 101.

Eadem maculoſa *Moriſ. Hiſt.* 2. 588. C. B. 1 Perſicaria mitis.

Perſicaria fruteſcens maculoſa Virginiana, flore albo & carneo, Parkinſonii *Moriſ. Hiſt.* 2. 589.

Perſicaria Salicis folio perennis.

Perſicaria acris ſive Hydro-piper *Moriſ. Hiſt.* 2. 588. I. B. *tom.* 3. *l.* 38. 580. Perſicaria urens ſive Hydropiper C. B. P. 101.

*Pes anſerinus* I. B. *v.* Atriplex.

PETASITES major & vulgaris C. B. P. 197. Petaſites vulgaris rubens, rotundiori folio I. B. *tom.* 3. *l.* 31. 566.

Petaſites minor *C. B. P.* 197. Petaſites albus anguloſo folio I. B. *tom.* 3. *l.* 31. 568.

Petaſites minor alter, Tuſſilaginis folio *Cat. Hort. Reg. Pariſ.* 139.

Petaſites Africanus, Calthæ paluſtris folio.

Novum hoc Petaſitidis, genus ex paluſtribus Bonæ Spei in hortum tranſlatum, foliis eſt rotundis, rigidis, crenatis, Calthę paluſtris facie, radice flaveſcente craſsâ, cetera vulgari ſimile.

*Petro-*

ERSICA MALUS AFRICANA NANA, FLORE INCARNATO PLENO.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Petromarula Cretica Belli*, *v.* Rapunculus.
*Petroſelinum vulgò* C. B. P. *v.* Apium.

PEUCEDANUM majus Italicum C. *B. P.* 149. *Moriſ. Umbell.* 36. *I. B. tom.* 3. *l.* 27. 36

Peucedanum Germanicum *C. B. P.* 149. Peucedanum Germanicum *Moriſ. Umbell.* 36. I. B. *tom.* 3. *l.* 27. 36.

PHALANGIUM parvo flore non ramoſum C. B. P. 29. *Moriſ. Hiſt.* 2. 333. Phalangium pulchrius non ramoſum I. B. *tom.* 2. *l.* 19. 635.

Phalangium parvo flore, ramoſum *C. B. P.* 29. *Moriſ. Hiſt.* 2. 333. Phalangium parvo flore, quibuſdam ramoſius *I. B. tom.* 2. *l.* 19. 635.

Phalangium parvo flore, ramoſum, foliis fiſtuloſis, annuum. Aſphodelus folio fiſtuloſo plano minor ramoſus, flore albo *Moriſ. Hiſt.* 2. 331. Aſphodelus foliis fiſtuloſis C. B. P. 29. Aſphodelus minor, folio fiſtuloſo I. B. *tom.* 2. *l.* 19. 631. ANN.

*Phalangium magno flore* C. B. P. *v.* Aſphodelus.

*Phalangium Allobrochicum, magnoflore Lilii* I. B. *Moriſ. v.* Aſphodelus.

*Phalangium Virginianum ejuſquè ſpecies. v.* Ephemerum.

PHA-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

PHALARIS major, ſemine albo C. B. P. 28. Phalaris *I. B. tom.* 2. *l.* 18. 442.

Phalaris major, ſemine nigro C. B. P. 28. *I. B. tom.* 2. *l.* 18. 443.

PHASEOLUS major, ſive Smilax hortenſis *Moriſ. Hiſt.* 2. 68. C. B. P. 339. Smilax hortenſis *I. B. tom.* 2. *l.* 17. 253. Fructu albo. ANN.

Idem fructu nigro *I. B. tom.* 2. *l.* 17. 253. *deſ.* ANN.

Idem fructu flavo I. B. *tom.* 2. *l.* 17. 253. *deſ.* ANN.

Idem fructu rubro I. B. *tom.* 2. *l.* 17. 253. *deſ.* ANN.

Idem fructu livido. ANN.

Idem fructu pallido. ANN.

Idem fructu violaceo *I. B. tom.* 2. *l.* 17. 253. *deſcr.* ANN.

Idem fructu ex rubro & nigro variegato. ANN.

Idem fructu albo, nigris venis & lituris diſtincto I. B *tom.* 2. *l.* 17. 253. ANN.

Idem fructu purpuraſcente, orbibus albis variegato. ANN.

Ejuſdem aliæ ſpecies, floris & fructus colore & magnitudine differentes.

Phaſeolus hortenſis, fructu albo minore oviformi Venereus dictus *Hoffm. Cat. Alt.* ANN.

Phaſeolus Indicus, flore coccineo ſeu puniceo *Hiſt. Moriſ.* 2. 69. Phaſeolus puniceo flore *Corn.* 185. ANN.

Phaſeolus Æthiopicus lobis flaveſcentibus fructu nigro C. B. P. 341. ANN.

Pha-

Phaſeolus peregrinus hortenſi affinis, ſemine lato albo, multis nigris venis ſtriato *C. B. P.* 340. Phaſeolus lato ſtriato, ſive radiato ſemine: alter punctatus cupulâ atrovirente *I. B. tom.* 2. *l.* 17. 267. Ann.

Phaſeolus Ægyptius nigro ſemine *C.B.P.* 341. Phaſeolus Lablab Alpini *I. B. tom.* 2. *l.* 17. 26.

Idem ſpadiceus, hilo albo *C. B. P. Var.* 341. Phaſeolus Leblab ſpadiceus, hilo longo albo *I. B. tom.* 2. *l.* 17. 27.

Phaſeolus Surattenſis ſiliquâ hirſutâ pungente *Moriſ. Hiſt.* 2. 69.

Phaſeolus Africanus hirſutus bituminoſus, ſiliquis bullatis, flore flavo.

Hujus ſemina ex declivibus irriguis montis Menſalis ſeu Tabulati Promontorii Bonæ Spei hûc advexi. Proferebant autem plantam ſarmentoſam circiter trium ulnarum longitudine more Phaſeoli hortenſis, emittentem ex radice lignosâ albâ fibroſâ ſarmenta tenuia terna quaternave valde ramosâ, folia ſubrotunda obtusè mucronata, ſubhirſuta, glutinoſa bitumen quadantenus redolentia, flores papilionaceos flavos aliquando lineolis purpureis inſcriptos, ſemina rotunda nigra parva hilo albo exiguo, in ſiliquis parvis tumidis villoſis. Diligenter cuſtoditâ viget totâ hyeme multosque annos durat.

Pha-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

PHASEOLUS AFRICANUS HIRSUTUS BITUMINOSUS, SILIQUIS BULLATIS, FLORE FLAVO.



Glycine bituminosa

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Phaſeolus minor, fructu albo, umbilico maculâ nigrâ notato, vel fructu renali parvo albo, umbilico circa hilum maculâ nigrâ inſignito *Moriſ. Hiſt.* 2. 69. Phaſeolus peregrinus, minore fructu albo, nigrâ maculâ inſignito *C. B. P.* 340. Phaſeolus niveus minor, circa hilum nigrâ maculâ inſignitus I. B. *tom.* 2. *l.* 17. 260. ANN.

Phaſeolus minimus, fructu rubro, ſiliquis longiſſimis erectis *Moriſ. Hiſt.* 2. 69. ANN.

Phaſeolus minimus, fructu viridi exiguo ovato, ſiliquis longis rotundis rectis *Hiſt. Moriſ.* 2. 70. ANN.

Phaſeolus orthocaulis, Mungo dictus *Fab. Columm. in Hernand.* 887. ANN.

• Phaſeolus Americanus perennis, flore cochleato odorato, ſeminibus fuſcis orbiculatis, Caracalla dictus. Phaſeolus Indicus, cochleato flore Triumfetti Obſerv. 92.

• PHASEOLUS alatus, ſive Abrus minor, fructu coccineo, maculâ nigrâ notato *Moriſ. Hiſt.* 2. 67. & 71. Piſum Indicum minus coccineum C. B. P. 343. Piſum Americanum coccineum, aliis Abrus I. B. *tom.* 2. *l.* 17. 263. Abrus *Alpin. de Plant. Ægypt.* 76. Glyzyrrhiza Indica vulgò.

Phaſeolus alatus Indicus, fructu fuſco orbiculato maximo, lobis latiſſimis & longiſſimis.

Pus-

Pus wæl Zeylonenſibus *Muſ. Zeyl.*
Phaſeolus alatus arboreus, fructu orbiculato compreſſo coccineo. Mandhathija ſeu Mara *Muſ. Zeylan.* . . .
*Phellandrium* I. B. *v.* Cicutaria.

PHILLYREA latifolia lævis *C. B. P.* 476. Phillyrea arbor Lobelio I. B. *tom.* I. *l.* 5. 531.
Phillyrea latifolia ſpinoſa *C. B. P.* 476. Phillyrea folio Ilicis I. B. *tom.* I. *l.* 5. 532. Folio ampliori.
Eadem folio anguſtiori.
Phillyrea folio leviter ſerrato C. B. P. 476. An Phillyrea folio Alaterni *I. B. tom.* I. *l.* 5. 532?
Phillyrea folio Liguſtri *C. B. P.* 476. Phillyrea latiuſculo folio I. B. *tom.* I. *l.* 5. 539.
Phillyrea anguſtifolia prima C. *B.* P. 476. Phillyrea anguſtifolia I. B. *tom.* I. *l.* 5. 538.
*Phœnix Lolio ſimilis* I. B. *v.* Gramen.
*Phylica ejuſque ſpecies* C. B. P. *v.* Alaternus.
*Phyllitis ejuſque ſpecies I. B. v.* Lingua cervina.
*Phyllum teſticulatum* C. B. P. *v.* Mercurialis.
*Phyllum arrhenogonon, folio incano Monſpeſſulanum* I. B. *v.* Mercurialis.
*Phyteuma I. B. v.* Reſeda.
*Picea major prima* C. B. P. *v.* Abies.
*Picea Latinorum, ſive Mas Theophraſti I. B. v.* Abies.

PILOSELLA major repens hirſuta C.B.P.262 Piloſella majori flore, ſive vulgaris I.B tom. 2. l. 24. 1039.

Eadem minus hirſuta C.B.P. 262. Piloſell minor, folio anguſtiore, minus piloſo re pens I.B. tom. 2. l. 24. 1040.

*Piloſella incana ramoſa Raguſina.* v. Hieracium

*Piloſella Indica Cornuti.* v. Hieracium in App

*Piloſella ſiliquoſa I.B.* v. Draba.

PIMPINELLA maxima Canadenſis alba ſpi cata *Corn.* 175. *Moriſ. Umb.* 57.

Pimpinella ſpicâ brevi rubrâ *Moriſ. Umb.* 57 Pimpinella Sanguisorba major C.B.P. 160 Sanguiſorba major, flore ſpadiceo I.B. *tom* 3. l. 27. 120.

Pimpinella ſpicâ brevi minor, lævis non pi loſa *Moriſ. Umb.* 57. Pimpinella Sanguiſor ba minor lævis C.B.P. 160. Sanguiſorba mi nor I.B. *tom.* 3. *l.* 27. 113.

Eadem hirſuta. Pimpinella Sanguiſorba mi nor hirſuta C. B. P. 160.

Pimpinella ſpinoſa, ſeu ſempervirens *Moriſ. Umbell.* 57. Poterio affinis, foliis Pimpinel læ, ſpinoſa C.B.P. 388.

Pimpinella Agrimonoides *Moriſ. Umb.* 57.

*Pimpinella Saxifraga ejuſquè ſpecies* C.B.P v. Saxifragia.

PINUS

*Pinoguaçu Piſon.* v. Pepo arboreſcens.

PINUS ſativa C. B. P. 491. Pinus oſſiculis duris, foliis longis *I. B. tom.* 1. *l.* 9. 248.
Pinus maritima major C. B. P. 492. Pinus ſylveſtris maritima, conis firmiter ramis adhærentibus *I. B. tom.* 1. *l.* 9. 245.
Pinus maritima minor *C. B. P.* 492. Pinaſter tertius Hiſpanicus pumilus *I. B. tom.* 1. *l.* 9. 246.
*Piper Indicum ejuſquè ſpecies.* v. Solanum.

PISTACIA peregrina, fructu racemoſo, ſive Therebinthus Indica Theoph. *C. B. P.* 401. Piſtacia *I. B. tom.* 1. *l.* 3. 275.
*Piſtacia ſylveſtris* C. B. P. *v.* Staphylodendron.
*Piſtacia ſylveſtris trifolia Virginienſis Cat. Hort. Reg. Pariſ.* v. Staphylodendron.
*Piſtolochia.* v. Ariſtolochia.

PISUM majus, flore albo *Moriſ. Hiſt.* 2. 46. Piſum majus quadratum C. B. P. 342. An Piſa rubra variegata I. B. *tom.* 2. *l.* 17. 298? Idem fructu candido *C. B. P. Var.* 342. Piſa majora alba *I. B. tom.* 2. *l.* 17. 299.
Piſum umbellatum *C. B. P.* 342. *Moriſ. Hiſt.* 2. 46. Piſum erectius comoſum *I. B. tom.* 2. *l.* 15. 299.
Piſum ramulare, hilo nigro *Moriſ. Hiſt.* 2. 47. Piſum hortenſe majus *C. B. P.* 342.

Piſum leptolobum, ſive ſine cortice durir.
Camer. *Moriſ. Hiſt.* 2. 47. C. B. P. 343. Pi
ſine tunicis durioribus, in ſiliquâ magnâ
I. B. *tom.* 2. *l.* 17. 300.

Idem minus.

Piſum ſpontaneum perenne repens hum
*Moriſ. Hiſt.* 2. 47.

Piſum ſpontaneum nanum inter Triticum *Mo-*
*riſ. Hiſt.* 2. 47. Piſum arvenſe C. B. P. 3
Piſa arvenſia I. B. *tom.* 2. *l.* 17. 267. Fructu r
tundo albo *C. B. P. Var.* 343.

Idem fructu viridi C. B. P. *Var.* 343. Piſa r
va viridia I. B. *tom.* 2. *l.* 17. 298.

Idem fructu ex luteo virente *C. B. P. Var.* 3

Piſa nana rotunda, ſine adminiculis, recta
*Hort. Reg. Pariſ.* 143.

*Piſum veſicarium, fructu nigro, albâ mac*
*notato* C. B. P. *v.* Cor Indum.

*Piſum Indicum minus coccineum* C. B. P.
Phaſeolus.

*Pitine Anguillaræ* I. B. *v.* Lathyrus.

*PLANTAGO latifolia ſinuata *C. B. P.* 1
Plantago major, folio glabro non lacin
to, ut plurimùm I. B. *tom.* 3. *l.* 31. 503.

*Plantago latifolia incana C. B. P. 189. Plant
major hirſuta, media à nonnullis cogno
nata *I. B. tom.* 3. *l.* 31. 504.

Plantago latifolia Roſea, flore expanſo C.
1

89. *I. B. tom.* 3. *l.* 31. 703.
ntago latifolia Roſea, floribus quaſi in ſpicâ
iſpoſitis C. B. P. 189. Plantago Roſea *I. B.*
*om.* 3. *l.* 31. 503.
ntago latifolia hirſuta minor C. B. P. 189.
lantago latifolia minor *I. B. tom.* 3. *l.* 31. 505.
ntago anguſtifolia major C. B. P. 189. Plan-
go lanceolata I. B. *tom.* 3. *l.* 31. 505.
tago anguſtifolia, paniculis Lagopi C. B. P.
9. Plantago quinquenervia, cum globulis
ois piloſis I. B. *tom.* 3. *l.* 31. 504.
tago trinervia, folio anguſtiſſimo *C. B. P.*
89.

ANTAGO aquatica latifolia C. B. P. 190.
antago aquatica *I. B. tom.* 3. *l.* 38. 787.
ago aquatica anguſtifolia C. B. P. 190.
ntago aquatica humilis anguſtifolia *I. B.*
*n.* 3. *l.* 38. 788.
*taginella paluſtris* C. B. P. *v.* Ranunculus.

ATANUS Matth. C. B. P. 431. *I. B. tom.* 1.
8. 170. Platanus Orientalis verus *Par-*
*ſ Theatr.* 1427. Pilulis majoribus.
nus Occidentalis aut Virginienſis *Par-*
*ſ. Theatr.* 1427. Pilulis minoribus.
*nus falsò multis* I. B. *v.* Acer.
*onium Geſneri.* *v.* Lychnis ſylveſtris.
*onium flore luteo* I. B. *v.* Jaſminum.

*Poſiſt Germanis I. B.* v. Fungus.

POLIUM Lavendulæ folio *C. B. P.* 120.
Polium montanum luteum *C. B. P.* 120.
Polium montanum album C. B. P. 221. An
lium Monſpeſſulanum *I. B. tom.* 3. *l.* 28. 29
Polium maritimum ſupinum Venetum C.
221. Polium Venetum I. B. *tom.* 3. *l.*
300.

*POLYGALA vulgaris *C. B. P.* 215. Polyg
tetrapetala, ſiliculoſa bicapſularis, long
anguſto folio, minor *Moriſ. Hiſt.* 2.
Polyganon multis I. B. *tom.* 386. Flos
bervalis vulgò. ANN.
*Eadem flore albo *C. B. P. Var.* 215. *Moriſ.*
2. 326. ANN.
*Eadem flore violaceo *C. B. P. Var.* 215. M
*Hiſt.* 2. 326. ANN.
*Eadem flore albo C. B. P. *Var.* 215. *Moriſ.*
2. 326. ANN.
Polygala fruteſcens Capitis Bonæ Spei *Br*
*Cent.* I.
*Polygala altera fruticoſior, foliis latior*
*v.* Colutea.
*Polygala major Maſſiliotica* C. B. P. *v.* Col
*Polygala altera* C. B. P. *v.* Colutea.
*Polygala Valentina Cluſii.* *v.* Colutea.
*Polygala dumetorum major, flore vario, ſil*
*articulatis, Moriſ.* *v.* Colutea.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*lygala enneaphyllos* I. B. *v.* Colutea.
*lygalæ ſimilis Cortuſi* I. B. *v.* Colutea.

OLYGONATUM latifolium vulgare C. B. P. 303. Polygonatum, vulgò Sigillum Salomonis *I. B. tom.* 3. *l.* 31. 529. Cauliculis viridantibus.
dem cauliculis rubentibus.
lygonatum latifolium, flore duplici odoro *Cat. Hort. Reg. Pariſ.* 144. Sigillum Salomonis flore pleno *Dod. Mem.* 115.
lygonatum latifolium maximum C. B. P. 303. Polygonatum majus, vulgari ſimile *I. B. tom.* 3. *l.* 31. 529.
lygonatum latifolium, Ellebori albi foliis C. B. P. 303.
lygonatum latifolium, flore majore odoro C. B. P. 303. Polygonatum floribus ex ſingularibus pediculis I. B. *tom.* 3. *l.* 31. 529.
lygonatum latifolium minus, flore majore C. B. P. 303.
lygonatum anguſtifolium non ramoſum C. B. P. 303. Polygonatum anguſtifolium *I. B. tom.* 3. *l.* 31. 531.

OLYGONATUM ramoſum, flore luteo majus *Cornuti* 38. Sigillum Indicum, flore luteo *Stapelii* 1067.
*lygonatum racemoſum Corn. v.* Lilium convallium.

*Polygonon multis I. B.* v. Polygala.

*POLYGONUM latifolium C. B. P. 281. Mor
*Hiſt.* 2. 591. Polygonum, ſive Centino
I. B. *tom.* 3. *l.* 29. 375. ANN.
*Idem anguſtifolium, folio oblongo *Moriſ.*
2. 51. C. B. P. 281. Polygonum anguſtifoli
I. B. *tom.* 3. *l.* 375. ANN.

POLYGONUM montanum minimum niv
& ſericeum *Moriſ. Hiſt.* 2. 592. Polygon
minus candicans C. B. P. 281. Parony
Hiſpanica Cluſii, ſive Anthyllis nivea
*tom.* 3. *l.* 19. 374. ANN.
*Polygonum litoreum minus, floſculis ſp
ceo albicantibus *Moriſ. Hiſt.* 2. 593. C.
281. ANN.
*Polygonum minus, ſive Millegrana major
P. 281. Herniaria glabra *Moriſ. Hiſt.* 2. 5
Herniaria I. B. *tom.* 3. *l.* 19. 378. ANN.
*Polygonum minimum, ſeu Millegrana mi
ma *Moriſ. Hiſt.* 2. 593. C. B. P. 282. An
lygonum vel Linifolia per terram ſpa
flore Scorpioidis *I. B. tom.* 3. *l.* 29. 37
ANN.
*Polygonum parvum, flore albo verticillato
*tom.* 3. *l.* 29. 378. *Moriſ. Hiſt.* 2. 594. AN
*Polygonum anguſtifolium, vel Gramineo
lio minus repens C. B. P. 281. Polygon
Germanis Knawel Tragi *Moriſ. Hiſt.* 2. 5

po

Polygonum tertium Dodonæi, ſive tenuifolium *I. B. tom.* 3. *l.* 29. 377. ANN.

Polygonum maritimum, folio Alſines *Moriſ. Hiſt.* 2. 594. Anthyllis maritima, Alſine foliis C. B. P. 282. Paronychia Alſinefolia incana *I. B. tom.* 3. *l.* 29. 367. ANN.

*Polygonum perenne procumbens, folio breviori, floribus in capitulum congeſtis Moriſ.* v. Pyrolæ affinis.

*Polygonum Geſneri I. B.* v. Onobrychis.

*Polygonum multis I. B.* v. Polygala.

POLYPODIUM vulgare C. B. P. 359. Polypodium *I. B. tom.* 3. *l.* 37. 746.

*Polytrichon aureum ejuſque ſpecies* C. B. P. & *Comel.* v. Muſcus capillaris.

*Poma Adami I. B.* v. Malus Limonia.

*Ponnam Tangera Hort. Mal.* v. Senna.

POPOLUS alba *C. B. P.* 429. Populus alba, λεύκη I. B. *tom.* 1. *l.* 8. 160.

Populus nigra C. B. P. 429. Populus nigra, ſive *αἴγειρος I. B. tom.* 1. *l.* 8. 159.

Populus tremula C. B. P. 429. Populus Lybica κέρκις Theoph. *I. B. tom.* 1. *l.* 8. 163.

PORRM commune capitatum C. B. P. 72. *Moriſ. Hiſt.* 2. 393. Porrum I. B. *tom.* 2. *l.* 19. 551.

Porrum ſectivum latifolium C. B. P. 72. *Moriſ. Hiſt.* 2. 390.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Porrum vitigineum, caule folia perforant *Moriſ. Hiſt.* 2. 391.

*Porrum ſectivum juncifolium* C. B. P. *v.* Cepa.

PORTULACA latifolia ſativa C. B. P. 288. *Mori Hiſt.* 2. 570. Portulaca hortenſis latifol *I. B. tom.* 3. *l.* 35. 678. ANN.

Eadem foliis flavis *Moriſ. Hiſt.* 2. 570. Flav ſcens ſeu foliis aureis *Cat. Hort. Reg. Pa* 146. ANN.

* Portulaca anguſtifolia, ſive ſylveſtris C. B. 288. *Moriſ. Hiſt.* 2. 571. Portulaca ſylveſtr minor, ſive ſpontanea *I. B. tom.* 3. *l.* 35. 67 ANN.

* POTAMOGETON rotundifolium C. B. P. 19 *Moriſ. Hiſt.* 2. 586. Potamogeton rotu diori folio I. B. *tom.* 3. *l.* 38. 776.

* Potamogeton Salicis folio C. B. P. 193. *Mori Hiſt.* 2. 587. Potamogeton ſive Fontal Perſicariæ folio I. B. *tom.* 3. *l.* 38. 777.

* Potamogeton foliis latis ſplendentibus C. B. 193. *Hiſt. Moriſ.* 2. 587. Potamogeton alter Dodonæi I. B. *tom.* 3. *l.* 38. 778.

* Idem foliis anguſtis ſplendentibus C. B. P. 19 *Moriſ. Hiſt.* 2. 587. Fontinalis major lucen *I. B. tom.* 3. *l.* 38. 777.

* Potamogeton foliis criſpis, ſive Lactuca rana rum *C. B. P.* 193. *Moriſ. Hiſt.* 2. 587. Fonti nalis criſpa *I. B. tom.* 3. *l.* 38. 778.

*Poten*

*Potentilla* C. B. P. *v.* Pentaphylloides.
*Potero affinis, foliis Pimpinellæ ſpinoſæ* C. B. P. *v.* Pimpinella.
*Poviſt* I. B. *v.* Fungus.
*Priapeja quibusdam* I. B. *v.* Nicotiana.

PRIMULA veris, ſive Verbaſculum pratenſe odoratum C. B. P. *Moriſ. Hiſt.* 2. 554. Primula veris odorata, flore luteo ſimplici *I. B. tom.* 3. *l.* 30. 495.

Primula veris, ſeu Verbaſculum pratenſe, vel ſylvaticum inodorum C. B. P. 241. *Moriſ. Hiſt.* 2. 554. Primula veris caulifera, pallido flore inodoro aut vix odoro *I. B. tom.* 3. *l.* 30. 496.

Eadem flore niveo C. B. P. *Var.* 241.

Primula veris hortenſis, ſeu Verbaſculum Alpinum umbellatum majus C. B. P. 242. *Moriſ. Hiſt.* 2. 555.

Ejuſdem varietates plurimæ, variis è vario ſatu coloribus deſcriptæ

Primula veris hortenſis umbellata, caule & flore folioſa major coccinea.

Eadem flore folioſa minor lutea.

Prior videtur varietas Primulæ veris vulgaris hortenſis umbellatæ, ex cujus ſeminibus in Angliâ natam referebat DNs Bobartus Horti Oxonienſis Præfectus, a quo ante aliquot annos hæc planta mihi eſt transmiſſa. Producit autem in ſuperiori caulis parte,

te, quâ florum pediculi exeunt, folia omnino ſimilia iis, quæ radici proxima ſunt aſt anguſtiora & breviora, ut plurimùm quina, aliquando ſeptena; Paria quoque foliola ungue vix ampliora ſubjiciuntur ſingulis floribus coccineis amplis, loco calicis. Cœtera omnia vulgari reſpondent.

Poſterior à ſupra laudato Petro de Wolf nobis conceſſa, floribus eſt minoribus luteis, quibus ſingulis ſubſident folia oblonga angusta; Cœtera cum vulgari conveniunt.

Primula veris, ſeu Verbaſculum Alpinum umbellatum minus *C. B. P.* 242. Primula veris minor rubra Eboracenſis, foliis parvis glabris Auriculæ urſi inſtar *Moriſ. Hiſt.* 2. 555. Primula veris minor purpuraſcens *I. B. tom.* 3. *l.* 30. 499.

Primula veris montana laciniata. Sanicula montana latifolia laciniata *C. B. P.* 243. Sanicula montana latifolia laciniata *Moriſ. Hiſt.* 2. 558. Cortuſa *I. B. tom.* 3. *l.* 30. 499.

Eadem Americana flore ſquallidè purpureo.

Primula veris, ſeu Verbaſculum hortenſe proliferum *C. B. P.* 242. *Moriſ. Hiſt.* 2. 555. Primula veris caulifera prolifera odorata *I. B. tom.* 3. *l.* 30. 496.

Ejuſdem differentiæ variæ, floribus modò geminis, modò trigeminis, vel majoribus vel minoribus diverſorum colorum inſignes.

Pri-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*PRIMULA VERIS HORTENSIS UMBELLATA, CAULE ET FLORE FOLIOSA, MAIOR.*



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Primula veris, ſeu Verbaſculum hortenſe multiplex *C. B. P.* 242. Primula veris caulifera maxima, flore pleno *I. B. tom.* 3. *l.* 30. 496.

Primula veris, ſeu Verbaſculum ſylvaticum majus, ſingularibus floribus, ſingularibus cauliculis inſiſtentibus *Moriſ. Hiſt.* 2. 555. Verbaſculum ſylveſtre minus, ſingulari flore *C. B. P.* 242. Primula veris, floribus ſingularibus pallidis majoribus ſimplicibus *I. B. tom.* 3. *l.* 30. 497.

Eadem flore viridi. Primula veris, floribus obſcurè virentibus fimbriatis *I. B. tom.* 3. *l.* 20. 498.

Primula veris, ſeu Verbaſculum Turcicum, ſeu Carchichec Turcarum *Moriſ. Hiſt.* 2. 555. Primula veris Conſtantinopolitana *Corn.* 55. Flore ſimplici.

Eadem flore pleno. Verbaſculum ſylveſtre magno plenoquè flore *C. B. P.* 242. Primula veris, floribus plenis ex ſingularibus pediculis *I. B. tom.* 3. *l.* 30. 497.

Utriuſque differentiæ plurimæ, florum umbone, petalorum numero, magnitudine & colore variantes.

*Prunella.* *v.* Brunella.

PRUNUS *C. B. P.* 443. *I. B. tom.* 1. *l.* 2. 184.

Eadem flore pleno *Cat. Hort. Reg. Par.* 146.

Pruna

Pruna magna dulcia atro-cœrulea *C.B.P.* 443.
Pruna parva dulcia, atro-cœrulea Damaſcena dicta C. B. P. 443.
Pruna magna craſſa ſubacida C.B.P. 443.
Pruna oblonga cœrulea C. B. P. 443.
Pruna nigra, carne durâ C. B. P. 443.
Pruna coloris ceræ, ex candido in luteum palleſcente C. B. P. 443. Præcocia majora *C. B. P. Var.* 443.
Eadem ſerotina minora C. B. P. *Var.* 443.
Pruna rotunda flava dulcia, Mali amplitudine *C. B. P.* 443.
Pruna magna rubra rotunda *C. B. P.* 443.
Prunus fructu rotundo nigro-purpureo dulci *C. B. P.* 444.
Ejuſdem aliæ ſpecies fructu differentes, varia inſitione ablactatione inoculatione aut ſatione productæ.
*Prunus ſylveſtris *C. B. P.* 444. *I. B. tom.* 1. *l.* 2. 193. Acacia Germanica vulgò.

PRUNO ſylveſtri affinis Canadenſis *C. B.* P. *app.* 517. Hypericum truteſcens Americanum flore albo *Park. Theatr.* 575.
*Pſeudocoſtus flore luteo* I. B. *v.* Panax.
*Pſeudo-cyperus Lobelio I. B. v.* Gramen.
*Pſeudo-dictamus verticillatus inodorus C. B. P. v.* Dictamnus.
*Pſeudo-digitalis Perſicæ folio Bocc. v.* Gratiolæ affinis.

*Pſeudo-*

*Pſeudo-narciſſus.* *v.* Narciſſus.
*Pſeudo-nardus I. B.* *v.* Lavandula.

PSYLLIUM Dioſcoridis vel Indicum, crenatis foliis I. B. *tom.* 3. *l.* 31. 514.
Pſyllium majus ſupinum C. B. P. 191. *I. B. tom.* 3. *l.* 31. 513.
Pſyllium majus erectum *C. B. P.* 191. *I. B. tom.* 3. *l.* 31. 513.

*PTARMICA vulgaris, folio longo ſerrato, flore albo I. B. *tom.* 3. *l.* 26. 147. Dracunculus pratenſis, ſerrato folio C. B. P. 98. Major & elatior.
Eadem minor & humilior.
· Ptarmica pratenſis, ſerrato folio, flore pleno. Dracunculus pratenſis, ſerrato folio, flore pleno C. B. P. 98.
Ptarmica incana humilis, foliis laciniatis Abſinthii æmulis. Abſinthium Alpinum umbelilferum latifolium C. B. P. 134. Abſinthium albis floribus, capitulis ſqvaroſis *I. B. tom.* 3. *l.* 26. 183.
*Ptarmica Auſtriaca vulgò ejusquè ſpecies v.* Xeranthemum.
*Pthora major Moriſ.* *v.* Ranunculus.

PULEGIUM latifolium C. B. P. 222. Pulegium I. B. *tom.* 3. *l.* 28. 256.
Pulegium anguſtifolium *C. B. P.* 222. Pulegium

Cer-

Cervinum anguſtifolium I. B. *tom.* 3. *l.* 28. 257. Flore purpureo.

Idem flore albo.

*Pulmonaria arborea* I. B. *v.* Muſcus.

*Pulmonaria flore luteo* I. B. Hieracium.

*Pulmonariæ luteæ ſpecies magis laciniata* I. B. *v.* Hieracium.

*Pulmonaria latifolia* C. B. P. *&* *Pulmonaria Italorum* I. B. *v.* Symphytum minus.

Pulſatilla folio craſſiore, flore majore dilutiore *Moriſ. Hiſt.* 2. 428. Pulſatilla folio craſſiore & majore C. B. P. 177. Pulſatilla purpurea cœruleavè I. B. *tom.* 3. *l.* 30. 409.

Pulſatilla flore minore ſaturatiore, & quaſi nigricante, folio magis & tenuiùs inciſo *Moriſ. Hiſt.* 2. 428. Pulſatilla flore minore nigricante C. B. P. 177. Pulſatilla flore clauſo I. B. *tom.* 3. *l.* 30. 410.

Pulſatilla Apii folio vernalis, flore majore C. B. P. 177.

*Puvetti Hort. Mal.* *v.* Solanum.

*Pyracantha quibuſdam* I. B. *v.* Meſpilus.

*Pyramidalis lævis* I. B. *v.* Campanula.

PYRETHRUM Bellidis flore C. B. P. 148.

*PYROLA rotundifolia major C. B. P. 191. Pyrola I. B. *tom.* 3. *l.* 31. 535.

Pyrola folio mucronato ſerrato C. B. P. 191.

*I. B.*

*I. B. tom.* 3. *l.* 31. 536.

Pyrola fruteſcens Arbutifolia C. B. P. 191.

PYRUS ſativa C. B. P. 439. Pyrus *I. B. tom.* 1. *l.* 1. 35.

Eadem flore pleno *Cat. Hort. Reg. Pariſ.* 148.

Pyri ſativæ variâ arte & mangonio product. ſpecies multivariæ.

* Pyrus ſylveſtris C. B. P. 439. Pyraſter ſeu Pyrus ſylveſtris I. B. *tom.* 1. *l.* 1. 57.

*Pyzielt Hernand. v.* Nicotiana.

## Q.

*Quadrifolium hortenſe album* C. B. P. *v.* Trifolium.

*Quamoclit* I. B. *v.* Convolvulus.

* QUERCUS latifolia Mas, quæ brevi pediculo eſt, C. B. P. 419. Quercus vulgaris brevibus pediculis I. B. *tom.* 1. *l.* 7. 71.

* Quercus cum longo pediculo C. B. P. 420. Quercus vulgaris longis pediculis I. B. *tom.* 1. *l.* 7. 71.

Quercus calice echinato, glande majore *C. B. P.* 420. Cerrus, Ægilops Aſpris Theophraſti putatata I. B. *tom.* 1. *l.* 7. 77.

Quercus pedem vix ſuperans C. B. P. 420. Robur VIII. Cluſio I. B. *tom.* 1. *l.* 7. 77.

*Quin-*

*Quinquefolium ejusquè ſpecies v.* Pentaphyllum.

*Quinquefolium ſiliquoſum Alpini v.* Sinapiſtrum.

*Quinquefolium Lupini folio* C. B. P. *v.* Sinapiſtrum.

## R.

*Radix urſina* I. B. *v.* Meum.

*Radix Rhodia* C. B. P. *&* I. B. *v.* Telephium.

RANUNCULUS nemoroſus, flore majore *Moriſ. Hiſt.* 2. 437. Anemone nemoroſa, flore majore C. B. P. 178. Ranunculus phragmites albus vernus I. B. *tom.* 3. *l.* 30. 412.

Idem flore ex purpurâ rubente. Anemone nemoroſa, flore majore ex purpurâ rubente. C. B. P. *Var.* 178. Ranunculus phragmites purpureus vernus *I. B. tom.* 2. *l.* 30. 412.

Ranunculus nemoroſus, flore majore albo pleno. Anemone nemoroſa, flore pleno albo *C. B. P.* 177.

Idem flore pleno purpureo. Anemone nemoroſa, flore pleno purpureo C. B. P. *Var.* 177.

Ranunculus nemoroſus luteus C. B. P. 178. *Moriſ. Hiſt.* 2. 437. Ranunculus phragmites luteus nemoroſus *I. B. tom.* 3. *l.* 30. 413. Foliis latioribus & flore unico C. B. P. *Var.* 178.

Idem foliis anguſtioribus, floribus duob
& tribus. *C. B. P. Var.* 178.
Rannunculus nemoroſus trifolius. Anem
ne trifolia *C. B. P.* 317. *Moriſ. Hiſt.* 2. 42
Anemone trifolia, flore albo *I. B. tom.* 3
30. 412.
Ranunculus nemoroſus, flore herbacei colo
folioſo. Anemonæ nemoroſæ affinis pe
grina ſecunda, flore herbacei coloris *C. B*
177.
Ranunculus Thalictri folio, Aſphodeli rad
*Moriſ. Hiſt.* 2. 438. Oenanthe Hederæ fo
*C. B. P.* 163. Oenanthe Myconii *I. B. tom*
*l.* 27. 192.
Ranunculus nemoroſus, Moſchatellina dic
*C. B. P.* 178. *Moriſ. Hiſt.* 2. 438. Moſchatell
foliis Fumariæ bulboſæ, de quâ Cordus
*tom.* 3. *l.* 26. 207.
Ranunculus nemoroſus ſeu ſylvaticus, fo
ſubrotundo *C. B. P.* 178. *Moriſ. Hiſt.* 2. 438.
nunculus rotundifolius vernus ſylvati
*I. B. tom.* 3. *App.* 841. An Ranunculus
tundifolius vernus ſylvaticus major,
Caſſubicus, foliis Thoræ ſeu Calthæ *Bre*
*Prodr.* 45?
Idem Virginianus parvo flore, molliori fo

Ranunculus hic Virginianus à ſuperi
haud abhorret; ſed floſculis & ſeminibus
de exiguis eſt, cœteriſque partibus omni
tenerior & gracilior. Nominè Ranun

ar

auricomi Virginiani à Dno Bobarto accepimus.

Ranunculus pratenſis erectus acris C. B. P. 178. *Moriſ. Hiſt.* 2. 439. Ranunculus rectus non repens, flore ſimplici luteo I. B. *tom.* 3. *l.* 30. 416.

Ranunculus hortenſis, erectus flore pleno C. B. P. 179. An Ranunculus pratenſis erectus acris, flore pleno. *Sutherl. Catal. Edinb.* 284.

Ranunculus pratenſis erectus dulcis C. B. P. 129. *Moriſ. Hiſt.* 2. 439.

Ranunculus dulcis, flore pleno C. B. P. 139. Ranunculus rectus non repens, pleno flore I. B. *tom.* 3. *l.* 30. 416.

Ranunculus pratenſis procumbens aut inclinans hirſutus *Moriſ. Hiſt.* 2. 439. Ranunculus pratenſis repens hirſutus C. B. P. 129. Ranunculus repens, flore luteo ſimplici I. B. *tom.* 3. *l.* 30 419.

Ranunculus hortenſis inclinans C. B. P. 179. Ranunculus repens, flore pleno I. B. *tom.* 3. *l.* 30. 420. Ranunculus magnus hirſutus repens, flore pleno I. B. *tom.* 3. *app.* 857.

Ranunculus magnus valdè hirſutus, flore luteo I. B. *tom.* 3. *l.* 30. 417.

Ranunculus pratenſis, radice verticilli modo rotundâ C. B. P. 179. *Moriſ. Hiſt.* 2. 439. Ranunculus tuberoſus major I. B. *tom.* 3. *l.* 30. 417.

Ranunculus bulboſus, flore pleno C. B. P. 179.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Ranunculus radice tuberosâ, flore pleno & prolifero C. B. P. Ranunculus maximo t... bere, flore magno pleno I. B. *tom.* 3. *l.* ... 418.

*Ranunculus echinatus arvenſis C. B. P. 1... *Moriſ. Hiſt.* 2. 440. *I. B. tom.* 3. *App.* 859.

Ranunculus echinatus ſtellatus Creticus C. B. P. 280. *Moriſ. Hiſt.* 2. 440. Ranuncu... ſtellatus paluſtris echinatus I. B. *tom.* ... *App.* 858.

*Ranunculus paluſtris, Apii folio, lævis C. B. ... 180. *Moriſ. Hiſt.* 2. 341. Ranunculus pa... ſtris, flore minimo I. B. *tom.* 3. *App.* 858.

*Ranunculus aquaticus Hederaceus *Moriſ. H...* 2. 441. Ranunculus aquaticus Hederac... luteus C. B. P. 180. Ranunculus Hederac... rivulorum, ſed extendens, atrâ maculâ n... tatus I. B. *tom.* 3. *l.* 38. 782.

*Ranunculus aquaticus, Cotyledonis folio... B. P. 180. *Moriſ. Hiſt.* 2. 442. Cotyledon... quatica *I. B. tom.* 3. *l.* 38. 781.

*Ranunculus aquaticus, folio rotundo & ... pillaceo C. B. P. 180. *Moriſ. Hiſt.* 2. 442. Ra... nunculus aquatilis albus I. B. *tom.* 3. *l.* 38. 7...

*Ranunculus aquaticus capillaceus C. B. P. 1... *Moriſ. Hiſt.* 2. 442. & Millefolium aqua... cum, foliis Abrotani, Ranunculi flore & capitulo *C. B. P.* 141. Ranunculus aquati... omnino tenuifolius *I. B. tom.* 3. *l.* 38.

Ranunculus aquatilis albus fluitans, P... cea...

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

cedani foliis. Ranunculus, ſive Polyanthemo aquatili albo affine, ſive Millefolium maratriphyllum fluitans *I. B. tom.* 3. *l.* 38. 782. Millefolium foliis Fœniculi, Ranunculi flore & capitulo C. B. P. 141.

Ranunculus longifolius paluſtris major C. B. P. 180. *Moriſ. Hiſt.* 2. 443. Ranunculus longo folio maximus, Lingua Plinii *I. B. tom.* 3. *App.* 865.

Ranunculus longifolius paluſtris minor C. B. P. 180. *Moriſ. Hiſt.* 443. Ranunculus longifolius, aliis Flammula I. B. *tom.* 3. *App.* 865.

Ranunculus paluſtris longifolius minor ſerratus *Moriſ. Hiſt.* 2. 443. Ranunculus paluſtris ſerratus C. B. P. 180.

Ranunculus paluſtris minimus, Plantaginis folio. Plantaginella paluſtris *C. B. P.* 190.

Ranunculus montanus, Plantaginis folio *C. B. P.* 180. *Moriſ. Hiſt.* 2. 444. Ranunculus Pyrenæus foliis ſublongis non laciniatis, albo flore I. B. *tom.* 3. *App.* 864.

Ranunculus montanus, Gramineo folio C. B. P. 180. *Moriſ. Hiſt.* 2. 444. Ranunculus pumilus Gramineis foliis *I. B. tom.* 3. *App.* 566.

Ranunculus montanus, Gramineo folio, multiplex C. B. P. 181. Ranunculus Gramineus, pleno flore I. B. *tom.* 3. *App.* 265.

Ranunculus lanuginoſus, grumoſâ radice minor C. B. P. 181. *Moriſ. Hiſt.* 2. 446. Ranunculus Illirycus, radicibus bulboſis, foliis



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

longis *I. B. tom.* 3. *App.* 863.

Ranunculus lanuginoſus, grumoſâ radice major C. B. P. *Moriſ. Hiſt.* 2. 446.

Ranunculus latifolius bullatus autumnalis parvo floro C. B. P. *Var.* 181. *Moriſ. Hiſt.* 2. 447. Ranunculus autumnalis, folio rotundo ſerrato *I. B. tom.* 3. *App.* 866.

Ranunculus latifolius bullatus autumnalis, Aſphodeli radice C. B. P. 181. *Moriſ. Hiſt.* 2. 447. Ranunculus Luſitanicus bullatus I. B. *tom.* 3. *App.* 867. Magno flore C. B. P. *Var.* 181.

Idem flore pleno & prolifero *Moriſ. Hiſt.* 2. 447. Ranunculus latifolius multiplex ſerotinus *Corn.* 95.

Ranunculus Rutaceo folio, flore ſuavè rubente C. B. P. 181. *Moriſ. Hiſt.* 2. 448. Ranunculus Rutaceo folio *I. B. tom.* 3. *l.* 30. 414.

Idem flore pleno. Ranunculus Rutæ folio ſerotinus, flore aureo pleno *Catal. Hort. Reg. Par.* 152. Ranunculus flavus multiplex, folio Rutæ *Ferr. Fl. Cult.* 340.

Idem flore ſanguineo C. B. P. 181. *Moriſ. Hiſt.* 2. 436. Ranunculus Conſtantinopolitanus, flore ſanguineo pleno I. B. *tom.* 3. *App.* 86[illegible]

Idem flore pleno flaveſcente & rubris lineis elegantiſſimè variegato *Cat. Hort. Reg. Par.* 152.

Idem prolifer miniatus C. B. P. 181. *Moriſ. Hiſt.* 2. 436.

Idem

idem Conſtantinopolitanus Gigas, flore coccineo *Cat. Hort. Reg. Pariſ.* 152.

Ranunculorum Aſphodeli radice, flore ſimplici & pleno multę ſpecies alię petalorum numero magnitudine figurâ & colorum pulcherrimorum concurſu diſcrepantes.

*Ranunculus præcox rotundifolius, radice granulatâ Moriſ.* *v.* Chelidonia.

*Ranunculus montanus, Aconiti folio, flore globoſo* C. B. P. *v.* Helleborus.

*Ranunculus Aconiti folio, flore albo multiplici* C. B. P. *v.* Helleborus.

*Ranunculus cum flore in medio folio, radice tuberoſâ* I. B. *v.* Helleborus.

RAPHANISTRUM ſiliquâ articulatâ glabrâ majore & minore *Moriſ. Hiſt.* 2. 265. Rapiſtrum luteum, ſiliquâ glabrâ articulatâ *Raji* 251. ANN.

Raphaniſtrum flore albo ſtriato, ſiliquâ articulatâ ſtriatâ minore *Moriſ. Hiſt.* 2. 266. Rapiſtrum flore albo, ſiliquâ articulatâ C. B. P. 95. Rapiſtrum flore albo ſtriato. Sinapi agreſte album Trago I. B. *tom.* 2. *l.* 21. 851. ANN.

RAPHANISTRUM maximum monoſpermum rotundifolium, capſulâ glabrâ *Moriſ Hiſt.* 2. 265. Rapiſtrum maximum monoſpermum rotundifolium *Corn.* 147. ANN.

Raphaniſtrum monoſpermum latifolium, ſili-

quis fungoſis glabris articulatis *Moriſ. Hiſ* 2. 267. Myagrum monoſpermum latifo lium c. b. p. 109. Myagrum monoſpe mum i. b. *tom.* 2. *l.* 21. 894. Ann.

Raphaniſtrum ſiliculâ minore rotundâ rugo ſâ aſperâ *Moriſ. Hiſt.* 2. 267. Myagro ſim lis, ſiliquâ rotundâ c. b. p. 267. Myagro a finis herba, capitulis rotundis *I. B. tom.* *l.* 21. 895. Ann.

*Raphaniſtrum ſiliquoſum monoſpe mum maritimum Anglicum, foliis craſſ latioribus. Eruca maritima Anglica, ſiliqu fungosâ, torosâ, rotundâ, foliis craſſis latior bus *Moriſ. Hiſt.* 2. 231. Cakile ſive Eruc marina latifolia *I. B. tom.* 2. *l.* 21. 868. Ann

*Idem diſpermum maritimum Italicum, ſiliqu haſtæ cuſpidi ſimili. Eruca maritima Italic ſiliquâ haſtæ cuſpidi ſimili *C. B. P.* 99. *Mori Hiſt.* 2. 231. Cakile quibuſdam, aliis Eruc marina, & Raphanus marinus *I. B. tom.* *l.* 21. 868. Ann.

Raphaniſtrum diſpermon Monſpeliacum, ſ culâ quadrangulâ echinatâ. Eruca Monſpe liaca, ſiliquâ quadrangulâ echinatâ c. b. 99. *Moriſ. Hiſt.* 2. 232. Sinapi echinatum *I. B.* *tom.* 2. *l.* 21. 858. Ann.

Raphanus niger major rotundus *Mori Hiſt.* 2. 265. Raphanus niger *C. B. P.* 96. An

Iden

Idem radice longâ pyramidali *Moriſ. Miſt.* 2. 265. Ann.

Raphanus magnus ſativus C. B. P. 96. *Moriſ. Hiſt.* 2. 265. Ann.

Raphanus minor oblongus C. B. P. *Moriſ. Hiſt.* 2. 69. Raphanus *I. B. tom.* 2. *l.* 21. 846. Ann.

Raphanus ruſticanus C. B. P. 96. *Moriſ. Hiſt.* 2. 237. Raphanus ſylveſtris, ſive Armoracia multis *I. B. tom.* 2. *l.* 21. 851.

Raphanus aquaticus, foliis in profundas lacinias diviſis C. B. P. 97. *Moriſ. Hiſt.* 2. 237. Raphanus aquaticus Tabernæmontani I. B. *tom.* 2. *l.* 21. 867.

Raphanus aquaticus alter, foliis ſerratis *Moriſ. Hiſt.* 2. 237. Raphanus aquaticus, Rapiſtri folio C. B. P. 97. Radicula ſylveſtris, ſive paluſtris *I. B. tom.* 2. *l.* 21. 867.

*Rapiſtrum flore luteo* C. B. P. *v.* Sinapi.

*Rapiſtrum flore albo, ſiliquâ articulatâ* C. B. P. *v.* Raphaniſtrum.

*Rapiſtrum maximum monoſpermum rotundifolium Corn.* *v.* Raphaniſtrum.

*Rapiſtrum Italicum, ſiliquis longiſſimis.* *v.* Eryſimum.

*Rapiſtrum flore albo ſtriato* I. B. *v.* Sinapi.

Rapum ſativum rotundum I. B. *tom.* 2. *l.* 21. 838. Rapa ſativa rotunda C. B. P. 89. *Moriſ. Hiſt.* 2. 213. Ann.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Idem radice obſoletè nigricante *Var.* C. B. P. 909. ANN.

Rapum ſativum oblongum *I. B. tom.* 2. *l.* 21 838. ANN.

Rapa ſativa oblonga, ſeu Fœmina *C. B. P.* 90 *Moriſ. Hiſt.* 2. 213. ANN.

Idem radice ad nigrum inclinante *Cat. Hort Reg. Par.* 153. ANN.

Rapum ſylveſtre, Rapa ſylveſtris C. B. P. 90 Rapum ſylveſtre Matthioli *I. B. tom.* 2. *l.* 21. 841. ANN.

RAPUNCULUS corniculatus ſpicatus, ſeu Alopecuroides *Moriſ. Hiſt.* 2. 463. Rapunculus ſpicatus C. B. P. 92. Rapunculus ſpicatus, ſive comoſus coeruleus *I. B. tom.* 2. *l.* 20. 809.

Idem ſpicâ albâ C. B. P. *Var.* 92. Rapunculus ſpicatus, ſive comoſus albus *I. B. tom.* 2. *l.* 20. 809.

*Rapunculus ramoſus corniculatus, Scabioſæ capitulo coeruleo *Moriſ. Hiſt.* 2. 464. Rapunculus Scabioſæ capitulo C. B. P. 92. Scabioſa globularis, quam Ovinam vocant *I. B. tom.* 3. *l.* 25. 12.

Rapunculus, ſeu Rapuntium Virginianum ſeu Americanum, coccineo flore majore *Moriſ. Hiſt.* 2. 466. Flos cardinalis Barberini *Columm. in not ad Hernand.* 880.

Rapunculus galeatus Virginianus, flore vio-

lace

laceo majore *Moriſ. Hiſt.* 2. 466. Rapuntium Americanum, flore dilutè coeruleo *Dod. mem.* 105.

Rapunculus galeatus Creticus, ſeu Petromarula Cretica Parkinſonii. *Moriſ. Hiſt.* 2. 467. Rapunculus Creticus, ſeu Pyramidalis altera C. B. P. 93. Rapunculus Creticus, Petromarula *I. B. tom.* 2. *l.* 20. 811.

Rapunculus ſeu Rapuntium Æthiopicum, cœruleo, galeato flore, foliis dentatis *Breyn. Cent.* 175.

*Rapunculus hortenſis, latiori folio, ſeu Pyramidalis* C. B. P. *v.* Campanula.

*Rapunculus Perſicifolius, magno flore* C. B. P. *v.* Campanula.

*Rapunculus eſculentus* C. B. P. *v.* Campanula.

*Rapunculus minor, foliis inciſis* C. B. P. *v.* Campanula.

RESEDA maxima *C. B. P.* 100. ANN. Reſeda vulgaris *C. B. P.* 100. Reſeda lutea *I. B. tom.* 3. *l.* 30. 467. ANN.

Reſeda alba I. B. *tom.* 3. *l.* 30. 467. ANN.

*Reſeda Tinctorum, Salicis folio, Luteola dicta. Luteola herba Salicis folio *C. B. P.* 100. Luteola Plinii quibuſdam I. B. *tom.* 3. *l.* 30. 466. ANN.

Reſeda maxima Cretica. Luteola Cretica *C. B. P.*

C. B. P. 100. Luteola maxima Cretica Honorii Bellii I. B. *tom.* 3. *l.* 30. 466.

Reſeda Phyteuma dicta. Reſedæ affinis phyteuma dicta *C. B. P.* 100. Phyteuma *I. B* tom. 3. *l.* 29. 386. ANN.

*Rha* C. B. P. *& I. B. v.* Lapathum.

*Rhabarbarum Officinarum C. B. P. & Moriſ. v.* Lapathum.

RHAMNUS ſpinis oblongis, flore candicante *C. B. P.* 477. Rhamnus cortice albo Monſpelienſium I. B. *tom.* 1. *l.* 6. 31.

*Rhamnus Salicis folio anguſto, fructu flaveſcente *C. B. P.* 477. Rhamnus vel Oleaſter Germanicus *I. B. tom.* 1. *l.* 6. 33.

Rhamnus catharcticus *C. B. P.* 478. *I. B. tom.* 1. *l.* 6. 55.

*Rhamnus folio ſubrotundo, fructu compreſſo C. B. P. v.* Paliurus.

*Rheum Dioſc. C. B. P. v.* Lapathum.

*Rhodia radix C. B. P. & I. B. v.* Telephium.

*Rhododendron ejuſquè ſpecies* I. B. *v.* Nerion.

RHUS folio Ulmi *C. B. P.* 414. Rhus, ſive Sumach *I. B. tom.* 1. *l.* 5. 555.

Rhus Virginianum *C. B. P.* 517.

Rhus Virginianum humile.

Rhus Myrtifolia Monſpeliaca *C. B. P.* 414. Rhus Plinio putata *I. B. tom.* 1. *l.* 5. 559.

RHUS

RHUS Myrtifolia Belgica *C.B.P.* 414. Gale, frutex odoratus Septentrionalium, Elæagnus Cordo, Chamæleagnus Dod. *I. B.* *tom.* 1. *l.* 8. 225.
*Ribes ejuſquè ſpecies* I. B. *v.* Groſſularia.

RICINUS Africanus maximus caule geniculato rutilante *Cat. Hort. Reg. Par.* 156. ANN.
Idem totus ruber Indicus. ANN.
Ricinus Americanus major, caule vireſcente *Cat. Hort. Reg. Par.* 156. ANN.
Ricinus vulgaris *C. B. P.* 432. I. B. *tom.* 3. *l.* 34. 642. ANN.
Ricinus vulgaris minor *C. B. P.* 432. ANN.
Ricinus Americanus, tenuiter diviſo folio *Breyn. Cent.* 1. 116. ANN.
Ricinus Americanus major, ſemine nigro *C. B. P.* 432. Ricinus Americanus, Curcas dictus & Faba purgatrix Indiæ occiduæ *I. B. tom.* 3. *l.* 34. 643. ANN.
*Rihan* I. B. *v.* Ocymum.
*Robur* VII. *Cluſ. I. B.* *v.* Quercus.

ROSA rubra *C. B. P.* 481. Simplex *C. B. P.* *Var.* 481. I. B. *tom.* 2. *l* 14. 34.
Eadem multiplex *C. B. P. Var.* 156. Roſa rubra flore valde pleno *I. B. tom.* 2. *l.* 14. 34.
Roſa rubra pallidior *C. B. P.* 481.
Eadem ſaturatiùs rubens C. B. P. 481.
Roſa purpurea *C. B. P.* 481. Roſa rubello flore ma-

majore multiplicato ſive pleno, incarnat: vulgo I. B. *tom*. 2. *l*. 14. 36.

Eadem flore ſimplici *Cat. Hort. Reg. Par.* 156.

Roſa omnium Calendarum *Cat. Hort. Reg. Par.* 156. Roſa Italica, flore ſuaviter rubente, perpetua *Fer. Flor. Cult.* 203.

Roſa verſicolor C. B. P. 481.

Roſa maxima multiplex C. B. P. 482. Roſa Hollandica rubella plena, quibuſdam centifolia, ſpinoſo frutice I. B. *tom*. 3. *l*. 14. 37.

Eadem flore albo *C. B. P. Var.* 482.

Roſa multiplex media C. B. P. 482.

Roſa alba vulgaris major C. B. P. 482. Roſa candida ſemiplena I. B. *tom*. 2. *l*. 14. 44.

Eadem flore multiplici C. B. P. *Var*. 482 Roſa candida plena *I. B. tom*. 2. *l*. 14. 44.

Roſa alba minor C. B. P. 282. Roſa lacteola *I. B. tom*. 2. *l*. 14. 45.

Roſa moſchata ſimplici, flore C. B. P. 482. Major C. B. P. *Var*. 482. Roſa moſchata major I. B. *tom*. 2. *l*. 14. 45.

Eadem minor C. B. P. *Var*. 482. Roſa moſchata minor I. B. *tom*. 2. *l*. 14.

Eadem flore pleno C. B. P. 482. Roſa moſchata minor flore pleno I. B. *tom*. 2. *l*. 14. 47.

Roſa ſpinis carens, flore majore *C. B. P.* 482. Roſa acanthos, flore pleno, coloris rubelli *I. B. tom*. 2. *l*. 14 35.

Roſa moſchata ſemper virens *C. B. P.* 482.

Roſa

Roſa ſpinis carens, flore minore C. B. P. 482.

Roſa ſylveſtris vulgaris, flore odorato incarnato *C. B. P.* 483. Roſa ſylveſtris alba cum rubore glabro *I. B. tom.* 2. *l.* 14. 43.

Roſa ſylveſtris, flore majore & rubente *C. B. P.* 483.

Roſa ſylveſtris, flore pleno *C. B. P.* 483. Roſa Eglentina, flore pleno *I. B. tom.* 2. *l.* 14. 43.

Roſa ſylveſtris, foliis odoratis C. B. P. 483. Roſa foliis odoratis, ſive Eglentina dicta *I. B. tom.* 2. *l.* 14. 41.

Roſa ſylveſtris odorata, albo flore C. B. P. 483. Roſa humilis, flore albo Cluſii I. B. *tom.* 2. *l.* 14. 45.

Roſa odore Cinamomi ſimplex *C. B. P.* 483. Roſa Cinamomea, floribus ſubrubentibus, ſpinoſa I. B. *tom.* 2. *l.* 14. 39.

Roſa minor rubello flore, quæ vulgo à menſe majo Majalis dicitur C. B. P. 483. Roſa rubello flore parvo ſimplici, non ſpinoſa *I. B. tom.* 2. *l.* 14. 39.

Roſa odore Cinamomi, flore pleno C. B. P. 383. Roſa minor rubello multiplicato flore, aſperis ſpinis armata *I.* B. *tom.* 2. *l.* 14. 38.

Roſa lutea ſimplex C. B. P. 483. Roſa lutea *I. B. tom.* 2. *l.* 14. 47.

Roſa lutea multiplex C. B. P. 483. Roſa lutea, flore pleno I. B. *tom.* 2. *l.* 14. 48.

Roſa campeſtris ſpinoſiſſima, flore albo odoro C. B. P. 483. Roſa pumila ſpinoſiſſima, foliis pim-

Pimpinellæ glabris, flore albo *I. B. tom.* 2. 14. 40.

Roſa moſchata ſemper virens C. B. P. 183. Roſa ſemper virens Cluſio *I. B. tom.* 2. *l.* 14. 4[illegible]

Roſa ſylveſtris Pomifera major *C. B. P.* 84[illegible] Roſa Pomo ſpinoſo, folio hirſuto *I. B. tom.* [illegible] *l.* 14. 48.

Roſa ſylveſtris Pomifera minor C. B. P. 48[illegible] Roſa ſylveſtris Pomifera Lobelio, flore rubello ſine ſpinis, pumila I. B. *tom.* 2. *l.* 14. 40.

Roſa punicea *Cornuti* 11.

*Roſa Sinenſis Ferrar. v.* Althæa.

ROSMARINUS hortenſis, anguſtiore folio *C. B. P.* 217. Rosmarinus coronarius fruticoſus I. B. *tom.* 2. *l.* 13. 25.

Rosmarinum ſtriatum ſive aureum *Parkinſ. Theatr.* 74.

Rosmarinus hortenſis, anguſtiore folio, argenteus *Cat. Hort. Reg. Par.* 158.

Rosmarinus ſpontaneus, latiore folio C. B. P. 217.

*Rosmarinus ſylveſtris quorundam* I. B. *v.* Ciſtus.

*Rosmarinus ſylveſtris* ἄοσμος *Cluſ.* I. B. *v.* Ciſtus.

*ROs ſolis, folio rotundo *C. B. P.* 357. Ros ſolis *I. B. tom.* 3. *l.* 37. 761.

*Ros ſolis, folio oblongo *C. B. P.* 357.

*Ru-*

*Rubeola montana odorata C. B. P. v.* Rubia.

RUBIA tinctorum ſativa *C. B. P.* 333. Rubia ſativa I. B. *tom.* 2. *l.* 36. 715.

Rubia ſylveſtris lævis C. B. P. 333. Rubia anguloſa, aſpera & parva Genuenſis *I. B. tom.* 2. *l.* 36715.

Rubia quadrifolia aſperrima lucida peregrina.

Folia ex nigro virore lucent, flores albicant, quos ſingulos excipiunt baccæ gemellæ nigræ. Cætera non differunt à vulgari.

Rubia quadrifolia, ſemine duplici hiſpido I. B. *tom.* 2. *l.* 36. 718. Rubia ſemine duplici hiſpido, latis & hirſutis foliis *Boccon.* 11.

Rubia montana odora. Aſperula ſive Rubeola montana odora *C. B. P.* 334. Rubiis accedens, Aſperula quibuſdam, ſive Hepatica ſtellaris I. B. *tom.* 3. *l.* 36. 719.

Rubia procumbens hexaphyllos purpurea. Aſperula hexaphyllos purpurea *C. B. P.* 334. I. B. *tom.* 3. *l.* 36. 720.

Rubia cœrulea erectior elatiorvè I. B. *tom.* 3. *l.* 36. 719. Aſperula cœrulea arvenſis *C. B. P.* 334.

Rubia Cynanchica C. B. P. 333. I. B. *tom.* 3. *l.* 36. 723.

Rubia pratenſis lævis, acuto folio C. B. P. 333.

Rubia cruciata hirſuta dicta C. B. P. 334. Gallium latifolium, Cruciata quibusdam flore luteo *I. B. tom.* 3. *l.* 36. 717.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Rubia latifolia ſpicata C. B. B. 334. Rubia ſ[illegible]cata I. B. *tom.* 3. *l.* 36. 721.

Eadem anguſtifolia *Cat. Hort. Reg. Par.* 1[illegible]

Rubiæ affinis maritima, Portulacæ foliis. [illegible] ſine littoralis, foliis Portulacæ C. B. P. 25[illegible]

*RUBUS vulgaris, ſive Rubus fructu ni[illegible] *C. B. P.* 479. Rubus major, fructu ni[illegible] I. B. *tom.* 2. *l.* 14. 57.

Rubus repens, fructu cœſio *C. B. P.* 479. [illegible]bus minor, fructu cœruleo I. B. *tom.* [illegible] 14. 59.

Rubus monococcos.

Baccis eſt ſolitariis; Cœtera vulgari[illegible]milis.

Rubus Idæus ſpinoſus *C. B. P.* 479. Fructu[illegible] bro I. B. *tom.* 2. *l.* 14. 59.

Idem fructu albo *I. B. tom.* 2. *l.* 14. 59. C. [illegible] 479.

Rubus Idæus lævis *C. B. P.* 479. Rubus Idæ[illegible] non ſpinoſus *I. B. tom.* 2. 14. 60.

Rubus odoratus *Cornuti* 149.

RUSCUS *C. B. P.* 470. I. B. *tom.* 1. [illegible] 5. 579.

RUTA hortenſis major latifolia *Moriſ. H*[illegible] 2. 507. C. B. P. 336. Ruta ſativa, vel h[illegible]tenſis I. B. *tom.* 3. *l.* 26. 197.

Ruta hortenſis minor tenuifolia *Moriſ. Hiſt*[illegible] 5[illegible]

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

507. Ruta hortenſis altera C. B. P. 336.

Ruta ſylveſtris major C. B. P. 336. *Moriſ. Hiſt.* 2. 507. I. B. *tom.* 2. *l.* 26. 199.

Ruta ſylveſtris minor C. B. P. 336. *Moriſ. Hiſt.* 2. 508. *I. B. tom.* 3. *l.* 26. 200.

Ruta Chalepenſis latifolia, florum petalis villis ſcatentibus.

Eadem anguſtifolia *Moriſ. Hiſt.* 2. 508.

Ruta ſylveſtris, flore magno albo C. B. P. 336. *Moriſ. Hiſt.* 2. 508. Ruta, quæ dici ſolet Harmala I. B. *tom.* 2. *l.* 26. 200.

*Ruta Hypericoides I. B.* *v.* Hypericum.

*Ruta muraria* C. B. P. *v.* Adianthum.

*Ruta canina* I. B. C. B. P. & *Moriſ.* *v.* Scrophularia.

## S.

S*abdariffa* I. B. *v.* Althæa.

SABINA folio Tamariſci Dioſc. C. B. P. 487. Sabina ſterilis *I. B. tom.* 1. *l.* 9. 288.

Sabina folio Cupreſſi *C. B. P.* 487. Sabina baccifera *I. B. tom.* 1. *l.* 9. 288.

*Saccharifera arundo.* *v.* Arundo.

SAGITTA aquatica major C. B. P. 194. Sagitta major *I. B. tom.* 3. *l.* 38. 790.

Sagitta aquatica minor latifolia C. B. P. 194.

Sagitta *I. B. tom.* 3. *l.* 38. 789.

* Sagitta aquatica minor anguſtifolia C. B. P. 19[illegible]

Sagitta minor anguſtifolia *I. B. tom.* 3[illegible] 38. 789.

*Sagittaria cordialis Markgr.* v. Crotalaria.

*Salicornia* I. B. v. Kali.

* SALIX vulgaris alba arboreſcens C. B. P. 4[illegible] Salix maxima fragilis, alba hirſuta *I. B. to[illegible]* 1. *l.* 8. 213.

* Salix vulgaris rubens C. B. P. 473.

* Salix ſativa lutea, folio crenato *C. B. P.* 4[illegible] Salix lutea tenuior, ſativa viminea *I. B. t[illegible]* 1. *l.* 8. 215.

Salix fragilis C. B. P. 474. Salix ſpontanea fr[illegible]gilis, Amygdalino folio, auriculata & n[illegible] auriculata *I. B. tom.* 1. *l.* 8. 214.

* Salix Perſicæ folio non auriculato *Comel* *Catalog.* 99.

* Salix anguſtis & longiſſimis foliis criſpis ſ[illegible]tus albicantibus *I. B. tom.* 1. *l.* 8. 212.

* Salix tenuior, folio minore utrinquè glab[illegible] fragilis. *I. B. tom.* 1. *l.* 8. 213.

* Salix latifolia rotunda C. B. P. 474. Salix [illegible]folia infernè hirſuta *I. B. tom.* 1. *l.* 8. 215.

* Salix folio ex rotunditate acuminato C. [illegible] 474.

Salix montana major, foliis Laurinis *Cat. H[illegible]* *Reg. Par.* 160. Salix folio laureo, ſive [illegible] glabro odorato *I. Raj. Catal.* 261.

* S[illegible]

Salix latifolia repens C. B. P. 774. Salix pumila latifolia *I. B. tom.* 1. *l.* 8. 216.

Salix pumila foliis utrinquè candicantibus & lanuginoſis C. B. P. 474.

Salix pumila, brevi anguſtoquè folio incano C. B. P. 474.

Salix humilis, corticem abjiciens *Raj. Catal.* 261.

SALVIA maxima foliis & floribus ampliſſimis. Salvia major peregrina, ampliſſimis floribus *Breyn. Prodr.* 46.

Salvia major, an Sphacelus Theophraſti C. B. P. 237. Salvia latifolia I. B. *tom.* 3. *l.* 28. 305. Flore purpureo C. B. P. *Var.* 237.

Eadem floribus albidis C. B. P. *Var.* 237.

Eadem foliis ex purpureo & albo variis *Cat. Hort. Reg. Par.* 160.

Eadem foliis ex luteo & viridi variegatis *Cat. Hort. Reg. Pariſ.* 160.

Eadem perelegans tricolor argentea Belgarum *Cat. Hort. Reg. Par.* 160.

Salvia minor aurita & non aurita C. B. P. 237. Salvia minor auriculata *I. B. tom.* 3. *l.* 28. 305.

Salvia minor altera, odore & ſapore Abſinthii, C. B. P. 237.

Salvia latifolia ſerrata C. B. P. 237. Salvia ſerrata criſpa I. B. *tom.* 3. *l.* 28. 305.

Salvia baccifera C. B. P. 237. Salvia gallifera



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Cretica *I. B. tom.* 3. *l.* 28. 306.

Salvia folio tenuiore C. B. P. 237. Salvia tenu- folia I. B. *tom.* 3. *l.* 28. 306.

*Salvia ſylveſtris* C. B. P. *v.* Scordium.

SAMBUCUS fructu in umbellâ nigro C. B. 456. Sambucus vulgaris *I. B. tom.* 1. 5. 545.

Sambucus fructu in umbellâ viridi C. B. P. 45

Sambucus racemoſa rubra C. B. P. 456. Sam- bucus racemoſa, acinis rubris I. B. *tom.* *l.* 551.

Sambucus laciniato folio *C. B. P.* 456. Sambu- cus laciniata I. B. *tom.* 1. *l.* 5. 549.

Sambucus humilis, ſive Ebulus folio laciniat *C. B. P.* 456. Ebulus ſive Sambucus herba- cea I. B. *tom.* 1. *l.* 5. 549.

Sambucus aquatica, flore ſimplici *C. B. P.* 45 Sambucus aquatica I. B. *tom.* 1. *l.* 5. 552.

Sambucus aquatica, flore globoſo pleno C. B. 456. Sambucus Roſea I. B. *tom.* 1. *l.* 5. 553.

*Sampſuchus* C. B. P. *v.* Clinopodium.

*Sanguis Draconis Herba* I. B. *v.* Lapathum.

*Sanguiſorba ejuſquè ſpecies* C. B. P. & I. *v.* Pimpinella.

SANICULA montana rotundifolia majo C. B. P. 243. Sanicula Alpina guttata *I.* *tom.* 3. *l.* 35. 707.

Sanicula montana crenata, umbilico rub

Ca

*Cat. Hort. Reg. Pariſ.* 161.

Eadem umbilico pallido *Cat. Hort. Reg. Par.* 161. *Moriſ. Hort. Bleſ.* 303.

Sanicula Alpina Roſea, oblongo rotundo crenato folio, umbilico rubente.

Eadem minima, umbilico pallido.

Sanicula radice granuloſâ, flore albo. Saxifraga rotundifolia alba *C. B. P.* 309. Saxifraga alba, radice granuloſâ *I. B. tom.* 3. *l.* 35. 707.

Eadem ad folia bulbos gerens. Saxifraga ad folia bulbos gerens C. B. P. 309.

Sanicula Aizoides, foliis ſerratis multiflora. Sedum ſerratum, flore albo, multiflorum. *Dodart. Mem.* 113.

Sanicula Aizoides, foliis longiſſimis ſerratis candicantibus.

Sanicula Aizoides, foliis oblongis ſerratis. Cotyledon media, foliis oblongis ſerratis C. B. P. 285. Sedum ſerratum. *I. B. tom.* 3. *l.* 35. 689.

Sanicula Aizoides, foliis ſubrotundis ſerratis Cotyledon media, foliis ſubrotundis *C. B. P.* 285. Cotyledon altera olim Matthiolo. I. B. *tom.* 3. *l.* 35. 685.

Sanicula Aizoides, ſubhirſuta, floribus punctatis. Cotyledon media ſubhirſuta, floribus punctatis. *C. B.* P. 285. Sedi ſpecies, ſive Cotyledon altera Etſcheriana, lanugine albâ, hirſutis foliis I. B. *tom.* 3. *l.* 35. 690.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Sanicula Aizoides Alpina, trifido folio. Sedum Alpinum, trifido folio C. B. P. 284. Sedis affinis triſulca Alpina, flore albo I. B. *tom* 3. *l.* 35. 696.

Sanicula Aizoides Alpina, trifido folio majo[r] alba. Sedum tridactylites Alpinum maju[s] album C. B. P. 284.

Sanicula Aizoides Alpina pallidè lutea. Sedum tridactylites Alpinum pallidè luteum C. B. P. 284.

Sanicula Aizoides Alpina, anguſtiſſimo folio, Saxifragiæ albæ flore luteo. Sedum Alpinum Saxifragiæ albæ flore, vel grandiflorum *C. B. P.* 284. Sedum minimum Syriacum, luteolo flore, Saxifragiæ albæ I. B. *tom.* 3. *l* 35. 696.

Sanicula Aizoides, acuto anguſto folio, Ericæ facie, flore albo.

*Sanicula Officinarum* C. B. P. *v.* Diapenſia.

*Sanicula Alpina ejuſquè ſpecies C. B. P.* *v.* Auricula urſi.

*Sanicula montana latifolia laciniata* C. B. P. *v.* Primula veris.

*Sanicula Alpina, foliis Borraginis villoſa.* C. B. P. *v.* Verbaſcum.

*Santolina vulgò.* *v.* Abrotanum.

SAPONARIA arbor Indica trifolia *Muſ. Zeyl.*

*Saponaria ejuſque ſpecies* C. B. P. *v.* Lychnis.

SAS-

SASSAFRAS *Hernand.* 61. Anhuiba *Piſon.* 146. Saſſafras ſive Lignum Pavanum *I. B. tom.* 1. *l.* 4. 483. Arbor ex Floridâ, Ficulneo folio C. B. P. 431.

SATUREJA hortenſis, ſeu Cunila ſativa Plinii C. B. P. 218. Satureja ſativa. I. B. *tom.* 3. *l.* 28. 272.

Satureja montana C. B. P. 218. Satureja durior I. B. *tom.* 3. *l.* 28. 272.

Satureja ſpicata C. B. P. 218. Satureja foliis tenuibus, ſive tenuifolia ſeu Juliani quorundam. *I. B. tom.* 3. *l.* 28. 273.

Satureja floribus in ſummitate diſpoſitis.
Hanc ſuperiori Autumno ad nos tramiſit DNS Watſius.

*Satyrium vulgò.* v. Orchis.

SAXIFRAGIA major, umbellâ candidâ. Pimpinella Saxifragâ major, umbellâ candidâ C. B. P. 159. Pimpinella Saxifraga major *Moriſ. Umbell.* 12. Saxifraga hircina major *I. B. tom.* 3. *l.* 27. 109.

Eadem umbellâ rubente. Pimpinella Saxifraga major, umbellâ rubente C. B. P. 159.

Saxifragia minor, foliis Sanguiſorbæ. Pimpinella Saxifraga major altera *C. B. P.* 159. Pimpinella Saxifraga minor *Moriſ. Umbell.* 12. Saxifragia hircina minor, foliis Sanguiſorbæ I. B. *tom.* 3. *l.* 27.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Saxifragia minor criſpa, umbellâ candidâ. Pimpinella Saxifraga minor C. B. P. 160. *Moriſ. Umbell.* 12. Saxifragia hircina minima, Pimpinella criſpa Tragi I. B. *tom.* 3. *l.* 27. 113.

*Saxifragia rotundifolia alba* C. B. P. *v.* Sanicula.

*Saxifragia ad folia bulbos gerens* C. B. P. *v.* Sanicula.

*Saxifraga rotundifolia aurea* C. B. P. *v.* Alchimilla.

* SCABIOSA pratenſis hirſuta, quæ Officinarum *C. B. P.* 269. Scabioſa major communior hirſuta, folio laciniato I. B. *tom.* 3. *l.* 25. 2.

* Eadem folio non laciniato I. B. *tom.* 3. *l.* 25. 2.

Scabioſa integrifolia glabra, radice præmorsâ. Succiſa glabra *C. B. P.* 269. Succiſa ſive Morſus Diaboli *I. B tom.* 3. *l.* 25. 11. Flore cœruleo.

Eadem flore albo *C. B. P. Var.* 269.

Scabioſa fruticans anguſtifolia alba *C. B. P.* 270. Scabioſa montana calidarum regionum major Lobelii *I. B. tom.* 3. *l.* 25. 8.

Scabioſa prolifera, folio latiore *C. B. P.* 270. Scabioſa prolifera *I. B. tom.* 3. *l.* 25. 5.

Scabioſa Alpina, foliis Centaurii majoris *C. B. P.* 270. Scabioſa Centauroides *Alpin. Exot.* 205.

Sca-

Scabioſa altiſſima annua, foliis Agrimoniæ nonnihil ſimilibus. ANN.

Supra viri altitudinem aſſurgit hæc Scabioſa, caulibus rotundis cavis geniculatis piloſis ramoſis, quibus ad ſingula genicula hærent folia bina ex adverſo, pinnata crenata, inſtar foliorum Agrimoniæ, non nihil hirſuta. Summis ramis inſident capitula ex multis floſculis pentapetaloidibus pallidis compoſita, ſingulis ſubjiciuntur ſemina oblonga parva, in ſummo umbilicata, ſeu ſtellata, ritu congenerum. Radix ſubeſt alba lignoſa fibroſa annua. Hujus ſemina ad Clariſſimum Anteceſſorem meum D^{Nm} Arnoldum Syenium transmiſit quondam Jacobus Breynius Botanicorum hujus ſeculi facilè Princeps.

Scabioſa Carduifolio, ſphærocœphala elatior. Carduus ſphœrocæphalus latifolius vulgaris *C. B. P.* 381. Echinopus major *I. B. tom.* 3. *l.* 26. 69.

Scabioſa Carduifolio ſphœrocæphala humilior. Carduus ſphœrocæphalus cœruleus minor *C. B. P.* 381. Echinopus minor *I. B. tom.* 3. *l.* 25. 72.

Scobioſa montana latifolia non laciniata rubra & prima *C. B. P.* 270. Scabioſa latifolia, purpurante ex nigro flore *I. B. tom.* 3. *l.* 25. 9.

Eadem ſecunda *C. B. P.* 270. Scabioſa latifolia, rubro flore *I. B. tom.* 3. *l.* 25. 9.

Sca-

Scabioſa glabra, foliis rigidis virentibus *I. B tom.* 3. *l.* 25. 8. An Scabioſa latifolia glabra alba *C.B. Phyt.* 526?

Scabioſa argentea anguſtifolia *C. B. P.* 270 Scabioſa Graminea argentea I. B. *tom.* 3. *l* 25. 12.

Scabioſa maritima parva *I. B. tom.* 3. *l.* 25. 7.

Scabioſa peregrina rubra, capitulo oblongo *C.B. P.* 270. Scabioſa rubra peregrina, quibusdam Indica *I. B. tom.* 3. *l.* 25. 6. ANN.

Eadem flore carneo, atro-purpureo, variegato *Cat. Hort. Reg. Par.* 163. ANN.

Eadem Indica prolifera *Sutherl. Hort. Edinburg.* 309. ANN.

Scabioſa peregrina, capitulo oblongo, flore albo Promontorii Bonæ Spei *Sutherl. Hort. Edinburg.* 309. ANN.

Scabioſa ſtellata, folio laciniato major C. B. P 271. Scabioſa major cum pulchro ſemine *I. B. tom.* 3. *l.* 25. 9. ANN.

Scabioſa ſtellata, folio non diſſecto C. B. P. 271. Scabioſa fruticoſa, folio non diſſecto *I. B. tom.* 3. *l.* 25. 11.

*Scabioſa montana, globoſo flore, Gramineis foliis latioribus. Caryophyllus montanus major, flore globoſo *C. B. P.* 211. Charyophylleus flos aphyllocaulos vel Junceus major I. B. *tom.* 3. *l.* 29 336.

*Eadem Gramineis foliis anguſtioribus. Caryophyllus montanus minor *C. B. P.* 211.

Ca-

SCABIOSA ALTISSIMA ANNUA, FOLIIS AGRIMONIÆ NONNIHIL SIMILIBUS.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Caryophylleus flos aphyllocaulos vel Junceus minor *I. B. tom.* 3. *l.* 29. 336. Floribus rubris.

Eadem floribus albis.

Eadem minima, floribus rubris, foliis anguſtiſſimis Caryophyllus montanus minimus, flore globoſo *Cat. Hort. Reg. Par.* 42.

*Scabioſa globularis, quam ovinam vocant* I. B. *v.* Rapunculus.

*Scammonia Syriaca C. B. P. & I. B.* Convolvulus.

*Scammonia Monſpeliaca, foliis rotundioribus C. B. P. v.* Apocynum.

*Scammoniæ Monſpelienſi affinis, foliis acutoribus* C B. P. *v.* Apocynum.

*Scammonea Monſpeliaca, florè parvo* I. B. *v.* Apocynum.

SCANDIX ſemine roſtrato vulgaris *C. B. P.* 152. Sandix *Moriſ. Umb.* 48. Pecten veneris, folio tenuiori, paucioribus roſtris *I. B. tom.* 3. *l.* 27. 74. ANN.

Scandix Cretica major *C. B. P.* 152. Pecten veneris Creticum *I. B. tom.* 3. *l.* 27. 74. ANN.

SCILLA vulgaris, radice rubrâ *C. B. P.* 73. *Moriſ. Hiſt.* 2. 395. Scilla ruffa magna vulgaris *I. B. tom.* 2. *l.* 19. 615.

Eadem radice albâ *C. B. P.* 71. *Moriſ. Hiſt.* 2. 395.

395. Scilla magna alba *I. B.* *tom.* 2. *l.* 19. 619.

Scilla Africana, flore viridi parvo, bulbo ampliſſimo.

*Scirpus ejuſquè ſpecies* C. B. P. *v.* Iuncus.

*Sclarea* C. B. P. *v.* Horminum.

*Scolymus Chryſanthemus* C. B. P. *v.* Eryngium.

*Scolymus Chryſanthemus annuus Dodart. Mem.* *v.* Carduus.

*Scolymus maximus non ſpinoſus* I. B. *v.* Cinara.

*Scolymus ſativus ſpinoſus & non ſpinus* I. B. *v.* Cinara.

*Scoparia* C. B. P. *v.* Geniſta.

* SCORDIUM C. B. P. 247. I. B. *tom.* 3. *l.* 28. 292.

* Scordium folio Salviæ, ſive Scorodotis *I. B.* *tom.* 3. *l.* 28. 292. Scordium alterum, ſive Salvia ſylveſtris *C. B. P.* 247.

*Scorodopraſum* I. B. *v.* Allium.

SCORPIOIDES Bupleuri folio, corniculis aſperis, hirſutis, minùs contortis *Moriſ Hiſt.* 2. 172. Scorpioides Bupleuri folio C. B. P. 287. Scorpioides ſiliquâ campoide hiſpidâ I. B. *tom.* 2. *l.* 21 899. ANN.

Eadem corniculis aſperis, magis in ſe contortis & convolutis *Moriſ. Hiſt.* 2. 127. ANN.

Eadem corniculis craſſioribus & magis ſpinoſis, litui inſtar contortis & in ſe con-

vo-

volutis *Moriſ. Hiſt.* 2. 127. Ann.

Scorpioides Portulacæ folio, corniculis lon gioribus tenuioribus ac articulatis *Moriſ. Hiſt.* 2. 127. Scorpioides Portulacæ folio *C. B. P.* 287. Telephium Dioſcordis, ſeu Scorpioides *C. B. P.* 217. Telephium Scorpioides *I. B. tom.* 2. *l.* 21. 889. Ann.

Scorzonera latifolia ſinuata *C. B. P.* 275. Tragopogon Hiſpanicum, ſive Eſcorzonera, aut Scorzonera *I. B. tom.* 2. *l.* 24. 1060.

Scorzonera foliis nervoſis C. B. P. 275.

Scorzonera folio laciniato. Tragopogon laciniatum luteum *C. B. P.* 278. Tragopogon folio lacinato Monſpelienſe, flore luteo *I. B. tom.* 2. *l.* 24. 1059. Ann.

Scrophularia annua, folio Urticæ *Moriſ. Hiſt.* 2. 481. C. B. P. 236. Scrophularia flore rubro Camerarii *I. B. tom.* 3. *l.* 30. 422. Ann.

Scrophularia annua, folio Lamii, flore luteo *Moriſ. Hiſt.* 2. 482. Scrophularia flore luteo C. B. P. 236. Scrophularia lutea magna, amplis foliis I. B. Ann. I. B. *tom.* 3. *l.* 30 422.

Scrophularia radice nodoſâ fœtidâ *C. B. P.* 235. *Moriſ. Hiſt.* 2. 482. Scrophularia vulgaris & major *I. B. tom.* 3. *l.* 421.

* Scrophularia radice fibroſâ *Moriſ. Hiſt.* 2. 482.

Scro-

Scrophularia aquatica major *C. B. P.* 235.
Scrophularia maxima, radice fibroſâ *I. B. tom.* 3. *l.* 30. 421.

Scrophularia Scorodoniæ foliis *Moriſ. Hiſt.* 2. 482.

Scrophularia peregrina fruteſcens, foliis Teucri craſſiuſculis *Breyn. Prodr.* 46.

Hęc ob elegantiam & perpetuò virentem comam cœteras omnes Scrophulariæ ſpecies antecellit, ideoque inter amœniores plantas à Floræ cultoribus reponi meretur. Erigit namquè ex radice pallidâ, in contortas fibrillas abeunte, caules rectos firmos, fruteſcentes, altitudinis ſeſquicubitulis, quadrangulos virides ſtriatos geniculatos, frequentes in ramos diviſos, quos ad ſingula genicula cingunt folia craſſiuſcula ſubrotunda crenata, unguem vix excedentia, vulgaris Teucrii facie, parte inferiori bina adverſa, ſuperiori verò ſolitaria. Floſculi inſident exiguis quinquifidis caliculis Scrophulariæ, Ruta canina dictæ, ſimillimi, monopetali ſubrotundi, in quinque lacinias quaſi totidem petala diſſecti, petalo ſuperiori purpuraſcente bifido galeæ inſtar, binis lateralibus auriculatis pallidis, imo labiato exiguo purpuraſcentè, profluentibus è medio rictu ſtaminibus candidis, apiculis purpuraſcentibus donatis. Flores excipit vaſculum ſubrotundum acumina-

tum bicapſulare, in duas carinulas deh[illegible]
ſcens, continens ſemina exigua fuſca. Pr[illegible]
pagatur feliciùs ramulis quàm ſeminibus.

Scrophularia major, Ruta canina vulgò dict[illegible] *Moriſ. Hiſt.* 2. 483. Scrophularia, Ruta c[illegible] nina dicta, vulgaris C. B. P. 236. Scr[illegible] phularia tertia Dodonæo tenuifolia, Ru[illegible] canina quibusdam vocata I. B. *tom.* 3. [illegible] 30. 423.

*Scrophularia minor* I. B. *v.* Chelidonia.

*SCUTELLARIA aquatica, vulgo Tertiana[illegible] dicta. Lyſimachia cœrulea galericulata, [illegible] Gratiola cœrulea C. B. P. Tertianaria, al[illegible] Lyſimachia galericulata *I. B. tom.* 3. *l.* [illegible] 435.

Scutellaria aquatica major Americana.

Novo Plantarum generi Scutellato a[illegible] numeratur & hæc Americana Planta, Sc[illegible] tellariæ aquaticę vulgari, Tertianaria dict[illegible] facie & ſapore haud abſimilis, cui radic[illegible] ſunt fibroſæ albæ repentes; cauliculi cu[illegible] tum alti quadrati geniculati, emittentes [illegible] ſingula genicula folia gemina adverſa, [illegible] midigitum longa, Tertianariâ vulgari a[illegible] pliora, per ambitum profundiùs crenata[illegible] longioribus petiolis fulcita? ex iiſdem ge[illegible] culis emicant flores bini tubuloſi galeric[illegible] lati violacei velut, in Tertianariâ vulga[illegible] cui quoquè reſpondent capſulæ ſemina[illegible]

SCROPHULARIA PEREGRINA FRUTESCENS, FOLIIS TEUCRII CRASSIUSCULIS BREYNII.



Scrophularia frutescens.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

inferius talum, qui mulierum calceis ſub pingitur, ſuperiùs galeam caſſidam ſeu ſcu tellam adumbrantes, in quarum alveol continentur ſemina parva rotunda fuſc: Hanc cum multis aliis rarioribus conceſſ nobis Botanicorum Dux & Oculus Robe: tus Moriſonius.

Scutellaria peregrina, folio Lamii. Lamiu peregrinum, ſive Scutellaria C. B. P. 23. Caſſida *Fab. Columm. Ecphr. part.* 1. 18. Lamium Aſtragaloides *Corn.* 129.

SEBESTENA domeſtica C B. P. 446. Myx domeſtica, ſive Sebeſten *I.B. tom.* 1. *l.* 2. 19.

SECALE hybernum vel majus C. B. P. 23. Se cale *I. B. tom.* 2. *l.* 18. 416.
Secale vernum vel minus C. B. P. 23.
*Secacul* I. B. *v.* Crithmum.

SECURIDACA vera plurimis floſculis luteis corymbi modo diſpoſitis, ſiliquis latis compreſſis inter granum & granum junctis, ſeminibus quadratis *Moriſ. Hiſt.* 2. 80. Securidaca lutea major C. B. P. 348. Securidaca flore luteo, ſiliquâ latâ oblongâ I. B. *tom.* 2. *l.* 17. 346.

SECURIDACA Indica anguſtiſſimis & longiſſimis ſiliquis. Galega Ægyptiaca, ſiliquis ar-

articulatis *C. B. P.* 452. Sesban Ægytiacum ſeu Securidaca Ægyptiaca articulata Park. *Moriſ. Hiſt.* 2. 79. Sesban foliis Hedyſari *I. B. tom.* 1. *l.* 11. 386.

*Securidaca Ægyptia Park. Moriſ.* v. Senna.

*Securidaca ſiliquis planis utrinquè dentatis C. B. P.* v. Aſtragalus.

*Securidaca dumetorum major, flore vario, ſiliquis articulatis C. B. P.* v. Colutea.

SEDUM Africanum fruteſcens incanum, foliis orbiculatis. Sedum arboreſcens Promontorii Bonæ Spei *Stapel.* 335. *Breyn. Prodr.* 47. Item Sedum majus Arboreſcens Africanum alterum, foliis rotundioribus, glaucis, limbo purpureo cinctis *Breyn. Prodr.* 47.

Locis maritimis aridis glareoſis ad Promontorium Bonæ Spei fruticis altitudine aſſurgit: radice ſuccosâ longâ brachiatâ robuſtâ ruffeſcente nonnunquam albidâ, frequentes fibras emittente: caudice pollicem craſſo ramoſo in viridi caneſcente, qui parte offernâ cingitur foliis, denſiſſimo ſtipatu absque petiolis congeſtis, orbiculatis, craſſis, ſucculentis, aliquando volæ manus amplitudine, glaucis, ambitu nunc rubente, nunc palleſcente; parte verò ſuperiori conſpicitur nudus, in tenue geniculum protuberans, quo mediante divaricatur in aliquot



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ramulos digitales & palmares, quibus ex calice quinquefoliato dependent flores oblongi pentanguli, quinque rubentibus ſeu incarnatis petalis, oris ſursùm reflexis, cum totidem è medio ſeſe exerentibus ſtaminibus apiculatis flaveſcentibus, conſtruct His evanidis ſuccedunt more congenerum quinqe ſiliculæ corniculatæ, oblongæ, preſſiùs invicem junctæ, includentes ſemina exigua ruffa. Tota Planta aquoſo viſcidoque gaudet ſucco, conſimilique virtute, qua cœteræ Sedi ſpecies. De facili vero propagatur ramulis abſciſſis & aridiori ſolo impactis.

Sedum Africanum umbellatum album.

Exilem fibroſam albam habet radicem caules complures, ramoſos ſuccoſos ſphithamo altiores: Folia viridia auguſta mucronata, caulem ab imo ad ſummum uſque cruciato poſitu, velut in Gentiana, ambientia: Flores albos pentapetalos quaſi in muſcario ſeu umbellâ diſpoſitos: Semina exigua in ſiliculis quinis invicem junctis.

Sedum Africanum annuum, Centaurii minoris facie, flore aureo. Ann.

Altitudinem palmæ vix attingit hæc Planta, figens radiculam tenuem fibroſam albam, ex quâ aſſurgit cauliculus ſimplex, rotundus, pallidè vireſcens, ad ſummitates ramo-

EDUM AFRICANUM FRUTESCENS INCANUM ORBICULATIS FOLIIS.



Cotyledon orbiculata.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

SEDUM AFRICANUM UMBELLATUM ALBUM



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

SEDUM AFRICANUM ANNUUM, CENTAURII MINORIS FACIE, FLORE AUREO.



Crassula dichotoma.

ramoſus, cui per intervalla adſtant folia craſſiuſcula ſucculenta, bina ex adverſo, Centaurio minori non nihil ſimilia: Ramorum ſummitates ſuſtinent perianthium quinquefolium, quod dehiſcens excludit florem pentapetalum, ſtellæ inſtar expanſum, foris purpuraſcentem, intus aureum, ſtaminulis in medio apiculatis flaveſcentibus, ſingulisque petalis ad fundum maculâ cordiformi ſanguineâ inſcriptis.

Sedum majus arboreſcens *I.B.tom.*3.*l.*35.686. floſculis ex flavo palleſcentibus. An Sedum majus arboreſcens, floſculis candidis *C.B.P.* 282?

*Sedum vulgare maximum.

Sedum majus vulgare C.B.P.283. *I.B.tom.*3. *l.*35.687. Sempervivum ſeu Aizoon vulgò.

Sedum vulgari magno ſimile *I. B. tom.* 3. *l.* 35.688.

Sedum majus montanum, foliis non dentatis, floribus rubentibus C.B.P.283. Sedum montanum latifolium, flore purpureo *I.B.tom.* 3. *l.* 35.688.

Sedum montanum tomentoſum C.B.P. 284. Sempervivum rubrum montanum γναφαλῶδες *Fab. Columnn. Ecph.p.* 1. 292.

Sedum echinatum vel ſtellatum, flore albo *I. B. tom.* 3. 35. 680.

Se-

Sedum Alpinum roſeum luteum, cauliculis rubentibus *Cat. Hort. Reg. Par.* 165.

Sedum minus teretifolium album C. B. P. 283. Sedum minus, folio longiuſculo tereti, flore candido I. B. *tom.* 3. *l.* 35. 690.

Sedum minus teretifolium alterum C. B. P. 283. I. B. *tom.* 3. *l.* 35. 691.

Sedum minus, folio circinnato *C. B. P.* 283. Sedum parvum, folio circinnato, flore albo I. B. *tom.* 3. *l.* 35. 691.

Sedum minus luteum, folio acuto C. B. P. 283. Sedum minus, flore luteo I. B. *tom.* 3. *l.* 35. 692.

Sedum minus à rupe S. Vincentii *Raji Catalog.* 270.

Sedum minus vermiculatum acre C. B. P. 283. Sedum parvum acre, flore luteo I. B. *tom.* 3. *l.* 35. 694. 270.

Sedum minus vermiculatum inſipidum *C. B. P.* 284. Sedum minimum luteum non acre I. B. *tom.* 3. *l.* 35. 695.

Sedum Alpinum luteum minus *Raji Cat.* 269.

Sedum Alpinum Ericoides cœruleum *C. B. P.* 284. *I. B. tom.* 3. *l.* 35. 694.

Sedum minus, lato & craſſo caule, Portlandicum Belgarum *Cat. Hort. Reg. Par.* 166.

Sedum Cepæa dictum. Cepæa *C. B. P.* 288. *I. B. tom.* 3. *l.* 35. 679.

*Se-*

• *Sedum ſerratum, flore albo multiflorum Dodart* v. Sanicula.

*Sedum ſerratum I. B.* v. Sanicula.

*Sedum minus fruticoſum C. B. P.* v. Kali.

*Sedum Alpinum, trifido folio ejusque ſpecies* v. Sanicula.

*Sedum tridactylites tectorum C. B. P.* v. Alſine

*Seleri Moriſ.* v. Apium.

*Sempervivum ejuſquè ſpecies.* v. Sedum.

SENECIO incanus pinguis *C. B. P.* 131. Senecio hirſutus viſcidus, major odoratus *I. B. tom.* 2. *l.* 24. 1042. ANN.

*Senecio Jacobææ folio *Moriſ. Hort. Bleſ.* 309. ANN.

*Senecio minor vulgaris *C. B. P.* 131. Senecio vulgaris, ſive Erigeron *I. B. tom.* 2. *l.* 24. 1041. ANN.

*Senecio, Africanus perennis.* v. Conyza in App.

SENNA Italica, ſive foliis obtuſis *C. B. P.* 397. Sena Florentina, foliis per extremum pene cordatis *I. B. tom.* 1. *l.* 11. 377. *deſcr.* ANN.

• Senna Occidentalis, odore Opii viroſo, Orobi Pannonici foliis mucronatis, glabra. Pajomirioba & Herva do Bidſcho Luſitanis *Piſon.* 185.

Eadem hirſuta.

Senna Occidentalis, odore Opii, minus viro-
ſo

ſo, foliis glabris obtuſis. Pajomirioba 11. *Piſon.* 184. Ann.

Senna Orientalis fruticoſa, Sophera dicta: Galegæ affinis Sophera dicta *C. B. P.* 352. Securidaca Ægyptia Park. *Moriſ. Hiſt.* 2. 78. Sophera Indiæ Orientalis *Breyn. Prod.* 51. Ponnam Tangera *Hort. Mal. tom.* 2. 101. Ecapatli altera *Hernand.* 376.

Senna Orientalis hexaphylla. Tala Zeylonenſibus Ann.

Octo plantas ex utròque Indiâ delatas aluit hactenus noſter hortus, quas tùm ob ſtamina falcata, quæ ex flore exeruntur, tum etiam ob ſemina in ſiliquis bivalvibus unicapſularibus quaſi per articulos junctis Sennæ ſubjungi, ſimilique nomine nominari debere autumavi. Quam verò hexaphyllam vocavi, radicem fert albam tenuem fibroſam annuam: cauliculos dodrantales herbaceos, primûm erectos, poſtmodum reclinatos: Folia in qualibet coſtâ ſex, bina ſibi oppoſita, ſubrotunda unguem lata, pinguia, ſaporis ſubacris ingrati, cocta verò oleracei haud ingrati: Flores congeneribus ſimiles, aſt minores, aureos pentapetolos ſtaminibus in medio concoloribus & ſtylo falcato longiori: Siliquas compreſſas anguſtas recurvas unicapſulares bivalves quaſi articulatas ſeu iſthmis interceptas, in quibus ſemina oblonga teretia lucida fuſca.

Sen-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Senna Orientalis tetraphylla, Abſus dicta Loto affinis Ægyptia *C. B. P.* 332. Abſus foliis Trifolii, foliis Orobi glabris *I. B. tom* 2. *l.* 17. 361. ANN.

Senna Occidentalis, ſiliquâ multiplici, folii Herbæ mimoſæ. Chamæcriſta Pavonis Americana, ſiliquâ multiplici *Breyn. Cent.* 1 66. ANN.

Eadem ſiliquâ ſingulari. Chamæcriſta Pavonis Braſiliana, ſiliquâ ſingulari *Breyn. Cent* 1. 64. ANN.

*Seriphium I. B.* v. Abſinthium.

*Seriphium Germanicum I. B.* v. Naſturtium.

*Serpentaria triphylla Braſiliana Dodart.* v. Arum.

SERPILLUM vulgare majus *C. B. P.* 220.

* Serpillum vulgare minus C. B. P. 220. Serpillum vulgare *I. B. tom.* 3. *l.* 28. 269. Flore purpureo.

Serpillum minus flore albo C. B. P. *Var.* 220.

Idem folio ex albo & viridi vario.

Serpillum anguſtifolium hirſutum C. B. P. 220.

Serpillum anguſto lanuginoſoque folio I. B. *tom.* 2 *l.* 28. 270.

Serpillum foliis Citri odore C. B. P. 220. Serpillum Citri odore I. B. *tom.* 2. *l.* 28. 270.

Serpillum folio Thymi C. B. P. 202. Serpillum ſylveſtre, Zygis Cluſio, Thymo vulgari rigi-

diori

diori ſimile *I. B. tom.* 2 *l.* 28. 271.

SERRATULA *C. B. P.* 235. *I. B. tom.* 3. *l.* 25. 23. Flore purpureo.

Eadem flore candido *C. B. P. Var.* 235.

*Seſamoides parvum Matth.* v. Cichorium.

SESAMUM *C. B. P.* 27. I. B. *tom.* 2. *l.* 21. 896. Semine fuſco.

Idem ſemine albo.

*Seſamum perenne Indicum Zanoni.* v. Gramen dactylon.

*Sesban Ægyptiacum Alpini Park. Moriſ.* v. Galega.

SESELI Æthiopicum Salicis folio C. B. P. 161. Seſeli frutex Æthiopicum *Moriſ. Umbell.* 17. Seſeli Æthiopicum fruticoſum, folio Periclymeni I. B. *tom.* 3. *l.* 27. 197.

Seſeli pratenſe, Silaus fortè Plinii C. B. P. 162. Seſeli pratenſe *Moriſ. Umb.* 17. Silaum quibusdam, flore luteolo I. B. *tom.* 3. *l.* 27. 170.

Seſeli montanum, Cicutæ folio glabrum *C. B. P.* 161. Seſeli herba montanum Pannonicum 1. *Cluſ. Moriſ. Umbell.* 17. Seſeli Alpinum, ſive montanum primum Cluſio, folio ſplendente, floſculis albis *I. B. tom.* 3. *l.* 27. 168.

*Seſeli pratenſe lacteſcens* C. B. P.. v. Thyſſelinum.

*Seſeli paluſtre lacteſcens acre, foliis Ferulaceis flore*

*flore albo, ſemine lato I.B.* v. Tyſſelinum.
*Seſeli Æthiopicum Matthiolo* I. B. *v.* Laſerpitium.
*Seſeli Officinarum* C. B. P. *v.* Siler.
*Seſeli Creticum majus* C. B. P. *v.* Tordylium.
*Seſeli Peloponenſe Matthioli, ſive Cicutaria quorundam* I. B. *v.* Cicuta.
*Siciliana* I. B. *v.* Hypericum.

SIDERITIS arvenſis aculeata, foliis Cannabinis, floribus purpureis. Urtica aculeata, foliis ſerratis C. *B.* P. 232. Cannabis ſylveſtris quorundam, Urticæ inerti affinis *I. B. tom.* 3. *app.* 855.

Eadem floribus candidis C. B. P. *Var.* 232.

Sideritis arvenſis anguſtifolia rubra *C. B. P.* 233. Ladanum Segetum, flore rubro quorundam I. B. *tom.* 3. *app.* 855.

Sideritis Scordioides tomentoſa alba. An Sideritis foliis hirſutis profundè crenatis *C. B. P.* 213. Et Sideritis Monſpeſſulana I. B. *tom.* 3. *l.* 30. 426? ANN.

Caulis huic eſt dodrante longior quadrangulus tomentoſus incanus, quem ambiunt conjugatâ ſerie folia parva incana mollia graveolentia, rugis & marginalibus crenis ad Scordii folia quadantenus accedentia, hinc Scorodotis appellata. Ad horum ſinus exeunt floſculi galeati & labiati, puſilli pallidi, caulem per intervalla verticillatim

SIDERITIS TOMENTOSA SCORDIOIDES.



Nn

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

latim cingentes, quibus ſuccedunt utriculi quinquefariam denticulati, nullis aut perquàm exiguis pedicellis fulciti, claudentes ſemina quaterna rotunda fuſca. Renovatur ſingulis annis ex ſeminibus deciduis. An hæc planta ſit eadem vel diverſa à Sideritide Monſpeſſulana I. B. judicet lector ex noſtra deſcriptione quam una cum accuratâ icone ad vivum expreſsâ hîc proponere non abs re fore exiſtimavi.

*Sideritis hirſuta procumbens *C. B. P.* 233.

Sideritis vulgaris hirſuta erecta *C. B. P.* 233. Sideritis vulgaris hirſuta *I. B. tom.* 3. *l.* 30. 425.

Sideritis Alpina, Hyſſopifolia *C. B. P.* 233. Sideritis Valerandi Dourez, brevi ſpicâ *I. B tom.* 3. *l.* 30. 427.

Sideritis arvenſis latifolia glabra *C. B. P.* 233. Sideritis glabra arvenſis *I. B. tom.* 3. *l.* 30. 427.

Sideritis foliis oblongis glabris *C. B. Prodr* 111. Sideritis glabra, oblongo ſplendente folio *C. B. P.* 233.

Sideritis Romana, utriculis ſpinoſis. Sideritidis genus, ſpinoſis verticillis *I. B. tom.* 3. *l.* 30. 428.

Sideritis ſpinoſa *I. B. tom.* 3. *l.* 30. 428. Sideritis Cretica viſcoſa, odore Bituminis *Zan Hiſt. Bot.* 186. Stachys ſpinoſa Cretica *C. B. P.* 236.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Sideritis altiſſima, flore albo I. B.* v. Calamintha Cattaria.

*Sigillum Salomonis.* v. Polygonatum.

*Sigillum Indicum, flore luteo Stapel.* v. Polygonatum.

SILER montanum majus *Moriſ. Umb.* 7. 8. Liguſticum quod Seſeli Officinarum *C.B.P.* 162. Siler montanum vulgare *I. B. tom.* 3. *l.* 27. 168.

Siler Aquilegiæ foliis *Moriſ. Umb.* 7. 8. Libanotis latifolia, Aquilegiæ foliis *C. B. P.* 157. Liguſticum Rauwolffi, foliis Aquilegiæ *I.B. tom.* 3. *l.* 27. 148.

*Siliqua edulis* C. B. P. v. Ceratonia.

SILIQUA ſylveſtris rotundifolia C. B. P. 402. Judaica arbor I. B. *tom.* 1. *l.* 12. 433.

Eadem flore albo, & cortice candicante *C. B. P. Var.* 402.

*Siliqua ſylveſtris ſpinoſa, arbor Indica* C. B. P. v. Coral.

*Siliquaſtrum.* v. Solanum.

SINAPI Rapæ folio *C. B.* P. 99. *Moriſ. Hiſt.* 2. 215. Sinapi ſiliquâ latiuſculâ glabrâ, ſemine ruffo, ſive vulgare I. B. *tom.* 2. *l.* 21. 855. ANN.

Sinapi Apii folio, ſiliquâ hirſutâ, ſemine albo aut ruffo *Moriſ. Hiſt.* 2. 216. Sinapi horten-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ſe, ſemine albo C. B. P. 99. Sinapi album, ſiliquâ hirſutâ, ſemine albo & ruffo *I. B. tom.* 2. *l.* 21. 856. ANN.

*Sinapi Erucæ folio C. B. P. 99. *Moriſ. Hiſt.* 2. 216. Sinapi Eryſimo Tragi cognatum, ſive ſimile *I. B. tom.* 2. *l.* 21. 857. ANN.

Sinapi ſylveſtre Monſpeſſulanum, lato folio ſinuato & laciniato, floſculo luteo minimo, ſiliquâ longiſſimâ *I. B. tom.* 2. *l.* 21. 858 *Moriſ. Hiſt.* 2. 216. ANN.

Sinapi arvenſe præcox, ſemine nigro *Moriſ. Hiſt.* 2. 216. Rapiſtrum flore luteo C. B. P. 95. Rapiſtrum flore albo ſtriato. Sinapi agreſte album Tragi *I. B. tom.* 2. *l.* 21. 851.

*Sinapi echinatum I. B. v.* Raphaniſtrum.

SINAPISTRUM Ægyptium heptaphyllum flore carneo, majus ſpinoſum. Pentaphyllum peregrinum ſiliquoſum bivalve majus *Moriſ. Hiſt.* 2. 288. Tareriaya Braſilienſibus *Markgr. l.* 33. Lupinus Ægyptius ſylveſtris *Veſlingii Obſ. in Alpin.* 69. ANN.

Sinapiſtrum Indicum pentaphyllum, flore carneo, minus non ſpinoſum. Pentaphyllum peregrinum ſiliquoſum bivalve minus *Moriſ. Hiſt.* 2. 288. Quinquefolium Lupinifolio C. B. P. 326. Quinquefolium ſiliquoſum Alpini *Exot.* 322. ANN.

Idem triphyllum.

Novæ Plantarum Familiæ, ſiliquis bival

SINAPISTRUM INDICUM TRIPHYLLUM, FLORE CARNEO, NON SPINOSUM.



Cleome triphylla

valvibus unicapſularibus ſine ſepto intermedio duplicem ſeminum ſeriem in ſe continentibus, floribus tetrapetalis longis ſtaminulis donatis, Robertus Moriſonius tres adſcripſit plantas, quibus nunc quartam Horti noſtri incolam, adjungere, eamque cum cęteris congeneribus nomine Sinapiſtri indicare placuit. Namquè harum ſemina ſapore & virtute Sinapi non tantùm æmulantur, ejusque loco ſubſtituuntur; verùm etiam à Luſitanis, in Indiis degentibus, Muſtardo demato hoc eſt Sinapi ſylveſtre appellantur. Erigit autem nova hæc ſpecies à radice tenui albente parvâ cauliculum cubitalem, in paucos diviſum ramos, ad tactum glutinoſum, cui adnectuntur folia terna, petiolo modo longiore, modo breviſſimo ramis cauliculoquè preſſiùs juncto, ſuffulta. Flores modo albicant, modo ex flavo palleſcunt. Cætera Sinapiſtro Indico pentaphyllo omnino paria, videantur ex appoſita icone. Locis aridis ſiccis cultis & incultis utriusquè Indiæ mirabili fœcunditate luxuriat.

Sinapiſtrum Luſitanicum triphyllum, flore rubro, ſiliquis corniculatis. Trifolium Luſitanicum bivalve, flore rubro *Moriſ. Hiſt.* 2. 289. Trifolium Luſitanicum corniculatum, flore rubro *Park. Th.* 1103. & 1687. Ann.

Sion

SION ſive Apium paluſtre, foliis oblongis C. B. P. 154. Sion umbelliferum I. B. *tom.* 3. *l.* 27. 172. An Sion aquaticum anguſtifolium *Moriſ. Umb.* 12?
Sion aquaticum latifolium *Moriſ. Umbell.* 12. Sion maximum latifolium I. B. *tom.* 3. *l.* 27. 175.
Sion medium *I. B. tom.* 3. *l.* 27. 174. Sium latifolium C. B. P. 154.
Sion Erucæ folio *C. B. P.* 154. Sium aquaticum, rugoſis foliis multifidis & dentatis *Moriſ. Umb.* 12. Cicuta aquatica Geſneri I. B. *tom.* 3. *l.* 27. 175.

SISARUM *Moriſ. Umbell.* 12. Siſarum Germanorum C. B. P. 155. Siſarum multis I. B. *tom.* 3. *l.* 27. 153.

SISON *Moriſ. Umb.* 12. Siſon, quod Amomum Officinis noſtris *C. B. P.* Siſon ſive Officinarum Amomum *I. B. tom.* 3. *l.* 27. ANN.
*Siſymbrium ejusque ſpecies* I. B. *v.* Naſturtium.

SISYNRICHIUM ex Phœniceo ſuavè rubente flore Æthiopicum *Breyn. Cent.* 1. 83.
Idem flore albo.
Siſynrichium Æthiopicum, foliis Gladioli parvis, palleſcente flore.
Siſynrichium ramoſum Æthiopicum, foliis pli-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

plicatis nervoſis & incanis, radice tuberoſâ phœniceâ *Breyn. Cent.* 1. 85.

Siſynrichium majus, flore luteâ maculâ notato C. B. P. 40. Siſynrichium ſpurium majus flore luteâ maculâ notato, ſeu Ἰριοξίφιο majus *Moriſ. Hiſt.* 2. 346. Iridi Bolbuſæ af fine, Siſynrichium majus I. B. *tom.* 2. *l.* 19 708.

Siſynrichium minus anguſtifolium, flore ma jore variegato C. B. P. 41.

SMILAX aſpera, fructu rubente C. B. P. 296 Smilax aſpera I. B. *tom.* 2. *l.* 15. 115.

Smilax aſpera minus ſpinoſa, fructu nigro C. B. P. 296. *I. B. tom.* 2. *l.* 15. 116. Smilax levis vulgò.

*Smilax hortenſis ejuſquè ſpecies.* v. Phaſeolus.

SMYRNIUM majus *Moriſ. Umbell.* 11. Hip poſelinum Theophraſti, vel Smyrnium Dioſc. C. B. P. 154. Macerone, quibus Smyr nium ſemine magno nigro I. B. *tom.* 3. *l.* 17 126. ANN.

Smyrnium Creticum *Moriſ. Umb.* 12. Smyr nium peregrinum, rotundo folio C. B. P. Smyrnium Creticum perfoliatum *I. B. tom* 3. *l.* 27. 125. ANN.

*Solanifolia Circæa dicta major & minor C.B.P.* v. Circæa.

SOLA-

SOLANUM veſicarium *C. B. P.* 166. Solanum Halicacabum vulgare *I. B. tom.* 3. 34. 609.

Solanum veſicarium Indicum C. B. P. 166. Solanum ſive Halicacabum Indicum *I. B. tom.* 3. *l.* 34. 609. ANN.

Solanum veſicarium Americanum, caule quadrangulo, foliis Strammoniæ. Tomatl, ſeu Planta acinoſa *Hernand.* 295. Camaru *Piſon. l.* 4. 223. ANN.

Solanum veſicarium Indicum minimum. Halicacabum, ſeu Alkekengi Arabibus dictum *Bont. l.* 6. 149. ANN.

Quanquam nullus dubitem, quin hoc Solanum ſit idem, quod Iacobus Bontius *Hiſt. Nat. l.* VI. *cap.* LIII. nomine Halicacabi ſeu Alkekengi Arabici propoſuit; attamen quoniam ejuſdem deſcriptionem reperi nimis debilem & iconem minùs accuratam, ideò in gratiam Botanophylorum paulò pleniorem deſcriptionem & iconem adjungere decrevi. Namque inter cœteras hujus ſortis ſpecies omnium minimum eſt hoc Solanum, facie quidem ad Indicum Camerarii & I. B. accedens; partibus tamen omnibus tenuius & gracilius. Radice nititur tenui albâ fibroſâ: Coliculis dodrantalibus rotundis tenuibus glabris, crebros in ramos diductis, mediâ ſui parte humi procumbentibus: Foliis



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Solano vulgari ſimilibus, ſed multò mino ribus, atroviridibus acuminatis, in mar gine aliquando integris, nonnunquam levi ter crenatis. Ad horum ſinus prodeun ſubinde in caliculis quinquifidis flore parvi, pallidè flaveſcentes, monopetal in quinque angulos acutos diſſecti, & ac fundum fuſcis maculis inſcripti. Hos exci piunt veſiculæ herbaceæ anguloſæ, Solan prædicto duplo minores, quibus includitu bacca concolor, referta ſeminibus de pre ſis pallidis, in pulpâ virenti acri & amará Collectum ex incultis ſordidis aridis Mal baræ & Zeylonæ invexi in Hortum, ub ex ſeminibus deciduis quotannis ſe ipſun propagat. Virtutes videantur apud Bon tium loco citato.

Solanum ſomniferum verticillatum *C. B. P.* 167. Solanum verticillatum I. B. *tom*. 3. *l.* 34. 610. Alkekengi Mexicanum *Column. ad Hernand.* 296. Solanum ſomniferum an tiquorum *Alpin. Exot.* 71. Peevetti *Hort. Mal. tom.* 4. 113.

Solanum quadrifolium bacciferum *C.B.P.* 167. Herba Paris I. B. *tom*. 3. *l*. 34. 613.

* Solanum Officinarum C. B. P. 166. Solanum hortenſe, ſive vulgare *I. B. tom*. 3. *l*. 34. 608. Acinis nigricantibus C. B. P. *Var*. 166. ANN.

* Idem acinis ex luteo vireſcentibus. ANN.

* Idem acinis rubris *C. B. P. Var*. 166. ANN.

Sola

SOLANUM VESICARIUM INDICUM MINIMUM.



Solanum μελανοκέρασ⊙ C. B. P. 166. Solanum maniacum mulis, ſive Bella donna *I.* B. *tom.* 3. *l.* 34. 611.

Solanum fruticoſum bacciferum *C. B. P.* 16. Strychnodendros I. B. *tom.* 3. *l.* 34. 61. Amomum Plinii vulgò.

Solanum ſcandens, ſive Dulcamara C. B. P. 167. Glycypicros ſive Amara dulcis *I.* B. *tom.* 2. *l.* 15. 109.

Idem flore albo C. B. P. *Var.* 167.

Idem foliis ex albo variegatis *Moriſ. Hort. Bleſ.* 194.

Solanum tuberoſum eſculentum *C. B. P.* 16. Papas Americanum I. B. *tom.* 3. *l.* 34. 621.

Solanum Pomiferum, fructu rotundo ſtriato molli C. B. P. 167. Mala aurea, odore fœtido, quibusdam Lycoperſion *I. B. tom.* 3. *l.* 34. 621. Fructu luteo *C. B. P. Var.* ANN.

Idem fructu aureo C. B. P. *Var.* ANN.

Idem fructu pulchrè rubente C. B. P. *Var.* 167. ANN.

Idem fructu albo C. B. P. *Var.* 167. ANN.

Solanum Pomiferum, fructu rotundo ſtriato duro C. B. P. 167. ANN.

Solanum Pomiferum, fructu oblongo *C. B. P.* 167. ANN.

Idem fructu oblongo albo C. B. P. *Var.* 167. ANN.

Idem fructu incurvo *C. B. P.* 167. *I.* B. *tom.* 3. *l.* 34. 619. ANN.

Idem

Idem fructu nigro ſpinoſo C. B. P. 167. *I.B.tom.* 3. *l.* 34. 619. ANN.

Solanum Pomiferum Indicum ſpinoſum, Borraginis flore, fructu croceo. Solanum ſpinoſum, fructu rotundo C. B. P. 167. Pomum de Hiericho Melongenis congener *I.B. tom.* 3. *l.* 34. 619. Chunda *Hort. Mal. tom.* 2. 69. ANN.

Idem ſpinis violaceis. ANN.

Idem ſpinis ex albo virentibus. ANN.

Idem candicans maximè tomentoſum. Solanum ſpinoſum maximè tomentoſum *Bocc. Ic. & Deſcr.* 8. Anachunda *Hort. Mal. tom.* 2. 65. ANN.

Idem Americanum, floribus ex lacteo & coeruleo mixtis. Juripeba Fœmina *Piſon. l.* 4. 181. ANN.

Solanum Pomiferum fruteſcens Africanum, ſpinoſum, nigricans Borraginis flore, foliis profundè laciniatis. Solanum ſpinoſum arboreſcens Capitis Bonæ Spei *Breyn. Faſcic.* 25.

Huic Solano ſuppingitur radix alba lignoſa perennis, longo & obliquo reptatu diſperſa. Ex hâc fruticat caulis lignoſus ſeſquicubitalis ramoſus, in viridi nigricans aculeis mordacibus undiquè armatus: Folia promit atro-viridia oblonga profundè laciniata, coſtis ab utraquè parte ſupparibus ſpinis obſeſſis: Flores ad ramorum cacu-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

cacumina pentapetaloides, Borraginis fa cie, ex coeruleo pallentes: Baccas Pom amoris amplitudine & formâ, primùm v rides, dein flavos, & ex maturitate in n grum degenerantes colorem, foventes ſe mina compreſſa, orbiculata, fuſca, in pulp flaveſcente viſcidâ, acri, amarâ, nauſeosâ & virosâ. Ad foſſarum margines locisqu aliis incultis Promontorii Bonæ Spei ſpont provenit. In Hortis tàm per ſemina quàm ramorum circumpoſitionem vel ſubmer ſionem commodiſſimè propagatur. Huju radicem, quam acrem & ſubamaram depre hendidi, exemplo Hottentottorum, ad Hy dropicorum aquas per urinam educendas ex decocto præſcripſi magno ſemper ægro tantium levamine; pulpam verò baccarum virulentam reperi, inducentem capitis gra vedines, torpores, dolores, furorem deni que ipſamquè necem.

Solanum racemoſum tinctorium Americanum foliis & ſeminibus Amaranthi. Solanum ra cemoſum Indicum *Hort. Reg. Par.* 167 Solanum magnum Virginianum rubrum *Park. Theatr.* 347.

SOLANUM Capſicum dictum vulgatiſſimum Piper Indicum vulgatiſſimum C. B. P. 102.

Idem propendentibus ſiliquis oblongis recur vis C. B. P. 102.

Sola-

SOLANUM POMIF. FRUTES. AFRICAN. SPINOS. NIGRIC. FOLIIS PROFUNDE LACIN.



Solanum sodomeum

Solanum Capſicum dictum, propendentibus ſiliquis oblongis recurvis. Piper Indicum propendentibus ſiliquis oblongis recurvis C.B.P. 102. Piper Indicum, ſive Calecuticum, ſive Capſicum oblongius I. B. *tom*. 2. *l*. 22. 934.

Idem ſiliquis aureis C. B. P. *Var*. 102.

Solanum Capſicum dictum, propendentibus ſiliquis rotundis. Piper Indicum propendentibus ſiliquis rotundis C. B. P. 102. Capſicum ſiliquâ latiore & rotundiore, *I. B tom*. 2. 22. 943.

Idem ſiliquis cordatis C. B. P. *Var*. 102.

Solanum Capſicum dictum, propendentibus ſiliquis minimis & anguſtiſſimis.

Solanum Capſicum dictum, ſiliquis ſurrectis & oblongis *C. B. P.* 202. Rubris.

Idem ſiliquis aureis *Cat. Hort. Reg. Par*. 142.

Idem ſiliquis cordatis.

Idem ſiliquis rotundis C. B. P. 103.

Idem ſiliquis bifurcatis C. B. P. *Var*. 103.

*Solanum Pomo ſpinoſo rotundo, longo flore* C. B. P. *v*. Stramonia.

*Solanum fœtidum, Pomo ſpinoſo oblongo C.B.P.* *v*. Stramonia.

*Salanum fœtidum, Pomo ſpinoſo rotundo, ſemine pallido* C. B. P. *v*. Stramonia.

*Solanum fœtidum, Pomo aculeis craſſioribus & longioribus donato Moriſ*. *v*. Stramonia.

*Solanum Mexiocanum, flore magno ejusquè ſpecies I. B.* *v*. Mirabilis.

*Sol-*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Soldanella maritima minor* C. B. P. *v.* Convolvulus.

*Solea equina* I. B. *v.* Ferrum equinum.

*Soleæ affinis herba* I. B. *v.* Ferrum equinum.

*Solidago Saracenica ejuſquè ſpecies* I. B. *v.* Conyza & Virga aurea.

SONCHUS aſper laciniatus, & non laciniatus C. B. P. 123. Sonchus minùs laciniofa mitior, ſive minus ſpinoſa & aſperior ſive ſpinoſior *I. B. tom.* 2. *l.* 24. 1014. ANN.

Sonchus aſper arboreſcens C. B. P. 124.

Sonchus aſper arboreſcens paluſtris, Hieracii facie. Hieracium Sonchites majus, folio Sonchi, vel Hieracium Sonchites C. B. P. 126. Sonchus repens, multis Hieracium majus *I. B. tom.* 2. *l.* 24. 1017.

Sonchus lævis laciniatus latifolius C. B. P. 124. Sonchus laciniatus non ſpinoſus I. B. *tom.* 2. *l.* 24. 1015. ANN.

Idem laciniatus ſpinoſus I. B. *tom.* 2. *l.* 24. 1016. ANN.

Sonchus Creticus, ſemine recurvo. Hieracium majus, folio Sonchi, ſemine recurro C. B. P. 127. Chondvillæ Creticæ nonomine miſſa ſemine criſpo I. B. *tom.* 2. *l.* 24. 1022.

Sonchus lævis laciniatus muralis, parvis floribus C. B. P. 124. Lactuca ſylveſtris murorum, flore luteo I. B. *tom* 2. *l.* 24. 1004.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Sonchus anguſtifolius maritimus C. B. P. 124.
Sonchus montanus purpuro-cœruleus major. Lactuca montana purpuro-cœrulea major 123. Lactuca ſylvatica purpurea *I. B. tom.* 2. *l.* 24. 1005.
*Sonchus villoſus luteus major* C. B. P. *v.* Hieracium.
*Sonchus lanatus Dalechampii* I. B. *v.* Hieracium.
*Soncho affinis, Lampſana domeſtica* C. B. P. *v.* Cichorium.
*Sophera Alpini* C. B. P. *v.* Senna.
*Sophera Indiæ Orientalis Breyn.* *v.* Senna.
*Sophia quibusdam* I. B. *v.* Naſturtium.

SORBUS ſativa *C. B. P.* 415. Sorbus *I. B. tom.* 1. *l.* 1 59.
*Sorbus ſylveſtris, foliis domeſticæ ſimilis *C. B. P.* 415. Sorbus aucuparia *I. B. tom.* 1 *l.* 1. 62.
Sorbus Virginiana, foliis Arbuti *Breyn. Prod.* 51.
*Sorbus torminalis & Alpina* I. B. *v.* Meſpilus.
*Sorghi* I. B. *v.* Milium.
*Sorgo* C. B. P. *v.* Milium.

*SPARGANIUM ramoſum *C. B. P.* 15. Sparganium quibusdam I. B. *tom.* 2. *l.* 18. 541.
*Sparganium non ramoſum C. B. P. 15. Sparganium alterum *I. B. tom.* 2. *l.* 18. 541.

*Spar*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Spartium arboreſcens, ſeminibus Lenti ſimilibus* C. B. P. *v.* Geniſta.
*Spartium Hiſpanicum, lobis rotundiuſculis, flore luteo* I. B. *v.* Geniſta.
*Spartium Hiſpanicum flore candido* I. B. *v.* Geniſta.
*Spartium alterum monoſpermum, ſemine reni ſimili* C. B. P. *v.* Geniſta.
*Spatula fœtida* I. B. *v.* Iris.
*Spergula* I. B. *v.* Alſine.
*Spergula marina* I. B. *v.* Alſine.
*Sphacelus Theophraſti* C. B. P. *v.* Salvia.
*Sphondylium ejuſquè ſpecies* I. B. *v.* Panax.
*Spina alba tomentoſa latifolia ſylveſtris ejusquè ſpecies* C. B. P. *v.* Carduus.
*Spina alba ſylveſtris Fuchſii* I. B. *v.* Carduus.
*Spina lutea* I. B. *v.* Eryngium.
*Spina ſolſtitialis* I. B. *v.* Jacæa.
*Spina Burgi Monſpelienſium* I. B. *v.* Alaternus.

SPINACHIA ſemine ſpinoſo *Moriſ. Hiſt.* 2. 598. Lapathum hortenſe, ſeu Spinachia ſemine ſpinoſo C. B. P. 114. Spinachia Fœmina I. B. *tom.* 2. *l.* 23. 963.
Eadem ſemine non ſpinoſo *Moriſ. Hiſt.* 598. Lapathum hortenſe, ſeu Spinachia ſemine non ſpinoſo *C. B. P.* 114. Spinachia ſemine non pungente folio majore & rotundiore I. B. *tom.* 2. *l.* 23. 964.
Spinachia ſterilis *Moriſ. Hiſt.* 2. 598. Lapa-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

thum hortenſe, ſeu Spinachia ſterilis *C. B.*
114. Spinachia Mas *I. B. tom.* 2. *l.* 23. 963
*Spinachia fragifera Aldin.* *v.* Atriplex.]

SPIRÆA Theophraſti fortè Cluſio *I. B. to*
I. *l.* 5. 559. Frutex ſpicatus, foliis Salig
ſerratus *C. B. P.* 475.
*Split I. B.* *v.* Fumaria.
*Spongia lignorum I. B.* *v.* Fungus.

STACHYS major Germanica *C. B. P.* 2
Stachys Fuchſii *I. B. tom.* 3. *l.* 18. 319.
Stachys Betonicæ folio ſubincano.

Hujus Plantæ ſeminibus, ex Italia delat
nos donavit olim honeſtiſſimus & integ
rimus ſenex, Franciſcus Sevenhuyſen,
rum naturalium imprimis verò Plantaru
ſcientiſſimus, quæ, decenter ſata, adole
runt in plantam bicubitalem, radice palli
digitum craſsâ carnosâ, multis fibris cap
latâ, caulibus tribus quatuorvè, ramo
rectis ſolidis quadrangulis rigidis, in ſ
cam deſinentibus palmarem, quam un
que cingebant denſiſſimâ verticillatâq
ſerie flores dilutè purpuraſcentes, galea
fidâ erectâ, labio promiſſo amplo ſcutell
exprimente, & ad collum auguſtior
utrinquè auriculato, ſingulis verò ſubjic
bantur utriculi oblongi quinquifidi, nu
vel breviſſimis fulciti petiolis, contin

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

STACHYS BETONICÆ FOLIO SUBINCANO.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tes ſemina quaterna fuſca. Inſuper caulibus ac ramis adnata erant folia rugoſa, ſerrata, pallidè virentia, Betonicæ facie, bini adverſo cruciatoquè ſitu diſpoſita, ſapori ſubacris, odoris debilis, aromatici quidpiam redolentis. Ob ſpicam ſtrictiorem Stachidi conformem malui Stachiden quàm Calamintham ſive Mentaſtrum, quo equidem non multûm abludere videtur, appellare.

Stachys paluſtris fœtida C. B. P. 236. Galeopſis anguſtifolia fœtida I. B. *tom.* 3. *app.* 854.

*Stachys ſpinoſa Cretica* C. B. P. *v.* Sideritis.

STAPHYLODENDRON ſylveſtre & vulgare Piſtacia ſylveſtris C. B. P. 401. Staphylodendron I. B. *tom.* 1. *l.* 3. 275.

Idem Virginianum trifoliatum. Piſtachia Virginiana ſylveſtris trifolia *Moriſ. Hort. Bleſ.* 295.

STAPHISAGRIA C. B. P. 324. I. B. *tom.* 3. *l.* 34. 641. ANN.

STELLA leguminoſa *Moriſ. Hiſt.* 2, 81. I. B. *tom.* 2, *l.* 17. 350. Ornithopodio affinis hirſuta, fructu ſtellato *C. B. P.* 350.

STOEBE major, foliis Cichoraceis mollibus lanuginoſis C. B. P. 273. Stœbe Salamanticen-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

cenſis prior Cluſii, ſive Jacæa Intybacea *I. B. tom.* 3. *l.* 25. 36.

Stœbe major, caliculis non ſplendentibus C. B. P. 273. Centaurii majoris ſpecies tenuifolia *I. B. tom.* 3. *l.* 25. 31.

Stœbe major, caliculis argenteis C. B. P. 273. Scabioſa ſquamata argentea *I. B. tom.* 3. *l.* 25. 30.

STOECHAS purpurea C. B. P. 216. Stœchas Arabica vulgò dicta *I. B. tom.* 3. *l.* 28. 277.

Stœchas cauliculis non foliatis C. B. P. 216.

*Stœchas citrina ejusquè ſpecies* I. B. *v.* Elichryſum.

STRAMONIA, ſeu Datura, pomo ſpinoſo rotundo longo flore. Stramonia multis dicta, ſive Pomum ſpinoſum *I. B. tom.* 3. *l.* 34. 624. Solanum pomo ſpinoſo rotundo, longo flore C. *B.* P. 168. Humatu *Hort. Mal. tom.* 2. 47. ANN.

Stramonia, ſeu Datura major fœtida, pomo ſpinoſo oblongo. Stramonia altera major, ſive Tatura quibusdam *I. B. tom.* 3. *l.* 34. 624. Solanum fœtidum, pomo ſpinoſo oblongo C. *B.* P. 168. ANN.

Stramonia, ſive Datura ferox, pomo craſſioribus & robuſtioribus aculeis donato. Solanum fœtidum, pomo aculeis craſſioribus & robuſtioribus donato *Moriſ. Hort. Bleſ.* 310. Solanum fœtidum, pomo grandiore ſpino-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ſiſſimo *Cat. Hort. Reg. Par.* 168. Stramonium ferox *Bocc. Plant. Sic.* 50. Datura Cochinenſis ſpinoſiſſima *Zanon. Hiſt. Bot.* 76. Datura fructu ſpinoſſimo *Garz. ab Hort. l.* 1. *Arom.* ANN.

Stramonia Ægyptiaca fœtida, ſemine pallido pomo ſpinoſo rotundo, flore violaceo ſimplici duplici triplicive. Solanum fœtidum pomo ſpinoſo rotundo, ſemine pallido C. B. P. 168. ANN.

Eadem flore pleno, extrinſecus purpuraſcente, intrinſecus albente, punctis purpureis aſperſo *Catal. Hort. Reg. Par.* 168. Solanum Ægyptium, flore pleno C. B. P. 169. Datura Ægyptia *Veſling. Obſ.* 50. ANN.

Stramonia fœtida Malabarica, ſemine pallido, pomo glabro, flore ſimplici violaceo. Nilahumatu *Hort. Mal. tom.* 2. 49. ANN.

Eadem flore duplici triplicive. Mudela-Nila-Humatu *Hort. Mal. tom.* 2. 51. ANN.

STRATIOTES aquaticus Belgicus *Stapel.* 436. Aloë paluſtris C. B. P. 286. Aloe ſive, Aizoon paluſtre *I. B. tom.* 3. *l.* 38. 787.

*Strychnodendron* C. B. *v.* Solanum.

STYRAX folio mali Cotonei C. B. P. 452. Styrax arbor I B. *tom.* 1. *l.* 9. 341.

SUBER latifolium perpetuò virens C. B. P. 424. Suber latifolium I. B. *tom.* 1. *l.* 7. 103.

*Suc-*

*Succiſa flore cæruleo & albo* C. B. P. *v.* Scabioſa.
*Sultan Zamback Cluſii* I. B. *v.* Lilium.
*Sumach* I. B. *v.* Rhus.
*Surighaghas Zeylanens. v.* Althea.

SYMPHYTUM majus, ſive Conſolida major *C. B. P.* 259. Symphytum magnum I. B. *tom.* 3. *l.* 33. 593. Fœmina flore albo C. B. P. *Var.* 259.
Idem Mas, flore purpureo vel purpuro cœruleo C. *B.* P. *Var.* 259.
Idem flore variegato.
Symphytum majus tuberoſâ radice *C. B. P.* 259. Symphytum tuberoſum I. B. *tom.* 3. *l.* 33. 594.
Symphytum minus maculoſum, ſive Pulmonaria latifolia C. B. P. 259. Pulmonaria Italorum ad Bugloſſum accedens I. B. *tom.* 3. *l.* 33. 595. Floribus cœruleo rubentibus C. B. P. *Var.* 260.
Idem floribus albis C. B. P. *Var.* 260.
Symphytum minus non maculoſum, ſive Pulmonaria latifolia, albis punctis carens, floribus cœruleo rubentibus *C. B. P. Var.* 260.
Idem floribus albis *C. B. P. Var.* 260.
Symphytum, minus ſive Pulmonaria anguſtifolia, rubente cœruleo flore *C. B. P.* 260. Pulmonaria rubro flore, foliis Echii I. B. *tom.* 3. *l.* 33. 597.

*Symphytum minus, Borraginis facie* C. B. P. v. Bugloſſum.

*Symphonia Dalechampio* I. B. v. Amaranthus.

SYRINGHA cœrulea C. B. P. 398. Syringha flore cœruleo, ſive Lilac I. B. *tom.* 1. *l.* 8. 204.

Eadem purpurea. Syringha ſive Lilac flore ſaturatè purpureo *Cat. Hort. Edinb. Sutherl.* 328.

Eadem lactea, ſeu floris colore quaſi argenteo C. B. P. *Var.* 398.

Syringha Perſica foliis laciniatis. Liguſtrum foliis laciniatis C. B. P. 476. Agem Lilag Perſarum, inciſo folio *Corn.* 188. Jaſminum Perſicum, foliis laciniatis *Cat. Hort. Edinb. Sutherl.* 169.

Eadem foliis integris *Cat. Hort. Reg. Par.* 105. Agem Lilag Perſarum, folio integro *Corn.* 190. Jaſminum Perſicum foliis non laciniatis *Cat. Hort. Edinb. Sutherl.* 169.

Syringha alba, ſive Philadelphus Athenæi C. B. P. 398.

Syringha Arabica, foliis Mali Aurantii C. B. P. 398. Jaſminum ſive Sambach Arabum, Alpino I. B. *tom.* 2. *l.* 15. 102.

## T.

T*abacum ejuſquè ſpecies* I. B. v. Nicotiana.

TAGE-

TAGETES Indicus maximus rectus, flore ſimplici ex luteo pallido *I. B. tom.* 3. *l.* 26. 100. Tanacetum Africanum majus, ſimplici flore C. B. P. 133. Cempoalxochitl, Caryophylli Mexicani planta *Hernand.* 154. ANN.

Idem flore maximo multiplicato *I. B. tom.* 3. *l.* 26. 100. Tanacetum, ſive Flos Africanus major, flore pleno *C. B. P.* 132. Cempoalxochitl ſeu Giuhnaxochitl, Teneycepohuol, Caryophyllus Mexicanus I. *Hern.* 154. ANN.

Tagetes Indicus medius, flore ſimplici luteo pallido *I. B. tom.* 3. *l.* 26. 99. Oquichtli Cocaxochitl, Caryophyllus Mexicanus II. *Hern.* 155. ANN.

Idem flore luteo multiplicato. Tlapalte Cacayatl, Caryophyllus Mexicanus III. *Hernand.* 155. ANN.

Tagetes Indicus minor, ſimplici flore, ſive Caryophyllus Indicus, ſive Flos Africanus *I. B. tom.* 3. *l.* 26. 98. Tanacetum Africanum, Flos Africanus minor *C. B. P.* 133. ANN.

Idem multiplicato flore I. B. *tom.* 3. *l.* 26. 99. Macuilxochitl, ſeu Maon Caryophyllus Mexicanus IV. *Hern.* 155. ANN.

Tagetes Indicus minimus, flore ſericeâ hirſutie obſito. Tanacetum Africanum ſericeâ hirſutie obſitum C. B. P. 133. Tlapalcoçatli Coaxo-

Coaxochitl Caryophyllus Mexicanus *v.* *Hern.* 156. ANN.

Tagetes Indicus, flore fiſtuloſo ſimplici. Tanacetum, ſive Flos Mexicanus, flore fiſtuloſo ſimplici C. B. P. 133. ANN.

Idem flore fiſtuloſo duplicato. Tanacetum, ſive Flos Mexicanus, flore fiſtuloſo pleno C. B. P. 133. ANN.

*Tala Zeylanenſ.* *v.* Senna.

* TAMARINDUS. Tamarindi *I. B. tom.* 1. *l.* 12. 422. Siliqua Arabica, quæ Tamarindus *C. B. P.* 403. Balam-pulli ſeu Maderam-pulli *Hort. Mal. tom.* 1. 39. Tamarindus & Caranda *Bont. l.* 6. 94. Tamarindus *Hern.* 83.

TAMARIX fruticoſa, folio craſſiore, ſive Germanica *C. B. P.* 485. Tamarix Germanica, ſive minor fruticoſa *I. B. tom.* 1. *l.* 10. 351. Myrica vulgò.

Tamarix altera folio tenuiore, ſive Gallica C. B. P. 485. Tamarix major, ſive arborea Narbonenſis *I. B. tom.* 1. *l.* 10. 351.

*Tamnus Plinii, folio Cyclamini* I. B. *v.* Bryonia.

* TANACETUM vulgare luteum C. B. P. 132. Tanacetum vulgare, flore luteo I. B. *tom.* 3. *l.* 26. 131.

Tanacetum foliis criſpis *C. B. P.* 132. Tanacetum criſpum, flore luteo I. B. *tom.* 3. *l.* 26. 132.

*Tana-*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Tanacetum montanum inodorum, minore flore C. B. P.* v. Bellis.
*Tanacetum inodorum, flore majore C. B. P.* v. Bellis.
*Tanacetum minus, odore Camphoræ C. B. P.* v. Millefolium.
*Tanacetum Africanum ejusquè ſpecies* C. B. P. v. Tagetes.
*Tarchon* I. B. v. Dracunculus.
*Tareriaja Braſilienſibus Markgr.* v. Sinapiſtrum.
*Taxoquamoclit* I. B. v. Galega.

TAXUS *C. B. P. 505. I. B. tom. 1. l. 9.* 241.

*TELEPHIUM vulgare C. B. P. 287. Anacampſeros, vulgò Faba craſſa I. B. *tom.* 3. *l.* 35. 681.
Telephium purpureum majus *C. B. P.* 287. Anacampſeros purpurea I. B. *tom.* 3. *l.* 35. 682.
Telephium radice Roſam ſpirante majus. Rhodia radix *C. B. P.* 286. *I. B. tom.* 3. *l.* 35. 683.
Idem minus. Rhodia radix minor *Cat Hort. Reg. Pariſ.* 155.
Telephium latifolium peregrinum *C. B. P.* 287. Anacampſeros maxima I. B. *tom.* 3. *l.* 35. 682.
Idem minus.
Telephium Luſitanicum hæmatodes maximum

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

mum *Cat. Hort. Reg. Pariſ.* 173. An Telephium pereginum rubrum *Moriſ Hort. Bleſ.* 201.

Telephium repens, folio deciduo C. B. P. 287. Anacampſeros minor, rotundiore folio, ſemper virens I. B. *tom.* 3. *l.* 53. 682.

Telephium repens folio non deciduo *C. B. P.* 287. Polygonum perenne procumbens, folio breviore, floribus in capitulum congeſtis *Moriſ. Hiſt.* 2. 592.

Telephium Portulacæ folio *Moriſ. Hort. Bleſ.* 311.

*Telephium Dioſcoridis, ſeu Scorpioides* C. B. P. & I. B. *v.* Scorpiodes.

TEREBINTHUS vulgaris *C. B. P.* 400. Terebinthus I. B. *tom.* 1. *l.* 3. 279.

*Terra merita Officin.* I. B. *v.* Curcuma.

*Tertianaria* I. B. *v.* Scutellaria.

*Tetragonium* I. B. *v.* Frangula.

TEUCRIUM *C. B. P.* 247. Teucrium multis I. B. *tom.* 3. *l.* 28. 290.

Teucrium peregrinum, folio ſinuoſo *C. B. P.* 247. Teucrium Boeticum & Creticum Cluſii I. B. *tom.* 3. *l.* 28. 291.

Teucrum Regium purpureum *Mor. Hort. Bleſ.* 311. An Teucrium Creticum odoratum, flore purpureo *Cat. Hort. Reg. Pariſ.* 173?

Teucrium Americanum procumbens Veronicæ aquaticæ foliis ſubrotundis.

Cum

TEUCRIUM AMERICANUM PROCUMBENS, VERONICÆ AQUATICÆ FOLIIS SUBROTUNDIS.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Cum floribus & ſeminibus à Teucrio vulgari parùm vel nihil diſtare videatur hæc exotica planta; hîc locorum oportunè inſeri poſſe exiſtimavimus. Firmatur radice tenui fibroſâ pallidâ, ſpargente coliculos ſpithameos quadrangulos, humi ſtratos, quos per intervalla ambiunt folia bina ſibi, adverſa ſubrotunda glabra pinguia, in ambitu leviſſimè denticulata, Veronicæ aquaticæ rotundifoliæ nonnihil ſimilia; Ad horum exortus prodeunt flores, utrinquè unus, parvi pallidi labiati vix galeati, labio trifido, galeâ ſimplici exiguâ vix conſpicuâ. Singulis ſubſidet utriculus quinquifidus, ſuſtinens ſemina ſubrotunda fuſca quaterna. An ſit annua vel perennis determinare nondum licet. Floruit primùm hoc ipſo anno ex ſeminibus Americanis ad Illuſtriſſimum Fagelium miſſis, cujus munificâ liberalitate in noſtrum migravit Hortum.

THALICTRUM Canadenſe *Cornuti* 186.

Thalictrum majus, ſiliquâ angulosâ aut ſtriatâ C. B. P. 336. Thalictrum nigrius, caule ex ſemine ſtriato I. B. *tom.* 3. *l.* 30. 486.

Thalictrum majus flavum, ſtaminibus luteis, vel glauco folio *C. B. P.* 336. Thalictrum ſpecioſiſſimum glaucum, ſemine & caule ſtriato *I. B. tom.* 3. *l.* 30. 486.

Tha-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Thalictrum pratenſe anguſtifolium *C. B. P.* 337. *I. B. tom.* 3. *l.* 30. 487.

Thalictrum minus *C. B. P.* 337. Thalictrum minus, ſive Rutæ pratenſis genus minus, ſemine ſtriato *I. B. tom.* 3. *l.* 30. 487.

Thalictrum minimum fœtidiſſimum *C. B. P.* 337. *I. B. tom.* 3. *l.* 30. 388.

THAPSIA latifolia villoſa *C. B. P.* 148. *Moriſ. Umb.* 29. Thapſia prima Cluſii latifolia, flore luteo, ſemine lato, ſimilis Seſeli Peloponenſi Lobelii *I. B. tom.* 3. *l.* 27. 186.

Thapſia foliis Libanotidis fœtidiſſima *C. B. P.* 148. Thapſia quarta Cluſii, tuberoſa vocata, foliis glutinoſis, radice nigra foris *I. B. tom.* 3. *l.* 27. 186.

Thapſia Carotæ folio *C. B. P.* 149. Thapſia minor Carotæ effigie *Moriſ. Umb.* 29. Thapſia Carotæ facie *I. B. tom.* 3. *l.* 27. 187.

THLASPI Alyſſum dictum campeſtre minus *C. B. P.* 291. *Moriſ. Hiſt.* 2. 291. Thlaſpi minus quibuſdam, aliis Alyſſon minus *I. B. tom.* 2. *l.* 27. 928. ANN.

Thlaſpi fruticoſum ſpinoſum *C. B. P.* 108. *Moriſ. Hiſt.* 1. 192. Levcojum ſpinoſum, Thlaſpi ſpinoſum aliis *I. B. tom.* 2. *l.* 22. 931.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Thlaſpi Halimi folio, ſemper virens.

Formâ & magnitudine à præcedent Thlaſpi ſpinoſo fruticoſo non multùı abludit; Verùm cauliculis eſt herbaceis ſpinis omnino deſtitutis, pallidis, gl: bris, incumbentibus humi & in aliqu alas divaricatis: Foliis brevioribus inc: nis ſplendentibus Halimi de more: Fl ribus nunc in ſpicâ nunc in umbellâ d ſpoſitis, candidis tetrapetalis, quos e cipiunt ſiliculæ orbiculatæ depreſſæ, ſ pto intergerino per tranſverſum, hoc e antrorſum & retrorſum, eas in binos loc losdividente, quibus ſingulis includitur ſ men unicum orbiculatum depreſſum ru fum acre.

Thlaſpi montanum incanum luteum maju Serpilli folio C. B. P. *Moriſ. Hiſt.* 2. 292. Thl ſpi luteum I. B. *tom.* 2. *l.* 22. 928.

Thlaſpi incanum, flore albo, capſulis ol longis *Moriſ. Hiſt.* 2. 192. Thlaſpi fr ticoſum incanum C. B. P. 108. Thlaſpi c pſulis ſublongis incanum I. B. *tom.* 2. *l.* 2 929.

* Thlaſpi arvenſe, ſiliquis latis C. B. P. 10 *Moriſ. Hiſt.* 2. 293. Thlaſpi cum ſiliqu latis *I. B. tom.* 2. *l.* 22. 923. ANN.

* Thlaſpi arvenſe majus, Vaccariæ folio incar C. B. P. 106. *Moriſ. Hiſt.* 2. 294. Thlaſpi vu gatius *I. B. tom.* 2. l. 22. 921. ANN.

Thl

THLASPI HALIMI FOLIO SEMPER VIRENS.



Thlaſpi ſpicatum Perſicum perfoliatum ma-
ximum, foliis inferioribus tenuiter inciſ-
Hypecoi modo, ſuperioribus à caule Pe-
foliatæ modo penetratis *Moriſ. Hiſt.* 2, 29.
Thlaſpi verum primum Dioſcoridis *Za-*
*Hiſt. Bot.* 191. ANN.

Thlaſpi umbellatum Creticum, Iberidis foli-
C. B. P. *Moriſ. Hiſt.* 2. 295. Flore purpu-
reo. ANN.

Idem flore albo C. B. P. *Var.* 106. ANN.

Thlaſpi umbellatum Monſpeliacum, Na-
ſturtii folio C. B. P. 106. *Moriſ. Hiſt.* 2. 29.
Thlaſpi umbellatum, tenuiter diviſo folio
amarum Narbonenſe *I. B. tom* 2. *l.* 22. 92.
ANN.

Thlaſpi fruticoſum umbellatum Perſicum
foliis Leucoji inſtar ſemper virentibus
*Moriſ. Hiſt.* 2. 296. Thlaſpi fruticoſum
Perſicum, foliis Keiri, flore odorato *Za-*
*Hiſt. Bot.* 196. Thlaſpi ſemper virens
florens *Dodart. Mem.* 115. Thlaſpi latifo-
lium platicarpon, Leucoji foliis *Bocc. P.*
*Sic.* 51.

Thlaſpi montanum ſemper virens *C. B. P.* 10
*Moriſ. Hiſt.* 2. 297. Thlaſpi ſemper viren-
tis ſpecies candida *I. B. tom.* 2. *l.* 22. 230.

Thlaſpi villoſum, capitulis hirſutis *C. B.*
106. *Moriſ. Hiſt.* 2. 297. Thlaſpi capitulis
hirſutis *I. B. tom.* 2. *l.* 22. 922. ANN.

Thlaſpi peregrinum, capſulâ cordata *Mor.*
*Hi-*

*Hiſt.* 2. 297. *I. B. tom.* 2. *l.* 22. 927. ANN.

*Thlaſpi biſcutatum villoſum, flore calcari donato* C. B. P. *v.* Leucojum.

*Thlaſpi biſcutatum aſperum Hieracifolium majus & minus* C. B. P. *v.* Leucojum.

*Thlaſpi anguſtifolium Fuchſii* I. B. *v.* Naſturtium.

THUYA Theophraſti C. B. P. 488. Arbor Vitæ, ſive Paradiſiaca vulgò dicta, odorata ad Sabinam accedens *I. B. tom.* 1 *l.* 9. 286.

*Tymbra Græcorum* I. B. *v.* Satureja.

THYMELÆA foliis Lini C. B. P. Thymelæa Monſpeliaca *I. B. tom.* 1. *l.* 5. 591.

Thymelæa foliis acutis, floribus odoratis purpureis, Cneoron Matthiolo dicta. Thymelææ foliis acutis affinis facie externâ C. B. P. 463. Cneoron Matth. ſuffrutex *I. B. tom.* 1. *l.* 5. 570.

*Thymelæa foliis acutis, capitulo Succiſæ* C. B. P. *v.* Alypum.

THYMUS vulgaris, folio tenuiore C. B. P. 219. Thymum vulgare rigidius, folio cinero I. B. *tom.* 3. *l.* 28. 263. Foliis candidis, & grave olentibus C. B. P. *Var.* 335.

Idem foliis virentibus & ſuavè odoratis C. B. P. *Var.* 335.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Idem folio variegato *Cat. Hort. Reg. Pari*
175.

Thymus vulgaris, folio latiore C. B. P. 219
Thymus durior vulgò.

Thymus capitatus, qui Dioſcoridis C. B. P.
219. Thymum Creticum, ſive antiquorum
*I. B. tom.* 3. *l.* 28. 262.

*THYSSELINUM *Moriſ. Umbell.* 42. Apium
ſylveſtre, lacteo ſucco turgens C. B. P. 153
Apium ſylveſtre Dodonæi, Thyſſelinum
quorundam, planta lacteo ſucco turgens
locis humidis proveniens I. B. *tom.* 3. *l.* 27.
188.

*Thyſſelinum paluſtre, foliis Ferulaceis. Se-
ſeli paluſtre lacteſcens C. B. P. 162. *Moriſ.*
*Umbell.* 43. Seſeli paluſtre lacteſcens acre
foliis Ferulaceis, flore albo, ſemine lato
I. B. *tom.* 3. *l.* 27. 188.

*Tibadi & Tibcadi I. B.* v. Hyacinthus.

*TILIA Mas, folio Ulmi *C. B. P.* 426. Tilia
folio minore I. B. *tom.* 1. *l.* 8. 137.

*Tilia Fœmina, folio majore C. B. P. 426. Tilia
vulgaris platyphyllos *I. B. tom.* 1. *l.* 8. 133.

*Tinctorius flos I. B.* v. Geniſta.

*Tiraſta Walu Zeylanenſibus.* v. Convolvulus.

TITHYMALUS Mauritanicus aphyllos,
anguloſus & ſpinoſus, ex quo Euphor-
bium

bium Officinarum. Euphorbium Dodonæi Lobelii C. B. P. 387.

Nobiliſſimam hanc plantam Everhardi Vorſtii tempore viguiſſe in noſtro Horto; nigruente verò hyeme duriore iterum periiſſe, teſtatur Bodæus à Stapel in Commentariis ad Theophraſtum 1057. Nunc defectum ejus feliciter explevit Vir Ampliſſimus Dns Herbertus à Beomont, Stirpium omnium exoticarum admirator & æſtimator eximius, qui eam propriis ſumtibus ex Mauritaniâ hûc transferri curavit, ejuſque ſobolem nobis benignè conceſſit.

Tithymalus latifolius, Cataputia dictus. Lathyris major *C. B. P.* 293. Lathyris, ſive Cataputia minor *I. B. tom.* 3. *App.* 880.

Tithymalus Characias rubens peregrinus *C. B. P.* 290. Tithymalus Amygdaloides, ſive characias I. B. *tom.* 3. *l.* 34. 672.

Tithymalus Characias, folio ſerrato *C. B. P.* 290. Tithymalus ſerratus Dalechampii I. B. *tom.* 3. *l.* 24. 673.

Tithymalus Amygdaloides ſive Characias arboreſcens, floribus atro-puniceis, major.

Idem floribus flaveſcentibus minor.

Tithymalus Myrſinites latifolius C. B. P. 290. Tithymalus Myrſinites I. B. *tom.* 3. *l.* 24. 674.

*Tithymalus maritimus C. B. P. 290. Tithymalus paralius I. B. *tom.* 3. *l.* 34. 677.

Tithymalus paluſtris fruticoſus C. B. P. 292. Tithymalus magnus multicaulis, ſive Eſula major I. B. *tom.* 3. *l.* 34. 671.

*Tithymalus arvenſis latifolius Germanicus C. B. P. 291. Tithymalus platyphyllos Fuchſii I. B. *tom.* 3. *l.* 34. 670. Eſula minor vulgò.

*Tithymalus ſubrotundis foliis majoribus crenatis. Tithymalus Helioſcopius *C. B. P.* 291. Tithymalus helioſcopius, ſive Soliſequus I. B. *tom.* 3. *l.* 34 663. ANN.

*Tithymalus rotundis foliis non crenatis. Peplos, ſive Eſula rotunda *C. B. P.* 692. I. B. *tom.* 3. *l.* 34. 669. ANN.

Tithymalus tuberoſâ Pyriformi radice *C. B. P.* 292. Apios I. B. *tom.* 3. *l.* 34. 666.


Tithymalus Tingitanus, Linariæ foliis, lunato flore. An Tithymalus Linariæ folio, lunato flore *Moreſ. Hort. Bleſ.* 313? ANN.

Tithymalus Raguſinus, flore luteo pentapetalo.

Perrarum & venuſtum hoc Tithymali genus, ſeminibus ex Raguſâ miſſis nobis natum, promit radicem lignoſam tenuem pallidam: Cauliculos dodrantales ramoſos quaſi fruticoſos, graciles tamen glabros ſubrubentes, aliquando exiguis ferrugineis punctis & tuberculis adſperſos; His adſtant folia rara, Linariæ paria, ſed triplo breviora, inſigni per longitudinem nervo inſcripta;

Ra-

TITHYMALUS RAGUSINUS FLORE LUTEO PENTAPETALO.



Ramorum cimis inſident flores exigui, quinque orbiculatis flaveſcentibus petalis totidemquè concoloribus ſtaminulis, ſingulis duobus apicibus donatis, conſtructi, è quorum medio prominet vaſculum parvum trigonum tricapſulare, ceu arenularum minutiſſimarum congeſtu, aut verrucarum inſtar aſperatum, tribus è ſummo exeuntibus ſtaminulis bifidis; Inſingulis capſulis continetur ſemen rotundum fuſcum. Exactam poſtulat culturam, imprimis hyeme, cujus rigidiores injurias minimè ſuſtinet. In noſtrate ſolo cœloquè ſemina rarò perficiens per ramulos ſe propagari patitur.

*Tithymalus foliis Pini, fortè Dioſcoridis Pityuſa C. B. P. 222. Tithymalo Cypariſſiæ ſimilis, Pityuſa multis *I. B. tom.* 3. *l.* 34. 665.

*Tithymalus exiguus erectus. Tithymalus exiguus, ſive Eſula exigua C. B. P. 291. Tithymalus minimus anguſtifolius annuus *I. B. tom.* 3. *l.* 34. 664. ANN.

*Tithymalus exiguus procumbens, Chamæſyce dictus. Chamæſyce C. B. P. 293. *I. B. tom.* 3. *l.* 34. 667. ANN.

Tithymalus Lentifolius minimus. Anthyllis maritima Lentifolia C. B. P. 282. Anthyllis Lentifolia, Peplios effigie, maritima I. B. *tom.* 3. *l.* 29. 374.

*Tlaolli Hern.* v. Frumentum.

*Tlapalcoçatli Hern.* v. Tagetes.

*Tla-*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Tlapalte Cacayatl Hern. v.* Tagetes.
*Tomatl Hern. v.* Solanum.
*Topiaria Plinio* I. B. *v.* Buglоſſum.

TORDILIUM maximum, Sphondylii ſemine aculeato *Moriſ. Umbell.* 40. Tordilium majus vulgare, ſeminibus limbo quaſi lævi *Moriſ. Umbell.* 66. Caucalis maxima, Sphondylii ſemine aculeato *C. B. P.* 152. An Seſeli Creticum majus *C. B. P.* 161? Caucalis major, ſemine minùs pulchro hirſuto I. B. *tom.* 3. *l.* 27. 85. An Caucalis major Cluſio *I. B. tom.* 3. *l.* 27. 85?

Tordilium minus, limbo granulato Syriacum *Moriſ. Umbell.* 37. & 40. Gingidium foliis Paſtinacæ latifoliæ C. B. P. 151. Caucalis Syriaca cum maximo ſemine I. B. *tom.* 3. *l.* 27. 86.

*Tormentilla* I. B. *ſeu ſylveſtris* C. B. P. *v.* Pentaphyllum.

*Tormentilla Alpina, folio ſericeo* C. B. P. *v.* Alchymilla.

*Trachelium minus Americanum, flore patulo cœruleo & albo Dodart. v.* Campanula.

*Trachelium hirſutum altiſſimum aſperius, foliis anguſtis, floribus parvis I. B. v.* Campanula.

TRAGACANTHA C. B. P. 338. Tragacantha Maſſilienſis, foliis incanis perſeverantibus ſeu

ſeu non deciduis, flore albo *Moriſ. Hiſt.* 2. 113. Tragacantha Maſſilienſibus I. B. *tom.* 1. *l.* 11. 407.

*Tragium* I. B. *v.* Hypericum.

*TRAGOPOGON pratenſe luteum majus *C. B. P.* 274. Tragopogon flore luteo I. B. *tom.* 2. *l.* 24. 1058. ANN.

Tragopogon purpuro-cœruleum, Porri folio C. B. P. 274. Tragopogon flore purpureo I. B. *tom.* 2. *l.* 24. 1058. ANN.

*Tragopogon laciniatum luteum* C. B. P. *ſeu folio laciniato Monſpelienſe, flore luteo* I. B. *v.* Scorzonera.

*Tragoriganum Alpin. v.* Satureja.

*Tragus ſpinoſus Matth. v.* Kali.

*Traſi* I. B. *v.* Cyperus.

TRIBULUS terreſtris, Ciceris folio, ſeminum integumento aculeato *Moriſ. Hiſt.* 2. 102. Tribulus terreſtris, Ciceris folio, fructu aculeato C. B. P. 350. Tribulus terreſtris I. B. *tom.* 2. *l.* 17. 352. ANN.

*Tribulus aquaticus C. B. P. 194. I. B. *tom.* 3. *l.* 38. 775.

*TRICHOMANES, ſive Polytrichon Officinarum C. B. P. 356. Trichomanes, ſive Polytrichum I. B. *tom.* 3. *l.* 37. 754.

*TRIFOLIATA paludoſa *Moriſ. Hiſt.* 2. 149. in halluc. Trifolium paluſtre *C. B. P.* 327. Trifolium paluſtre *I. B. tom.* 2. *l.* 17. 389.

TRIFOLIUM bituminoſum, ſeu Trifolium cœruleum, aut violaceum, bitumen redolens *Moriſ. Hiſt.* 2. 136. Trifolium bitumen redolens *C. B. P.* 327. Trifolium Aſphaltites, ſive bituminoſum odoratum & non odoratum *I. B. tom.* 2. *l.* 17. 366.

Trifolium pratenſe album vulgare odoratum *Moriſ. Hiſt.* 2. 137. Trifolium pratenſe album *C. B. P.* 327. Trifolium pratenſe, flore albo minus, & Fœmina, glabrum *I. B. tom.* 2. *l.* 17. 380.

Idem amplioribus foliis & floribus, non odoratum.

Trifolium phœum fuſcum, luxurians quaternis quinis & ſenis foliis *Moriſ. Hiſt.* 2. 135. Quadrifolium hortenſe album *C. B. P.* 327. Trifoliis affinis, Quadrifolium phœum Lobelii *I. B. tom.* 2. *l.* 17. 380.

Trifolium pratenſe purpureum vulgare *Moriſ. Hiſt.* 2. 138. Trifolium pratenſe purpureum *C. B. P.* 327. Trifolium purpureum vulgare *I. B. tom.* 2. *l.* 17. 374.

Trifolium album tricoccon ſubterraneum Gaſtonium reticulatum *Moriſ. Hiſt.* 2. 138.

Trifolium purpureum montanum majus, ſpicâ oblongâ *Moriſ. Hiſt.* 2. 139. Trifolium

ſpicâ oblongâ rubrâ C. B. P. 328. Trifolium majus tertium purpureum Cluſii *I. B. tom.* 2. *l.* 17. 375.

Trifolium purpureum montanum pinnatum Lagopoides, ſpicâ longiſſimâ *Moriſ. Hiſt.* 2. 140. Trifolium montanum, ſpicâ longiſſimâ rubente C. B. P. 328. Trifolium purpureum majus, folio & ſpicâ longiore I. B. *tom.* 2. *l.* 17. 375.

Trifolium purpureum Lagopoides hirſutum annuum anguſtifolium ſpicâ dilute rubente *Moriſ. Hiſt.* 2. 140. Trifolium anguſtifolium Hiſpanicum, ſive Lagopus anguſtifolius, flore dilutè rubente I. B. *tom.* 2. *l.* 17. 377. Trifolium Hiſpanicum anguſtifolium, ſpicâ dilutè rubente C. B. P. 328. ANN.

Idem rotundifolium *Moriſ. Hiſt.* 2. 140. ANN.

Trifolium Lagopoides hirſutum anguſtifolium Hiſpanicum, flore ruberrimo *Moriſ. Hiſt.* 2. 141. ANN.

*Trifolium Lagopoides purpureum arvenſe humile annuum, ſeu Lagopus minimus vulgaris *Moriſ. Hiſt.* 2. 141. Trifolium arvenſe humile ſpicatum, ſive Lagopus *C B. P.* 328. Lagopus Trifolius quorundam *I. B. tom.* 2. *l.* 17. 379. ANN.

*Idem latioribus foliis C. B. P. *Var.* 328. ANN.

Trifolium Alpinum, flore magno, radice dulci C. B. P. 328. Trifolium Glyzyrrhyzites Parkinſonii *Moriſ. Hiſt.* 2. 146.

TRI-

TRIFOLIUM agrarium luteum, capitulo Lupuli majus *Moriſ. Hiſt.* 2. 142. Trifolium pratenſe luteum, capitulo Lupuli, vel agrarium C. B. P. 328. Trifolium pratenſe luteum Fœmina, flore pulchriore, ſive Lupulino I. B. *tom.* 2. *l.* 17. 381. ANN.

Trifolium purpureum pratenſe folliculatum C. B. P. 329. *Moriſ. Hiſt.* 2. 144. Trifolium folliculaceum, ſive veſicarium minus purpureum I. B. *tom.* 2. *l.* 17 384. ANN.

*Trifolium Fragiferum Friſicum, folio cordato, flore rubro *Moriſ. Hiſt.* 2. 144. Trifolium Fragiferum Friſicum *C. B. P.* 144.

*Trifoliis affinis Anonis ejuſquè ſpecies* I. B. *v.* Anonis.

*Trifolium album anguſtifolium, floribus velut in capitulis diſpoſitis* C. B. P. *v.* Lotus.

*Trifolium album rectum hirſutum valdè I. B. v.* Lotus.

*Trifolium rectum Monſpeſſulanum I. B. v.* Lotus.

*Trifolium hæmorrhiodale majus Parkinſ. v.* Lotus.

*Trifolium pratenſe luteum, capitulo breviore C. B. P. v.* Melilotus.

*Trifolium pratenſe luteum Mas, flore minore, ſemine multo I. B. v.* Melilotus.

*Trifolium odoratum ejuſquè ſpecies* I. B. *v.* Melilotus.

*Tri-*

*Trifolium cochleatum & echinatum ejuſque ſpecies C. B. P. v.* Medica.

*Trifolium ſylveſtre ſiliquâ cornutâ ejuſque ſpecies C. B. P. v.* Medica.

*Trifolium ſiliquâ falcatâ C. B. P. v.* Medica.

*Trifolium Halicacabum ſive veſicarium I. B. v.* Anthyllis.

*Trifolium acetoſum ejuſquè ſpecies C. B. P. & I. B. v.* Oxys.

*Trifolium hepaticum ejuſquè ſpecies C. B. P. & I. B.* Hepatica nobiles.

*Trifolium paluſtre C. B. P. v.* Trifoliata paludoſa.

*Trifolium Luſitanicum bivalve, flore rubro Moriſ. v.* Sinapiſtrum.

*Trifolium Luſitanicum corniculatum, flore rubro Park. v.* Sinapiſtrum.

*TRIPOLIUM majus cœruleum C. B. P. 267. Tripolium majus I. B. *tom.* 2. *l.* 24. 1064.

*Idem flore albo *Breyn. Prodr.* 52. *Comelin. Cat.* 110.

Tripolium altiſſimum Americanum, caulibus viridantibus. Aſter latifolius, Tripolii flore *Mem. Dodart.*

Idem caulibus rubentibus.

*Tripolium Anguillaræ I. B. v.* Leucojum.

TRITICUM hybernum, ariſtis carens *C. B. P.* 21. Triticum vulgare, glumas tritu-

rando

rando deponens *I. B. tom.* 2. *l.* 18. 407.

Triticum æſtivum C. B. P. 21. Zea verna *I. B. tom.* 2. *l.* 18. 413.

Triticum ſpicâ multiplici C. B. P. 21. Triticum cum multiplici ſpicâ, glumas facile deponens *I. B. tom.* 2. *l.* 18. 408.

Triticum ariſtis longioribus, ſpicâ albâ *C. B. P.* 21

Triticum Polonicum.

*Triticum Peruvianum album longum* I. B. *v.* Frumentum.

*Triticum vaccinium* I. B. *v.* Melampyrum.

*Trollius flos* I. B. *v.* Helleborus.

*Tuberaria major Myconii* I. B. *v.* Ciſtus.

Tulipa præcox lutea *C. B. P.* 57. *Moriſ. Hiſt.* 2. 398. Tulipa præcox flava I. B. *tom.* 2. *l.* 9. 666.

Tulipa præcox rubra C. B. P. 57. *Moriſ. Hiſt.* 2. 398. *I. B. tom.* 2. *l.* 19. 666.

Tulipa præcox purpurea *C. B. P.* 57. *Moriſ. Hiſt.* 2. 398. I. B. *tom.* 2. *l.* 19. 667.

Tulipa præcox alba *C. B. P.* 57. *Moriſ. Hiſt.* 2. 398. I. B. *tom.* 2. *l.* 19. 666.

Tulipa ſerotina lutea *C. B. P.* 60. *Moriſ. Hiſt.* 2. 399. Tulipa ſerotina, flava cui quatuor folia in caule *I. B. tom.* 2. *l.* 19. 671.

Tulipa ſerotina alba C. B. P. 60. *Moriſ. Hiſt.* 2. 399.

Tulipa ſerotina rubra C. B. P. 60. *Moriſ. Hiſt.* 2. 399. I. B. *tom.* 2. *l.* 19. 671.

Tulipa ſerotina coccinea *Moriſ. Hiſt.* 2. 399. Tulipa coccinea holoſericea *I.B. tom.* 2. *l.* 19. 671.

Tulipa ſerotina, viridis coloris Eyſt. *Moriſ. Hiſt.* 2. 399. Tulipa ſerotina, Braſſicæ floridæ ſimilis, vel Tulipa viridis prima *C. B. P.* 61.

Tulipa dubia major *C. B. P.* 61. Tulipa dubia *I. B. tom.* 2. *l.* 19. 671.

Tulipa dubia major altera *C. B. P.* 61. *I. B. tom.* 2. *l.* 19. 671.

Tuliparum præcocium ſerotinarum & dubiarum pene innumeræ varietates, pulcherrimis florum coloribus jucundè ridentes.

Tulipa ſerotina ramoſa major *C. B. P.* 61. *Moriſ. Hiſt.* 2. 399. Flore ſimplici, rubro, flavo, vario.

Tulipa ſerotina ramoſa major, flore pleno, ex rubro flavo & viridi variegato.

Tulipa miniata, flore pleno Eyſtett. *Moriſ. Hiſt.* 2. 399. Tulipa Pœonia vulgò.

Tulipa ſerotina ramoſa maxima, flore ſimplici fimbriato flavo-vario. Pſittacus vulgò.

Eadem flore pleno.

Hujus bulbus emittit caulem pede altiorem robuſtum incano madore pubeſcentem, & in tres quatuor pluresve ramos diviſum, ſingulis inſidet flos amplus in viridi rubro aureoquè eleganter variegatus, & multiplicibus petalis modo planis modo fim-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*TULIPA SEROTINA RAMOSA MAXIMA, FLORE PLENO FLAVO-VARIO.*



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

fimbriatis, Roſæ vel Pœoniæ in modum diſpoſitis, refertus. Huic æſtate ferventiore ſuccedit aliquando capitulum oblongum trigonum, cœteris Tulipis majus & robuſtius, quod dehiſcens in tribus loculis ſex ſeminum ſeriem oſtendit more congenerum. Cauli verò ac ramis adſtant, folia lata, firma erectiora, qualia fert Tulipâ ſerotinâ πολυκλαδὴς Cluſii, cum quâ hæc Plantaſolis exceptis floribus omnino convenit.

Tulipa minor lutea Italica πολύκλονος *Moriſ. Hiſt.* 2. 400. Tulipa minor lutea Italica *C. B. P.* 63.

Tulipa Perſica major, flore rubro, foliis longiſſimis.

Tulipa Perſica minor, foliis anguſtiſſimis, variegato flore. Tulipa variegata Perſica C. B. P. 64. *Moriſ. Hiſt.* 2. 399.

Tulipa pumilio latifolia, flore extus rubro intus flavo. An Tulipanana, ſive Pumilio flore luteo Camerarii C. B. P. 63?

*Tulipa Capenſis Stapel.* v. Hæmanthus.

Tulipifera Arbor Virginiana.

Cui Stirpium familiæ inſerenda ſit hæc Arbor, nunc determinare non audeo, Nec dum enim flores nec fructus conſpicere licuit. Equidem nonnullis Alnum, aliis Acer, quibusdam etiam Populum vocari ſubinde audio; Quò verò fundamen-

to

TULIPIFERA ARBOR VIRGINIANA.



Liriodendron tulipifera

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

to non audio. Flores formoſiſſimos Tulipis ſimiles proferre, aſſerunt omnes ex Virginia reduces, de fructibus autem minùs ſolliciti nihil certi affirmant. A duobus abhinc annis mittebat ad me Jacobus Bobartus Horti Oxonienſis p.t.Præſes inter multa alia curioſiſſima ex Virginiâ delata nonnulla ſemina, nomine Arboris Tulipiferæ, quæ in quantum conjicere poteram, videbantur ſemina cujusdam Arboris coniferæ. Erant enim ex duabus membranaceis longis rigidiſquè alis conſtructa, è quorum medio ſinu protuberabat futuri germinis primordium formâ oblongæ nuculæ, veluti in ſeminibus Cedri; ſed quoniam illa ſemina decenter ſata non prodierunt, nec ab eo, qui laudato Dno Bobarto donaverat, propria manu erant collecta, hæremus, an fuerint legitima Arboris noſtræ Tulipiferæ ſemina. Cæterùm quam hoc titulo in Horto colimus, Arbor eſt humanâ altitudine ſuperior, trunco pollicem craſſo, cortice lævi fuſco, aliquot cineraceis maculis aſperato, odoris ignavi aromatici, nonnihil ad Saſſafras accedentis, materie pallidâ molli, medullâ paucâ ruffâ. Ramos ſpargit inæquales ordine inconcinno, ad quorum nodos è digitalibus pediculis prodeunt folia inſtar Aceris minoris trilobata nitida, quaſi forfice eſſent circumſecta, palmam am-

ampla, ſupernè viridia infernè incana, aliquotquè nervis ex dorſo craſſiori prodeuntibus inſcripta, ſuperiori & intermedio lobo productiori frontato, binis lateralis in parvum obtuſum mucronem abeuntibus. Singulos verò ramos & folia excludit parva oblonga theca in duas foliaceas pinnas dehiſcens, quæ ramis & foliis adoleſcentibus exareſcunt & decidunt. Conſimilem arborem Juglandis nucis amplitudine obſervavi anno CIϽ IϽ C LXXXIII in ſplendidiſſimo prædio Nobiliſſimi DNI Nortfolckii ad quinque vel ſex millia paſſuum diſtante Londino, quæ etiamſi aliquot viginti annos ibidem eſſet exculta, flores tamen fructuſquè nondum ediderat.

*Turbith Officinis.* *v.* Convolvulus.

*Turpethum repens, foliis Althææ, vel Indicum* C. B. P. *v.* Convolvulus.

*Turritis vulgatior I. B.* *v.* Leucojum.

*Turritis ſecunda Cluſii* I. B. *v.* Braſſica.

*Tuſai* I. B. *v.* Lilium.

*TUSSILAGO vulgaris C. B. P. 197. Tuſſilago I. B. *tom.* 3. *l.* 32. 563.

*Tuwakaruwila Zeylanenſium.* *v.* Cucumis.

*TYPHA paluſtris major *C. B. P.* 20. I. B. *tom.* 2. *l.* 18. 539.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Typha paluſtris, clavâ gracili *C. B. P.* 20. Typha paluſtris media *I. B. tom.* 2. *l.* 18. 540.

*Typha paluſtris minor C. B. P. 20. Typha minor I. B. *tom.* 2. *l.* 18. 540.

## V.

V*accaria I. B. v.* Lychnis.

VALERIANA major hortenſis *Moriſ. Umbell.* 52. Valeriana hortenſis: Phu Oluſatri folio C. B. P. 164. Valeriana major, odoratâ radice I. B. *tom.* 3. *l.* 27. 209.

*Valeriana major ſylveſtris, foliis latioribus *Moriſ. Umbell.* 50. Valeriana ſylveſtris major *C. B. P.* 164. Valeriana ſylveſtris magna aquatica *I. B. tom.* 3. *l.* 27. 210.

*Eadem foliis anguſtioribus *Moriſ. Umbell.* 50. Valeriana ſylveſtris major montana *C. B. P.* 164.

Valeriana minor annua, æſtiva *Moriſ. Umbell.* 50. Valeriana foliis Calcitrappæ C. B. P. 164. ANN.

*Valeriana minor perennis paluſtris *Mor. Umb.* 50. Valeriana paluſtris minor *C. B. P.* 164. Valeriana minor pratenſis vel aquatica *I. B. tom.* 3. *l.* 27. 211.

Valeriana marina latifolia, ſeu major rubra *Moriſ. Umb.* 50. Valeriana rubra *C. B. P.* 165. Valeriana latifolia rubra I. B. *tom.* 3. *l.* 27. 211.

Eadem alba *Moriſ. Umbell.* 50.

*Va-*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Valeriana peregrina ſeu Indica I. B. v.* Valerianella.

*Valeriana ſemine ſtellato. v.* Valerianella.

*Valeriana campeſtris inodora major C. B. P. v.* Valerianella.

*Valeriana Canadenſis, flore albo Cornut. v.* Eupatorium.

VALERIANA Græca violacea *Moriſ. Umbell.* 55. Valeriana cœrulea C. B. P. 164. Valeriana Græca quorundam, flore cœruleo *I. B. tom.* 3. *l* 27. 212.

Eadem alba *Moriſ. Umbell.* 55. *C. B. P. Var.* 164. Valeriana Græca quorundam, flore albo I. B. *tom.* 3. *l.* 27. 252.

Eadem ex albo & cœruleo variegata.

VALERIANELLA Cornucopioides rubra, ſeu Indica Cluſii *Moriſ. Umbell.* 53. Valeriana peregrina ſeu Indica I. B. *tom.* 3. *l.* 27. 212.

Valerianella ſemine Scabioſæ major, Luſitanica *Moriſ. Umbell.* 53. Valerianella ſemine ſtellato *C. B. P.* 165.

Valerianella arvenſis præcox humilior, ſemine depreſſo *Moriſ. Umbell.* 53. Valeriana campeſtris inodora major C. B. P. 165. Locuſta herba I. B. *tom.* 3. *l.* 28. 325. Lactuca agnina vulgò. Foliis integris.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Eadem foliis diſſectis. Locuſta altera foliis ſerratis *I. B. tom.* 3. *l.* 28. 324.

*Verbaſculum pratenſe Alpinum & hortenſe C. B. P. & Moriſ. eorumque ſpecies.* v. Primula Veris.

*Verbaſculum Cyanoides* C. B. P. *v.* Cyanus.

*VERBASCUM foliis incanis, Mas latifolium, floribus luteis arctè caulibus adhærentibus, ſine foliis anguſtis inter flores emanantibus *Moriſ. Hiſt.* 2. 484. Verbaſcum Mas latifolium luteum *C. B. P.* 239. Verbaſcum vulgare, flore luteo magno, folio maximo *I. B. tom.* 3. *App.* 871. ANN.

Verbaſcum foliis incanis maximum odoratum Meridionalium, floribus luteis arctè caulibus adhærentibus, & foliis multis anguſtis inter flores emanantibus *Moriſ. Hiſt.* 2. 485. Verbaſcum Fœmina, flore luteo magno *C. B. P.* 239. Verbaſcum maximum Meridionalium odoratum luteum *I. B. tom.* 3. *App.* 871. ANN.

Verbaſcum foliis viridibus perenne, floribus luteis racema-tim provenientibus, ſtaminulis purpuraſcentibus *Moriſ. Hiſt.* 2. 486. Verbaſcum nigrum, flore ex luteo purpuraſcente *C. B. P.* 240. Verbaſcum nigrum, flore parvo apicibus purpureis *I. B. tom.* 3. *App.* 873.

Idem annuum floribus luteis. Verbaſcum nigrum

grum Dioſcoridis *Lobel.* 664.

Idem annuum floribus albis. An Blattaria flore albo *Lobel.* 664?

Verbaſcum humile Alpinum villoſum Borraginis flore & folio. Sanicula Alpina, foliis Borraginis villoſa C. B. P. 234. *Moriſ. Hiſt.* 2 558.

*Verbaſcum latis Salviæ foliis* C. B. P. *v.* Salvia in *App.*

*Verbaſcum ſylveſtre Salvifolium exoticum, folio rotundiore* I. B. *v.* Salvia in *App.*

*Verbaſcum acuto Salviæ folio* C. B. P. *v.* Lychnis.

*Verbaſcum Lychnites Syriacum incanum, ſummitate floris Hieroſolymitani I. B. v.* Lychnis.

VERBENA communis, flore cœruleo C. *B.* P. 269. Verbena vulgaris I. B. *tom.* 3. *l.* 30. 443.

Verbena tenuifolia C. B. P. 269. Verbenaca ſupina *I. B. tom.* 3. *l.* 30. 444.

Verbena peregrina, foliis Urticæ *Mem. Dodart.* 125. Verbena Urticæ folio Canadenſis *Cat. Hort. Reg. Pariſ.* 183. *Zanon. Hiſt. Bot.* 203.

*Verbeſina flore minus pulchro, elatior ac magis frequens* I. B. *v.* Chryſanthemum.

*Verbeſina pulchriore flore luteo* I. B. *v.* Chryſanthemum.

*Vermicularis marina arboreſcens* I. B. *v.* Kali.

VERO-

VERONICA ſpicata major recta cœrule *Moriſ. Hiſt.* 317. Lyſimachia ſpicata cœrulea C. B. P. 246. Veronica ſpicata recta profundè ſerrata, quam Lyſimachiam cœruleam quidam vocant *I. B. tom.* 3. *l.* 28 284.

Veronica major latifolia erecta *Moriſ. Hiſt.* 2 317. Veronica ſpicata latifolia C. B. P. 246 Veronica major latifolia, foliis ſplendentibus & non ſplendentibus I. B. *tom.* 3. *l.* 28 283.

Veronica anguſtifolia recta minor vulgari *Moriſ. Hiſt.* 2. 318. Veronica ſpicata anguſtifolia C. B. P. Veronica major auguſtifolia, caulibus viridibus I. B. *tom.* 3. *l.* 28. 284

Veronica ſpicata, flore purpureo *Moriſ. Hort Bleſ.* 321.

*Veronica Mas ſupina vulgaris, foliis ſerrati *Moriſ. Hiſt.* 2 318. Veronica Mas ſupina & vulgatiſſima C. B. P. 246. Veronica vulgatior, folio rotundiore *I. B. tom.* 3. *l.* 38. 274

Veronica pratenſis Serpillifolia C. B. P. 247 *Moriſ. Hiſt.* 2. 319. Veronica Fœmina quibusdam, aliis Betonica Pauli Serpillifolia I. B. *tom.* 3. *l.* 28. 285.

Veronica major fruteſcens altera *Moriſ. Hiſt* 2. 319. Chamædrys ſpuria major altera fruteſcens *C. B. P.* 319. Chamædrys ſpuria latifolia I. B. *tom.* 3. *l.* 28. 286.

Veronica ſupina, facie Teucrii pratenſis *Mo*

*riſ*

*riſ. Hiſt.* 2. 319. Chamædrys ſpuria major anguſtifolia C. B. P. 249. Chamædrys ſpuria anguſtifolia *I. B. tom.* 3. *l.* 28. 285.

Veronica minor, foliis imis rotundioribus *Moriſ. Hiſt.* 2. 320. Chamædrys ſpuria minor rotundifolia C. B. P. 249. Chamædrys ſpuria latifolia *I. B. tom.* 3. *l.* 28. 286. Flore cœruleo.

Eadem flore albo.

Veronica minor virguloſa, ſeu multicaulis Pannonica *Moriſ. Hiſt.* 2. 320. Chamædrys ſpuria minor latifolia *C. B. P.* 249. Chamædryos falſa ſpecies. Teucrium 2. aut 5. Cluſii *I. B. tom.* 3. *l.* 28. 287.

Veronica Hederulæ folio *Moriſ. Hiſt.* 2. 322. Alſine Hederulæ folio C. B. P. 250. Alſines genus Fuchſio, folio Hederulæ hirſuto I. B. *tom.* 3. *l.* 29. 368. ANN.

Veronica floſculis cauliculis adhærentibus *Moriſ. Hiſt.* 2. 322. Alſine Veronicæ foliis, floſculis caulibus adhærentibus C. B. P. 250. Alſine ſerrato folio hirſutiori, floribus & loculis cauliculis adhærentibus I. B. *tom.* 3. *l.* 19. 367. ANN.

Veronica floſculis oblongis pediculis inſidentibus, Chamædryos folio *Moriſ. Hiſt.* 2. 322. Alſine Chamædryfolia, floſculis oblongis pediculis inſidentibus C. B. P. 250. Alſine ſerrato folio glabro *I. B. tom.* 3. *l.* 29. 367. Foliis conjugatis. ANN.

*Ea-

* Eadem foliis alternis. ANN.

* Veronica cœrulea triphyllos, nunc pentaphyllos, ſeu trifida & quinquifida *Moriſ. Hiſt.* 2. 323. Alſine triphyllos cœrulea C. B. P. 250. Alſine folio profundè ſecto, flore purpureo, ſive violaceo I. B. *tom.* 3. *l.* 28. 367. ANN.

* Veronica aquatica major, folio ſubrotundo C. B. P. 252. Anagallis aquatica, folio rotundiore major I. B. *tom.* 3. *l.* 38. 791.

* Eadem minor. Anagallis aquatica minor, folio ſubrotundo C. B. P. 252. Anagallis aquatica, flore purpuraſcente, folio oblongo minor I. B. *tom.* 3. *l.* 38. 791.

* Veronica aquatica major, folio oblongo *Moriſ. Hiſt.* 2. 323. Anagallis aquatica major, folio oblongo C. B. P. 252. Anagallis aquatica, flore cœruleo, folio oblongo I. B. *tom.* 3. *l.* 38. 791.

* Veronica aquatica, folio ſubrotundo non crenato *Moriſ. Hiſt.* 2. 323. Anagallis aquatica minor, folio rotundo non crenato C. B. P. 252. Samolus Valerandi I. B. *tom.* 3. *l.* 38. 791.

* Veronica aquatica anguſtifolia minor Polygoni inſtar *Moriſ. Hiſt.* 2. 323. Anagallis aquatica anguſtifolia C. B. P. 252. Anagallis aquatica anguſtifolia I. B. *tom.* 3. *l.* 38. 791.

VI-

VIBURNUM Math. *C. B. P.* 316. Lantana vulgò, aliis Viburnum *I. B. tom.* 1. *l.* 5. 557.

VICIA perennis multiflora ſpicata cœrulea ſepiaria *Moriſ. Hiſt.* 2. 61. Vicia multiflora *C. B. P.* 61. Vicia multiflora perennis nemorenſis, ſive dumetorum *I. B. tom.* 2. *l.* 17. 314.

Vicia ſylvatica multiflora maxima *P. B. J. Raji Catal.* 304.

Vicia perennis maxima dumetorum, flore obſcurè rubente *Moriſ. Hiſt.* 2. 61. Vicia maxima dumetorum *C. B. P.* 345. Vicia ſepium perennis *I. B. tom.* 2. *l.* 17. 313.

Vicia multiflora Caſſubica fruteſcens, Lentis ſiliquâ *Breyn. Prodr.* 52.

Vicia Narbonenſis maxima, fructu rotundo atro, foliis ſerratis *Moriſ. Hiſt.* 2. 61. Faba ſylveſtris, fructu rotundo atro *C. B. P.* 338. ANN.

Eadem foliis integris *Moriſ. Hiſt.* 2. 61. ANN.

Vicia Benghalenſis hirſuta & incana, ſiliquis Piſi. ANN.

Ob elegantem florum purpuram inter hortenſes ornatus recepta quoque eſt exotica hæc Vicia, conſtans radice fibroſâ albâ, cauliculis bicubitalibus aut tricubitalibus ramoſis viticuloſis angularibus ſtriatis, è quorum geniculis prodit coſta in tortilem capreolum deſinens, cui à dextris & ſiniſtris

ſtris adhærent folia cœteris Viciis longiora, ſubincana, parte aversâ modicè piloſa. Ad coſtarum ſinus oritur pediculus digitalis, ſuſtinens aliquot flores papilionaceos oblongos puniceos, extremis oris nigriori purpurâ ſplendentibus. Hos excipiunt ſiliquæ, Piſis ſimiles, aſt breviores & compreſſæ undique ſericeis incanis pilis obductæ, continentes ſemina ſubrotunda nigro-fuſca granis Piperis paulo minora. Paſſim provenit intractu Benghalenſi, unde in Hortum tranſvecta eſt.

Vicia flore luteo-pallido, ſiliquis hirſutis craſſis brevibus erectis *Moriſ. Miſt.* 2. 62. ANN.

Eadem ſiliquis propendentibus *Moriſ. Hiſt.* 2. 62. *deſcr.* ANN.

Vicia major vulgaris ſativa *Moriſ. Hiſt.* 2. 62. Vicia ſativa vulgaris, ſemine nigro C. B. P. 344. Vicia vulgaris ſativa *I. B. tom.* 9. *l.* 17. 310. ANN.

*Vicia ſylveſtris, ſemine nigro & variegato, folio acutiore *Moriſ. Hiſt.* 2. 63. Vicia vulgaris, acutiore folio, ſemine parvo nigro C. B. P. 345. An Vicia ſemine rotundo nigro? & Vicia vulgaris ſylveſtris, ſemine parvo & nigro frugum I. B. *tom.* 2. *l.* 17. 312. ANN.

*Vicia ſepium, folio rotundiore acuto C. B. P. 345. *Moriſ. Hiſt.* 2. 63. ANN.

*Vicia

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

VICIA BENGHALENSIS HIRSUTA ET INCANA, SILIQUIS PISI.




Vicia bengalensis

*Vicia multiflora ſpicata cœrulea annua minor procumbens *Moriſ. Hiſt.* 2. 63. *deſcr.*

*Vicia minima, radice granuloſâ *Breyn. Cat. Hort. Amſtel. Comelyn. Catal.* 113.

Vicia minor ſegetum cum ſiliquis pluribus hirſutis *C. B. P.* 345. *Moriſ. Hiſt.* 2. 63. Vicia parva, ſive Cracca minor cum multis ſiliquis hirſutis *I. B. tom.* 2. *l.* 17. 315.

Vicia minor ſegetum cum ſiliquis plurimis glabris *Moriſ. Hiſt.* 2. 345. Vicia ſegetum, ſingularibus ſiliquis glabris *C. B. P.* 345. Viciæ ſive Craccæ minimæ ſpecies cum ſiliquis glabris *I. B. tom.* 2. *l.* 17. 315.

*Vicia ſylveſtris lutea, foliis Convolvuli minoris C. B. P. v.* Lathyrus.

*Vicia latâ ſiliquâ, flore luteo I. B. v.* Lathyrus.

*Vicia Seſamacea Apula Columnæ. v.* Aſtragalus.

*Viciæ ſimilis, ſupra infraquè terram fructum edens C. B. P. v.* Lathyrus.

*Victorialis Mas Tab. v.* Allium.

*Vincetoxicum cum multis floribus albicantibus I. B. v.* Aſclepias.

*VIOLA Martia purpurea, flore ſimplici odoro C. B. P. 199. *Moriſ. Hiſt.* 2. 474. Viola Martia purpurea *I. B. tom.* 3. *l.* 32. 542.

Viola Martia alba C. B. P. 199. Viola Martia, flore albo odorato I. B. 543.

Viola Martia multiplici flore C. B. P. Viola Martia purpurea flore multiplicato majore *I. B tom.* 3. *l.* 32. 542.

Ea-

Eadem multiplici flore candido *C.B.P.Var.*199
Eadem multiplici flore cinereo *Catal. Hort. Reg. Pariſ.* 185. *Sutherl. Cat. Edinb.* 357.
*Viola Martia inodora ſylveſtris C. B. P. 199. *Moriſ. Hiſt.* 2. 474. Viola cœrulea Martia inodora ſylvatica, in cacumine ſemen ferens *I. B. tom.* 3. *l.* 32. 543.
Viola Martia major hirſuta inodora *Moriſ. Hiſt.* 2. 475.
Viola Alpina rotundifolia lutea C. B. P. 299. *Mor. Hiſt.* 2. 475. Viola Martia lutea *I. B. tom.* 3. *l.* 32. 544. Foliis & floribus minoribus.
Eadem foliis & floribus majoribus.
Viola Martia arboreſcens purpurea *C. B. P.* 199. Viola erecta flore cœruleo *Moriſ. Hiſt.* 2. 475. Jacæa tricolor ſurrectis cauliculis quibuſdam arborea dicta I. B. *tom.* 3. *l.* 32. 547.
Eadem flore albo *C. B. P. Var.* 199. Viola erecta flore albo *Moriſ. Hiſt.* 2. 475.
Viola tricolor erecta, An Jovis flos Theophraſti C. B. P. 199? *Moriſ. Hiſt.* 476. Ann.
Viola montana tricolor odoratiſſima *C. B. P.* 199. Jaceæ tricoloris, ſive Floris trientalis genus, flore luteo & purpureo magno, repens non annuum I. B. *tom.* 3. *l.* 32. 548. Ann
*Viola tricolor hortenſis repens C. B. P. 199. *Moriſ. Hiſt.* 2. 476. Jacæa tricolor, ſive Trinitatis flos *I. B. tom.* 3. *l.* 32. 547. Flore minore violaceo puniceo & flavo. Ann.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

* Eadem flore albo & luteo C. B. P. *Var.* 199. ANN.
* Eadem flore cum pallidè cœruleo purpureo & luteo C. B. P. *Var.* 200. ANN.
* Eadem flore Violaceo holoſerico purpureo & aureo. ANN.

Viola tricolor hortenſis repes, fl. magno duplo majore, coloris unius, nigræ purpuræ & inſtar holoſerici nitentis C. B. P. *Var.* 200. ANN.

Eadem flore pallido C. B. P. *Var.* 200. ANN.

Eadem flore ex aureo & pallido. ANN.

* Viola bicolor arvenſis *C. B. P.* 200. *Moriſ. Hiſt.* 2. 476. Jacæa bicolor frugum & hortorum vitium *I. B. tom.* 3. *l.* 32. 548. ANN.

VIOLA Indica ſcandens Naſturtii ſapore & odore, flore flavo. Acriviola *Frid. Cæſ. Tab.* 935. Naſturtium Indicum majus *C. B. P.* 306. Naſturtium Indicum, folio peltato ſcandens I. B. *tom.* 2. *l.* 15. 175. Pelon Mexixquilitl. Pelon Chilli, ſeu Naſturtium Peruinum *Hernand.* 161.

Eadem flore ſulphureo. Naſturtium Indicum flore luteo dilutiore *Cat. Hort. Reg. Par.* 129

Viola Indica ſcandens, Naſturtii ſapore, maxima odorata.

Si unquam amœnioris Floræ cultoribus, tùm varietate, tùm inſigni florum elegantiâ ſeſe commendavit Planta, hæc profectò ſcandentis Violæ, vulgò Naſturtii Indici, nova ſpecies eſt, cujus amplitudinem & majeſtatem quilibet intuentes meritò ſuſpiciunt & ad-

VIOLA INDICA SCANDENS, NASTURTII SAPORE MAXIMA ODORATA.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

& admirantur. Eam primùs omnium Anno MDCLXXXIV. ex novo Orbe in Belgiam devehi curavit Illuſtriſſimus Beverningius, cujus munificentiâ poſtmodum in Principum Magnatumquè Paradiſos, deinde etiam in Academicum noſtrum transfluxit Hortum. Multò verò feracior & omnibus ſui partibus amplior eſt Naſturtio Indico vulgari. Etenim è craſsâ pallidâ fibrosâ repente radice admirabili fertilitate luxuriant viticuli longiſſimi herbacei ſucculenti glabri, qui vel ſolo incumbunt, vel vicinos ſtipites bacillosve ſuis complexibus involvunt. Horum genicula emittunt tortiles ſeſqui dodrantales pediculos, ſuſtinentes folia orbiculata peltata, Hederæ inſtar anguloſa, vulgari Naſturtio duplo ampliora, medio pallente umbone, cui pediculus inſeritur, in aliquot concolores radios ad ambitum uſque diducto. Ad ſingulas foliorum alas prodit alter petiolus brevior & gracilior, qui terminatur in florem ampliſſimum odoratum extus croceo, intus nunc cinabarino nunc coccineo, nunc ſimul ex utroque colore pulcherrimè variegato, ſuperbientem, quem ſi ſolis radiis illuſtratum inſpexeris, gracili holoſericâ pube, aurato pulvere perfuſa, diceres interpolatum. Flos quinque contexitur petalis ſeſqui pollice latioribus, quorum duo ſuperioria

rioria ſurrecta è baſi anguſtâ coccineis fulgentibus virgulis ſtriatâ ſenſim in rotundam latitudinem expanduntur. Tria inferiora fulciuntur anguſtiſſimo craſſiuſculo crocato cervice, & ubi in latum orbem ſe diffundere incipiunt, concoloribus ad margines barbulis capillantur, unguibus holoſericâ maculâ modo coccineâ modo intenſiùs miniatâ inſcriptis. Medium occupant aliquot brevia rigida recurva flaveſcentia ſtamina oblongis ſtriatis concoloribus apiculis ornata; Flori verò ſubjicitur flaveſcens calix, parte anticâ, quâ floris petala complectitur, in quinque mucronatas crenas, poſticâ verò in longiſſimum calcar purpurpuraſcentibus per longitudinem ſtriis inſignitum, productus, quo una cum flore delapſo, ſequuntur vaſcula ſubrotunda rugoſa & verrucoſa ut plurimùm terna, rariùs bina, preſſiùs invicem juncta, quibus ſingulis involvitur ſemen oblongo-rotundum fuſcum craſſum ſolidum rugoſum ſtriatum ſeu anguloſum, nonnihil incurvatum. Quamvis hæc planta circa finem autumni exareſcere ejuſquè radix ſubſequente hyeme perire ſoleat, adeoque non niſi ſeminibus regerminare videatur; Attamen vulgaris Naſturtii more multiplicari patitur per ſurculos, qui autumni principio terræ commiſſi & in convenienti hybernâ locati, totâ hyeme vernant, & mox,

ſuccedente vere, flores & ſemina numeroſâ fertilitate largiuntur.

*Viola aquatica* I. B. *v.* Millefolium.

*Viola lunaria major, ſiliquâ oblongâ & rotundâ* C. B. P. *v.* Levcojum.

*Viola Mariana Dod.* I. B. *v.* Campanula.

• *Viola Matronalis vulgò ejuſquè ſpecies v.* Heſperis.

*Viola Petræa* I. B. *v.* Eruca.

VIRGA aurea major, vel Doria C. B. P. 268. Aliſma Monſpelienſium, ſive Doria *I. B. tom.* 2. *l.* 24. 1064.

Virga aurea latifolia ſerrata C. B. P. 268. Virga aurea, ſive Solidago Saracenica latifolia ſerrata *I. B. tom.* 2. *l.* 24. 1063.

* Virga aurea anguſtifolia ſerrata C. B. P. 268. Virga aurea anguſtifolia ſerrata, ſive Solidago Saracenica I. B. *tom.* 2. *l.* 24. 1063.

* Virga aurea anguſtifolia minùs ſerrata C. B. P. 268. Virga aurea vulgaris latifolia *I. B. tom.* 2. *l.* 24. 1062.

Virga aurea foliis lævibus non ſerratis *Moriſ. Hort. Bleſ.* 322. An Virga aurea anguſtifolia, paniculâ ſpecioſâ Canadenſis *Cat. Hort. Reg. Par.* 186?

Eadem foliis non nihil crenatis.

Virga aurea Americana hirſuta, radice odoratâ, foliis ſerratis *Moriſ. Hort. Bleſ.* 323. An Virga aurea Canadenſis hirſuta, paniculis minùs ſpecioſis *Cat. Hort. Reg. Pariſ.* 186?

186? Virga aurea Virginiana, foliis magis rugoſis & nonnihil inciſis *Stap. in Theoph.* 365. *deſcr. & fig.*

Virga aurea Limonii folio, paniculâ uno verſu diſpoſitâ *Moriſ. Hort. Bleſ.* 220. Virga aurea Mexicana C.B.P. 517. Virga aurea Virginiana *Stapel. in Theophr.* 365.

Virga aurea, foliis Linariæ *Moriſ. Hort. Bleſ.* 379. Linaria folioſo capitulo luteo major C.B.P. 213. Heliochryſos Tragi, ſive Linaria tertia I.B. *tom.* 3. *l.* 26. 151.

*Virga paſtoris ejuſquè ſpecies* I.B. *v.* Dipſacus.

*Virga ſanguinea* I.B. *v.* Cornus.

*Viſnaga Moriſ.* *v.* Gingidium.

*Vitex foliis anguſtioribus, Cannabis modo diſpoſitis ejuſquè ſpecies* C.B.P. *v.* Agnus caſtus.

*VITIS Idæa, foliis oblongis crenatis, fructu nigricante C.B.P. 470. Vitis Idæa, fructu nigro I.B. *tom.* 1. *l.* 5. 519. Myrtillus vulgò.

Vitis Idæa foliis ſubrotundis non crenatis, baccis rubris C.B.P. 470. Vitis Idæa ſemper virens, fructu rubro I.B. *tom.* 1. *l.* 5. 522.

*Vitis Idæa paluſtris C.B.P. 471. Oxycoccus ſive Vaccinia paluſtris I.B. *tom.* 1. *l.* 5. 227.

VITIS vinifera C.B.P. 299. I.B. *tom.* 2. *l.* 15. 67.

Vitis Corynthiaca I.B. *tom.* 2. *l.* 15. 72. Uvæ Paſſæ Indicæ, gigartis carentes C.B.P. 298.

Vitis muſcato ſapore, quæ Apiana Plinio C.B.P. *Var.* 298.

Vitis

Vitis acinis oblongis magnitudine & formâ Prunorum, quæ Pergulana dici poteſt *C. B. P. Var.* 298.

Vitis Allobrogica Plinii *Carol. Steph. Cat. Hort. Reg.* 186.

Vitis alba dulcis *I. B. tom.* 2. *l.* 15. 73.

Vitis folio Apii *I. B. tom. l.* 15. 75. Vitis laciniatis foliis *Corn.* 182.

Vitis Viniferæ diverſitates plurimæ, fructuum magnitudine colore & ſapore diſcretæ.

*Vitis alba & nigra I. B. v.* Bryonia.

*Vitis Hederacea Indica Stap. v.* Hedera.

*Ulmaria I. B. v.* Barba capræ.

* ULMUS campeſtris *C. B. P.* 426. Ulmus *I. B. tom.* 1. *l.* 1. 239.

*Umbilicus Veneris vulgò v.* Cotyledon.

· *Unedo Plinii vulgò v.* Arbutus.

. *Unifolium I. B. v.* Lilium convallium.

*Voſacan Cat. Hort. Reg. Pariſ. v.* Chryſanthemum.

*Volubilis terreſtris I. B. v.* Convolvulus.

* URTICA urens maxima *C. B. P.* 232. Urtica vulgaris major *I. B. tom.* 3. *l.* 30. 445.

* Urtica urens minor *C. B. P.* 232. Urtica minor annua *I. B. tom.* 3. *l.* 30. 446. ANN.

Urtica urens pilulas ferens prima Dioſcoridis, ſemine Lini *C. B. P.* 232. Urtica Romana, ſive Mas cum globulis *I. B. tom.* 3. *l.* 30. 445. ANN.

Eadem Parietariæ foliis *Dodart. Mem.* 131.

*Cat.*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Cat. Hort. Reg. Pariſ.* 187. ANN.
Urtica racemoſa Canadenſis *Dodart. Mem.* 129. *Moriſ. Hort. Bleſ.* 323.
*Urtica aculeata, foliis ſerratis ejuſquè ſpecies* C. B. P. *v.* Sideritis.

## X.

XANTHIUM majus Canadenſe. Lappa Canadenſis, minori congener, ſed procerior *Cat. Hort. Reg. Pariſ.* 110. ANN.
Xanthium ſive Lappa minor *I. B. tom.* 3. *l.* 33. 572. Xanthium Dioſcoridis, Lappa minor C. B. P. 198. ANN.

XERANTHEMUM flore ſimplici purpureo majore. Xeranthemum aliud Ptarmica quorundam I. B. *tom.* 3. *l.* 25. 25. Jacea Oleæ folio, capitulis ſimplicibus C. B. P. 272. Ptarmica Auſtriaca vulgò. ANN.
Idem flore pleno. ANN.
Xeranthemum flore ſimplici albo. ANN.
Idem flore pleno. ANN.
Xeranthemum flore ſimplici purpureo minore. Jacea Oleę folio, flore minore C. B. P. 272. ANN.
Xeranthemum flore ſimplici minimo dilutè purpuraſcente. ANN.
*Xiphium I. B. v.* Gladiolus.
*Xiris Moris & Xyris I. B.* Jris.

Y. YUCCA

## Y.

YUCCA foliis Aloe *C. B. P.* 91. *Moriſ. Hiſt.* 2. 419.

## Z.

Z*atarhendi Alpin.* *v.* Majorana.

*Zazintha I. B.* *v.* Cichorium.

ZEA Briza dicta vel monococcos Germanica C.B. P. 21. Zea monococcos, Briza quibuſdam *I. B. tom.* 2. *l.* 18. 413. ANN.

Zea dicoccos vel major C. B. P. 22. Zea, ſive Spelta *I. B. tom.* 2. *l.* 18. 412. ANN.

Zeopyrum ſeu Tritico-ſpeltum *C. B. P.* 22. Hordeum nudum, ſive Gymnocrithon *I. B. tom.* 2. *l.* 18. 430. ANN.

*Zea verna I. B.* *v.* Triticum.

ZEDOARIA Zeylanica Camphoram redolens *Muſ. Zeylan.* Harankaha Zeylanenſium.

*Zerumbeth Garz.* *v.* Zingiber.

ZINGIBER latiſolium ſylveſtre. Zerumbet *Garz. ab Hort. l.* 1. *c.* 43. Walinghuru ſive Zingiber ſylveſtre Zeylanenſibus.

An hoc Indicum Aroma ſit Zerumbeth Arabum quod Garzias ab Horto adſtruit, & an Zerumbeth ſit Idem cum Zedoaria, Geiduar, Arnabo, Been albo vel rubro aut Carpe-

## INGIBER SYLVESTRE.



peſio, an verò ab his diverſũ, id ex Veterum Codicibus difficulter colligi poteſt. Quippe non tantùm in his, ſed & innumeris aliis deſcribendis tàm breves & incerti reperiuntur Arabes, & quod maximum inter ſe adeò diſſentientes, ut non ſine ratione dubitetur, an Arabibus accurata dictorum ſimplicium fuerit notitia. Itaque ſatiùs fore judico in præſentiarum, genuinam Aromatis noſtri Hiſtoriam proponere, quàm de inextricabili hâc quęſtione ulteriorem facere moram. Spontaneo autem proventu luxuriat in ſylvis lociſquè aliis umbroſis Inſulæ Zeylan, Malabaræ, cœterarumquè Orientalium Regionum, Malabaris Kua, Zeylanenſibus Walinghuru hoc eſt ſylveſtre Zingiber dictum, cujus radix prælonga brachium craſſa inæqualis, nonnihil depreſſa, ex crebris prominentibus tuberibus ceu apophyſibus per genicula junctis compacta, alba, nonnunquam flaveſcens, carnoſa ſucculenta, tenacibus craſſioribus filamentis intertexta, modo in ſoli ſuperficie hærens, modo altiùs demiſſa pauciſquè albentibus fibris capillata, guſtus acris amaricantis aromatici ad Zingiber accendentis, ſed magis terreſtris & minùs grati, odoris fragrantis. Ex hujus tuberculis eriguntur caules ſeſquicubitales craſſitudine digitali herbacei depreſſi, viridante medullâ pleni, quos alterno ordine

dine

dine ab imo ad ſummum uſque veſtiunt folia ſpithamum longa, tres quatuorve transverſos digitos lata, in mucronem abeuntia glabra polita, alterâ parte lætè viridia, alterâ in viridi pallentia, fulcita pediculo craſſo breviſſimo, qui lato ac folioſo ſuo principio, Arundinum Graminumve ritu, caulem involvit & in nervum per folii mediam longitudinem excurrentem, terminatur. His in caulibus flores nulli conſpiciuntur, ſed ex peculiaribus radicum tuberculis, veluti in Curcumâ cœteriſquè hujus ſortis aromatibus, ſingularis erigitur ſcapus prælongis aliquot foliaceis ſquamis, ſcapum ſtrictiſſimè ambientibus, obtectus, aſpice in oblongo-rotundũ ſquamatũ ruffeſcens caput ex multis obtuſis foliolis imbricum modo hærentibus conſtructum, faſtigiato, è cujus ſquamarum interſtitiis proſilit flos oblongus ut plurimùm pentapetalus Curcumæ aut Zingiberi ſimilis, petalo ſuperiori oblongo pellucido galeæ inſtar erecto, duobus inferioribus conformibus inſtar labii protenſis, intermedio flaveſcente ſinuato ad marginem fimbriato, ex anguſtâ cervice in rotundam latitudinem diffuſo. Huic demum ligulæ inſtar incumbit petalum craſſum albidum reliquis anguſtius, craſſius tamen & robuſtius, deſinens in parvum leviter inflexum mucronem. His omnibus marceſcentibus

ſuc-

ſuccedit vaſculum pene trigonum continens in tribus loculamentis ſemina rotunda fuſca Cannæ Indicæ paulæ minora cœteroquin valde ſimilia. Culturam poſcit eandem, quam Curcuma, de quâ ſupra actum. Sale volatili oleoſo aromatico abundare hujus aromatis radicem probat inter alia ejus deſtillatio. Transmittit enim per alembicum aquam fragrantem cum ſufficienti oleo, cui, ſi recens fuerit deſtillata, innatat ſal volatilis paucus, formâ nivis aut Camphoræ. Hic in ſpiritu vini ſolutus conditis electuariis aliisve debitè remixtus, acidis ventriculi cruditatibus & ex iisdem obortis flatubus ac doloribus mirabiliter conducit. Idem, ſed cum blandâ alvi dejectione, præſtat ſuccus ex radice recenti expreſſus. Conſciſſa ſiccata & in farinam trita plurimam acredinem amittit, quâ ratione conficiuntur ex eâ panes, quibus annonâ duriore veſcuntur Indi. Mucilago ſquamati capitis interſtitiis inhærens, aromatis hujus virtutem nonnihil redolet & propterea doloroſo & debilitato ventriculo cenſetur utiliſſima.

*Zizyphus ſativa I. B.* *v.* Jujubæ.

*Zopal nochetzli Hernand.* *v.* Ficus.

*Zucha flore luteo. I. B.* *v.* Pepo.

*Zygis Cluſio v.* Serpillum.

F I N I S.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

# HORTI ACADEMICI LUGDUNO BATAVI.

## *APPENDIX.*

Propoſueram mihi Stirpium omnium nomina, quæ ab anno milleſimo ſexcenteſimo octuageſimo ad præſentem octuageſimum ſextum uſque in Horto Academico Lugduno Batavo viguerunt, præmiſſo huic Catalogo inſerere; verùm cùm eandem denuo percurrens reperiſſem, nonnullas ſtirpes vel omiſſas, vel hoc ipſo anno, quo Catalogus prælo erat commiſſus, variis è regionibus ad nos delatas eſſe; Ideo Batanophilis non ingratum nec inutile fore exiſtimavi, ſi illas in ordinem congererem, & ſub titulo Appendicis in lucem proferrem, inſimul adjiciendo, quæ ad emendationem ſeu illuſtrationem Catalogi ſpectare viderentur.

p. 2. *l.* 5. præfig. *

p. 7. l. 18. ſubjung.

Acer Virginianum odoratum.

p. 7. l. 23. add. poſt *I. B.* & *Dioſcoridis C. B. P.*

p. 7. l. 23. ſubjung:

*Achiotl Hern. v.* Orleana.

p. 9. l. 2. ſubjung.

*Aconitum humile bifolium , ſive Aconitifolia flore albo unico Levcoji campanulato , fructu Cynosbati Menz. v.* Papaver.

*Aconitum Helianthemum Canadenſe Cornut. v.* Chryſanthemum.

p. 9. l. 23. ſubjung:

ADHATODA Zeylanenſium *Muſ. Zeyl.* Hoc eſt, Medicina fœtum mortuum expellens, Græcis Ecbolium. Wanæpala Malab.

p. 10. l. 7. ſubjung:

*Adianthum floridum album Raji. v.* Filix.

p. 11. l. 21. ſubjung:

Ahate de Panucho Hern. v. Anona

p. 11. l. 27. ſubjung:

Alaternus criſtata.

p. 12. l. 17. ſubjung:

Alcea laciniato folio rotundo C.B.P. 316. *Moriſ. Hiſt.* 2.527.

p. 13. l. 14. ſubjung:

*Alcea Moſchata Piſon. v.* Althæa.

p. 14. l. 7. ſubjung:

*Aliſma Monſpelienſium* I. B. *v.* Virga aurea.

p. 14. l. 8. ſubjung:

*Alkekengi Mexicanum Columm. v.* Solanum.

p. 15. l. 22. ſubjung:

*Allium ſeu Moli Virginianum* C. B. P. Ephemerum.

p. 19.

ADHATODA ZEYLANENSIUM.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

p. 19. l. 9. ſubjung.

* Alſine aquis innatans, foliis longiuſculis I. B. *tom.* 3. *l.* 38. 787.

p. 20. l. ultim, ſubjung.

*Alſine verna glabra, floſculis albis* I. B. *v.* Linum.

p. 22. l. 17. poſt 479. add. Hinna pæretti *Hort. Mal. tom.* 6. 69.

p. 22. l. 24. ſubjung:

Althæa arbor Indica, Tiliæ folio, flore ephemero. Pariti, ſeu Tali pariti *Hort. Mal. tom.* 1. 53.

p. 24. l. 27. poſt 959. add. Beloere. *Hort. Mal. tom.* 6. 77.

p. 25. l. 18. poſt 962. add. Quingombo ſive Alcea Muſcata *Piſon. l.* 4. 210.

p. 29. l. 13. ſubjung.

ALYPUM Monſpelianum, ſive Frutex terribilis I. B. *tom.* I. 5. 598. Thymelæa foliis acutis, capitulo Succiſæ, ſive Alypum Monſpelienſium. C. B. P. 463.

p. 31. l. 18. add. poſt 18. Blitum Spinoſum Americanum *Sutherl. Cat. Edimb.* 51.

p. 34. l. 11. ſubjung.

*Ameri Hort. Mal. v.* Colutea.

p. 34. l. 23. ſubjung.

*Amomum Officinarum* I. B. *v.* Siſon.

p. 36. l. 24. ſubjung.

*Anachunda Hort. Mal. v.* Solanum.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

p. 39. l. 5. ſubjung.

Anemone Virginiana, tertiæ Matthioli ſimilis, flore parvo.

Folia fert trilobata ampla, flores parvos in viridi pallentes, cœtera tertiæ Matthioli paria.

p. 45. l. 22. ſubjung.

*Anhuiba Piſon. v.* Saſſafras.

p. 45. l. ultim. ſubjung.

ANONA Indica, fructu parvo violaceo. Pyro ſimilis fructus alter in novâ Hiſpaniâ C. B. P. 439. Ate vel Ahate de Panucho Hern. 348. 454. Evautzapotl ſeu Anona Hern. 90. Anona maram. *Hort Mal. tom.* 3. 23.

Anona Americana, fructu majori. Soortſack parvum vulgò.

Nomine Soortſack parvi ex Americâ huc invecta ſunt ſemina oblonga anguloſa non nihil depreſſa flaveſcentia Anonâ Indicâ majora, quæ hac æſtate in horto ſata protulerunt ſobolem, pedalis longitudinis, cui alterno ordine adſtabant folia Lauri amplitudine, lætè viridia lucida glabra. Cætera quæ ad arboris hujus plenariam cognitionem ſpectant in altera Horti noſtri Appendice curioſo lectori proponentur.

p. 47. l. 7. ſubjung.

Anonis lutea perennis major, Natrix dicta *Moriſ. Hiſt.* 2. 171. Anonis viſcoſa, ſpinis carens, lutea major. C. B. P. 389. Anonis lutea

non ſpinoſa, Dalechampio Natrix I. B. *tom.* 2. *l.* 17. 393.

p. 50. l. 11. poſt floridum add. A

Sium aquaticum, ad alas floridum *Mori* *Umbell.* 63?

p. 49. l. 12. ſubjung.

*Apios* I. B. *v.* Tithymalus.

p. 52. l. 25. ſubjung.

Apocynum maritimum erectum Venetum flore albo. Tithymalus maritimus, ſeu Eſu la rara è Lio Venetorum Inſula, flore albo *Cat. Hort. Reg. Par.* 176.

Apocynum Virginianum, flore herbaceo, ſi liquâ longiſſimâ *Moriſ. Hort. Bleſ.* 232.

Apocynum Americanum arboreſcens, ſiliquâ maximâ.


Prodiit hôc demum anno ſeminibus à Dno Henrico Meyero ex Surinama transmiſſis; Foliis palmam amplis mucronatis binis è regione oppoſitis, longis pediculis appenſis. Semina erant membranacea compreſſa fuſca cum albâ lanuginoſâ cœſarie.

Apocynum Novæ Angliæ ſubhirſutum, tuberoſâ radice, floribus aurantiis. An Apocynum Canadenſe anguſtifolium, flore aurantio *Moriſ. Hort. Bleſ.* 232.

Speciosiſſimum hoc Apocynum ex Novâ Angliâ huc invectum, idem eſſe opinor cum eo, quod Moriſonius in Horto Bleſenſi ſub nomine Apocyni Canadenſis anguſtifolii flore

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

APOCYNUM NOVÆ ANGLIÆ TUBEROSA RADICE, FLORIBUS AURANTIIS.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

flore aurantio prodidit; verùm cum ejuſdem deſcriptio ſit admodum brevis & imperfecta; ideo hic ſubnectere volui quæ in ea videntur deſiderari. Conſtat verò radice tuberosâ pugni magnitudine carnosâ nodosâ, paucis fibris veſtitâ, ſolo aridiori commiſsâ hyemem ſuperante, ex quâ ſub æſtatis initium aſſurgunt aliquot ſtolones altitudine pedali aut cubitali rotundi hirſuti, herbacei, parte quâ ſole illuſtrantur ſubrubentes. His adhærent folia ſine ordine, modo bina ſibi oppoſita modo ſolitaria, ſemidigitum longa, unguem lata, ad radicem minora, in progreſſu verò majora, rigidiuſcula, in parvum obtuſum mucronem abeuntia, ſuprà è virore nigro ſplendentia, infrà pallida ſubhirſuta venoſa. Ramorum faſtigia ſuſtinent flores in umbellam congeſtos Apocyno Canadenſi Syriaco minori Cornuti formà & magnitudine ſimiles, elegantiſſimi aurantii coloris. Hi antequam perficiuntur exigua crocata oblonga anguloſa ſtriataque capitula mentiuntur; Dehiſcentes verò in decem petala finduntur quinque externa longiora tenuiora deorſum flexa, totidemque interna breviora craſſiora erecta, è quorum ſingulorum baſi exit ſtaminulum concolor tenuiſſimum, apiculo deſtitutum, medium occupat pallidè flaveſcens capitulum oblongum ſtriatum quin-

quinquangulum ſtructurâ valde eleganti. Quanquam verò, hujus Apocyni fructus vidiſſe nobis nondum contigit, attamen haud diſſimiles eſſe congeneribus ſuis, ex omnibus notis colligere licet. Turget ſucco viſcido lento in viridi palleſcente, ſapore acri amaro nauſeoſo.

p. 58. l. 7. ſubjung.

*Arbor venenata quorundam Cat. Hort. Reg. Pa-ris. v.* Hedera.

*Arbor vitæ ſeu Paradiſiaca vulgo I. B. v.* Thuja.

p. 59. l. 9. ſubjung.

*Arabis Chabr. v.* Draba

p. 61. l. 5. præfig. *

p. 63. inſeratur Aſparagi aculeati maximi ſarmentoſi Zeylanici, radicum imago.

p. 64. l. 22. ſubjung.

*Aſperula montana odorata C. B. P. v.* Rubia.

*Aſperula hexaphyllos purpurea C. B. P. v.* Rubia.

p. 68. l. 18. ſubjung.

* Aſter Americanus latifolius maximus puniceis caulibus.

Altior aſſurgit hic Aſter quàm Aſteres Novæ Angliæ, caulibus robuſtis puniceis in breves concolores ramos diviſis; Foliis Tripólii facie, ſed rigidioribus craſſioribus per ambitum non nihil dentatis, inferioribus palmam æquantibus, ſuperiori-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

## ASPARAGI ACULEATI SARMENTOSI ZEYLANICI RADICES.



*Asparagus sarmentosus*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

ASTER AMERICANUS LATIFOLIUS MAXIMUS PUNICEIS CAULIBUS.



Aster puniceus

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

bus verò brevioribus & anguſtioribus; Floribus amplis violaceis, medio diſco purpureo flaveſcente & in albentem pappum fatiſcente. Subeſt radix fibroſa vivax, numeroſâ fertilitate ſeſe propagans. Domina Agnita de Block ſcientiæ Botanicæ peritiſſima nobis hunc Aſterem communicavit.

p. 73. l. 3. ſubjung.

Aſtragalus purpureus perennis Monſpelienſis *Moriſ. Hiſt.* 2. 106. Aſtragalus Monſpeſſulanus I. B. *tom.* 2. *l.* 17. 338. Securidaca lutea minor, corniculis recurvis C. B. P. 389.

p. 74. l. 2. poſt 285. add. Aſtragalus Africanus, flore luteo odoratus *Breyn. Cent.* 1. 72.

p. 78. l. 3. ſubjung.

*Ate Herq. v.* Anona.

p. 83. l. 5. ſubjung.

Azedarach floribus albis ſemper virens. Arbor Indica Fraxino ſimilis, Oleæ fructu *C. B. P.* 416. Aria-Bepoli ſe Nimbo Acoſtæ & *Garz. Hort. Mal. tom.* 4. 107.

p. 83. l ſubjung.

*Balam pulli Hort. Mal. v.* Tamarindus:

p. 84. l. 16. ſubjung.

BELAMODAGAM *Hort. Mal. tom.* 2. 121. Takkada Zeylanenſ.

p. 84. l. 22. poſt 261. add. Bellis ſylveſtris maxima, caule rubente hirſuto *Sutherl. Cat. Edimb. App.* 365.

p. 87.

p. 87. l. 6. ſubjung.

Beloere *Hort. Mal. v.* Althæa

p. 88. l. 15. ſubjung.

*Betonica Paoli Serpillifolia I. B. v.* Veronica.

p. 88. l. 17. ſubjung.

*Biſlingua I. B. v.* Laurus Alexandrina.

p. 93. l. 17. ſubjung.

* *Boa Tsingking Bont. v.* Coral arbor.

*Bonifacia I. B. v.* Laurus Alexandrina.

p. 94. l. 19 ſubjung.

*Briza C. B. P. & I. B. v.* Zea.

p. 95. l. 7. ſubjung.

Brunella minor, folio rigido integro C. B. *Phytop.* 503. Brunella Hyſſopifolia C. *B. P.* 261. Prunella anguſtifolia I. B. *tom.* 3. *l.* 30. 430.

p. 99. l. 3. ſubjung.

* *Bupariti Hort. Mal. v.* Althæa.

p. 101. ad l. 6. Propter characterem quem Cacalia habet communem cum Eupatorio, rectiùs Eupatorium Tuſſilaginis foliis cutaneis acutioribus & glabris meretur vocari.

p. 102. l. 16. poſt latifolia add. Menta cattaria latifolia C. B P. 228.

p. 106. l. penult. ſubjung.

*Camara Marckgr. & Camara Tinga Piſon. v.* Viburnum.

*Camaru Piſon. v.* Solanum.

p. 108. l. 6. præfig. *

p. 18. l. 18. poſt 799. add. An Alſine ob-

longo

longo folio ſerrato, flore cœruleo *I.B. tom.* 3. 19. 367?

p. 113. l. 9. ſubjung.

*Campanula exotica Aldini v.* Convolvulus.

p. 114. l. 20. ſubjung.

*Cannabina Indica Stap. v.* Eupatorium.

p. 115. l. 12. ſubjung.

*Caranda Bontj. v.* Tamarindus.

p. 120. l. 26. ſubjung.

Carduus ſtellatus, Leucoji lutei foliis *Dodart. Mem.* 69. Carduus humilis aculeatus, Ptarmicæ foliis Auſtriacæ *Triumf. Obſerv.* 96.

*Carduus Braſilianus, foliis Aloes C. B. P. v.* Ananas.

p. 129. l. 21. ſubjung.

*Caryophyllus Mexicanus ejuſque ſpecies Hernand. v.* Tagetes.

*Caryophyllus Indicus ejuſque ſpecies I. B. v.* Tagetes.

p. 130. addantur Cinamomi Icones ad vivum expreſſi.

p. 131. l. 12. ſubjung.

*Cattuchiragam Hort. Mal. v.* Jaceæ & Serratulæ affinis.

p. 132. l. 20. ſubjung.

*Cedrus ex Goa vulgo v.* Iuniperus.

p. 132. l. 21. ſubjung.

*Celeri Italorum Hort. Reg. Par. v.* Apium.

p. 133. l. 23. ſubjung.

*Centaurii*

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

CASSIA CINAMOMEA SIVE CINAMOMUM.



Laurus cinnamomum

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

CASSIA CINAMOMEA SIVE CINAMOMUM.



Asclepias tuberosa

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

*Centaurii majoris ſpecies tenuifolia I.B. v.* Stoebe.

p. 134. l. 14. poſt 551. add. Scarlotte vulgò.

p. 135. l. 15. ſubjung.

Ceraſus folio Laurino variegato.

p. 137. l. 18. ſubjung.

*Chamæficus I. B. v.* Ficus.

p. 140. l. 1. ſubjung.

*Chanterelle I. B. v.* Fungus.

p. 141. l. 8. ſubjung.

Chondrilla Tingitana, floribus luteis, Papaveris hortenſis folio. Ann.

Patriam agnoſcit Tingidem hæc Chondrilla, figens radicem digiti craſſitie pallidam, fibroſam, annuam, è quâ prodeunt folia, Papaveri hortenſi nonnihil ſimilia, duos tranſverſos digitos lata, palmam longa, glauca, levia, carnoſa, albentibus venis inſignita per ambitum crenata. Intra hæc aſſurgunt caules cubito longiores in aliquot alas divaricati leves pallidè virentes ſolidi, circa cacumina vero fiſtuloſi. Horum ſingulis nodis hærent folia ſine ullis petiolis auriculata inferioribus latiora & profundioribus crenis inciſa; Apices verò exornant capitula Sonchi effigie ſquamata, quæ Auguſto menſe explicant florem congeneribus affinem ex numeroſis petalis planis flavis ad baſin purpuraſcentibus, radiantem ſtel-

 lam

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

lam imitantibus, congeſtum, ſuccedentibus ſeminis oblongis albis fungoſis ſulcatis denticulatis candidiſſimo ſericeo pappo criſtatis. Tota Planta ſcatet lacte acri amaro ingrato.

p. 142. l. 25. poſt 516. add. Aconitum Helianthemum Canadenſe Cornut. 178.

p. 143. l. 6. ſubjung.

Eo ipſo quo Appendicem hanc compono venit in manus meas Hiſtoria Plantarum Cl. Johannis Raji, in quâ, incidens in Chryſanthemum Indicum radice tuberosâ, reperi, Dn. Rajum in notis MSS. Dni. Joſuæ Palmer inveniſſe, me Chryſanthemi hujus flores in pappum abire aſſeruiſſe. Tantùm autem abeſt, ut Plantæ huic unquam papposa ſemina adſcripſerim, ut potius profeſſus ſim, me ullibi locorum ejus ſemina hactenus obſervaſſe, in quantùm tamen ex floris diſco cœteriſque notis mihi apparuit, conjeciſſe, ſemina fore ſolida non papposa, & propterea veriùs Chryſanthemis minimè verò Aſteribus debere adjungi.

p. 144. l. 28. ſubjung.

Chryſanthemum Aſteris facie, foliis ad florem rigidis, flore ſulphureo.

Chryſanthemum Aſteris facie, foliis ad florem rigidis flore minore elatius. Ann.

Idem flore minimo humilius. Ann.

Prius

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

CHONDRILLA TINGITANA, FLORIBUS LUTEIS, PAPAVERIS HORTENSIS FOLIO.



Sonchus tingitanus.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Prius erigit, caules pedales aliquando altiores, rigidos, duros, ramoſos, tenui tomento obſitos, quibus hærent folia Aſteri ſupino Cluſii paria, rigida, deorſum inflexa, medio nervo in brevem aculeum abeunte. Flores fert Bellide minores luteos radiatos diſcoideos, denis foliis ſupradictis ſimilibus quinque majoribus totidemque minoribus circumvallatos. Diſco marceſcente defluunt ſemina exigua fuſca ſolida, ex quibus annuatim planta renovatur. Huic ſimile eſt poſterius, aſt humilius & omnibus partibus minus.

p. 147. l. 16. ſubjung.

*Chunda Hort. Mal.* v. Solanum.

p. 149. l. 14. ſubjung.

*Cicuta aquatica Geſneri* I. B. v. Sion.

p. 149. l. 17. ſubjung.

*Cieuku Boym.* v. Guajava.

*Cinamomum* C. B. P. v. Caſſia.

p. 160. l. 21. ſubjung.

*Clematis Hederæ folio Moriſ.* v. Hedera.

p. 169. l. 3. poſt 198. add. Ameri *Hort. Mal. tom.* 1. 101.

p. 177. l. 2. poſt purpuraſcente add. cum ſtylo intermedio quinque ſtaminulis cincto.

p. 182. l. 4. ſubjung.

Convolvulus Siriacus minor.

Hunc Convolvulum, duplo minorem & ſpecioſiorem, quàm Scammonea vulgaris, poſ-

poſſidemus ex munere honeſtiſſimæ Matronæ de Block.

p. 184. l. 12. poſt differt add. Confer etiam Herbam innominatam primam *Markgr. l.* 1. *c.* 25. *p.* 54.

p. 186. l. 5. poſt 166. add. Campanula exotica *Aldini Hort. Farneſ.* 89.

p. 188. l. 29. ſubjung.

Conyza Africana, Senecionis flore, retuſis foliis.

Hæc à Conyza Melitenſi retuſis foliis *Bocc. Plant. Sic.* 26. abludit tantùm floribus, qui in Bocconianâ radiati ſunt, in noſtrâ verò diſcoidei nudi non radiati Senecionis facie & modo in umbellam diſpoſiti; cætera conveniunt.

p. 189. l. 7. add. Mouricou *Hort. Mal. tom.* 6. 13.

p. 190. l. 27. ſubjung.

CORTUSA Americana, flore ſpicato, petalis integris. Sanicula montana Americana repens peregrina, ſeu Cortuſa Indica, vel Hedera terreſtris *Bod. à Stap.* 366. *Cat. Hort. Reg. Pariſ.* 161.

Cortuſa Americana ſpicato flore, petalis fimbriatis. Sanicula ſeu Cortuſa Americana altera, flore minuto fimbriato *Cat. Hort. Reg. Pariſ.* 161.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

CONYZA AFRICANA SENECIONIS FLORE, RETUSIS FOLIIS.



Conyza foetida

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

p. 191. l. 19. ſubjung.

*Cotoneaſter folio rotundo non ſerrato C. B. P.* *v.* Meſpilus.

p. 192. l. 9. ſubjung.

*Cotyledon aquatica I. B.* *v.* Ranunculus.

p. 192. l. 12 ſubjung.

*Cracca minor ejuſquè ſpecies I. B.* *v.* Vicia.

*Cratæus Theophraſti I. B.* *v.* Meſpilus.

*Crepitus lupi I. B.* *v.* Fungus.

p. 292. l. 17. poſt Luſitanis add. Tſetti Mandaram *Hort. Mal. tom.* 6. 1.

p. 196. l. 4. poſt trifolia add. Anagyridis facie glabra, ſiliquis è longioribus pediculis.

p. 198. l. 22. ſubjung.

Crotalaria Aſiatica trifolia ſubhirſuta Ann.

Crotalariæ quintam ſpeciem offendimus nuper in Horto Honeſtiſſimæ de Block; Præcedenti non multùm diſſimilis eſt, aſt tota ſubhirſuta & quoad omnes partes minor & tenerior, caules fert herbaceos, quorum cacumina flores & ſiliquæ ſtrictiùs ambiunt, facie Crotalariæ ſecundæ & tertiæ.

p. 202. l. 21. poſt hirſutis add. Hanc eandem eſſe exiſtimo, quam Marckgravius l. 1. 55. nomine Sagittariæ cordialis propoſuit.

p. 204. l. 15. poſt. Zeylanicus add. Major, ſeminibus albis. Ann.

p. 204. l. 19. poſt verrucoſa add. Semina alba majora.

p. 204. l. ult. ſubjung.

Cucumis Zeylanicus minor, ſeminibus nigris. ANN.

Cucumeris punicei Zeylanici, Maragoſa Luſitanis dicti, duæ inveniuntur ſpecies, prima producit fructus palmam longos ſativi Cucumeris craſſitie, in obtuſum mucronem deſinentes, cute craſsâ veluti in flavo virente, ſpinoſis bullis ſeu tuberculis exaſperatâ, carne pulpoſâ exflavo rubente, dulci gratâ quaſi ſacharo conditâ, Hi per maturitatem finduntur in tres partes, oſtendentes ſemina alba, ſuperficie granulatâ Momordicæ vulgari ſimilia, aſt majora. Secunda, omnibus ſuis partibus minor eſt, fructubus digiti longitudinem vix excedentibus in mucronem recurvum terminantibus, ſeminibus Momordicâ vulgari minoribus nigris. Utræque ſpecies viguerunt hac æſtate in Horto, ſuaque ſemina perfecerunt.

p. 205. l. 6. poſt 421. add. Paſſiflora Frid. Cæſ. in Tab. 935.

p. 205. l. 18. poſt 50. add. Granadilla Hiſpanica Flos Paſſionis Italis Colum. in not. ad. Hern. 888.

p. 208. l. 8. ſubjung.

*Curcas I. B.* v. Ricinus.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

p. 208. l. 14. poſt 30. add. Kaha Zeylanenſibus id eſt Crocus.

p. 223. l. 27. ſubjung.

Draba Chalepenſis repens humilior, foliis minus cinereis quaſique viridibus *Moris Hiſt.* 2. 314.

p. 214. l. 20. ſubjung.

*Dyopſyrus I. B.* v. Meſpilus.

p. 214. l. 22. ſubjung.

*Ecbolium.* v. Adhathoda.

p. 224. l. 22. ſubjung.

*Echinomelocactos vulgò.* v. Ficoides.

p. 225. l. 3. poſt *C. B. P.* add. 254.

p. 225. l. 5. poſt *C. B. P.* add. 254.

p. 225. l. 15. poſt aſpera add. craſſiuscula.

p. 225. l. 28. poſt 77. add. Hydrophyllum Morini Jonq. Hort. 43.

Cum hæc planta peculiarem, habet teſſeram à coeteris plantis hactenus deſcriptis planè diverſam, ideo mallem ut ad mentem Morini peculiari nomine, ſcilicet Hydrophylli quàm Echii ſeu Dentariæ appellaretur.

p. 228. l. 11. poſt Magnoli add. Chryſanthemum corymbiferum Africanum Triumf. Obſerv. 85.

Paucis antè diebus per literas mihi ſignificavit Nobiliſſimus Dns Ciaſſi, plantæ hujus ſemina omnino convenire cum ſemi-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

nibus Bellidis majoris, adeoquè nec Chryſanthemum nec Elichryſum ſed Bellidem Africanam, Coronopi folio, flore nudo ſeu non radiato eſſe appellandam.

p. 231. l. 7. ſubjung.

Elichryſo affinis Peruana futeſcens.

Hànc arbuſculam perpetuâ frondevirentem produxit, Hortus Beverningianus ſeminibus ex Peru invectis. Surrexit vero ad altitudinem ſexſeptemve pedum, viticulis lignoſis pallidis lentis geniculatis valde ramoſis; foliis binis ex oppoſito naſcentibus; formâ & magnitudine neſcio quid affinitatis cum foliis Coſti hortorum ſive etiam Scabioſæ Hiſpanicæ ſtellatæ habentibus, per margines tamen crebriùs ſerratis, tribusque per longitudinem excurrentibus nervis inſcriptis; Floribus ad foliorum exortus circa ramorum cacumina corymboſis parvis ab Eliochryſo non multùm abludentibus, pendulis herbaceis diſcoideis, modo ſolitariis, modo tribus quatuorve ſimul junctis; Seminibus exiguis, ut conjicere potui, pappoſis, ad perfectam tamen maturitatem hucuſque nondum perductis; Sapore & odore nullo evidenti.

p. 231. l. 23. poſt Hoc add. à Georgio Marcgravio l. 1. c. 4. p. 8. ſine nomine propoſitum.

p. 234. l. 12. præfig: *

p. 234.

p. 234. l. 20. poſt minor add. anguſtifolia.

p. 235. l. 2. ſubjung:

Eruca Bellidis folio *Moris Hiſt.* 2. 231.

p. 235. l. 8. ſubjung:

Eadem floſculis albis.

p. 235. l. 15. ſubjung:

*Ervilia ſylveſtris Dodonæi* *J. B.* *v.* Lathyrus.

p. 238. l. 25. poſt 101. add. *Moris Hiſt.* 2. 218.

p. 239. l. 9. ſubjung:

*Eſula rara è Lio Venetorum Inſula, flore albo Cat. Hort. Reg. Par.* *v.* Apocynum.

p. 239. l. 24. poſt 291. add. Cannabila Indica Stap. 365.

p. 239. l. 24. ſubjung.

Eupatorium Canadenſe, Urticæ folio, flore albo. Valeriana Urticæ folio, flore albo Corn. 20.

p. 239. l. 27. ſubjung.

Eupatorium Novæ Angliæ Urticæ foliis, floribus purpuraſcentibus, maculato caule.

Hoc â præcedente diſtinguitur quod radices habeat odoratiores, caules humiliòres & tenuiores, ſeſquicubitum rarò excedentes, pallidè virentes puniceis lineolis inſcriptos, folia minora, profundiùs crenata, flores purpureos Eupatorio Enulæ foliis omnino pares. Enatum eſt in Horto ſeminibus ex novâ Angliâ illatis.

p. 240.

p. 240. l 16. ſubjung.

Euphraſiæ affinis Indica Echioides. Kawatuwa Zeylonenſibus. Ann.

Aſſurgit ab radice albente, lignosâ, digitali craſſitie, multiſque fibris capillatâ, cauliculus pedalis ſtatim ab radice in aliquot ramos diviſus, geniculatus quadrangulus aſper villoſus. E ſingulis geniculis ab imo ad ſummum uſque exeunt folia læte viridia ſubaſpera villoſa digitum longa unguem lata obtuſa bina ex adverſo poſita, ſaporis fatui, ad quorum ſinus prodeunt ramuli tenues biunciales, quibus ex anguſtiſſimis herbaceis quinquifidis caliculis inſident flores quini ſepteni, aliquando plures ad baſin candidi, cœtera purpuraſcentes, conſimili fere ordine, quo Echii Alcibiadici flores, diſpoſiti. Formâ tubulum ſeſquiuncialem exprimunt, qui in amplum orificium quaſi galeâ trifidâ & labio integro obtuſo conſtructum deſinit, profluentibus è medio duobus capillaceis atropurpureis, tenuique albente lanugine pubeſcentibus ſtaminulis, cum ſtylo corniculato concolori & longiori. His diſcuſſis ſuccedunt vaſcula bicapſularia oblonga quadrangula membranacea granum hordei imitantia quæ ſemina continent quaterna ex fuſco flaveſcentia, ſingulis in loculis bina. Frequens occurrit locis ſordidis incul-

tis

EUPHRASIÆ AFFINIS INDICA ECHIOIDES.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tis Inſulæ Zeylonæ. Floruit in Horto Anno 1684.

p. 241. l. 5. ſubjung:

*Faba purgatrix I. B. v.* Ricinus.

p. 241. l. 10. ſubjung:

*Faniaicu Boym. Flor. Sin. v.* Pepo arboreſcens.

p. 254. l. 21. ſubjung:

Ficoides minor multicaulis flore pallido.

p. 256. l. 7. ſubjung:

Ficoides occidentale ſpinoſum Melonis facie ſulcis rectis. Melocactus Indiæ occidentalis *C. B. P.* 384. Echinomelocactos vulgò.

Idem ſulcis obliquis.

Idem minus abſque tomento.

p. 256. l. 11. poſt 154. add. Bacoba Marcgrav. l. 4. c. 27. p. 75.

p. 259. l. 10. ſubjung.

*Fœniculum marinum majus & minus C. B. P. & I. B. v.* Chrithmum.

p. 263. l. 17. ſubjung.

*Frutex ſpicatus, foliis Salignis ſerratis C. B. P. v.* Spiræa.

*Frutex terribilis I. B. v.* Alypum.

p. 268. l. 3. ſubjung.

*Galeopſis anguſtifolia foetida I. B. v.* Stachys.

p. 62. l. 23. poſt ſimul add. Spartium alterum monoſpermum, ſemine reni ſimili.

p. 292. l. 23. ſubjung.

*Glycypicros I. B. v.* Solanum.

p. 293.

p. 293. l. 4. ſubjung.

*Glyzyrrhiza Indica vulgò.* v. Phaſeolus.

p. 304. l. 14. ſubjung:

*Granadilla Hiſpanis Colum.* v. Cucumis.

p. 305. l. 28. poſt 31. add. fructu longiori. Cieuku Boym. Flor. Sinenſ. Jonſt. de arb. Mantis. 475.

p. 305. l. 30. poſt acida add. fructu rotundiori Malacka Pelà *Hort. Mal. tom.* 3. 33.

p. 306. l. 7. poſt 899. add. Narciſſus Africanus bifolius ſive exoticus *I. B. tom.* 2. *l.* 19. 679. Lilium Indicum puniceum gemino latiori folio *Moris. Hiſt.* 2. 410.

p. 309. l. 10. ſubjung.

*Halicacabum vulgare & Indicum I. B.* v. Solanum.

*Halicacabum Arabibus Bont.* v. Solanum.

p. 306. l. 27. poſt Cornut. add. 96.

p. 307. l. 8. ſubjung.

*Hedera terreſtris Stap.* v. Cortuſa.

p. 307. l. 25. ſubjung.

*Heliochryſos Tragi, ſive Linaria tertia I. B.* v. Virga aurea.

p. 311. l. 25. ſubjung.

*Herba Paris I. B.* v. Solanum.

*Herba venti Monſpelienſium vulgò.* v. Marrubium.

p. 314.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

p. 314. l. 14. ſubjung.

Hieracium incanum lanuginoſum Raguſinum, Piloſellæ flore. Piloſella incana Raguſina *I. B.* Ciaſſi.

Quod Diſcriminis Hieracium inter & Piloſellam intercedit parvi eſt momenti. Hieracium enim cauliculos fert ut plurimum erectos & ramoſos, Piloſella vero pediculos procumbentes nunquam vel rariſſime in ramos minores alios divaricatos; Cæteris notis nempe floribus planipetalis naturâ plenis, ſeminibus citrinis albente pappo criſtatis, & lacte & huminſipido invicem convenuint. Adeoque Plantam hâc Raguſinam, cujus ſemina nomine Piloſellæ incanæ Raguſinæ tranſmiſit Nobiliſſimus Johannes Battiſta Ciaſſi, ſive Hieracium ſive Piloſellam appellaveris, parùm intereſt. Nacta eſt hæc planta radicem fibroſam gracilem albidam, cauliculos multos cubitales, ramoſos, tenues incanos, humi procumbentes, folià ad ſingula genicula & ramorum exortus Lecojo incano ſiliquis rotundis *C. B. P.* paulo latiora nonnihil crenata, candido tomento obducta, flores in ramorum cacuminibus Piloſellæ minoris faciè & formâ aureos, ſemina citrina candido lanuginoſo pappo donata. An annua ſit an perennis determinare non audeo. Eodem enim anno quo floruit, putredine

HIERACIUM INCANUM LANUGINOSUM RAGUSINUM, PILOSELLÆ FLORE.



Andryala ragusina

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

dine correpta interiit.

p. 314. l. 17. ſubjung.

*I.B.* dubitat an Chondrillæ Creticæ nomine miſſa ſemine recurvo ſit eadem cum Hieracio Intybaceo flore magno albido *C. B. P.* Quia vero utriſque rite collatis, reperi plantas omnino eſſe diverſas, itaque lineæ 16. & 17. expungendæ ſunt.

p. 318. l. 4. ſubjung.

*Hina pareti Hort. Mal. v.* Althæa.

p. 318. l. 24. ſubjung.

*Hordeum nudum ſive Gymnocrithon I. B. v.* Zea.

p. 319. l. 27. add. Horminum Scutellariæ foliis.

p. 319. l. 18. ſubjung.

Horminum Scutellariæ facie, foliis craſſioribus & rugoſioribus.

p. 320. l. 16. ſubjung.

*Humatu Hort. Mal. v.* Stramonia.

p. 327. l. 13. add. Hyacinthus Africanus tuberoſus, flore coeruleo umbellato *Breyn. Prodr.* 39.

Hujus flores profluunt ex bifidâ membranaceâ thecâ, quos excipiunt ſemina in vaſculis oblongis trigonis & tricapſularibus, de more Hyacinthorum. Cætera vid. *ap. Breyn. l. c.*

p. 327. l. 16. ſubjung.

*Hydrophyllon Morini Ionqu. v.* Echio adfinis.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

JACEA LACINIATA SONCHI FOLIO C. BAUH.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

p. 331. l. ultim. ſubjung.

Quoniam Jaceam laciniatam Sonchi folio admodum nervosè deſcripſit Caſparus Bauhinus in Prodromo p. 128. Hinc ſatis eſſe patavimus tantùm adjungere ejus iconem.

p. 334. l. 23. add. ANN.

p. 334. l. 24. add. ANN.

p. 334. l. 27. add. Cattu-Schiragam *Hort. Mal. tom.* 2. 39.

p. 334. l. 27. ſubjung.

Æquum duxi ſpectatorem monere, hanc plantam pro vario ſolo, variâ quoque prodire facie, modo majori & ampliori, modo minori. Quæ enim in Horto Malabarico exponitur, nata eſt ſolo lętiori & fertiliori, quę verò in hac Appendice, loco ſteriliori.

p. 334. l. ultim. ſubjung.

*Jacea Intybacea I. B. v.* Stoebe.

p. 336. l. 16. ſubjung.

Jacobæa Africana, radice tuberosâ. Jacobææ affinis, radice tuberosâ Capitis Bonæ Spei *Breyn. Cent.* 1. 138.

p. 336. *l.* 20. præfig.

Jaſminum Americanum trifolium odoratiſſimum, flore albo.

Hoc à Jaſmino flavo odorato diſtinguimus tantùm flore albo. Acceptum referimus DNO. Johanni van Riedt, rariorum florum Cultori induſtrio, qui inter multa alia curioſiſſimâ ex America acceperat.

JACEÆ ET SERRATULÆ AFFINIS BREYNII.



p. 337. l. 6. poſt 101. add. Pitſiegam-mulla *Hort. Mal. tom. 6. 91.*

p. 337. l. 23. ſubjung.

*Ibiſcus Moriſ. v.* Malva.

p. 338. l. 27. ſubjung.

Iris anguſtifolia, Prunum redolens minor *C. B. P.* 33. Iris tuberoſa humilis, ſeu Chamæiris anguſtifolia *Moriſ. Hiſt.* 2. 355. Iris Graminea, cui pereunt quotannis folia *I. B. tom.* 2. *l.* 19. 727.

Iris anguſtifolia candida, lineisrubentibus donata *C. B. P.* 33. Iris anguſtifolia, flore albo *I. B. tom.* 2. *l.* 19. 728.

p. 343. l. 26. ſubjung.

*Iridi bulboſæ affinis I. B. v.* Siſynrichium.

p. 344. l. 3. poſt 909. add. Ann.

p. 344. l. 6. poſt 909. add. Ann.

p. 344. l. 6. ſubjung.

Iſatis ſylveſtris minor Luſitanica. Ann.

Folia protulit Myagro quodammodo paria, ſed paulò ampliora, cauliculos ſpithameos ramoſos graciles, floſculos luteos tetrapetalos exiguos, ſiliculas compreſſas fungoſas avis linguam referentes, in quarum medio ſemen unicum flavum oblongum acre, more congenerum.

p. 346. l. ultim. ſubjung.

*Juripeba Fœmina Piſon. v.* Solannm.

p. 348. l. ult. ſubjung.

*Kawutuwa Zeylonenſibus. v.* Euphraſia.

p. 348.

p. 348. l. ultim. ſubjung.

*Kayan vulgò. v.* Phaſeolus.

p. 350. l. 11. ſubjung.

*Lactuca agnina vulgò. v.* Valerianella.

p. 352. l. 3. ſubjung.

Lamium Parietariæ foliis D. Bruyner *Jonq. Hort.* 69. Lamium Parietariæ facie *Moriſ. Aiſt. Bleſ.* 278.

Radice gaudet vivaci pallentibus ſuis fibris latè diffusâ, cauliculis multis erectis cubitalibus, quadrangulis ſubhirſutis geniculatis, Folia è radice primùm erumpentia, ſimilia ſunt Parietariæ minori, per margines integra, quæ vero cauli adhærent, Urticæ paria & crenata, bina ſemper ex adverſo poſita, odoris gravis. Caulis genicula cingunt flores ſerie ſimplici, omnino albentes, ex galeâ concavâ labioque bifido amplo conſtructi, quos excipiunt vaſcula aperta oblonga cum quinque in ſummo cuſpidibus, continentia in fundo ſemina quaterna rotunda fuſca, ritu congenerum.

p. 355. l. 2. poſt ſterile add. *C. P. B.* & *J. B.*

p. 360. l. 8. ſubjung.

Laurus hæc Alexandrina fruticat virgulis multis cubitalibus flexilibus obſequioſis ramoſis, quos ornant folia hilari virore lucida mucronata ad Myrtina accedentia. Septembri menſe exeunt è ramorum cimis capitula parva rotunda herbacea ad baſin



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

flore monopetalo in viridi palleſcente ſex exiguis crenis diviſo veſtita, quo marceſcente, tranſeunt capitula in fructus globoſos pulchrè rubentes baccis Aſparagi ſimiles, includentes ſub pelliculâ tenui & parcâ pulpâ nucleum unicum rotundum pallidum durum. Subſunt radices fibroſæ albæ longæ multæ, facie Aſparagi ex uno ceſpite promiſſæ. Vide an hæc ſit eadem quam Moriſonius in *Hort.Bleſ.*279. deſcripſit nomine Lauri Alexandrinæ, fructu longis pediculis, caulibus alligato?

p. 360. l. ultim. poſt 335. add. Arveira *Piſon. l.* 4. 132.

p. 368. l. 24. ſubjung.

Leucojum clypeatum, Serpilli folio *Moriſ. Hiſt.* 2. 248. Thlaſpi clypeatum, Serpilli folio *C. P. B.* 107. Lunaria peltata minima quibuſdam *I. B. tom.* 2. *l.* 22. 935. ANN.

p. 369. l. 2. ſubjung.

*Leucojum ſpinoſum I. B.* v. Thlaſpi.

p. 370. l. 17. ſubjung.

*Lilac Perſarum Corn.* v. Syringha.

p. 573. l. 13. ſubjung.

Lilium album vulgare, foliis ad limbos flaveſcentibus.

Idem foliis flaventibus maculis inſcriptis.

p. 374. l. 17. poſt 119. add. Lilionarciſſus rubeus Indicus *Aldin. Hort. Farnſ.* 83.

p. 374. l 20. ſubjung.

Li-

LAURUS ALEXANDRINA FRUCTU E SUMMITATE CAULIUM PRODEUNTE HORT. REG. PARIS.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Lilium Africanum humile longiſſimis foliis polyanthos, ſaturato colore purpuraſcens.

Idem diluto colore purpuraſcens.

Nuſpiam magnificentiùs florulentam ſuam purpuram explicavit Lilium Africanum humile, quàm in Pandocheo Fageliano, nitidioris Floræ amænitatibus inſtructiſſimo. Utrique ſubjungitur bulbus rotundus magnitudine & formâ Lilium Sphœricum adæquans, cujus duris membranaceis corticibus, ex quibus totus compactus videtur, lanoſa pallida filamenta intertexta ſunt. Foliis viget totâ æſtate Sphœrico paribus, ſed proventu prolixiori humi jacentibus. Septembri menſe erigitur ſcapus prope palmaris in viridi puniceus, è cujus bifidâ membranaceâ vaginâ funduntur deni aliquando viceni flores in orbem diradiati hexapetali, formâ & colore Narciſſo Liliaceo Ferrarii pares, magnitudine verò inferiores, odore Hyacinthum racemoſum Muſcari ſeu Dipcadi dictum æmulantes, Alterius flore purpurâ ſaturatiore, alterius verò dilutiore gratiſſimè rubente. A floris interitu apparent vaſcula oblonga trigona tricapſularia, fœta ſeminibus more cœterorum.

p. 375. l. 9. ſubjung.

Lilium Zeylanicum umbelliferum & bulbiferum. Tolabo Zeylanenſibus *Muſ. Zeylan.*

Ex

## LILIUM ZEYLANICUM UMBELLIFERUM ET BULBIFERUM.




Crinum asiaticum

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Ex hujus bulbo oblongo albido lanugi- noſo aſſurgunt folia Narciſſina lata glabra plana carinata & flexuoſa, inter quæ attollitur thyrſus nudus rotundus bipalmis, cujus ſummum coronatur floribus ſenis novenis (pro plantæ ætate aut ſoli vel climatis ubertate) modo paucioribus modo pluribus in umbellam congeſtis, omnibus ſimul è vaginâ membranaceâ bifidâ prorumpentibus; Singuli verò ſex candidis anguſtis longulis petalis conſtruuntur, in quorum medio prominet ſtylus cum ſex albidis ſtaminibus, in verſatiles flaveſcentes farinaceos apices deſinentibus. His defluxis ſuccedunt in conceptaculis trigonis tricapſularibus ſemina fuſca anguloſa, quæ in bulbos grandeſcunt, conceptacula disrumpunt, & germina protrudunt. Eadem ſemina bulbacea obſervantur in Liliis Sphœricis, Siſynrichiis nonnullis, aliisque hexapetalis bulboſis Indicis Africisque.

p. 375. l. 22. ſubjung.

· *Lilium Zeylanicum ſuperbum vulgò.* *v.* Methonica.

p. 379. l. 19. poſt albo add. Linaria annua anguſtifolia, floſculis longis albis caudatis Triumf. Obſ. 87.

p. 381. l. 17. ſubjung.

· Linum perenne minus cœruleum, capitulo minore

nore *Moriſ. Hiſt.* 2. 553.

p. 381. l. ultim. ſubjung.

*Lunaria peltata minima I.B.* *v.* Leucojum.

p. 385. l. 21. ſubjung.

*Lunala Zeylanenſium.* *v.* Narciſſus.

p. 387. l. 27. add. Papaver ſpumeum, ſive Lychnis ſylveſtris, quæ Been album flore pleno *Breyn. Prodr.* 43.

p. 388. l. 18. ſubjung.

Lychnis ſylveſtris anguſtifolia, viſcoſa præcox rubra', foliis Caryophyllaceis *Moriſ. Hiſt.* 2. 536. Lychnis ſylveſtris viſcoſa rubra anguſtifolia *C.B.P.* 205. Odontidi, ſive Flori cuculi affinis, Lychnis ſylveſtris 1. Cluſii in Pannon. 4. in Hiſt. poſt *I.B.* 3. l. 29. 348.

p. 392. l. 5. add. deſcripta quoque videtur à Boccone in *Ic. & Deſc. Pl. Sic.* 27. ſub nomine Lychnidis foliis glabris, calyce duriore.

p. 398. l. 3. ſubjung.

*Macerone I.B.* *v.* Smyrnium.

*Madaram-pulli Hort. Mal.* *v.* Tamarindus.

p. 398. l. 18. ſubjung.

*Malacka-pela Hort. Mal.* *v.* Guajavas.

p. 408. l. 19. ſubjung:

*Mandsjadi Hort. Mal.* *v.* Phaſeolus.

*Maon Hernand.* *v.* Tagetes.

p. 409.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

p. 409. l. 30. poſt 230. add. Ocimaſtrum Valentinum Cluſii vulgò.

p. 239. l. 11. ſubjung.

*Matzatli Hernand.* *v.* Ananas.

p. 420. l. 4. ſubjung.

Melilotus Luſitanica, rotundo crenato folio procumbens, corniculis reflexis longis, ex eodem centro ortis. Ann.

Quibus notis hæc Melilotus ab Italica corniculis incurvis *I. B.* differat, vel ſolum nomen indicabit.

p. 420. l. 11. ſubjung.

Meliſſa adulterina quorundam, amplis foliis & floribus, non grati odoris *I. B. tom.* 3. *l.* 28. 233. Lamium montanum, Meliſſæ folio *C. B. P.* 223.

p. 421. l. 4. ſubjung.

*Melocactos C. B. P.* *v.* Ficoides.

*Melongena vulgò.* *v.* Solanum.

p. 423. l. 17. ſubjung.

Mercurialis Zeylanica tricoccos cum acetabulis. Kupamenija Zeylanenſibus. Ann.

E radice annuâ albente modicè fibroſâ ſurriguntur caules, nunc unicus, nunc plures, ramoſi rotundi pedales ſtriati, ad quorum genicula hærent folia ex longis pediculis, Mercurialis effigie, ſubrotunda glabra leviſſimè crenata, ex horum ſinubus verò oriuntur teneræ ſemidigitales alæ, quos alterno ordine cingunt parva herbacea aceta-

MERCURIALIS ZEYLANICA TRICOCCOS CUM ACETABULIS.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

tabula cum parvis è medio prodeuntibus pulchellis breviſſimis thirſulis, multis herbaceis villoſis & cirroſis floſculis veſtitis, quibus ſubſunt lappacei rotundi globuli terni ſimul juncti, ſingulis continentibus ſemen parvum congeneribus ſuppar. Crevit in Horto ex ſeminibus anno milleſimo ſexcenteſimo octuageſimo quarto. In Zeylona & Malabara luxuriat in fimetis; Hinc Kupamenija hoc eſt ſtercoris ſeu fimi amans appellatur. Virtutes obtinet ſimiles cum cœteris ſuæ ſortis.

p. 424. l. 24. ſubjung.

METHONICA Malabarorum. Nienghala Zeylonenſium *Muſ. Zeyl.* Lilium Zeylanicum ſuperbum vulgò.

Suſtinetur hæc planta radice oblongâ ex rotundo nonnihil compreſsâ, formâ anconem ſeu literam r ex duobus quaſi brachiis cohærentem, referente, foris fuſcâ intus albâ carnosâ, guſtus amari nauſeoſi, è cujus medio ſuperiori angulo prodeunt ſarmenta herbacea rotunda nodoſa ramoſa, altitudine trium quatuorve pedum; quæ vel humi incumbunt, vel vicinas arbores ſcandunt varioque flexu illas comprehendunt; Cuilibet nodo adhæret folium glabrum planum politum, latitudine duorum triumve digitorum, longitudine verò prope dodrantali in longum recurvum capreolatum mucronem deſi-

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

METHONICA MALABARORUM.



Xx

Gloriosa superba

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

deſinens. Ex ſummis ramis aliquando etiam foliorum alis oritur petiolus, ſuſtinens florem nudum, odore quidem vacuum, ſed ſtructuræ raritate & coloris pulchritudine cœteros flores omnes, quos Zeylona & Malabara ſuppetunt, longè ſuperantem. Conſtat verò ſex anguſtis ſemidigitum longis, elegantiſſimè fimbriatis petalis, totidem apiculatis ſtaminibus, & ſtilo intermedio tricuſpidato. Primis ab exortu diebus in viridi flaveſcit & Fritillariæ ritu propendet, dehinc expanditur, ejuſque petala ſtamina & ſtylus ſurſum retroque vertuntur & ſenſim in aureum, tandemque exquiſitiſſimum coccineum colorem faceſſunt. His omnibus defluxis perficitur ſeminarium amplitudine Nucis Juglandis, ſubrotundum trigonum tricapſulare, quod in tres coriaceas tenaces membranas dehiſcit, refertum ſeminibus parvis anguloſis rubris, duplici ſerie diſpoſitis. Luxuriavit olim in Horto Beverningiano, nunc quoque ſuperbit in Fageliano. De radicis viribus & uſu cœteriſque huc pertinentibus, tractabitur in Muſæo Zeylanico.

p. 426. l. 23. ſubjung.

Milium maximum Indicum. Lithoſphermum Arundinaceum aliud Tozcuitlapilxochitl *Hern.* 282. Milium ſolis *Bont. l.* 4. 152.



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

p. 430. l. 7. ſubjung.

*Mouricou Hort. Mal.* v. Coral arbor.

*Mudela-Nila-Hamatu Hort. Mal.* v. Stramonia.

p. 431. l. ult. poſt 760. add. Adianthum aureum vulgò.

p. 433. l. 25. ſubjung.

*Myrtillus vulgò.* v. Vitis Idæa.

p. 434. l. 23. ſubjung.

Myrtus tenuifolia Belgica vulgò.

p. 436. l. 25. ſubjung.

*Nalla mulla Hort. Mal.* v. Syringha.

p. 444. l. 7. ſubjung.

Narciſſus Zeylanicus, flore albo hexagono odorato. Lunala Zeylanenſibus.

Huic ſubſternitur bulbus oblongo rotundus pallidus, ſub corticibus ſuis lanuginoſus, folia promens Narciſſina, aſt breviora; Ad horum latera aſſurgit thyrſus levis, craſſitudine calami, proceritate dodrantali, in cujus apice turget vagina membranacea, excludens florem unicum hexagonum monopetalum candidum odoratiſſimum, ſex foliaceis deorſum flexis circinnatiſque laciniis diſſectum. Medium occupat calix, duodecim per oras crenis inciſus, ex quo producitur ſtylus cum ſex ſubalbidis falcatis ſtaminibus in luteos apices deſinentibus. Sequuntur ſemina fuſca angulosa in vaſculo tricapſulari, de more congenerum.

Minor hujus Narciſſi ſpecies à majori differt partium omnium parvitate aliquando etiam florum laciniis minus contortis, & per oras pallidè cœruleâ, lineâ virgatis.

*Narciſſus Africanus bifolius ſive exoticus I. B.* v. Hæmanthus.

p. 447. l. 7. ſubjung.

*Natrix Moriſ. Dalech. I, B.* v. Anonis.

p. 451. l. 21. ſubjung.

*Nila-humatu Hort. Mal.* v. Stramonia.

p. 452. l. 4. ſubjung.

Nux Been Zeylanica, ſiliquâ triangulâ ſeminibus alatis. Moringeros *Luſitan.* Katu Murungha Zeylanenſium *Muſ. Zeyl.*

p. 458. l. 10. poſt 51. add. Securidaca clypeata, flore luteo, Lentis folio, Zeylanica *Breyn. Prodr.* 46.

p. 472. l. 5. add. Palma Vinifera Belgarum *Breyn. Prodr.* 43.

p. 477. l. 6. ſubjung.

*Paſſiflora Cæſ. Tab.* v. Cucumis.

p. 478. l. 22. ſubjung.

*Pelon Mexixquilitl & Pelon Chilli Hernand.* v. Viola.

p. 480. l. 26. ſubjung.


*Pentaphyllum peregrinum ſiliquoſum bivalve majus & minus Moriſ.* v. Sinapiſtrum.

p. 484. l. 2. ſubjung.

Periclymenum perfoliatum, folio variegato Dni Mareſant.

p. 490.

NARCISSUS ZEYLANICUS FLORE ALBO HEXAGONO ODORATO.



Pancratium zeilanicum

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

p. 490. l. 7. ſubjung.

*Pevetti Hort. Mal.* v. Solanum.

p. 494. l. 20. ſubjung:

Phaſeolus arbor Indica incana, ſiliquis toroſis. Kayan dicta. Thora paerou *Hort. Mal. tom.* 6. 23. Cajan Arbor Indica foliis Trifolii bituminoſi, ſiliquis Orobi *Breyn. Prod.* 20. Kayan vulgò.

p. 495. l. 4. poſt Zeylan. add. Mandsjadi *Hort. Mal. tom.* 6. 25. Mangili vulgò.

p. 495. l. 5. ſubjung.

*Phu Oluſatri folio* C. B. P. v. Valeriana.

p. 496. l. ultim. ſubjung.

*Pinea Indica Hern.* v. Ananas.

*Pino Braſilienſibus Marcg. & Piſon.* v. Urtica.

p. 496. l. 21. ſubjung.

*Pitſiegam mulla Hort. Mal.* v. Jaſminum.

*Pityuſa multis* I. B. v. Tithymalus.

p. 503. l. 11. ſubjung.

*Polygonum Fœmina* I. B. v. Equiſetum.

p. 503. l. 15. ſubjung.

*Polytrichon Officinarum* C. B. P. v. Trichomanes

p. 509. l. 20. ſubjung.

Prunus Zeylanica ſpinoſa, foliis & fructubus rotundis. Ilanda Zeylonenſibus *Muſ. Zeyl.*

p. 510. l. 12. ſubjung.

Ptarmica foliis profundius ſerratis, læte viridibus, elatior.

p. 10. l. 16. ſubjung.

Ptarmica Alpina, incanis ſerratis foliis.

Ptar-

Ptarmica Rhaphani aquatici folio, flore amplo rubello Dni Watſii.

p. 512. l. 9. ſubjung.

*Pyro ſimilis fructus alter in novâ Hiſpaniâ C. B. P.* v. Anona.

p. 512. l. 12. ſubjung.

*Quadrifolium phœum fuſcum Lobelii I. B.* v. Trifolium.

p. 512. l. 13. ſubjung.

*Quautzapotl Hern.* v. Anona.

p. 514. l. 22. ſubjung.

Ranunculus Caſſubicus, foliis Thoræ *Breyn. Prod.* 45. Planè diverſus eſt à Ranunculo ſylvatico, folio ſubrotundo, & propterea ab hoc ſeparandus.

p. 525. l. 19. poſt 643. add. Ricinus Americanus *Aldin. Hort. Farneſ.* 87.

p. 528. l. 12. ſubjung.

*Roſa de Hiericho I. B.* v. Thlaſpi.

p. 513. l. 23. poſt 334. add. Ann.

p. 513. l. 23. ſubjung.

Rubia arvenſis, flore albo humilior. Aſperula arvenſis, ſive annua, flore albo *Sutherl. Cat. Edinb.* 37. Ann.

p. 531. l. 15. ſubjung.

*Rutæ pratenſis genus minus, ſemine ſtriato I. B.* v. Thalictrum.

p. 534. l. 3. ſubjung.

Salvia ſylveſtris, Verbaſci latis foliis *Moriſ. Hort. Bleſ.* 388. Verbaſcum latis Salviæ fo-



Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

liis *C. B. P.* 240. Verbaſcum ſylveſtre, Salvifolium exoticum, folio rotundiore *I. B. tom.* 3. *l.* 28. 307.

p. 534. l. 4. ſubjung.

*Sambach Alpino I. B.* *v.* Syringa.

p. 534. l. 20. ſubjung.

*Samolus Valerandi I. B.* *v.* Veronica.

p. 536. l. 25. ſubjung.

*Sanicula montana Americana repens peregrina Cat. Hort. Reg. Pariſ.* *v.* Cortuſa.

*Sanicula Americana altera, flore minuto fimbriato Cat. Hort. Reg. Pariſ.* *v.* Cortuſa.

p. 537. l. 12. ſubjung.

Satureja Cretica *C. B. P.* 223. Thymbra Græca *I. B. tom.* 3. *l.* 28. 273. Tragoriganum *Alpin. Exot.* 79.

p. 540. l. 17.

Scabioſa capitulo globoſo minor *C. P. B.* 271. Scabioſa minor vulgaris *I. B. tom.* 3. *l.* 25. 3. Foliis nunc latioribus, nunc anguſtioribus; Floribus modo purpureis modo cœruleis.

p. 540. l. 20. ſubjung.

Scabioſa ſtellata, folio laciniata minor, ſive maritima *C. B. P.* 271. Scabioſa cum pulchro ſemine minor *I. B. tom.* 3. *l.* 25. 7.

p. 543. l. 18. poſt 247. add. Scorodonia vulgò.

p. 549. l. 9. ſubjung.

*Securidaca clypeata, flore luteo, Lentis folio Zeylanica Breyn.* *v.* Onobrychis.

*Se-*

*Securidaca lutea minor, corniculis reflexis C. B.P.* *v.* Aſtragalus.

p. 558. l. 6. poſt 631. add. Abſus Proſperi Alpini *Moriſ. Hiſt.* 2. 146.

p. 562. l. 26 ſubjung.

Sideritis Alſine Trixaginis folio *C. B. P.* 233.

p. 572. l. 26. poſt 167. add. Solanum Pomiferum, fructu rotundo *I. B. tom.* 3. *l.* 34. 618. Curbiſolanum Frid. Cæſ. in Tab. 935. Melongena vulgò.

p. 578. l. 21. Inſeratur Ico Sorbi Virginianæ, deſcriptæ à *Breynio in Pr.* 51.

p. 584. l. 13. ſubjung.

*Soortſack parvum vulgò.* *v.* Anona.

p. 579. l. 9. ſubjung.

*Spelta I. B.* *v.* Zea.

p. 586. l. 24. poſt 102. add. Nalla mulla *Hort. Mal. tom.* 6. 87.

p. 504. l. ult. ſubjung.

Tanacetum hortenſe, foliis & odore Menthæ. Menta hortenſis corymbifera *C. B. P.* 226. Mentha corymbifera ſive Coſtus hortenſis *I. B. tom.* 3. *l.* 26.

p. 589. l. 14. ſubjung.

Taxus foliis variegatis *Cat. Hort. Reg. Par. app.*

p. 593. l. 23. ſubjung.

Thlaſpi fruticoſum de Jericho majus *Moriſ. Hiſt.* 2. *Icon.* Thlaſpi Roſa de Hiericho dictum *Moriſ. Hiſt.* 2. 328. Roſa Hiericho *I. B. tom.* 2. *l.* 16. 204.

p. 597.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

SORBUS VIRGINIANA, FOLIIS ARBUTI BREYN.



Pyrus arbuti folia

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

p. 597. l. 5. ſubjung.
*Thlaſpi clypeatum Serpilli folio* C. B. P. *v.* Leucojum.

p. 597. l. 7. ſubjung.
*Thora-Paerou Hort. Mal. v.* Phaſeolus.

p. 603. l. 1. ſubjung.
*Tolabo Zeylanenſium. v.* Lilium.

p. 603. l. 21. ſubjung.
*Tozcuitlapilxochitl Hern. v.* Milium.

p. 609. l. 12. ſubjung.
*Tſetti mandaram Hort. Mal. v.* Criſta Pavonis.

p. 619. l. 24. ſubjung.
Verbena Americana, Urticæ foliis anguſtioribus, flore cœruleo.

p. 623. l. 2. ſubjung.
Viburnum Americanum odoratum, foliis Urticæ, floribus miniatis. Camara *Marcgr. l.* 1. *c.* 4. 5. Camara Tinga *Piſon. l.* 4. *c.* 30. 176.

p. 626. l. 13. ſubjung.
Vicia minor hirſuta, flore minimo rubente *Cat. Edinb. Sutherl.*

p. 635. l. 5. ſubjung.
*Wanæpala Malabarorum. v.* Adhatoda.

p. 365. l. 3. poſt 323. add. Pino Braſilienſibus *Marckgr. l.* 1. *c.* 23. 48. Pino, ſive Urtica *Piſon. l.* 4. *c.* 54. 235.

FINIS.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

# MENDÆ CORRIGENGÆ.

P.10. l.3. add. l. 37. P.30. l. 1. leg. *Paniculis*. P.30. l.6. leg. *Cieca*. P.46. l. 1. leg. *purpureo*. P.54. l.24. leg. *foliaceas*. P.54. l.28. leg. *longitudinem*. P.58. l.14. leg. *Angelica*. P.60. l.14. leg. *Obſcuro*. P.60. *l.*17. leg. *piſtillo*. P.6[illegible]. l. 19. leg. *Dioſcoridis*. P.62. l.20. leg. *ſubſunt*. P.62. l.24. leg. *his*. P.66. l.27. leg. *late quo*. P.73. l. 19. leg. 17. P.74. l.14. leg. *conjugatim*. P.83. l.7. leg. *Ficoides*. P. 84. l.2. leg. *Ficoides*. P.89. l.17. leg. *longo*. P.94. l.13. add. 112. P.101. l.19. pro *Eruca* leg. *Rhaphaniſtrum*. P.102. l. 6. leg. *Calamintha*. P.107. l. 14. add. *flore*. P.121. l. 16. leg. *Oſtrys*. P.128. l. 21. leg. *Profunde*. P.1[illegible]. l. 11. pro *Lathyris* leg. *Tithymalus*. P.133. l. 2. add. 69. P. 135. l. 3. pro *CERASUS* leg. *Cerafus*. P.143. l.8. leg. *Chryſanthemum*, P.145. l. 12. præf.*. P.145. l. 13. leg. *Buphthalmum*. P.146. l. 14. add. *Americanum*. P.148. l. 5, leg. *album*. P.148. l.17. præfig. *. P. 154. l.6. leg. *quina*. P. 160. l. 26.27. 28. comprehendantur ſub uno paragrapho. P. 162. l. 24. leg. *quarum*. P. 174. l.29. leg. *multijugâ*. P.210. l.21. leg. *deciduo*. P.212. l.22. leg. 273. P.217. l.10. leg. *Cytiſus*. P.221. l.16. leg. DIPSACUS. P.125. l.3. add. 254. P.225. l.5. add. 254. P.236. l.9. leg. *Illuſtriſsimi*. P. 246. l.19. leg. *farinaceis*. P.261. l.18. leg. *Fritillaria*. P.277. l.26 leg. *ſuperiori*. P. 277. l. 28. leg. *Virtute*. P. 298. l. 29. leg. *Oceanicum*. P.302. l. 1. deleatur * P. 305. l.25. leg. GUAIANA. P.306. l.2[illegible]. leg. *Clematitis*. P.321. l.9. leg. HYACINTHUS. P.343. l.27. pro *Apocynum* leg. *Aloe*. P.350. l.25. leg. 322. P.350. l.29. leg. 323. P.354. l.28. leg. *Bononienſe*. P.360. l.3. leg. 575. P. 361. l. 11. deleatur ANN. P. 388. l. 6. leg. 348. P. 388. l. 11. add. 205. P. 409. l. 23. leg. *Maſtichina*. P.416. l.24. leg. *Deltoideam*. P. 417. l. 1. leg. *conſtanter*. P. 433. l. 2. leg. 977. P. 423. l.5. leg. 977. P. 434. l.25. leg. *Myrtus*. P.442. l. 24. leg. *lutea*. P. 445. deleantur lineæ 22. 23. 24. 25. P.454. l.5. leg. *intercurſantibus*. P.416. l.8. deleantur *in App*. P.503. deleatur linea prima. P.503. l.8. pro *Pyrolæ affinis* leg. *Telephium*. P. 510. l. 29. leg. *Umbelliferrum*. P. 537. l.14. leg. *tranſmiſit*. P.543. l.11. leg. *ſpinoſus*. P.544. l.15. leg. *laciniato*. P.545. l.2. leg. *radice*. P.545. l.14. leg. *ſeſquicubitalis*. P.577. l.24. leg. *recurvo* item *Chondrillæ*. P.568. l. 6. leg. *Bulboſæ*. P. 576. l. 25. leg. *Solanum*. P. 580. l. 6. leg. *ſerratis*. P. 492. l.24. leg. *et*. P. 599. l. 5. leg. *ingruente*. P. 615. l. 4. leg. *lateralibus*. P.631. l.51. leg. *purpuraſcentibus*. p.638. l.25. leg. *accedentis*. P.641. l.11. leg. *eundem*. p. 641. l. 15. leg. Botanophilis. p. 645. l. 13. *Quautzapotl*. P. 652. l.17. leg. *Hern*. P.652. l.19. leg. *Azadarach*. P.658. l.2. leg. *ſeminibus*. P.658. l. 25. add. *Semina quoque Flori ſolis ſimilia, ſed minora admadum, nigreſcente cortice, medullâ ſapore & odore ingrata, ſe obſervaſſe fatetur Fabius Columna in Annot. ad Rech. p.* 881. P. 668. l. 18. add. *ſunt*. P. 670. l. 62. leg. 262. P.672. l.13. deleatur *et*. P.672. l. 23. leg. *Leucojo*. P. 679. l.8. leg. *Hort*. Cætera quæ irrepſerunt vitia *B. L.* ſuo corrigat genio.

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9

Early European Books, Copyright © 2011 ProQuest LLC.
Images reproduced by courtesy of Koninklijke Bibliotheek, Den Haag.
454 J 9